

```

import { useEffect } from "react";
import { motion } from "framer-motion";
import { Button } from "@components/ui/button";
import { Link } from "wouter";
import { Star, Scissors, Check, ChevronRight } from "lucide-react";

export default function Home() {
  useEffect(() => { document.title = "Step One Barbershop | Premium Herrenfriseur

const reviews = [
  {
    name: "Michael K.",
    text: "Bester Barbershop in Nürnberg! Immer super Ergebnis und sehr entspan
    rating: 5,
  },
  {
    name: "Ömer A.",
    text: "Endlich ein Barbershop der seinen Namen verdient. Präzise Arbeit, fa
    rating: 5,
  },
  {
    name: "David R.",
    text: "Ich bin seit 2 Jahren Stammkunde. Würde nirgendwo anders mehr hingeh
    rating: 5,
  },
];

return (
  <>
    { /* Hero Section */ }
    <section className="relative min-h-[100dvh] flex items-center justify-cente
      <div className="absolute inset-0 z-0">
        <div className="absolute inset-0 bg-black/60 z-10"></div>
        
        <div className="absolute inset-0 bg-[radial-gradient(circle_at_center,t
      </div>

      <div className="container mx-auto px-4 relative z-30 text-center">
        <motion.div
          initial={{ opacity: 0, y: 30 }}

```

```

        animate={{ opacity: 1, y: 0 }}
        transition={{ duration: 0.8, ease: "easeOut" }}
    >
    <h1 className="text-6xl md:text-8xl lg:text-9xl font-display text-for
      STEP ONE
    </h1>
    <p className="font-serif italic text-2xl md:text-3xl text-primary mb-
      Precision craft studio for style-conscious men in Nürnberg Südstadt
    </p>
    <div className="flex flex-col sm:flex-row items-center justify-center
      <a href="tel:+4991125381284">
        <Button size="lg" className="w-full sm:w-auto bg-primary text-bac
          Jetzt Anrufen
        </Button>
      </a>
      <Link href="/services">
        <Button variant="outline" size="lg" className="w-full sm:w-auto b
          Leistungen
        </Button>
      </Link>
    </div>
  </motion.div>
</div>
</section>

{/* Intro / Über uns */}
<section className="py-24 bg-[#111111]">
  <div className="container mx-auto px-4">
    <div className="grid grid-cols-1 lg:grid-cols-2 gap-16 items-center">
      <motion.div
        initial={{ opacity: 0, x: -30 }}
        whileInView={{ opacity: 1, x: 0 }}
        viewport={{ once: true, margin: "-100px" }}
        transition={{ duration: 0.6 }}
        className="space-y-8"
      >
        <h2 className="text-5xl font-display tracking-widest text-primary">
        <p className="font-serif italic text-2xl text-muted-foreground">
          Raw confidence without shouting. We speak softly and cut perfectl
        </p>
        <div className="space-y-4 text-lg leading-relaxed">
          <p>
            Am Aufseßplatz in der Nürnberger Südstadt haben wir einen Ort g
          </p>
          <p>
            Egal ob klassischer Fade, präzise Bartkonturen oder das Komplet
          </p>

```

```

    </div>
    <ul className="space-y-4 pt-4">
      {[
        "Premium Atmosphäre",
        "Erfahrene Master Barber",
        "Direkt an der U1 (Aufseßplatz)"
      ].map((item, i) => (
        <li key={i} className="flex items-center gap-3">
          <div className="w-6 h-6 rounded-full bg-primary/20 flex items
            <Check className="text-primary" size={14} />
          </div>
          <span className="text-lg font-medium">{item}</span>
        </li>
      )]}
    </ul>
  </motion.div>

  <motion.div
    initial={{ opacity: 0, scale: 0.95 }}
    whileInView={{ opacity: 1, scale: 1 }}
    viewport={{ once: true, margin: "-100px" }}
    transition={{ duration: 0.6 }}
    className="relative aspect-[4/5]"
  >
    <div className="absolute inset-0 border-2 border-primary/30 transla
    
  </motion.div>
</div>
</div>
</section>

{/* Services Teaser */}
<section className="py-24 bg-[#1A1A1A]">
  <div className="container mx-auto px-4">
    <div className="text-center mb-16">
      <h2 className="text-5xl font-display tracking-widest mb-4">Unser Hand
      <p className="font-serif italic text-xl text-primary">Präzision in je
    </div>

    <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
      {[
        {
          title: "Haarschnitt",

```

```

        desc: "Beratung, Waschen, individueller Schnitt & Styling.",
        price: "ab 20 €",
        icon: Scissors
      },
      {
        title: "Bartpflege & Rasur",
        desc: "Klassische Nassrasur oder präzise Konturen für deinen Bart
        price: "ab 15 €",
        icon: Scissors
      },
      {
        title: "Komplettpaket",
        desc: "Haarschnitt & Bartpflege für den perfekten Rundum-Look.",
        price: "ab 30 €",
        icon: Scissors
      }
    ].map((service, i) => (
      <motion.div
        key={i}
        initial={{ opacity: 0, y: 20 }}
        whileInView={{ opacity: 1, y: 0 }}
        viewport={{ once: true, margin: "-50px" }}
        transition={{ duration: 0.5, delay: i * 0.1 }}
        className="bg-[#111111] p-10 border border-border/10 hover:border
      >
        <service.icon className="text-primary mb-6 w-12 h-12 group-hover:
        <h3 className="text-3xl font-display tracking-widest mb-4">{servi
        <p className="text-muted-foreground mb-8 min-h-[60px]">{service.d
        <div className="flex justify-between items-center border-t border
          <span className="text-primary font-serif italic text-xl">{servi
          <ChevronRight className="text-primary opacity-0 group-hover:opa
        </div>
      </motion.div>
    )))
  </div>

  <div className="text-center mt-16">
    <Link href="/services">
      <Button variant="outline" className="border-primary text-primary ho
        Alle Leistungen & Preise
      </Button>
    </Link>
  </div>
</div>
</section>

{ /* Reviews */ }

```

```

<section className="py-24 bg-[#0D0D0D]">
  <div className="container mx-auto px-4">
    <div className="text-center mb-16">
      <h2 className="text-5xl font-display tracking-widest mb-4">Das sagen
    <div className="flex justify-center gap-1">
      {[...Array(5)].map((_, i) => (
        <Star key={i} className="text-primary fill-primary" size={24} />
      ))}
    </div>
  </div>

  <div className="grid grid-cols-1 md:grid-cols-3 gap-8">
    {reviews.map((review, i) => (
      <motion.div
        key={i}
        initial={{ opacity: 0, scale: 0.95 }}
        whileInView={{ opacity: 1, scale: 1 }}
        viewport={{ once: true }}
        transition={{ duration: 0.5, delay: i * 0.1 }}
        className="bg-[#111111] p-10 relative"
      >
        <span className="text-8xl font-serif text-primary/20 absolute top
        <div className="relative z-10">
          <div className="flex gap-1 mb-6">
            {[...Array(review.rating)].map((_, j) => (
              <Star key={j} className="text-primary fill-primary" size={1
            ))}
          </div>
          <p className="text-lg mb-8 italic">"{review.text}"</p>
          <p className="font-display tracking-widest text-primary text-xl
        </div>
      </motion.div>
    ))}
  </div>
</div>
</section>

{/* CTA Section */}
<section className="py-32 bg-primary relative overflow-hidden">
  <div className="absolute inset-0 opacity-10 bg-[url('https://www.transpar
  <div className="container mx-auto px-4 text-center relative z-10">
    <motion.div
      initial={{ opacity: 0, y: 20 }}
      whileInView={{ opacity: 1, y: 0 }}
      viewport={{ once: true }}
      transition={{ duration: 0.6 }}
    >

```

```
<h2 className="text-6xl md:text-7xl font-display tracking-widest text
  BEREIT FÜR DEINEN NEUEN LOOK?
</h2>
<p className="font-serif italic text-2xl text-background/80 mb-12 max
  Ruf uns an und wir kümmern uns um deinen perfekten Look.
</p>
<a href="tel:+4991125381284">
  <Button size="lg" className="bg-background text-primary hover:bg-[#
    Jetzt Anrufen
  </Button>
</a>
</motion.div>
</div>
</section>
</>
);
}
```