

JUICE_SHOP_CMD_GUIDE.md

Overview

This guide provides step-by-step instructions to install, run, test, and stop **OWASP Juice Shop** using **Windows Command Prompt (cmd.exe)**. It uses Docker for quick setup and GitHub for optional source access.

Prerequisites

Make sure the following are installed:

- Docker Desktop (running)
 - Git (optional, for cloning repository)
-

Step 1: Verify Docker Installation

Open Command Prompt and run:

```
docker --version
```

If installed correctly, it will show the Docker version.

Step 2: Pull OWASP Juice Shop Image

```
docker pull bkimminich/juice-shop
```

This downloads the official Juice Shop container from Docker Hub.

Step 3: Run Juice Shop Container

```
docker run -d -p 3000:3000 --name juice-shop bkimminich/juice-shop
```

Explanation:

- `-d` → runs in background
 - `-p 3000:3000` → maps container to localhost
 - `--name juice-shop` → assigns container name
-

Step 4: Access the Application

Open your browser and go to:

`http://localhost:3000`

The OWASP Juice Shop web application should now be running.

Step 5: Check Running Container

`docker ps`

This shows all running containers.

Step 6: View Logs (Optional)

`docker logs juice-shop`

Step 7: Stop the Container

`docker stop juice-shop`

Step 8: Remove the Container

`docker rm juice-shop`

Step 9: (Optional) Clone from GitHub

If you want the source code:

`git clone https://github.com/juice-shop/juice-shop.git`

`cd juice-shop`

Step 10: Restart Container

`docker start juice-shop`

Notes

- Default port: **3000**
 - Works fully on Windows CMD (no Linux required)
 - Ensure Docker Desktop is running before commands
 - If port 3000 is busy, use another port (e.g., -p 4000:3000)
-

Summary

This setup uses Docker to quickly deploy OWASP Juice Shop without manual installation. It allows testing of web vulnerabilities in a controlled environment.