

guide instalasi


install xampp dengan versi php 8 keatas <https://www.apachefriends.org/download.html>

install composer <https://getcomposer.org/download/>

jalan xampp aktifkan module apache dan mysql


buka project lalu run perintah berikut

1. composer update




```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  
PS D:\kerja\gabut\desa_kramatan> composer update
```

2. setting name, username, dan pass pada .env



```
1  APP_NAME=Laravel  
2  APP_ENV=local  
3  APP_KEY=base64:I4rppBoByw9FsE+UqYMR47tn+lwzzwPfJ6YnRkwd6s=  
4  APP_DEBUG=true  
5  APP_URL=http://localhost  
6  
7  LOG_CHANNEL=stack  
8  LOG_DEPRECATIONS_CHANNEL=null  
9  LOG_LEVEL=debug  
10  
11 DB_CONNECTION=mysql  
12 DB_HOST=127.0.0.1  
13 DB_PORT=3306  
14 DB_DATABASE=desa_kramatan  
15 DB_USERNAME=root  
16 DB_PASSWORD=  
17  
18 BROADCAST_DRIVER=log  
19 CACHE_DRIVER=file  
20 FILESYSTEM_DRIVER=local  
21 QUEUE_CONNECTION=sync  
22 SESSION_DRIVER=file  
23 SESSION_LIFETIME=120  
24  
25 MEMCACHED_HOST=127.0.0.1  
26
```


3. php artisan key:generate



```
26
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

PS D:\kerja\gabut\desa_kramatan> php artisan key:generate
```

4. buat database dengan nama desa_kramatan pada <http://localhost/phpmyadmin>



5. buka database yang tadi dibaut lalu import desa_kramatan.sql to database

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings Variables Charsets Engines Plugins

A compressed file's name must end in **[format][compression]**. Example: **.sql.zip**

Browse your computer: **Choose File** No file chosen (Max: 40MiB)

You may also drag and drop a file on any page.

Character set of the file: utf-8

Partial import:

☒ Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. (This might be a good way to import large files, however it can break transactions.)

Skip this number of queries (for SQL) starting from the first one: 0

Other options:

☒ Enable foreign key checks

Format:

SQL

Format-specific options:

SQL compatibility mode: NONE

☒ Do not use AUTO_INCREMENT for zero values

Go 3

5. lalu run with php artisan serve

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL
```


```
PS D:\kerja\gabus\desa_kramatan> php artisan serve
```

admin login

http://localhost:8000/admin/login

email : admin@gmail.com

pass : 123



warga login <http://localhost:8000/login>

email : 123@gmail.com

pass : 123

