


# VP17-1 (1 Lower Warmer)

Height: 19.0" Width: 8.4" Depth: 19.3"  
(48.3cm) (21.3cm) (49.0cm)



- All stainless steel construction
- Pourover brewer requires no plumbing – completely portable
- SplashGard® funnel deflects hot liquids away from the hand
- Two individually controlled warmers
- KSA Registration
- KUCAS Report
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:

KSA KUCAS

## Specifications

**Product #:** 13300.0058

**Warmers:** One Lower

**Water Access:** Not Plumbed

**Finish:** Stainless/Black

**Funnel:** Black Plastic

## Additional Features

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sub>2</sub> O Temp.	Phase	# Wires plus Ground	Hertz
220-240	9.0-9.9	2000-2375	No	-	93	60°F (15.5°C)	1	2	50-60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
-	-	-	-

 **WARNING:**


## CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/12/2023




Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	19.0 in.	8.4 in.	19.3 in.	23.8 in.	12.5 in.	26.5 in.	27.200 lbs	4.566 ft³
Metric	48.3 cm	21.3 cm	49.0 cm	60.3 cm	31.8 cm	67.4 cm	12.338 kgs	0.129 m³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/12/2023

Related Products & Accessories:VP17-1 (1 Lower Warmer)(13300.0058)



CORD,  
POWER-250V10AMP  
(OPEN END

---

Product #: 01716.0000



FUNNEL W/DECAL,PPK  
NAR BLK(SM)

---

Product #: 02774.0011



FUNNEL W/DECAL,PPK  
NAR BLK(LG)

---

Product #: 04274.0012



WX2A, 230V 50/60HZ

---

Product #: 06310.0006



FILTERS,REGULAR1M  
500/2 50/CL

---

Product #: 20115.0000



FUNNEL ASSY, SST-BLK  
HDL(7.12

---

Product #: 20216.0000



FUNNEL ASSY, SST-PP  
BLK HNDL

---

Product #: 29151.0000



















FUNNEL ASSY,SST-PP  
ORANGE HDL

---

Product #: 29151.0001



Serving & Holding Options: VP17-1 (1 Lower Warmer)(13300.0058)

 <p>EASY POUR®,(BLK) 1/CS</p> <p>Product #:06100.0101</p>	 <p>EASY POUR®,(BLK) 2/CS</p> <p>Product #:06100.0102</p>	 <p>EASY POUR®,(BLK) 3/CS</p> <p>Product #:06100.0103</p>	 <p>EASY POUR®,(BLK) 6/CS</p> <p>Product #:06100.0106</p>	 <p>EASY POUR®,(BLK) 12/CS</p> <p>Product #:06100.0112</p>
 <p>EASY POUR®,(BLK) 24/CS</p> <p>Product #:06100.0124</p>	 <p>EASY POUR®,(ORN) 1/CS</p> <p>Product #:06101.0101</p>	 <p>EASY POUR®,(ORN) 2/CS</p> <p>Product #:06101.0102</p>	 <p>EASY POUR®,(ORN) 3/CS</p> <p>Product #:06101.0103</p>	 <p>EASY POUR®,(ORN) 24/CS</p> <p>Product #:06101.0124</p>
 <p>DECANTER,GLASS-BLK 12C 24/CS</p> <p>Product #:42400.0024</p>	 <p>DECANTER,GLASS-BLK 12CUP 1PK</p> <p>Product #:42400.0101</p>	 <p>DECANTER,GLASS-BLK 12C 3/CS</p> <p>Product #:42400.0103</p>	 <p>DECANTER,GLASS-ORN 12C 24/CS</p> <p>Product #:42401.0024</p>	 <p>DECANTER, GLASS-ORN 12 CUP 1PK</p> <p>Product #:42401.0101</p>
 <p>DECANTER,GLASS-ORN 12C 3/CS</p> <p>Product #:42401.0103</p>				

