

## SUF60SS

Gross capacity, total

141 l

Product dimensions


60 / 58.5 / 83 cm

Energy consumption in 24h

0.8 kWh /24h

Freezing capacity in 24h

11 kg/24h



## Control and functions

Control	Electronic control system
Temperature range	-15°C to - 24°C
Temperature display	external digital

## Design and features

Side wall material	Stainless steel (AISI430)
Color	Stainless steel
Door/Cover material	Stainless steel (AISI304)
Self-closing door	√
Door hinges	right (Left Optional)
Material of interior containers	Stainless steel 430
Material of Exterior containers	Stainless steel 430
Number of storage Basket	2(big) +1(small)
Basket material	PVC coated
Basket loading capacity	25 kg
Handle	Stainless steel slimline door
Material of adjustable feet	Steel, zinced

## Output and consumption

Energy consumption in 24h	0.8kWh /24h
Climate class	ST
Noise level	45 dB
Net capacity, total	141l
Refrigerant	R 134a
Cooling system	static
Defrosting method	manual defrost
Voltage	220-240 V
Frequency	50 Hz
Current( Max)	1.14 A

## Dimensions and weight

Product dimensions (H/W/D)


60 / 58.5 / 83 cm

Weight (with packaging)

66.150 Kg

Weight (Without packaging)

62.300 Kg



## Menu instruction

Code	Function	Set range	Default
F1	Temperature set value	5	10.0 °C
F2	Difference set value	2	3 °C
F3	Compressor delay time	1	3 minutes
F4	Temperature calibration value	-	-0.5 °C