

BLAST CHILLER/FREEZES ABBATTITORI REFRIGERATI /CONGELATORI

FREEZER 30KG USB

| Code | Model | Ref | Page | Description | Eng.Ch. |
|--------|------------|-----|------|---|---------|
| 110214 | BCFWS0616 | f | 2,3 | BLAST C/FREEZER 30KG 6GN1/1-60HZ LW | 00/00 |
| 110217 | BCFWS061 | d | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW | 00/00 |
| 110218 | BCFWS061T | е | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW TOWER | 00/00 |
| 190504 | AOFPS061CV | p | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW | 01/01 |
| 190548 | AOFPS061CT | u | 2,3 | BLAST C/FREE 30/25KG 6GN1/1 LW TOWER-USB | 01/01 |
| 190AEA | AOFPS061CT | V | 2,3 | BLAST C/FREE 30/25KG 6GN1/1 LW TOWER-USB | 00/00 |
| 727660 | AOF061C6 | С | 2,3 | BLAST C/FREEZER W/TOP 30KG 6GN1/1-60HZ LW | 00/00 |
| 727665 | AOFPS061CT | а | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW TOWER | 01/01 |
| 727667 | AOFPS061C | b | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW | 00/00 |
| 727690 | AOFP061CU | m | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW US | 00/00 |
| 727691 | AOFS061CTU | n | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW TOWER US | 00/00 |
| 727700 | AOFPS061CR | 0 | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW remote | 00/00 |
| 727801 | AOFPS061CT | q | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW TOWER-USB R452a | 00/00 |
| 727802 | AOFPS061C | r | 2,3 | BLAST C/FREEZER 30/25KG 6 GN1/1 LW-TOP-USB R452a | 00/00 |
| 728890 | EABCS31C | i | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW | 00/00 |
| 728891 | EABCS31CT | 1 | 2,3 | BLAST C/FREEZER 30/25KG 6GN1/1 LW TOWER | 00/00 |
| 728904 | BCF30M6 | h | 2,3 | BLAST C/FREEZER W/TOP 30KG 6GN1/1-60HZ LW | 00/00 |
| 728907 | HORBCF30 | g | 2,3 | BLAST C/FREEZER 30 KG 6 GN 1/1 LW | 00/00 |
| 728948 | EABCS31C | s | 2,3 | BLAST CHILL/FREEZ 30/25KG 6 GN1/1 LW-TOP-USB R452a | 00/00 |
| 728949 | EABCS31CT | t | 2,3 | BLAST CHILL/FREEZ 30/25KG 6GN1/1 LW TOWER-USB R452a | 00/00 |


Cabinet and door/Mobile e porta
Cooling unit assembly/Gruppo refrigerante
Spare parts list/Lista ricambi

Page

2


4... Bold= last change/Grassetto =ultima modifica

| From Ser. Nr.33510001 Up to Ser. Nr | Ed. 08-2016 Updated 09-2018 | Page: 1 | Doc No: 541352 |
|--|--------------------------------|----------------|----------------|
|--|--------------------------------|----------------|----------------|



Illustr:541345_p2

| From Ser. Nr Up to Ser. Nr | Ed. 08-2016 | Page: 2 | Doc No: 541352 |
|-------------------------------|-------------|----------------|----------------|
| I OD IO SEI. INI | | | |



Illustr:541345_p3

| From Ser. Nr Ed. Up to Ser. Nr | 08-2016 Pag | Doc No: 541352 |
|--------------------------------|-------------|----------------|
|--------------------------------|-------------|----------------|

| LENC | SHT WISI | E BCF | | FREE | ZER 30KG USB |
|------------------|--------------------|--------------|------------------------------|-------------------------------|-------------------------------|
| Pos | Code | Factory code | Description | Descrizione | Ref/notes |
| | Pag | j. 2 | | Cabinets and door | Illus:541352_p2 |
| 1 | 049621 | 0654600000 | Magnetic sensor | Sensore magnetico | |
| 2 | 089977 | 0510774302 | Guide for basin | Guida per bacinella | |
| 3 | 080803 | 0242452410 | Basin | Bacinella | |
| 4 | 093939 | 0530R04700 | Lock key | Chiavetta di serraggio | |
| 5 | 092807 | 0506R00600 | Handle | Maniglia | a,b,c,i,l,o,p,q,r, u,v |
| 6 | 093935 | 0514R13301 | Back support | Supporto anteriore | , |
| 7 | 081654 | 0544700601 | Hinge bush | Boccola per cerniera | |
| 8 | 083876 | 0835714501 | Door side hinge | Cerniera lato porta | |
| 9 | 093936 | 0514R13401 | Front Support | Supporto posteriore | |
| 10 | 084730 | 0617712504 | Heating cable | Cavo riscaldante 230V | all |
| 10 | 099130 | 0617726001 | Heating cable | Cavo riscaldante 208V | m,n,s,t |
| 11 | 048579 | 0855631900 | Foot rounded | Piedino rotondo | |
| 12 | 088335 | 0835762102 | Lower bracket | Cerniera inferiore | |
| 13 | 089970 | 0518713900 | Pin | Perno | |
| 13a | 093972 | 833R23002 | Assembly bracket support | Ass. cremagliera | |
| 14 | 091713 | 0502R08400 | Spacer | Piastrina per kit | a,e,l,q,u,v |
| 15 | 091779 | 0755R01700 | Stiker control Zanussi | Membrana Zanussi | d,e,f |
| 16 | 088455 | 0510772502 | Back side grid | Copertura posteriore | all - not for u,v |
| 16 | 093997 | 0514774201 | Back side grid | Copertura posteriore | m,n,s,t |
| 17 | 092810 | 0835R20100 | Door | Porta | a,b,c,m,n,o,p,q, r,s,t,u,v |
| 7 | 092816 | 0879R06201 | Door | Porta | d,e,f,g,h,i,l |
| | 091336 | 0110067023 | Discarge pipe | Tubo flessibile | , , , , |
| 19 | 092811 | 0546R14600 | Handle spacer | Distanziale maniglia | a,b,c,i,l,o,p,q,r, u,v |
| 20 | 088457 | 0506781802 | Upper bracket | Staffa superiore | |
| 21 | 095013 | 0850R20800 | Control panel usb elux | Pannello comandi elux usb | a,b,c,m,n,o,p, q,r,s,t,u,v |
| 21 | 095012 | 0502R69200 | Control panel usb | Pannello comandi usb | d,e,f,g,h,i,l |
| 22 | 092833 | 529704904 | Condenser panel | Pannello condensatore | e,d,f,g,h,i,l |
| 22 | 093998 | 0501R84400 | Condenser panel elux | Pannello condensatore elux | a,b,c,m,n,o,p, q,r,s,t,u,v |
| 23 | 088465 | 0510780401 | Front support for top | Traversa anteriore per top | b,c,d,g,i,m,o,p, |
| 24 | 099914 | 0805772500 | Horizontal frame | Cornice orizzontale | -,- |
| 25 | 099914 | 0805772400 | Vertical frame | Cornice verticale | |
| 26 | 091729 | 0510780101 | Top | Soppralzo | b,c,d,g,h,i,m,p, |
| 7 | 089689 | 0547744201 | Door gasket | Guarnizione porta | r,s a,b,c,d,e,f,g,h, |
| \ - 7 | 00040= | 0547754004 | Door weekst | Output let a serve de | i,l,o,p,q,r,s,t,u,v |
| 27 | 099135 | 0547751001 | Door gasket | Guarnizione porta | m,n |
| 28 | 099909 | 0835R03800 | Door stopper | Ass. dispositivo blocco porta | |
| 29 | 0L0113 | 0540777004 | Brown gasket | Guarnizione a soffietto | |
| 30 | 088468 | 0510777601 | Spacers | Distanziali | - L |
| 31 | 092815 | 0755R03300 | Stiker control | Membrana | a,b,c,m,n,p,q,r, s,t,u,v |
| 32 | 093770 | 0501R78000 | Oven support | Supporto per forno | a,e,l,n,q,t,u,v |
| 33 | 093772 | 0501R78300 | Oven support (near hinge) | Sup. per forno lato cerniera | a,e,l,n,q,t,u,v |
| 34 | 093771 | 0501R78400 | Front cover (with oven) | Copertura fron. (con forno) | a,e,l,n,q,t,u,v |
| 35 | 093773 | 0501R78200 | Side cover (with oven) Right | Coperture lat. (con forno) dx | a,e,l,n,q,t,u,v |
| 35a | 093773 | | Side cover (with oven) Left | Coperture lat. (con forno) sx | a,e,l,n,q,t,u,v |
| From | Ser. Nr Ser. Nr | •• | Ed. 08-2016 | Page: 4 Doo | : No: 541352 |

| LENG | ENGHT WISE BCF FREEZER 30KG USB | | | | | | |
|------|---------------------------------|--------------|----------------------------------|--|-------------------|--|--|
| Pos | Code | Factory code | Description | Descrizione | Ref/notes | | |
| 36 | 099137 | | Pin | Perno | a,e,l,n,q,t,u,v | | |
| 37 | 053342 | | Spring | Molla arresto | a,e,l,n,q,t,u,v | | |
| 38 | 093862 | 0501R67301 | Left support | Guida sx | | | |
| 39 | 093861 | 0501R67401 | Right support | Guida dx | | | |
| 40 | 093962 | 514R16300 | Spring for stopper support | Molla blocco cremagliera | | | |
| 41 | 093999 | 501R70901 | Rack | Cremagliera | | | |
| 42 | 093863 | 0755R06900 | Stiker control Alpen | Membrana Alpen | i,l | | |
| 43 | 093237 | 0755R05400 | Stiker control to brand | Membrana to brand | g,h | | |
| 44 | 099131 | 0541724700 | Shelf support | Telaio | m,n,s,t | | |
| 45 | 090008 | 0518713700 | Screw | Vite | m,n,s,t | | |
| | Paç | g. 3 | Cooling unit | Gruppo refrigerante | Illus:541352_p3 | | |
| 50 | 095494 | 0505R19401 | Motor condenser fan support | Staffa ventilatore condensatore | | | |
| 51 | 088165 | 0639726600 | Clamp | Morsettiera | m,n,s,t | | |
| 51a | 082125 | 0639704800 | Clamp | Morsettiera | all/not remote | | |
| 51a | 095111 | 858760803 | Wiring with clamp | Cablaggio con morsettiera | o,u,v - remote | | |
| 52 | 083215 | 0648703800 | Relay (60.62.8.230) | Relè (60.62.8.230) RS | | | |
| 53 | 083406 | 0648704100 | Electric cond. 5 mf cell vent. | Condensatore 5 mf vent. cell. | | | |
| 53 | 094620 | 0648R07400 | Electric cond. 3 mf cell vent. | Condensatore 3 mf vent. cell. | all | | |
| 53 | 099129 | 0648729400 | Electric cond. 4 mf cell vent. | Condensatore 4 mf vent. cell. | m,n,s,t | | |
| 54 | 083468 | 0805725601 | Liquid tank | Serbatoio di liquido | all/not remote | | |
| 54 | 088114 | 0805755201 | Liquid tank 1.2 lt fuse | Serbatoio di liquido 1.2 It | m,n,s,t | | |
| 54a | 093941 | 0514773000 | Fuse plug 99° liquid tank | Tappo fibile 99° per ric. liquido | m,n,s,t | | |
| 55 | 091705 | 0640R00500 | Compressor switch 6.3A | Magneto termico ABB 4 - 6.3A | all/not remote | | |
| 55 | 091706 | 0640R00600 | Compressor switch | Magneto termico ABB 4 - 6.3A | m,n,s,t | | |
| 56 | 084085 | 0646723000 | Solenoide valve | Corpo valvola solenoide | all/not remote | | |
| 56 | 090093 | 0646747500 | Solenoide valve | Corpo valvola solenoide | m,n,s,t | | |
| 57 | 094955 | 0511R01900 | Condenser fan | Ventola condensatore 254/31° | a,b,d,e,g,i,l,p,r | | |
| 57 | 093857 | 0511R01400 | Condenser fan | Ventola condensatore | c,f,h | | |
| 57 | 084780 | 0511704600 | Condenser fan | Ventola condensatore | m,n,s,t | | |
| 58 | 084987 | 0694700800 | Electric filter | Filtro elettrico | all except | | |
| 59 | 085088 | 0646728600 | Hight Pressostat | Pressostato di alta | m,n,s,t | | |
| 60 | 093858 | 0682R07101 | Motor ventilator for condenser | | all - not for u,v | | |
| 60 | 093636 | 0682722200 | Motor ventilator for condenser | Ventilatore per condensatore Ventilatore per condensatore | m,n,s,t | | |
| 61 | 087438 | 0805747600 | Dehydrator filter | Filtro deidratore | 111,11,5,1 | | |
| 62 | 087662 | 0624711702 | Voltage adaptor 230/24V | Trasformatore 230/24V | all | | |
| 62 | 090091 | 0624711702 | Voltage adaptor 208/24V | Trasformatore 208/24V | m,n,s,t | | |
| 62a | 090094 | 0652703000 | Fuse 5x20T 125Ma | Fusibile 5x20T 125Ma | m,n,s,t | | |
| 63 | 092177 | 0646R07200 | Cell probe | Sonda cella "Blu" | 111,11,0,0 | | |
| 64 | 093531 | 646R12000 | Evaporator probe grey | Sonda evaporatore "grigia" | See TB VTX2017_04 | | |
| 65 | 094621 | 857792802 | Motor ventilator for cell | Ventilatore cella 230V | all | | |
| 65 | 090086 | 0858729201 | Motor ventilator for cell | Ventilatore cella 208V | m,n,s,t | | |
| 66 | 092701 | 0648R04302 | Board user new USB | Scheda pulsanti new USB | ,.,.,.,. | | |
| 67 | 095164 | 855R16100 | Board main (cruiser) | Scheda principale (cruiser) | | | |
| 68 | 092188 | 0646R08500 | Condenser-ambient probe | Sonda condensatore -ambiente | | | |
| 69 | 088351 | 0646749000 | Coil 220/230V 50-60hz | Bobina per valvola 230V | all/not remote | | |
| 69 | 090088 | 0858730001 | Coil 208/240V 50-60hz | Bobina per valvola 208V | m,n,s,t | | |
| 70 | 092819 | 0516R03700 | Spacer | Distanziale scheda | , ,-,- | | |
| 71 | 088353 | 0805760200 | Liquid indicator | Indicatore di liquido | | | |
| 72 | 088354 | 0514752703 | Cell fan protection | Griglia ventilatore cella | | | |
| 73 | 090017 | 0652701800 | Comand circuit fuse for 5x20T 4A | Fus. 4A 5x20 circuito di com. | all/not remote | | |
| | | | | | | | |

| Up to Ser Nr | From Ser. Nr | Ed. 08-2016 | Page: 5 | Doc No: 541352 |
|--------------|--------------|-------------|----------------|----------------|
|--------------|--------------|-------------|----------------|----------------|

| | GHT WIS | 1 | [| | 30KG USB |
|------|--------------------|--------------|--|---|-------------------------------|
| os | Code | Factory code | Description | Descrizione | Ref/notes |
| 73 | 088227 | 0652701700 | Comand circuit fuse for 4A | Fus. 4A T 5x20 circuito di com. | m,n,s,t |
| 74 | 099146 | 0694701300 | Electric filter | Filtro elettrico | |
| 75 | 088602 | 0541705100 | Probe protection | Gabbietta per sonda | |
| 77 | 088473 | 0684723501 | Compressor H180CS 50HZ | Compressore H180CS 50 hz | a,b,d,e,g,i,l,q,r |
| 77 | 094828 | 0684723501 | Compressor H151CC 60HZ | Compressore H151CC 60HZ | c,f,h |
| 77 | 099510 | 0684730301 | Compressor H151CCK 208-230/3/60 | Compressore H151CCK 208-230/3/60 | m,n,s,t |
| 78 | 088474 | 0840704603 | Evaporator | Evaporatore | |
| 79 | 094733 | 0840704704 | Condenser | Condensatore | all /not remote |
| 79 | 099734 | 0840707801 | Condenser | Condensatore | m,n,s,t |
| 80 | 088475 | 0646754601 | Thermostatic valve -40 -15 R404A/R452A | Valvola termost40 -15 R404A/R452A | all except for v |
| 80 | | 0646R20100 | Thermostatic valve R449A | Valvola termostatica R449A | v |
| 81 | 088197 | 0648725400 | Relay (62.83.8.230) 16A | Rele` (62.83.8.230) RA | |
| 82 | 088480 | 0805727200 | Vibration-damping joint 16 mm | Giunto antivibrante 16 mm | |
| 83 | 056510 | 0648802700 | Relay (62.33.8.024) 24V coil | Rele` (62.33.8.024) RG | |
| 84 | 088479 | 0805727600 | Vibration-damping joint 12 mm | Giunto antivibrante 12 mm | |
| 85 | 088477 | 0648807300 | Switch (230v A10) | Teleruttore (230v A10) | a,b,d,e,g,i,l,p,q, |
| 85 | 099090 | 0648729200 | Switch (200-240/60hz) | Teleruttore (200-240/60hz) | c,f,h,m,n,s,t |
| 86 | 091694 | 0856R03700 | Morsetti | Morsetti | |
| 87 | 092705 | 0646R09901 | Food probe 3 sensor | Spillone 3 punti new co.tors | |
| 90 | 091800 | 0639730101 | Food probe support (HOOK AISI) | Gancio per spillone | |
| 93 | 095055 | 0855R15902 | COPUI40D-D EL. BOA. REV.5 FOR BCF | COPUI40D-D EL. BO. REV.5 FOR BCF | |
| 94 | 095108 | 0832R21700 | ASS. COMPONENTS USB | ASS. USB PER CRUSCO ELUX BCF LW | a,b,c,m,n,o,p,q, r,s,t,u,v |
| 94 | 095109 | 0832R21900 | ASS. COMPONENTS USB | ASS. USB PER CRUSCO ELUX BCF LW | d,e,f,g,h,i,l |
| 95 | | 0546400200 | SUPPORT FOR USB CONNECTIONS | VASCHETTA PER USB NXT | |
| 96 | 095082 | 0638F00900 | USB CABLE | CAVO USB -A M-F LUNGH.1000 | |
| 97 | 095083 | 0503R02500 | SUPPORT USB COMPONENTS | PIASTRINA FISSAGGIO USB BCF | |
| 98 | | 0541400A00 | FRONT COVER USB PORT | COPERTURA PER USB NXT | |
| 99 | 095110 | 0503R03700 | Protection electrical box | Protezione impianto elettrico | |
| 100 | 082118 | 639700800 | CLIPS FISS./FIX. BULBO ITW CLIPS FISS./FIX. BULBO ITW | | |
| 101 | 093934 | 0546R27300 | Plug | Тарро | |
| 102 | 095106 | 0832R22700 | Ass. evaporator for remote connections | Ass. evaporatore per connessione remot. | o,u |
| 103 | 095084 | 515R08400 | Pipe of 16.5 mm | Tubo evap. 16.5 mm | o,u |
| 104 | 095085 | 515R08500 | Pipe of 8.8 mm | Tubo evap. 8.8 mm | o,u |
| * | 095086 | 0881R08800 | Ass. Clamp and connections | Ass. barra din e morsetti | o,u |
| 105 | 088565 | 0617723200 | Heating element for evaporator | RESISTENZA A STELO | o,u |
| 106 | 094928 | 0617R14400 | Heating element for evaporator (bottom) | Resistenza fondo per evaporatorre | o,u |
| 107 | 088567 | 0648727000 | Safety thermostat | TERMOST. ELTH +40/+30 CA L=650 | o,u |
| 177 | | 832R09501 | Componets Ass. UV lamp | Ass. Comp.lampada germicida | р |
| 178 | 093943 | | External body Lamp uV | Involucro esterna lampada | p |
| 179 | 093945 | | Back glass uv lamp | Griglia di protezione | p |
| 180 | 093097 | | Fron glass uv lamp | Vetro anteriore | р |
| 181 | 093944 | | Cover | Coperchio | р |
| 182 | 084384 | | Spring | Molle | р |
| 183 | 093946 | | Front gasket uv lamp | Guarnizione | р |
| 184 | 093948 | | support | Supporto | р |
| 185 | 093947 | | UV Lamp support | Portalampada | р |
| 186 | 093949 | | Light | Lampada | p |
| * | 093950 | | Power for UV lamp | Alimentatore per lampada uv | р |
| * | | 635R16400 | Wiring cable UV lamp | Cablaggio lampada UV | p |
| * | 093107 | - | Stopper cable UV lamp | Ferma cavo per lampada UY | P |
| From | Ser. Nr Ser. Nr | | Ed. 08-2016 | Page: 6 Doc No: | 541352 |