Enhancing Clinical Research Reports through Comprehensive Data Visualization of the Table-1

Mahsa Khakpour

Abstract

Effective data visualization is pivotal in clinical research for illustrating intricate relationships and patterns. This paper extensively examines Table-1[1] of a clinical study, utilizing diverse visualization methods to analyze both classified and non-classified data within the dataset. Through these techniques, nuanced insights into the clinical data are provided, enriching comprehension and facilitating informed analysis.

In this study, Microsoft Visio software served as the optimal tool for crafting intricate visualizations, particularly leveraging the treemap visualization technique, which draws inspiration from heatmap methodologies.

In essence, embracing innovative data representation approaches is indispensable for unraveling the complexities within Table-1 of clinical research. By transcending traditional tabular formats, researchers can unlock new dimensions of understanding, thus accelerating scientific discovery.

Introduction

Table-1 stands as a foundational element in clinical research, housing indispensable data crucial for comprehending study findings. It provides a structured overview of variables, classifications, and metrics, guiding researchers through their study outcomes. However, its conventional tabular format can present challenges in interpretation due to the volume of data. Hence, innovative visualization approaches become imperative. This study embraces a variety of techniques, including treemaps and heatmap-inspired methods, which offer clarity beyond traditional tabular representations. Treemap provides hierarchical insights into the distribution of classified objects, while heatmaps visualize the significance of values. Such visualizations facilitate rapid data comprehension, trend identification, and effective communication. The use of visualization is paramount for unlocking the potential of Table-1 and expediting scientific discovery.

Materials and Visualization Techniques

In pursuit of unraveling the complexities within Table-1 of clinical research a random medical research report[2] was selected among the Pub-Med[3] database. To visualize Table-1 of the article a diverse range of materials and techniques were utilized, with Microsoft Visio[4] software serving as a central tool known for its robust data visualization capabilities. This included the use of treemap[5], chosen for their hierarchical representation of categorical data, allowing for an intuitive understanding of variable distribution. Each rectangle reflects clinical research data, facilitating comparison of variable magnitudes. The rationale behind this map lies in their ability to discern patterns across different variables[6]. These visualization methods enable researchers to navigate Table-1 intricacies, uncovering insights that advance clinical research.

Treemap offers a visual representation of hierarchical data through nested rectangles, where each level of the hierarchy corresponds to a colored rectangle. These rectangles,

representing branches, are subdivided into smaller rectangles, each reflecting the magnitude of a measure value. The size of these rectangles, whether at the branch or leaf level, is determined by the measure value, thereby providing a proportional depiction of the data's distribution within the hierarchy.

Discussion

In our pursuit of understanding the intricacies within Table-1 of clinical research, the use of Microsoft Visio alongside treemap and heatmap inspiration has proven powerful. These visualization methods enable clear navigation of complex data, aiding in the identification of underlying patterns, trends, and relationships. The choice of rectangular boxes emphasizes accuracy in representing clinical data, facilitating comprehension of variable prevalence and impact across demographic categories. While treemap offers advantages, their complexity and subjectivity must be considered, prompting researchers to assess their suitability and potentially supplement with other visualization techniques.

In Table-1, Demographic information emerges as the primary focus, aligning with its significant priority in the analysis. However, within this demographic realm, AKI stands out as the foremost value, thereby commanding placement at the upper-left corner of the graph, which denotes the initial order within the hierarchy. Following demographic factors, the consideration shifts to co-morbidities, reflecting their subsequent importance in the analysis framework. Subsequently, the remaining variables maintain equal priority, yet their arrangement within the hierarchy adheres closely to the order delineated in Table-1.

This deliberate arrangement aims to mirror the hierarchical structure of the data while also emphasizing the relative significance attributed to each variable. By aligning the treemap layout with the predetermined priorities outlined in Table-1, the visualization not only maintains coherence with the underlying data but also facilitates a seamless transition between the tabular representation and the graphical depiction. This strategy ensures clarity and consistency in the interpretation of the visualized data, thereby enhancing the efficacy of the analytical process.

Incorporating the distinction between individuals who have not taken the medication (classified as the Non-diuretic group, totaling 96,269 people) and those who have taken Furosemide medication (classified as the Furosemide group, totaling 7,885 people) further enriches this visualization. This differentiation is visually represented by positioning the Non-diuretic group at the top side of each box within the graph, while the Furosemide group is depicted accordingly below.

Furthermore, the proportions of these groups accurately reflect the distribution within the dataset, ensuring the fidelity of the visualization to the underlying demographic and medication-related information. This delineation provides valuable context for understanding the impact of medication usage on the demographic factors under consideration, facilitating nuanced insights into the relationships between medication adherence, demographic characteristics, and other variables of interest.

For instance, the accurate depiction of rectangle sizes enabled researchers to discern the relative proportions of individuals tested for medication usage versus those who were not. This clarity in representation empowered researchers to identify potential correlations between medication usage and disease outcomes, facilitating informed decision-making in clinical practice.

The demographic boxes represented in red, within the encapsulate a comprehensive portrayal of the population, segmented into subcategories that highlight the majority distribution based on percentage representation. Each demographic box serves as a visual encapsulation of a specific demographic category, with the size of the subcategories reflecting the relative prevalence within the overall population.



Figure.1- Demographic Variables

In this study, co-morbidities were meticulously categorized and highlighted for their significance within the dataset. Employing a color-coding system, variables associated with co-morbidities were distinctly represented in green, emphasizing their relevance and impact on the clinical outcomes under investigation. This strategic visualization approach not only facilitates the identification of co-morbidities but also underscores their importance in the broader context of the study, enabling researchers to discern patterns and correlations with greater clarity and precision.



Figure.2- Co-morbidities Variables

The variables with a P-value greater than 0.05 were meticulously categorized and represented in white, distinguishing them from statistically significant variables. This deliberate visual distinction allows researchers to readily identify non-significant variables and their potential impact on the study outcomes. By employing this color-coding system, the visualization facilitates a clear understanding of the variables' significance levels, aiding researchers in prioritizing their analysis and interpretation of the data.



Figure.3- Variables with P-value <0.05

Furthermore, an innovative method has been devised to accurately represent the median and interquartile range (IQR) within the dataset. This novel technique bridges the gap between two numerical values, providing a clearer

understanding of the central tendency and variability of the data.

Traditionally, representing the median and IQR involves plotting a box whisker plot, where the median is depicted as a line within the box, and the edges of the box represent the first and third quartiles. However, this method may not fully capture the nuances between two adjacent data points, potentially leading to a loss of granularity in the visualization.

To address this limitation, a new approach has been introduced wherein the median is visually presented as a point located precisely between two numerical values. This technique ensures that the median is accurately positioned relative to the data distribution, providing a more refined depiction of the central tendency.



Figure.2- Median and IQR

The selection of materials and visualization techniques for unraveling the complexities within Table-1 of clinical research reflects a thoughtful approach aimed at enhancing understanding and insight and the researchers can navigate the complexities of Table-1 with clarity and precision, ultimately advancing scientific inquiry and improving patient outcomes.

Conclusion

In the pursuit of understanding the intricacies embedded within Table-1 of clinical research, the utilization of Microsoft Visio software alongside treemap, and despite heatmap, has proven to be a powerful approach. These visualization techniques offer researchers the means to navigate the complexities of their data with clarity and insight, facilitating the identification of patterns, trends, and relationships that underpin study findings.

This visualization technique underscores the commitment to accuracy and precision in representing complex clinical data. By accurately depicting the relative proportions of data subsets, it enables researchers to discern the prevalence of variables and their impact on outcomes across different categories. This hierarchical representation enhances clarity and intuitiveness in data interpretation, facilitating rapid comprehension of complex datasets.

While treemaps offer significant advantages in visualizing categorical data, it is essential to acknowledge their limitations, including complexity and subjectivity in interpretation. Researchers must critically evaluate the pros and cons of treemaps and supplement them with additional visualization techniques as needed to address specific research questions and challenges.

In conclusion, the amalgamation of Microsoft Visio software and innovative visualization techniques offers researchers a powerful toolkit for unraveling the complexities of Table-1 in clinical research. By leveraging these tools effectively, researchers can gain invaluable insights that drive scientific inquiry forward, ultimately contributing to advancements in healthcare and improved patient outcomes.

References

1. Hayes-Larson E, Kezios KL, Mooney SJ, Lovasi G. Who is in this study, anyway?Guidelines for a useful Table-1. J Clin Epidemiol. 2019 Oct;114:125-132.
   doi: 10.1016/j.jclinepi.2019.06.011. Epub 2019 Jun 20. PMID: 31229583; PMCID: PMC6773463.
2. Zhao GJ, Xu C, Ying JC, et al. Association between furosemide administration and outcomes in critically ill patients with acute kidney injury. *Crit Care*. 2020;24(1):75. Published 2020 Mar 4. doi:10.1186/s13054-020-2798-6
3. National Center for Biotechnology Information (NCBI)[Internet]. Bethesda (MD): National Library of Medicine (US), National Center for Biotechnology Information; [1988] –
   [cited 2017 Apr 06]. Available from: https://www.ncbi.nlm.nih.gov/
4. Microsoft Corporation. (2018). Microsoft Visio. Retrieved from https://products.office.com/en/visio/flowchart-software
5. Create a treemap chart in Office. Retrieved from https://support.microsoft.com/ en- us/office/create-a-treemap-chart-in-office-dfe86d28-a610-4ef5-9b30-362d5c624b68
6. Finviz Financial Visualization. Retrieved from https://finviz.com/map.ashx?st=w1
7. The Data Visualisation Catalogue. Retrieved from https://datavizcatalogue.com/
8. Microsoft Build. Retrieved from https://learn.microsoft.com/en-us/power-bi/visuals/power-bi-visualization-treemaps?tabs=powerbi-desktop