

Bootstrap_forms_calculatos

30 Tháng Mười Một 2024 1:18 SA

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document </title>
  <script>
    function doCal(ch){
      if(ch != "="){
        switch(ch){
          case "C":
            document.getElementById("txtDisplay").value = "";
            break;
          default:
            document.getElementById("txtDisplay").value += ch;
            break;
        }
      }
    }
  </script>
  <style>
    /*Element selector*/
    button{
      width: 175px;
      height: 30px; }
    /*Id selector*/
    #txtDisplay{
      width: 165px;
      height: 35px;
      color: white;
      font-size: 15pt;
      text-align: right;
      background-color:darkgray;}
    #btnNum{
      width: 40px;
      height: 30px;}
  </style>
</head>
<body>
  <!--2.Internal(x) -->
  <h3>2.3.id selector</h3>
  <div align="center">
    <input id="txtDisplay" placeholder="0" readonly>
    <p>
      <input type="button" id="btnNum" value="1" onClick="doCal('1')">
      <input type="button" id="btnNum" value="2" onClick="doCal('2')">
      <input type="button" id="btnNum" value="3" onClick="doCal('3')">
      <input type="button" id="btnNum" value="*" onClick="doCal('*')">
      <br>
      <input type="button" id="btnNum" value="4" onClick="doCal('4')">
      <input type="button" id="btnNum" value="5" onClick="doCal('5')">
      <input type="button" id="btnNum" value="6" onClick="doCal('6')">
      <input type="button" id="btnNum" value="/" onClick="doCal('/')">
      <br>
      <input type="button" id="btnNum" value="7" onClick="doCal('7')">
      <input type="button" id="btnNum" value="8" onClick="doCal('8')">
      <input type="button" id="btnNum" value="9" onClick="doCal('9')">
      <input type="button" id="btnNum" value="+" onClick="doCal('+')">
      <br>
      <input type="button" id="btnNum" value="0" onClick="doCal('0')">
      <input type="button" id="btnNum" value="." onClick="doCal('.')">
    </p>
  </div>
</body>
</html>
```

```
<input type="button" id="btnNum" value="=" onClick="doCal('=')">  
<input type="button" id="btnNum" value="-" onClick="doCal('-')">  
<p>  
  <button type="button" onClick="doCal('C')">Clear All</button>  
</div>
```

```
</body>  
</html>
```