

Logical Database name:	Demo_dat
Data File size:	10MB
Maximum Data file size:	100MB
Data file growth increment:	1MB
Logical log file name:	Demo_log
Log File size:	5MB
Maximum Log File size:	25MB
Log File growth increment:	1MB
File Group:	Demogrp (*)

(*) Dùng chung thông tin từ primary group

```

use master
go
if exists (select name from master..sysdatabases where name = 'Demo')
drop database Demo
go
create database Demo
on Primary(
    name = Demo,
    Filename = 'D:\ZZZ\Demo_dat.mdf',
    size = 10mb,
    maxsize = 100mb,
    filegrowth = 1mb
),
filegroup Demogrp
(
    name = Demogrp,
    Filename = 'D:\ZZZ\Demo_dat.ndf',
    size = 10mb,
    maxsize = 100mb,
    filegrowth = 1mb
)
Log on(
    name = Demo_log,
    filename = 'D:\ZZZ\Demo_log.ldf',
    size = 5mb,
    maxsize = 25mb,
    filegrowth = 1mb
)
go
use Demo
go

```

```

--add filegroup
    alter database Demo
    add filegroup MyGroup
go
-- change dbowner
execute sp_changedbowner 'nhanlt'

```

```

select name from sys.filegroups

```

```

SELECT OrderNo, ItemCode, SUM(Qty)
FROM OrderDetails
GROUP BY ROLLUP | CUBE (OrderNo, ItemCode)

```

```

CREATE TABLE Studdent(
    EnrollNo          varchar(20) PRIMARY KEY,
    StudentName       varchar(50),
    Email             varchar(50),
    Phone             varchar(12)
)

```

```

--Variable

```

```

DECLARE @rucksack varchar(30) = 'RKS%'
SELECT *
FROM Item
WHERE ICode LIKE @rucksack

```

```

DECLARE @num01 int, @num02 int, @sum int
set @num01 = 10
set @num02 = 20
set @sum = @num01 + @num02
SELECT @sum

```

```

select @num01 = 100
select @num02 = 200
--select @num01 = 100, @num02 = 200
select @sum = @num01 + @num02
SELECT @sum

```

```

--Function

```

```

CREATE FUNCTION danhgia ( @diem int )
RETURNS VARCHAR(10) AS
BEGIN
    DECLARE @ketqua VARCHAR(50)
    IF @diem >= 5
        BEGIN
            SET @ketqua = 'Pass'
        END
    ELSE
        BEGIN
            SET @ketqua = 'Ref'
        END
    RETURN @ketqua
END

```

```

        END
    RETURN @ketqua
END
go
select N'Kết quả kỳ thi: ' + dbo.danhgia(5)

--Loop
DECLARE @ascii int
SET @ascii = 65
WHILE (@ascii <=90)
    BEGIN
        PRINT char(@ascii)
        SET @ascii = @ascii + 5
        CONTINUE;
    END

--Synonym
CREATE SYNONYM SanPham
FOR item;

go
select * from SanPham

-- Store Procedure
CREATE PROCEDURE spItem
@code nvarchar (20) = null
AS
BEGIN TRY
    BEGIN
        IF @code = ISNULL(@code, '') --ISNULL(@code, '') <> ''
            BEGIN
                SELECT * FROM Item WHERE ICode = @code
            END
        ELSE
            BEGIN
                SELECT * FROM Item
            END
        END
    END TRY
    BEGIN CATCH
        PRINT 'Errorr!'
    END CATCH

exec spItem
exec spItem 'RKS-K'

```

```

-----
CREATE PROCEDURE spCountItem
    @price int,
    @count int output
AS
BEGIN
    set @count = (select count(*) from item where Rate <= @price)
END

go

DECLARE @count int
EXEC spCountItem 500, @count output
SELECT @count as 'Sum Of Items'

```

```

/*
    Nếu cập nhật giá Item về zero, bật trigger xóa dòng đó.
*/

```

```

    use StrongHold
    go

    CREATE TRIGGER tgUpDel
    ON Item
    FOR UPDATE
    AS
    BEGIN
        Declare @price int, @code nvarchar(20)
        -- Đọc Rate và ICode trong bảng Inserted
        set @price=(select Rate From inserted)
        set @code=(select ICode From inserted)

        if @price = 0 -- Nếu Update về zero
        begin
            delete from Item where ICode = @code
            print @code + ' has been deleted'
        end
    end

END

--Test:
insert into Item values('FPT', 'F-P-T', 100)
go -- print N'Trước khi update'

select * from Item
update Item set Rate = 0 where ICode = 'FPT'
go -- print N'Sau khi update'

select * from Item

```