```
Last login: Sat Mar  1 18:14:39 on ttys005
maib303@Mais-MacBook-Pro ~ % ollama pull deepseek-r1:8b
pulling manifest
pulling 6340dc3229b0... 100% ▕████████████▏ 4.9 GB
pulling 369ca498f347... 100% ▕████████████▏  387 B
pulling 6e4c38e1172f... 100% ▕████████████▏ 1.1 KB
pulling f4d24e9138dd... 100% ▕████████████▏  148 B
pulling 0cb05c6e4e02... 100% ▕████████████▏  487 B
verifying sha256 digest
writing manifest
success
maib303@Mais-MacBook-Pro ~ % git clone https://github.com/langchain-ai/ollama-deep-researcher.git
cd ollama-deep-researcher
fatal: destination path 'ollama-deep-researcher' already exists and is not an empty directory.
maib303@Mais-MacBook-Pro ollama-deep-researcher % cp .env.example .env
maib303@Mais-MacBook-Pro ollama-deep-researcher % nano .env
```

```
maib303@Mais-MacBook-Pro ollama-deep-researcher % ls -a

.                        .env.example              .github                   README.md                 pyproject.toml
..                       .env.save                 .langgraph_api            langgraph.json            src
.env                     .git                      Dockerfile                ollama_deep_researcher.egg-info
maib303@Mais-MacBook-Pro ollama-deep-researcher % python -m venv .venv

zsh: command not found: python
maib303@Mais-MacBook-Pro ollama-deep-researcher % python3 --version

Python 3.13.2
maib303@Mais-MacBook-Pro ollama-deep-researcher % python3 -m venv .venv

maib303@Mais-MacBook-Pro ollama-deep-researcher % source .venv/bin/activate

(.venv) maib303@Mais-MacBook-Pro ollama-deep-researcher % which python
/Users/maib303/ollama-deep-researcher/.venv/bin/python
(.venv) maib303@Mais-MacBook-Pro ollama-deep-researcher % curl -LsSf https://astral.sh/uv/install.sh | sh

downloading uv 0.6.3 aarch64-apple-darwin
no checksums to verify
installing to /Users/maib303/.local/bin
  uv
  uvx
everything's installed!
(.venv) maib303@Mais-MacBook-Pro ollama-deep-researcher % uvx --refresh --from "langgraph-cli[inmem]" --with-editable . --python 3.11 langgraph dev

      Built ollama-deep-researcher @ file:///Users/maib303/ollama-deep-researcher
Installed 73 packages in 169ms
INFO:langgraph_api.cli:

      Welcome to
```

```
LANGGRAPH
```

```
- 🚀 API: http://127.0.0.1:2024
- 🎨 Studio UI: https://smith.langchain.com/studio/?baseUrl=http://127.0.0.1:2024
- 📚 API Docs: http://127.0.0.1:2024/docs

This in-memory server is designed for development and testing.
For production use, please use LangGraph Cloud.


2025-03-02T05:10:40.621277Z [info     ] Will watch for changes in these directories: ['/Users/maib303/ollama-deep-researcher'] [uvicorn.error] api_variant=local_dev
2025-03-02T05:10:40.621373Z [info     ] Uvicorn running on http://127.0.0.1:2024 (Press CTRL+C to quit) [uvicorn.error] api_variant=local_dev color_message=Uvicorn running on %s://%s:%d (Press CTRL+C t
o quit)
2025-03-02T05:10:40.621469Z [info     ] Started reloader process [55036] using WatchFiles [uvicorn.error] api_variant=local_dev color_message=Started reloader process [55036] using WatchFiles
2025-03-02T05:10:41.340095Z [info     ] Using auth of type=noop        [langgraph_api.auth.middleware] api_variant=local_dev
2025-03-02T05:10:41.343064Z [info     ] Started server process [55042] [uvicorn.error] api_variant=local_dev color_message=Started server process [%d]
2025-03-02T05:10:41.343114Z [info     ] Waiting for application startup. [uvicorn.error] api_variant=local_dev
2025-03-02T05:10:41.595776Z [info     ] 3 changes detected             [watchfiles.main] api_variant=local_dev
2025-03-02T05:10:42.198868Z [info     ] Registering graph with id 'ollama_deep_researcher' [langgraph_api.graph] api_variant=local_dev graph_id=ollama_deep_researcher
2025-03-02T05:10:42.199264Z [info     ] Application startup complete.  [uvicorn.error] api_variant=local_dev
2025-03-02T05:10:42.199315Z [info     ] Starting 1 background workers  [langgraph_api.queue] api_variant=local_dev
2025-03-02T05:10:42.199572Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:10:42.279343Z [info     ] 6 changes detected             [watchfiles.main] api_variant=local_dev
2025-03-02T05:10:42.553110Z [info     ] GET /ok 200 0ms                [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/ok path_params={} proto=1.1 query_string= req_header={'
accept-encoding': 'identity', 'host': '127.0.0.1:2024', 'user-agent': 'Python-urllib/3.11', 'connection': 'close'} res_header={'content-length': '11', 'content-type': 'application/json'} route=None sta
tus=200
Server started in 3.10s
2025-03-02T05:10:42.553641Z [info     ] Server started in 3.10s        [browser_opener] api_variant=local_dev message=Server started in 3.10s
🎨 Opening Studio in your browser...
2025-03-02T05:10:42.553755Z [info     ] 🎨 Opening Studio in your browser... [browser_opener] api_variant=local_dev message=🎨 Opening Studio in your browser...
URL: https://smith.langchain.com/studio/?baseUrl=http://127.0.0.1:2024
2025-03-02T05:10:42.553839Z [info     ] URL: https://smith.langchain.com/studio/?baseUrl=http://127.0.0.1:2024 [browser_opener] api_variant=local_dev message=URL: https://smith.langchain.com/studio/?ba
seUrl=http://127.0.0.1:2024
2025-03-02T05:10:42.700864Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:10:42.701059Z [info     ] Sweeped runs                   [langgraph_api.queue] api_variant=local_dev run_ids=[]
2025-03-02T05:11:42.346824Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:11:42.849261Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:12:42.496106Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:12:42.998544Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:13:42.642858Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:13:43.149218Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:13:59.884253Z [info     ] GET /info 200 0ms              [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/info path_params={} proto=1.1 query_string= req_header=
{'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding':
 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:13:59.889094Z [info     ] Getting auth instance: None    [langgraph_api.auth.custom] api_variant=local_dev langgraph_auth=None
```

2025-03-02T05:13:59.890136Z [info   ] POST /assistants/search 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:13:59.924787Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 27ms [langgraph_api.server] api_variant=local_dev latency_ms=27 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:13:59.934017Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:13:59.934346Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:13:59.940455Z [info   ] POST /assistants/search 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:13:59.941490Z [info   ] POST /threads/search 200 0ms   [langgraph_api.server] api_variant=local_dev latency_ms=0 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:14:42.790803Z [info   ] Worker stats   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:14:43.292962Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:14:43.293686Z [info   ] Sweeped runs   [langgraph_api.queue] api_variant=local_dev run_ids=[]
2025-03-02T05:14:43.618194Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:14:43.618718Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:14:43.619192Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:14:43.621086Z [info   ] POST /assistants/search 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:14:43.621625Z [info   ] POST /threads/search 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:14:46.117197Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 10ms [langgraph_api.server] api_variant=local_dev latency_ms=10 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:14:46.118156Z [info   ] POST /assistants/search 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:14:46.118521Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:14:46.154089Z [info   ] GET /info 200 0ms   [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/info path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:15:04.691714Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:15:04.692584Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:15:04.693186Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:15:04.695018Z [info   ] POST /assistants/search 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:15:04.697112Z [info   ] POST /threads/search 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:15:04.698282Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:15:19.868688Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:15:19.869047Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:15:19.870053Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:15:19.870676Z [info   ] POST /assistants/search 200 20ms [langgraph_api.server] api_variant=local_dev latency_ms=20 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:15:19.871389Z [info   ] POST /threads/search 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:15:20.822139Z [info   ] GET /info 200 0ms   [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/info path_params={} proto=1.1 query_string= req_header=

{'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:15:20.823715Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:15:26.001411Z [info   ] POST /assistants 200 2ms   [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/assistants path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '228', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '404', 'content-type': 'application/json'} route=/assistants status=200
2025-03-02T05:15:26.006053Z [info   ] POST /assistants/search 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:15:26.018053Z [info   ] POST /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=POST path=/assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:15:26.032958Z [info   ] GET /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/schemas 200 11ms [langgraph_api.server] api_variant=local_dev latency_ms=11 method=GET path=/assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/schemas path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:15:26.033859Z [info   ] GET /info 200 0ms   [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/info path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:15:42.939285Z [info   ] Worker stats   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:15:43.441516Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:15:57.208295Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:15:57.209167Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:15:57.209542Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:15:57.210645Z [info   ] POST /assistants/search 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:15:57.211544Z [info   ] POST /threads/search 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:16:01.128569Z [info   ] POST /threads 200 2ms   [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/threads path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '2', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '204', 'content-type': 'application/json'} route=/threads status=200
2025-03-02T05:16:01.149844Z [info   ] Created run   [langgraph_storage.ops] api_variant=local_dev run_id=1eff7256-e7fc-684a-a039-fdd910ee9fdc thread_id=87920318-244e-429c-9418-abbd0e96d780
2025-03-02T05:16:03.073294Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1916ms [langgraph_api.server] api_variant=local_dev latency_ms=1916 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1347', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:16:03.074774Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1919ms [langgraph_api.server] api_variant=local_dev latency_ms=1919 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:16:03.075451Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1919ms [langgraph_api.server] api_variant=local_dev latency_ms=1919 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:16:03.076028Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1347', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:16:03.574897Z [info   ] Starting background run   [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:16:01.149761+00:00 run_id=1eff7256-e7fc-684a-a039-fdd910ee9fdc run_queue_ms=2424 run_started_at=2025-03-02T05:16:03.574289+00:00
2025-03-02T05:16:03.649131Z [info   ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff7256-e7fc-684a-a039-fdd910ee9fdc', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:16:01.149761+00:00', 'run_started_at': '2025-03-02T05:16:03.574289+00:00', 'run_ended_at': '2025-03-02T05:16:03.650860+00:00', 'run_exec_ms': 76, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:16:03.650940Z', 'exception': 'Traceback (most recent call last):\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in worker\n   await asyncio.wait_for(consume(stream, run_id), timeout)\n File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_for\n   return fut.result()\n   ^^^^^^^^^^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n   raise e from None\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n   async for mode, payload in stream:\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n   event = await wait_if_not_done(anext(stream, sentinel), done)\n   ^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.py", line 72, in wait_if_not_done\n   raise e.exceptions[0] from None\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 2274, in astream\n   async for _ in runner.atick(\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n

```
_panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 25, in generate_query\n    result = llm_json_mode.invoke(\n             ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langcha
in_core/language_models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/la
nguage_models/chat_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n    s
elf._generate_with_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_with_cac
he\n    for chunk in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line
722, in _stream\n    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_oll
ama/chat_models.py", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/ol
lama/_client.py", line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (status c
ode: 404)\nDuring task with name \'generate_query\' and id \'a69ced03-e679-a3a6-485e-41d2aa0a4ecc\'"}
Arguments: ()
2025-03-02T05:16:03.660881Z [info      ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 2512ms [langgraph_api.server] api_variant=local_dev latency_ms=2512 method=POST path=/threads/
87920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'content-type': 'application/json', 'content-length': '536', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-
site': 'cross-site', 'priority': 'u=4'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff7256-e7fc-684a-a039-fdd910ee9fdc/stream', 'cache-control': 'no-store', 'connectio
n': 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:16:03.666182Z [info      ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:16:03.667089Z [info      ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:16:03.703741Z [info      ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Mac
intosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith',
'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length'
: '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:16:03.704223Z [info      ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:16:03.704573Z [info      ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:16:13.384496Z [info      ] Created run                      [langgraph_storage.ops] api_variant=local_dev run_id=1eff7257-5caa-60c0-81b7-abdb52eef717 thread_id=87920318-244e-429c-9418-abbd0e
96d780
2025-03-02T05:16:13.392456Z [info      ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_heade
r={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:16:13.394614Z [info      ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=0'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:16:14.186548Z [info      ] Starting background run          [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:16:13.384430+00:00 run_id=1eff7257-5caa-60c
0-81b7-abdb52eef717 run_queue_ms=801 run_started_at=2025-03-02T05:16:14.186103+00:00
2025-03-02T05:16:14.240491Z [info      ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff7257-5caa-60c0-81b7-abdb52eef717', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:16:13.384430+00:00', 'run_started_at': '2025-03-02T05:16:14.186103+00:00', 'run_ended_at':
 '2025-03-02T05:16:14.242210+00:00', 'run_exec_ms': 56, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:
16:14.242266Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in wo
rker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_
for\n    return fut.result()\n           ^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n
 raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:
\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream, s
entinel), done)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.
py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", lin
e 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n
 _panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 25, in generate_query\n    result = llm_json_mode.invoke(\n             ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langcha
in_core/language_models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/la
nguage_models/chat_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n    s
elf._generate_with_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_with_cac
he\n    for chunk in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line
722, in _stream\n    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_oll
ama/chat_models.py", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/ol
lama/_client.py", line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (status c
ode: 404)\nDuring task with name \'generate_query\' and id \'a69ced03-e679-a3a6-485e-41d2aa0a4ecc\'"}
Arguments: ()
2025-03-02T05:16:14.244853Z [info      ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 861ms [langgraph_api.server] api_variant=local_dev latency_ms=861 method=POST path=/threads/87
```

920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '615', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff7257-5caa-60c0-81b7-abdb52eef717/stream', 'cache-control': 'no-store', 'connection': 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200

2025-03-02T05:16:14.257336Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200

2025-03-02T05:16:14.258432Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200

2025-03-02T05:16:22.784787Z [error   ] Task was destroyed but it is pending!
task: <Task cancelling name='Task-370' coro=<_run() running at /Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/store/base/batch.py:267> wait_for=<Future cancelled>> [asyncio] api_variant=local_dev

2025-03-02T05:16:22.803719Z [info   ] GET /info 200 12ms   [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/info path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200

2025-03-02T05:16:22.804650Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200

2025-03-02T05:16:22.805584Z [info   ] POST /assistants/search 200 23ms [langgraph_api.server] api_variant=local_dev latency_ms=23 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/search status=200

2025-03-02T05:16:22.806502Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 24ms [langgraph_api.server] api_variant=local_dev latency_ms=24 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200

2025-03-02T05:16:22.807201Z [info   ] POST /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=POST path=/assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200

2025-03-02T05:16:43.313430Z [info   ] Worker stats   [langgraph_api.queue] api_variant=local_dev available=1 max=1

2025-03-02T05:16:43.815603Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0

2025-03-02T05:16:46.574727Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 19ms [langgraph_api.server] api_variant=local_dev latency_ms=19 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200

2025-03-02T05:16:46.575845Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200

2025-03-02T05:16:46.576114Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200

2025-03-02T05:16:46.578279Z [info   ] POST /assistants/search 200 23ms [langgraph_api.server] api_variant=local_dev latency_ms=23 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/search status=200

2025-03-02T05:16:46.579142Z [info   ] POST /threads/search 200 6ms   [langgraph_api.server] api_variant=local_dev latency_ms=6 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '839', 'content-type': 'application/json'} route=/threads/search status=200

2025-03-02T05:16:46.579346Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 6ms [langgraph_api.server] api_variant=local_dev latency_ms=6 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200

2025-03-02T05:16:46.579773Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200

2025-03-02T05:16:47.357483Z [info   ] GET /info 200 1ms   [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/info path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200

2025-03-02T05:16:47.359875Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200

2025-03-02T05:16:47.360316Z [info   ] POST /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions 200 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=POST path=/assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200

2025-03-02T05:17:06.685057Z [info   ] Created run   [langgraph_storage.ops] api_variant=local_dev run_id=1eff7259-58fa-67d4-8668-0ef947c554dd thread_id=87920318-244e-429c-9418-abbd0e96d780

2025-03-02T05:17:06.698027Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200

2025-03-02T05:17:06.700349Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200

2025-03-02T05:17:07.373370Z [info   ] Starting background run   [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:17:06.684967+00:00 run_id=1eff7259-58fa-67d4-8668-0ef947c554dd run_queue_ms=688 run_started_at=2025-03-02T05:17:07.373524+00:00

2025-03-02T05:17:07.427156Z [info   ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run

```
      result = self.fn(*self.args, **self.kwargs)
    File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
      lambda: ctx.run(lambda: meth(event, *args, **kw)),
    File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
      lambda: ctx.run(lambda: meth(event, *args, **kw)),
    File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
      return self._proxy_to_logger("exception", event, *args, **kw)
    File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
      return super()._proxy_to_logger(method_name, event=event, **event_kw)
    File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
      return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff7259-58fa-67d4-8668-0ef947c554dd', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:17:06.684967+00:00', 'run_started_at': '2025-03-02T05:17:07.373524+00:00', 'run_ended_at': '2025-03-02T05:17:07.429021+00:00', 'run_exec_ms': 55, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:17:07.429071Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in worker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_for\n    return fut.result()\n           ^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n    raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream, sentinel), done)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n    _panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\n    input = await step.ainvoke(input, config, **kwargs)\n            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor(\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 25, in generate_query\n    result = llm_json_mode.invoke(\n             ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n    self._generate_with_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_with_cache\n    for chunk in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line 722, in _stream\n    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/ollama/_client.py", line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (status code: 404)\nDuring task with name \'generate_query\' and id \'a69ced03-e679-a3a6-485e-41d2aa0a4ecc\''}
Arguments: ()
2025-03-02T05:17:07.431475Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 748ms [langgraph_api.server] api_variant=local_dev latency_ms=748 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '615', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff7259-58fa-67d4-8668-0ef947c554dd/stream', 'cache-control': 'no-store', 'connection': 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:17:07.446459Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:17:07.447577Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:17:21.789766Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:17:21.790093Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:17:21.790722Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:17:21.793821Z [info     ] POST /assistants/search 200 22ms [langgraph_api.server] api_variant=local_dev latency_ms=22 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:17:21.794540Z [info     ] POST /threads/search 200 19ms  [langgraph_api.server] api_variant=local_dev latency_ms=19 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '839', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:17:21.794703Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 19ms [langgraph_api.server] api_variant=local_dev latency_ms=19 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:17:21.795502Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:17:43.516789Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:17:44.018844Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
ollama pull llama3.2



2025-03-02T05:18:43.661249Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:18:43.952816Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:18:43.953360Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:18:43.953568Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:18:43.956978Z [info     ] POST /assistants/search 200 22ms [langgraph_api.server] api_variant=local_dev latency_ms=22 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:18:43.957438Z [info     ] POST /threads/search 200 20ms  [langgraph_api.server] api_variant=local_dev latency_ms=20 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '839', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:18:43.958012Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 20ms [langgraph_api.server] api_variant=local_dev latency_ms=20 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2868', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:18:43.959127Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header
```

r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:18:44.162779Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:18:44.163430Z [info   ] Sweeped runs   [langgraph_api.queue] api_variant=local_dev run_ids=[]
2025-03-02T05:18:44.605021Z [info   ] GET /info 200 0ms   [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/info path_params={} proto=1.1 query_string= req_header=
{'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding':
 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priori
ty': 'u=4', 'pragma': 'no-cache', 'cache-control': 'no-cache'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:18:44.606635Z [info   ] POST /assistants/search 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=POST path=/assistants/search path_params={} proto=1.1 query_stri
ng= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'ac
cept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': '
keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4', 'pragma': 'no-cache', 'cache-control': 'no-cache'} res_header={'content-length': '68
5', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:18:44.637008Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4', 'pragma': 'no-
cache', 'cache-control': 'no-cache'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:18:44.647488Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4', 'pragma': '
no-cache', 'cache-control': 'no-cache'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:18:44.648443Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4',
'pragma': 'no-cache', 'cache-control': 'no-cache'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:18:44.660339Z [info   ] POST /threads/search 200 1ms   [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/search path_params={} proto=1.1 query_string=
req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept
-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': 'keep
-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4', 'pragma': 'no-cache', 'cache-control': 'no-cache'} res_header={'content-length': '839',
'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:18:44.662116Z [info   ] POST /assistants/search 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=POST path=/assistants/search path_params={} proto=1.1 query_stri
ng= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'ac
cept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'dnt': '1', 'connection': '
keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4', 'pragma': 'no-cache', 'cache-control': 'no-cache'} res_header={'content-length': '68
5', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:18:57.215853Z [info   ] GET /info 200 12ms   [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/info path_params={} proto=1.1 query_string= req_header
={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding'
: 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
 res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:18:57.216023Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:18:57.216887Z [info   ] POST /assistants/search 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:18:57.217961Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/a
6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.
0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsm
ith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:18:57.218193Z [info   ] POST /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/4
e35975a-db3c-43b2-a43f-5baa90cb8cef/versions path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.
0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsm
ith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:19:00.450423Z [info   ] GET /info 200 13ms   [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/info path_params={} proto=1.1 query_string= req_header
={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding'
: 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
 res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:19:00.451548Z [info   ] GET /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/schemas 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/4e35
975a-db3c-43b2-a43f-5baa90cb8cef/schemas path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:19:00.452900Z [info   ] POST /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef/versions 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=POST path=/assistants/4
e35975a-db3c-43b2-a43f-5baa90cb8cef/versions path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.
0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsm
ith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:19:00.453338Z [info   ] POST /assistants/search 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '685', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:19:09.332779Z [info   ] DELETE /assistants/4e35975a-db3c-43b2-a43f-5baa90cb8cef 204 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=DELETE path=/assistants/4e35975a
-db3c-43b2-a43f-5baa90cb8cef path_params={'assistant_id': '4e35975a-db3c-43b2-a43f-5baa90cb8cef'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; In
tel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin':
'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={} route=/assistants/{assis
tant_id} status=204
2025-03-02T05:19:09.341618Z [info   ] POST /assistants/search 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/search path_params={} proto=1.1 query_stri
ng= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'ac
cept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive',
 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/searc
h status=200
2025-03-02T05:19:09.387248Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 22ms [langgraph_api.server] api_variant=local_dev latency_ms=22 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:19:09.387778Z [info   ] GET /info 200 1ms   [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/info path_params={} proto=1.1 query_string= req_header=
{'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding':
 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:19:09.388455Z [info   ] POST /assistants/search 200 24ms [langgraph_api.server] api_variant=local_dev latency_ms=24 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:19:09.389641Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/assistants/a6a
b75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmit
h', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site
': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:19:13.476370Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 200 22ms [langgraph_api.server] api_variant=local_dev latency_ms=22 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; I
ntel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-
type': 'application/json', 'content-length': '95', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-sit
e', 'priority': 'u=0'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/threads/{thread_id}/state status=200
2025-03-02T05:19:13.480767Z [info   ] Created run   [langgraph_storage.ops] api_variant=local_dev run_id=1eff725e-1232-6ad6-83a0-8c25dd0646fe thread_id=87920318-244e-429c-9418-abbd0e
96d780
2025-03-02T05:19:13.488772Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:19:13.490729Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '4411', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:19:13.509893Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 7ms [langgraph_api.server] api_variant=local_dev latency_ms=7 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Mac
intosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith',
'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length'
: '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:19:13.510529Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 7ms [langgraph_api.server] api_variant=local_dev latency_ms=7 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0

```
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:19:13.510854Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 7ms [langgraph_api.server] api_variant=local_dev latency_ms=7 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:19:14.234377Z [info     ] Starting background run         [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:19:13.480726+00:00 run_id=1eff725e-1232-6ad
6-83a0-8c25dd0646fe run_queue_ms=753 run_started_at=2025-03-02T05:19:14.233866+00:00
2025-03-02T05:19:14.246428Z [info     ] Error to search using html backend: keywords is mandatory [duckduckgo_search.DDGS] api_variant=local_dev
2025-03-02T05:19:14.246716Z [info     ] Error to search using lite backend: keywords is mandatory [duckduckgo_search.DDGS] api_variant=local_dev
Error in DuckDuckGo search: keywords is mandatory
Full error details: DuckDuckGoSearchException
2025-03-02T05:19:14.289307Z [info     ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff725e-1232-6ad6-83a0-8c25dd0646fe', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:19:13.480726+00:00', 'run_started_at': '2025-03-02T05:19:14.233866+00:00', 'run_ended_at':
 '2025-03-02T05:19:14.291001+00:00', 'run_exec_ms': 57, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:
19:14.291049Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in wo
rker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_
for\n    return fut.result()\n           ^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n
 raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:
\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream, s
entinel), done)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.
py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", lin
e 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n
  _panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 87, in summarize_sources\n    result = llm.invoke(\n             ^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_
models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/cha
t_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n    self._generate_wit
h_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_with_cache\n    for chunk
 in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line 722, in _stream\n
    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.p
y", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/ollama/_client.py",
 line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (status code: 404)\nDuring
 task with name \'summarize_sources\' and id \'d9c88bc5-55ac-a8be-43ef-5e4d05be0aef\''}
Arguments: ()
2025-03-02T05:19:14.293155Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 813ms [langgraph_api.server] api_variant=local_dev latency_ms=813 method=POST path=/threads/87
920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'content-type': 'application/json', 'content-length': '387', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff725e-1232-6ad6-83a0-8c25dd0646fe/stream', 'cache-control': 'no-store', 'connection'
: 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:19:14.312742Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:19:14.313892Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '6230', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:19:28.193702Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '176', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=0'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/threads/{thread_id}/state status=200
2025-03-02T05:19:28.200992Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '7903', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:19:28.216941Z [info     ] Created run                     [langgraph_storage.ops] api_variant=local_dev run_id=1eff725e-9ebb-6cd2-b987-fbd3875e8e94 thread_id=87920318-244e-429c-9418-abbd0e
96d780
2025-03-02T05:19:28.233913Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:19:28.236005Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-
length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:19:28.236234Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=GET path=/assistants/a6
ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent':
 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sche
me': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header
={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:19:28.237822Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:19:28.240046Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
```

```
ite', 'priority': 'u=4'} res_header={'content-length': '7903', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:19:28.827625Z [info     ] Starting background run       [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:19:28.216905+00:00 run_id=1eff725e-9ebb-6cd
2-b987-fbd3875e8e94 run_queue_ms=610 run_started_at=2025-03-02T05:19:28.827354+00:00
2025-03-02T05:19:28.882327Z [info     ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff725e-9ebb-6cd2-b987-fbd3875e8e94', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:19:28.216905+00:00', 'run_started_at': '2025-03-02T05:19:28.827354+00:00', 'run_ended_at':
 '2025-03-02T05:19:28.884249+00:00', 'run_exec_ms': 56, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:
19:28.884305Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in wo
rker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_
for\n    return fut.result()\n               ^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n
 raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:
\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream, s
entinel), done)\n                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.
py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain/langgraph/pregel/__init__.py", lin
e 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n
  _panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 87, in summarize_sources\n    result = llm.invoke(\n             ^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_
models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/cha
t_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n    self._generate_wit
h_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_with_cache\n    for chunk
 in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line 722, in _stream\n
    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.p
y", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/ollama/_client.py",
 line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (status code: 404)\nDuring
 task with name \'summarize_sources\' and id \'b7b8cc1f-724e-c38c-3533-41f04f22ea05\''}
Arguments: ()
2025-03-02T05:19:28.886947Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 671ms [langgraph_api.server] api_variant=local_dev latency_ms=671 method=POST path=/threads/87
920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'content-type': 'application/json', 'content-length': '472', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff725e-9ebb-6cd2-b987-fbd3875e8e94/stream', 'cache-control': 'no-store', 'connection'
: 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:19:28.904202Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:19:28.905691Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '7968', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:19:34.651584Z [error    ] Task was destroyed but it is pending!
task: <Task cancelling name='Task-1098' coro=<_run() running at /Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/store/base/batch.py:267> wait_for=<Futur
e cancelled>> [asyncio] api_variant=local_dev
2025-03-02T05:19:34.691512Z [error    ] Task was destroyed but it is pending!
task: <Task cancelling name='Task-496' coro=<_run() running at /Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/store/base/batch.py:267> wait_for=<Future
 cancelled>> [asyncio] api_variant=local_dev
2025-03-02T05:19:34.691708Z [error    ] Task was destroyed but it is pending!
task: <Task cancelling name='Task-701' coro=<_run() running at /Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/store/base/batch.py:267> wait_for=<Future
 cancelled>> [asyncio] api_variant=local_dev
2025-03-02T05:19:47.697846Z [info     ] GET /info 200 50ms             [langgraph_api.server] api_variant=local_dev latency_ms=50 method=GET path=/info path_params={} proto=1.1 query_string= req_header
={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding
': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
 res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:19:34.698083Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 51ms [langgraph_api.server] api_variant=local_dev latency_ms=51 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:19:34.698773Z [info     ] POST /assistants/search 200 54ms [langgraph_api.server] api_variant=local_dev latency_ms=54 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:19:34.699216Z [info     ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 53ms [langgraph_api.server] api_variant=local_dev latency_ms=53 method=POST path=/assistants/a
6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.
0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsm
ith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:19:43.922037Z [info     ] Worker stats                  [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:19:44.423912Z [info     ] Queue stats                   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:20:25.712534Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:20:25.713585Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-
length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:20:25.713896Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6
ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent':
 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sche
me': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header
={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:20:25.717584Z [info     ] POST /assistants/search 200 24ms [langgraph_api.server] api_variant=local_dev latency_ms=24 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
```

accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:20:25.718723Z [info   ] POST /threads/search 200 8ms   [langgraph_api.server] api_variant=local_dev latency_ms=8 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '875', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:20:25.718942Z [info   ] POST /87920318-244e-429c-9418-abbd0e96d780/history 200 8ms [langgraph_api.server] api_variant=local_dev latency_ms=8 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '7968', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:20:25.719580Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:20:44.066946Z [info   ] Worker stats   [langgraph_api.queue] api_variant=local_dev active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:20:44.568353Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:20:58.279131Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:20:58.279467Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:20:58.280013Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:20:58.283468Z [info   ] POST /assistants/search 200 22ms [langgraph_api.server] api_variant=local_dev latency_ms=22 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:20:58.284250Z [info   ] POST /threads/search 200 21ms [langgraph_api.server] api_variant=local_dev latency_ms=21 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '875', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:20:58.284691Z [info   ] POST /87920318-244e-429c-9418-abbd0e96d780/history 200 21ms [langgraph_api.server] api_variant=local_dev latency_ms=21 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '7968', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:20:58.285353Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:21:36.627527Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:21:36.627874Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:21:36.628236Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:21:36.632324Z [info   ] POST /assistants/search 200 24ms [langgraph_api.server] api_variant=local_dev latency_ms=24 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:21:36.632554Z [info   ] POST /threads/search 200 22ms [langgraph_api.server] api_variant=local_dev latency_ms=22 method=POST path=/threads/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '875', 'content-type': 'application/json'} route=/threads/search status=200
2025-03-02T05:21:36.633071Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 23ms [langgraph_api.server] api_variant=local_dev latency_ms=23 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '7968', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:21:36.633800Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:21:44.216857Z [info   ] Worker stats   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:21:44.718686Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:21:45.324321Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 200 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '148', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/threads/{thread_id}/state status=200
2025-03-02T05:21:45.328363Z [info   ] Created run   [langgraph_storage.ops] api_variant=local_dev run_id=1eff7263-ba54-643a-bcf0-7f5738ef8b14 thread_id=87920318-244e-429c-9418-abbd0e96d780
2025-03-02T05:21:45.339290Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:21:45.341965Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '9618', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:21:45.376872Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 11ms [langgraph_api.server] api_variant=local_dev latency_ms=11 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:21:45.377524Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:21:45.378155Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:21:46.223547Z [info   ] Starting background run   [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:21:45.328320+00:00 run_id=1eff7263-ba54-643a-bcf0-7f5738ef8b14 run_queue_ms=894 run_started_at=2025-03-02T05:21:46.223193+00:00
2025-03-02T05:21:46.274301Z [info   ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format

```
      return fmt.format(record)
             ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff7263-ba54-643a-bcf0-7f5738ef8b14', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:21:45.328320+00:00', 'run_started_at': '2025-03-02T05:21:46.223193+00:00', 'run_ended_at':
'2025-03-02T05:21:46.275938+00:00', 'run_exec_ms': 52, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:
21:46.275981Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in wo
rker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_
for\n    return fut.result()\n           ^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n
 raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:
\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream, s
entinel), done)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.
py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", lin
e 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n
_panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
      ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 109, in reflect_on_summary\n    result = llm_json_mode.invoke(\n             ^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/la
ngchain_core/language_models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_co
re/language_models/chat_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n
   self._generate_with_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_wit
h_cache\n    for chunk in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py",
line 722, in _stream\n    for stream_resp in self.create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchai
n_ollama/chat_models.py", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packag
es/ollama/_client.py", line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (sta
tus code: 404)\nDuring task with name \'reflect_on_summary\' and id \'605ed963-4ee8-dda0-68aa-b56f3810365a\''}
Arguments: ()
2025-03-02T05:21:46.278523Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 951ms [langgraph_api.server] api_variant=local_dev latency_ms=951 method=POST path=/threads/87
920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'content-type': 'application/json', 'content-length': '387', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff7263-ba54-643a-bcf0-7f5738ef8b14/stream', 'cache-control': 'no-store', 'connection'
: 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:21:46.297522Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:21:46.298947Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': '2', 'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:21:54.567366Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 10ms [langgraph_api.server] api_variant=local_dev latency_ms=10 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:21:54.567765Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 10ms [langgraph_api.server] api_variant=local_dev latency_ms=10 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-
length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:21:54.568410Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:22:06.245459Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:22:06.247123Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:22:06.248262Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:22:08.124141Z [info     ] Created run                    [langgraph_storage.ops] api_variant=local_dev run_id=1eff7264-93b8-6f3c-9309-ec937b04fabf thread_id=87920318-244e-429c-9418-abbd0e
96d780
2025-03-02T05:22:08.138894Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_heade
r={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:22:08.143436Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 6ms [langgraph_api.server] api_variant=local_dev latency_ms=6 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=0'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:22:08.832190Z [info     ] Starting background run        [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:22:08.124049+00:00 run_id=1eff7264-93b8-6f3
c-9309-ec937b04fabf run_queue_ms=707 run_started_at=2025-03-02T05:22:08.832009+00:00
2025-03-02T05:22:08.880514Z [info     ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
```

```
      and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
      ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
```
```
Message: {'run_id': '1eff7264-93b8-6f3c-9309-ec937b04fabf', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:22:08.124049+00:00', 'run_started_at': '2025-03-02T05:22:08.832009+00:00', 'run_ended_at':
'2025-03-02T05:22:08.882271+00:00', 'run_exec_ms': 50, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:
22:08.882328Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in wo
rker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_
for\n    return fut.result()\n            ^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n
  raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:
\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream, s
entinel), done)\n              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.
py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", lin
e 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n
  _panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 109, in reflect_on_summary\n    result = llm_json_mode.invoke(\n             ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/la
ngchain_core/language_models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_co
re/language_models/chat_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n
    self._generate_with_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_wit
h_cache\n    for chunk in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py",
line 722, in _stream\n    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchai
n_ollama/chat_models.py", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packag
es/ollama/_types/_client.py", line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (sta
tus code: 404)\nDuring task with name \'reflect_on_summary\' and id \'605ed963-4ee8-dda0-68aa-b56f3810365a\''}
Arguments: ()
```
```
2025-03-02T05:22:08.884603Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 762ms [langgraph_api.server] api_variant=local_dev latency_ms=762 method=POST path=/threads/87
920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'content-type': 'application/json', 'content-length': '472', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=0'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff7264-93b8-6f3c-9309-ec937b04fabf/stream', 'cache-control': 'no-store', 'connection'
: 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:22:08.901073Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:22:08.902386Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:22:11.692340Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=0'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:22:11.692920Z [error    ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
  + Exception Group Traceback (most recent call last):
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
  |     yield
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
  |     async with anyio.create_task_group() as task_group:
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
  |     raise BaseExceptionGroup(
  | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    |     result = await app(  # type: ignore[func-returns-value]
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    |     return await self.app(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    |     await self.app(scope, receive, _send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    |     await self.simple_response(scope, receive, send, request_headers=headers)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
```

```
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
   |     await self.app(scope, receive_or_disconnect, send_no_error)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
   |     raise exc
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
   |     await self.app(scope, inner_receive, inner_send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
   |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
   |     raise exc
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
   |     await app(scope, receive, sender)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
   |     await self.middleware_stack(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
   |     await route.handle(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
   |     await self.app(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
   |     return await super().__call__(scope, receive, send)
   |                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
   |     await self.app(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
   |     await self.middleware_stack(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
   |     await route.handle(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
   |     return await super().handle(scope, receive, send)
   |                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
   |     await self.app(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
   |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
   |     raise exc
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
   |     await app(scope, receive, sender)
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
   |     response = await func(request)
   |                      ^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
   |     return await func(*args, **kwargs)
   |                  ^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
   |     inserted = await Threads.State.post(
   |                      ^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
   |     next_config = await graph.aupdate_state(
   |                         ^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
   |     await run.ainvoke(
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
   |     input = await asyncio.create_task(part(), context=context)  # type: ignore
   |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
   |     ret = await asyncio.create_task(coro, context=context)
   |                 ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
   |     result = await self.path.ainvoke(value, config)
   |                    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
   |     ret = await asyncio.create_task(coro, context=context)
   |                 ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
   |     return await asyncio.get_running_loop().run_in_executor(
   |                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
   |     result = self.fn(*self.args, **self.kwargs)
   |                      ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
   |     return func(*args, **kwargs)
   |                  ^^^^^^^^^^^^^^^^^^^^^^^
   |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
   |     if state.research_loop_count <= configurable.max_web_research_loops:
   |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
   | TypeError: '<=' not supported between instances of 'int' and 'str'
   +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
                 ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
                     ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
                     ^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
                     ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
                     ^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
```

```
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:22:13.319287Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=4'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:22:13.320523Z [error    ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
  + Exception Group Traceback (most recent call last):
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
  |     yield
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
  |     async with anyio.create_task_group() as task_group:
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
  |     raise BaseExceptionGroup(
  | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    |     result = await app(  # type: ignore[func-returns-value]
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    |     return await self.app(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    |     await self.app(scope, receive, _send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    |     await self.simple_response(scope, receive, send, request_headers=headers)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    |     await self.app(scope, inner_receive, inner_send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    |     await app(scope, receive, sender)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    |     return await super().__call__(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    |     return await super().handle(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    |     await app(scope, receive, sender)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    |     response = await func(request)
    |                ^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    |     return await func(*args, **kwargs)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    |     inserted = await Threads.State.post(
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    |     next_config = await graph.aupdate_state(
    |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    |     await run.ainvoke(
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    |     input = await asyncio.create_task(part(), context=context)  # type: ignore
    |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    |     ret = await asyncio.create_task(coro, context=context)
    |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    |     result = await self.path.ainvoke(value, config)
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    |     ret = await asyncio.create_task(coro, context=context)
    |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    |     return await asyncio.get_running_loop().run_in_executor(
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    |     result = self.fn(*self.args, **self.kwargs)
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    |     return func(*args, **kwargs)
    |            ^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    |     if state.research_loop_count <= configurable.max_web_research_loops:
    |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    | TypeError: '<=' not supported between instances of 'int' and 'str'
    +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
```

```
      raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:22:15.197093Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 9ms [langgraph_api.server] api_variant=local_dev latency_ms=9 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Mac
intosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith',
'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length'
: '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:22:15.198207Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:22:15.198459Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:22:15.630007Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=4'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:22:15.630768Z [error    ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
   + Exception Group Traceback (most recent call last):
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
   |     yield
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
   |     async with anyio.create_task_group() as task_group:
   |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
   |     raise BaseExceptionGroup(
   | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
   +-+---------------- 1 ----------------
     | Traceback (most recent call last):
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
     |     result = await app(  # type: ignore[func-returns-value]
     |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
     |     return await self.app(scope, receive, send)
     |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
     |     await self.middleware_stack(scope, receive, send)
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
     |     raise exc
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
     |     await self.app(scope, receive, _send)
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
     |     with recv_stream, send_stream, collapse_excgroups():
     |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
     |     self.gen.throw(typ, value, traceback)
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
     |     raise exc
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
     |     response = await self.dispatch_func(request, call_next)
     |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
     |     response = await call_next(request)
     |                ^^^^^^^^^^^^^^^^^^^^^^^^^
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
     |     raise app_exc
     |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
```

```
      |     await self.app(scope, receive_or_disconnect, send_no_error)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
      |     await self.simple_response(scope, receive, send, request_headers=headers)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
      |     await self.app(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
      |     with recv_stream, send_stream, collapse_excgroups():
      |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
      |     self.gen.throw(typ, value, traceback)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
      |     raise exc
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
      |     response = await self.dispatch_func(request, call_next)
      |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
      |     response = await call_next(request)
      |                ^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
      |     raise app_exc
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
      |     await self.app(scope, receive_or_disconnect, send_no_error)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
      |     raise exc
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
      |     await self.app(scope, inner_receive, inner_send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
      |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
      |     raise exc
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
      |     await app(scope, receive, sender)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
      |     await self.middleware_stack(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
      |     await route.handle(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
      |     await self.app(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
      |     return await super().__call__(scope, receive, send)
      |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
      |     await self.app(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
      |     await self.middleware_stack(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
      |     await route.handle(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
      |     return await super().handle(scope, receive, send)
      |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
      |     await self.app(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
      |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
      |     raise exc
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
      |     await app(scope, receive, sender)
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
      |     response = await func(request)
      |                ^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
      |     return await func(*args, **kwargs)
      |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
      |     inserted = await Threads.State.post(
      |                ^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
      |     next_config = await graph.aupdate_state(
      |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
      |     await run.ainvoke(
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
      |     input = await asyncio.create_task(part(), context=context)  # type: ignore
      |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
      |     ret = await asyncio.create_task(coro, context=context)
      |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
      |     result = await self.path.ainvoke(value, config)
      |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
      |     ret = await asyncio.create_task(coro, context=context)
      |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
      |     return await asyncio.get_running_loop().run_in_executor(
      |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
      |     result = self.fn(*self.args, **self.kwargs)
      |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
      |     return func(*args, **kwargs)
      |            ^^^^^^^^^^^^^^^^^^^^^^
      |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
      |     if state.research_loop_count <= configurable.max_web_research_loops:
      |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
      | TypeError: '<=' not supported between instances of 'int' and 'str'
      +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
```

```
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:22:20.015280Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=4'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:22:20.016269Z [error    ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
  + Exception Group Traceback (most recent call last):
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
  |     yield
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
  |     async with anyio.create_task_group() as task_group:
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
  |     raise BaseExceptionGroup(
  | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    |     result = await app(  # type: ignore[func-returns-value]
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    |     return await self.app(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    |     await self.app(scope, receive, _send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
```

```
        |     raise app_exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
        |     await self.app(scope, receive_or_disconnect, send_no_error)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
        |     await self.simple_response(scope, receive, send, request_headers=headers)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
        |     await self.app(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
        |     with recv_stream, send_stream, collapse_excgroups():
        |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
        |     self.gen.throw(typ, value, traceback)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
        |     raise exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
        |     response = await self.dispatch_func(request, call_next)
        |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
        |     response = await call_next(request)
        |                ^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
        |     raise app_exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
        |     await self.app(scope, receive_or_disconnect, send_no_error)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
        |     raise exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
        |     await self.app(scope, inner_receive, inner_send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
        |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
        |     raise exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
        |     await app(scope, receive, sender)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
        |     await self.middleware_stack(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
        |     await route.handle(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
        |     await self.app(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
        |     return await super().__call__(scope, receive, send)
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
        |     await self.app(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
        |     await self.middleware_stack(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
        |     await route.handle(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
        |     return await super().handle(scope, receive, send)
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
        |     await self.app(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
        |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
        |     raise exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
        |     await app(scope, receive, sender)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
        |     response = await func(request)
        |                ^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
        |     return await func(*args, **kwargs)
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
        |     inserted = await Threads.State.post(
        |                ^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
        |     next_config = await graph.aupdate_state(
        |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
        |     await run.ainvoke(
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
        |     input = await asyncio.create_task(part(), context=context)  # type: ignore
        |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
        |     ret = await asyncio.create_task(coro, context=context)
        |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
        |     result = await self.path.ainvoke(value, config)
        |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
        |     ret = await asyncio.create_task(coro, context=context)
        |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
        |     return await asyncio.get_running_loop().run_in_executor(
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
        |     result = self.fn(*self.args, **self.kwargs)
        |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
        |     return func(*args, **kwargs)
        |            ^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
        |     if state.research_loop_count <= configurable.max_web_research_loops:
        |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        | TypeError: '<=' not supported between instances of 'int' and 'str'
        +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
```

```
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:22:40.605206Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:22:40.606292Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:22:40.606510Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:22:44.468830Z [info     ] Worker stats                    [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:22:44.969703Z [info     ] Queue stats                     [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:22:44.969975Z [info     ] Sweeped runs                    [langgraph_api.queue] api_variant=local_dev run_ids=[]
2025-03-02T05:22:52.803600Z [info     ] Created run                     [langgraph_storage.ops] api_variant=local_dev run_id=1eff7266-3dd2-6972-a956-011c147a9aba thread_id=87920318-244e-429c-9418-abbd0e
96d780
2025-03-02T05:22:52.810842Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_heade
r={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:22:52.813473Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=0'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:22:52.824611Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 8ms [langgraph_api.server] api_variant=local_dev latency_ms=8 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Mac
intosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith',
'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length'
: '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:22:52.825374Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 9ms [langgraph_api.server] api_variant=local_dev latency_ms=9 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
```

```
2025-03-02T05:22:52.826091Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:22:53.490532Z [info     ] Starting background run        [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:22:52.803546+00:00 run_id=1eff7266-3dd2-697
2-a956-011c147a9aba run_queue_ms=686 run_started_at=2025-03-02T05:22:53.490293+00:00
2025-03-02T05:22:53.539376Z [info     ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
Message: {'run_id': '1eff7266-3dd2-6972-a956-011c147a9aba', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:22:52.803546+00:00', 'run_started_at': '2025-03-02T05:22:53.490293+00:00', 'run_ended_at':
 '2025-03-02T05:22:53.541059+00:00', 'run_exec_ms': 50, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:
22:53.541123Z', 'exception': 'Traceback (most recent call last):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in wo
rker\n    await asyncio.wait_for(consume(stream, run_id), timeout)\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_
for\n    return fut.result()\n            ^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n
 raise e from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n    async for mode, payload in stream:
\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream_state\n    event = await wait_if_not_done(anext(stream,
 sentinel), done)\n         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.
py", line 72, in wait_if_not_done\n    raise e.exceptions[0] from None\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", lin
e 2274, in astream\n    async for _ in runner.atick(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n
 _panic_or_proceed(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n    raise exc\n  File "/
Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n    return await task.proc.ainvoke(task.input, config)\n
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\
n    input = await step.ainvoke(input, config, **kwargs)\n            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-
packages/langgraph/utils/runnable.py", line 371, in ainvoke\n    ret = await asyncio.create_task(coro, context=context)\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib3
03/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n    return await asyncio.get_running_loop().run_in_executor
(\n          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58,
in run\n    result = self.fn(*self.args, **self.kwargs)\n             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/
langchain_core/runnables/config.py", line 579, in wrapper\n    return func(*args, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", l
ine 109, in reflect_on_summary\n    result = llm_json_mode.invoke(\n             ^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/la
ngchain_core/language_models/chat_models.py", line 284, in invoke\n    self.generate_prompt(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_co
re/language_models/chat_models.py", line 860, in generate_prompt\n    return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n
    self._generate_with_cache(\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_wit
h_cache\n    for chunk in self._stream(messages, stop=stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py",
line 722, in _stream\n    for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchai
n_ollama/chat_models.py", line 589, in _create_chat_stream\n    yield from self._client.chat(**chat_params)\n  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packag
es/ollama/_client.py", line 168, in inner\n    raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (sta
tus code: 404)\nDuring task with name \'reflect_on_summary\' and id \'605ed963-4ee8-dda0-68aa-b56f3810365a\''}
Arguments: ()
2025-03-02T05:22:53.543247Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 740ms [langgraph_api.server] api_variant=local_dev latency_ms=740 method=POST path=/threads/87
920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'content-type': 'application/json', 'content-length': '472', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=0'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff7266-3dd2-6972-a956-011c147a9aba/stream', 'cache-control': 'no-store', 'connection'
: 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:22:53.557988Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 0ms [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:22:53.559369Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:23:13.115729Z [info     ] GET /info 200 13ms             [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/info path_params={} proto=1.1 query_string= req_header
={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding
': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
 res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:23:13.116665Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:23:13.117470Z [info     ] POST /assistants/search 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:23:13.118283Z [info     ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=POST path=/assistants/a
6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.
0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsm
ith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-si
te': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:23:33.733698Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 8ms [langgraph_api.server] api_variant=local_dev latency_ms=8 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Mac
intosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith',
'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length'
: '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:23:33.733879Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 7ms [langgraph_api.server] api_variant=local_dev latency_ms=7 method=GET path=/assistants/a6ab75b8
-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmi
th', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-le
ngth': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:23:33.734046Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 7ms [langgraph_api.server] api_variant=local_dev latency_ms=7 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:23:33.736499Z [info     ] POST /assistants/search 200 11ms [langgraph_api.server] api_variant=local_dev latency_ms=11 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '280', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:23:33.736697Z [info     ] POST /threads/search 200 9ms   [langgraph_api.server] api_variant=local_dev latency_ms=9 method=POST path=/threads/search path_params={} proto=1.1 query_string=
req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept
-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'se
c-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '875', 'content-type': 'application/json'} route=/threads/search statu
```

s=200
2025-03-02T05:23:33.737034Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 9ms [langgraph_api.server] api_variant=local_dev latency_ms=9 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:23:33.737883Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:23:33.738717Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/assistants/a6a
b75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmit
h', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site
': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:23:36.824901Z [info   ] POST /assistants 200 2ms   [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/assistants path_params={} proto=1.1 query_string= req_
header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-enc
oding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '224', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-f
etch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '400', 'content-type': 'application/json'} route=/assistants status=200
2025-03-02T05:23:36.829989Z [info   ] POST /assistants/search 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/search path_params={} proto=1.1 query_stri
ng= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'ac
cept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive',
'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '681', 'content-type': 'application/json'} route=/assistants/searc
h status=200
2025-03-02T05:23:36.841798Z [info   ] POST /assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/1f1
f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions path_params={'assistant_id': '1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmit
h', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site
': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:23:36.850606Z [info   ] GET /assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/schemas 200 9ms [langgraph_api.server] api_variant=local_dev latency_ms=9 method=GET path=/assistants/1f1f3b
bf-b5a3-44a0-80ab-81e64b3ac867/schemas path_params={'assistant_id': '1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Mac
intosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith',
'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length'
: '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:23:36.856885Z [info   ] GET /info 200 0ms   [langgraph_api.server] api_variant=local_dev latency_ms=0 method=GET path=/info path_params={} proto=1.1 query_string= req_header=
{'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding':
'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:23:44.667393Z [info   ] Worker stats   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:23:45.169674Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:24:24.007509Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=0'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:24:24.008540Z [error   ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
 + Exception Group Traceback (most recent call last):
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
 | yield
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
 | async with anyio.create_task_group() as task_group:
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
 | raise BaseExceptionGroup(
 | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
 ++----------------- 1 ------------------
 | Traceback (most recent call last):
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
 | result = await app(# type: ignore[func-returns-value]
 | ^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
 | return await self.app(scope, receive, send)
 | ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
 | await self.middleware_stack(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
 | raise exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
 | await self.app(scope, receive, _send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
 | with recv_stream, send_stream, collapse_excgroups():
 | File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
 | self.gen.throw(typ, value, traceback)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
 | raise exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
 | response = await self.dispatch_func(request, call_next)
 | ^^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
 | response = await call_next(request)
 | ^^^^^^^^^^^^^^^^^^^^^^^^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
 | raise app_exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
 | await self.app(scope, receive_or_disconnect, send_no_error)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
 | await self.simple_response(scope, receive, send, request_headers=headers)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
 | await self.app(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
 | with recv_stream, send_stream, collapse_excgroups():
 | File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
 | self.gen.throw(typ, value, traceback)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
 | raise exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
 | response = await self.dispatch_func(request, call_next)
 | ^^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
 | response = await call_next(request)
 | ^^^^^^^^^^^^^^^^^^^^^^^^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
 | raise app_exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
 | await self.app(scope, receive_or_disconnect, send_no_error)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
 | raise exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
 | await self.app(scope, inner_receive, inner_send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
 | await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
 | raise exc
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
 | await app(scope, receive, sender)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
 | await self.middleware_stack(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
 | await route.handle(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
 | await self.app(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
 | return await super().__call__(scope, receive, send)
 | ^^
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
 | await self.app(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
 | await self.middleware_stack(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
 | await route.handle(scope, receive, send)
 | File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
 | return await super().handle(scope, receive, send)

```
|                 ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
|     await self.app(scope, receive, send)
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
|     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
|     raise exc
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
|     await app(scope, receive, sender)
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
|     response = await func(request)
|                ^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
|     return await func(*args, **kwargs)
|            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
|     inserted = await Threads.State.post(
|                ^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
|     next_config = await graph.aupdate_state(
|                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
|     await run.ainvoke(
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
|     input = await asyncio.create_task(part(), context=context)  # type: ignore
|             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
|     ret = await asyncio.create_task(coro, context=context)
|           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
|     result = await self.path.ainvoke(value, config)
|              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
|     ret = await asyncio.create_task(coro, context=context)
|           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
|     return await asyncio.get_running_loop().run_in_executor(
|            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
|     result = self.fn(*self.args, **self.kwargs)
|              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
|     return func(*args, **kwargs)
|            ^^^^^^^^^^^^^^^^^^^^^^
|   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
|     if state.research_loop_count <= configurable.max_web_research_loops:
|        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
| TypeError: '<=' not supported between instances of 'int' and 'str'
+------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
```

```
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:24:25.966101Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 5ms [langgraph_api.server] api_variant=local_dev latency_ms=5 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=4'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:24:25.966735Z [error    ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
  + Exception Group Traceback (most recent call last):
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
  |     yield
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
  |     async with anyio.create_task_group() as task_group:
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
  |     raise BaseExceptionGroup(
  | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    |     result = await app(  # type: ignore[func-returns-value]
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    |     return await self.app(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    |     await self.app(scope, receive, _send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    |     await self.simple_response(scope, receive, send, request_headers=headers)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    |     await self.app(scope, inner_receive, inner_send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    |     await app(scope, receive, sender)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    |     return await super().__call__(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
```

```
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
       |     return await super().handle(scope, receive, send)
       |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
       |     await self.app(scope, receive, send)
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
       |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
       |     raise exc
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
       |     await app(scope, receive, sender)
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
       |     response = await func(request)
       |                ^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
       |     return await func(*args, **kwargs)
       |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
       |     inserted = await Threads.State.post(
       |                ^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
       |     next_config = await graph.aupdate_state(
       |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
       |     await run.ainvoke(
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
       |     input = await asyncio.create_task(part(), context=context)  # type: ignore
       |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
       |     ret = await asyncio.create_task(coro, context=context)
       |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
       |     result = await self.path.ainvoke(value, config)
       |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
       |     ret = await asyncio.create_task(coro, context=context)
       |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
       |     return await asyncio.get_running_loop().run_in_executor(
       |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
       |     result = self.fn(*self.args, **self.kwargs)
       |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
       |     return func(*args, **kwargs)
       |            ^^^^^^^^^^^^^^^^^^^^^^
       |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
       |     if state.research_loop_count <= configurable.max_web_research_loops:
       |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
       | TypeError: '<=' not supported between instances of 'int' and 'str'
       +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
```

```
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:24:28.536691Z [info    ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=4'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:24:28.538334Z [error   ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
  + Exception Group Traceback (most recent call last):
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
  |     yield
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
  |     async with anyio.create_task_group() as task_group:
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
  |     raise BaseExceptionGroup(
  | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    |     result = await app(  # type: ignore[func-returns-value]
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    |     return await self.app(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    |     await self.app(scope, receive, _send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    |     await self.simple_response(scope, receive, send, request_headers=headers)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    |     await self.app(scope, inner_receive, inner_send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    |     await app(scope, receive, sender)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    |     return await super().__call__(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
```

```
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    |     return await super().handle(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    |     await app(scope, receive, sender)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    |     response = await func(request)
    |                ^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    |     return await func(*args, **kwargs)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    |     inserted = await Threads.State.post(
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    |     next_config = await graph.aupdate_state(
    |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    |     await run.ainvoke(
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    |     input = await asyncio.create_task(part(), context=context)  # type: ignore
    |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    |     ret = await asyncio.create_task(coro, context=context)
    |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    |     result = await self.path.ainvoke(value, config)
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    |     ret = await asyncio.create_task(coro, context=context)
    |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    |     return await asyncio.get_running_loop().run_in_executor(
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    |     result = self.fn(*self.args, **self.kwargs)
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    |     return func(*args, **kwargs)
    |            ^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    |     if state.research_loop_count <= configurable.max_web_research_loops:
    |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    | TypeError: '<=' not supported between instances of 'int' and 'str'
    +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
    return await super().handle(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:24:35.707203Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/state 500 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-244
e-429c-9418-abbd0e96d780/state path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Int
el Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-ty
pe': 'application/json', 'content-length': '149', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site
', 'priority': 'u=4'} res_header={} route=/threads/{thread_id}/state status=500
2025-03-02T05:24:35.708134Z [error    ] Exception in ASGI application
 [uvicorn.error] api_variant=local_dev
  + Exception Group Traceback (most recent call last):
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 76, in collapse_excgroups
  |     yield
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 174, in __call__
  |     async with anyio.create_task_group() as task_group:
  |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/anyio/_backends/_asyncio.py", line 767, in __aexit__
  |     raise BaseExceptionGroup(
  | ExceptionGroup: unhandled errors in a TaskGroup (1 sub-exception)
  +-+---------------- 1 ----------------
    | Traceback (most recent call last):
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    |     result = await app(  # type: ignore[func-returns-value]
    |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    |     return await self.app(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    |     await self.app(scope, receive, _send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    |     await self.simple_response(scope, receive, send, request_headers=headers)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    |     with recv_stream, send_stream, collapse_excgroups():
    |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    |     self.gen.throw(typ, value, traceback)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    |     response = await self.dispatch_func(request, call_next)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    |     response = await call_next(request)
    |                ^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    |     raise app_exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    |     await self.app(scope, receive_or_disconnect, send_no_error)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    |     await self.app(scope, inner_receive, inner_send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    |     await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    |     raise exc
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    |     await app(scope, receive, sender)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    |     await self.middleware_stack(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    |     await route.handle(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    |     await self.app(scope, receive, send)
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    |     return await super().__call__(scope, receive, send)
    |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
    |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    |     await self.app(scope, receive, send)
```

```
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
        |     await self.middleware_stack(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
        |     await route.handle(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
        |     return await super().handle(scope, receive, send)
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
        |     await self.app(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
        |     await wrap_app_handling_exceptions(app, request)(scope, receive, send)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
        |     raise exc
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
        |     await app(scope, receive, sender)
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
        |     response = await func(request)
        |                ^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
        |     return await func(*args, **kwargs)
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
        |     inserted = await Threads.State.post(
        |                ^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
        |     next_config = await graph.aupdate_state(
        |                   ^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
        |     await run.ainvoke(
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
        |     input = await asyncio.create_task(part(), context=context)  # type: ignore
        |             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
        |     ret = await asyncio.create_task(coro, context=context)
        |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
        |     result = await self.path.ainvoke(value, config)
        |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
        |     ret = await asyncio.create_task(coro, context=context)
        |           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
        |     return await asyncio.get_running_loop().run_in_executor(
        |            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
        |     result = self.fn(*self.args, **self.kwargs)
        |              ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
        |     return func(*args, **kwargs)
        |            ^^^^^^^^^^^^^^^^^^^^^
        |   File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
        |     if state.research_loop_count <= configurable.max_web_research_loops:
        |        ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
        | TypeError: '<=' not supported between instances of 'int' and 'str'
        +------------------------------------

During handling of the above exception, another exception occurred:

Traceback (most recent call last):
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/protocols/http/h11_impl.py", line 403, in run_asgi
    result = await app(  # type: ignore[func-returns-value]
             ^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/uvicorn/middleware/proxy_headers.py", line 60, in __call__
    return await self.app(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/applications.py", line 112, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 187, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/errors.py", line 165, in __call__
    await self.app(scope, receive, _send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/private_network.py", line 50, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 93, in __call__
    await self.simple_response(scope, receive, send, request_headers=headers)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/cors.py", line 144, in simple_response
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 173, in __call__
    with recv_stream, send_stream, collapse_excgroups():
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/contextlib.py", line 158, in __exit__
    self.gen.throw(typ, value, traceback)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_utils.py", line 82, in collapse_excgroups
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 175, in __call__
    response = await self.dispatch_func(request, call_next)
               ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_license/middleware.py", line 20, in dispatch
    response = await call_next(request)
               ^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 153, in call_next
    raise app_exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/base.py", line 140, in coro
    await self.app(scope, receive_or_disconnect, send_no_error)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 60, in __call__
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/middleware/http_logger.py", line 54, in __call__
    await self.app(scope, inner_receive, inner_send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/exceptions.py", line 62, in __call__
    await wrap_app_handling_exceptions(self.app, conn)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 460, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/auth/middleware.py", line 45, in __call__
    return await super().__call__(scope, receive, send)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/middleware/authentication.py", line 48, in __call__
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 714, in __call__
    await self.middleware_stack(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 734, in app
    await route.handle(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 125, in handle
```

```
      return await super().handle(scope, receive, send)
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/routing.py", line 288, in handle
    await self.app(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 38, in app
    await wrap_app_handling_exceptions(app, request)(scope, receive, send)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 53, in wrapped_app
    raise exc
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/starlette/_exception_handler.py", line 42, in wrapped_app
    await app(scope, receive, sender)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/route.py", line 33, in app
    response = await func(request)
               ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/retry.py", line 23, in wrapper
    return await func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/api/threads.py", line 137, in update_thread_state
    inserted = await Threads.State.post(
               ^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_storage/ops.py", line 1047, in post
    next_config = await graph.aupdate_state(
                  ^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 1626, in aupdate_state
    await run.ainvoke(
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/base.py", line 3066, in ainvoke
    input = await asyncio.create_task(part(), context=context)  # type: ignore
            ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/graph/graph.py", line 115, in _aroute
    result = await self.path.ainvoke(value, config)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 359, in ainvoke
    ret = await asyncio.create_task(coro, context=context)
          ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor
    return await asyncio.get_running_loop().run_in_executor(
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
             ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper
    return func(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 139, in route_research
    if state.research_loop_count <= configurable.max_web_research_loops:
       ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
TypeError: '<=' not supported between instances of 'int' and 'str'
2025-03-02T05:24:44.816682Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:24:45.318322Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:25:29.812772Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:25:29.821396Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=POST path=/threads/87920318
-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintos
h; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'cont
ent-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross
-site', 'priority': 'u=4'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:25:29.835632Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:25:29.835862Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-
length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:25:29.836099Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6
ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent':
 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sche
me': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header
={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:25:29.837288Z [info     ] POST /assistants/search 200 17ms [langgraph_api.server] api_variant=local_dev latency_ms=17 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '681', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:25:29.837912Z [info     ] POST /threads/search 200 15ms  [langgraph_api.server] api_variant=local_dev latency_ms=15 method=POST path=/threads/search path_params={} proto=1.1 query_string=
 req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accep
t-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '39', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 's
ec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '875', 'content-type': 'application/json'} route=/threads/search stat
us=200
2025-03-02T05:25:36.918276Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 11ms [langgraph_api.server] api_variant=local_dev latency_ms=11 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:25:36.919035Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 10ms [langgraph_api.server] api_variant=local_dev latency_ms=10 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:25:36.919510Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:25:44.963630Z [info     ] Worker stats                   [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:25:45.465875Z [info     ] Queue stats                    [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:25:57.155922Z [info     ] Created run                    [langgraph_storage.ops] api_variant=local_dev run_id=1eff726d-1bf0-6d16-b833-f5b4ba77734b thread_id=87920318-244e-429c-9418-abbd0e
96d780
2025-03-02T05:25:57.163183Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_heade
r={'content-length': '1373', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:25:57.165885Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=0'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:25:57.181711Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 18ms [langgraph_api.server] api_variant=local_dev latency_ms=18 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:25:57.182089Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 12ms [langgraph_api.server] api_variant=local_dev latency_ms=12 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-
length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:25:57.182961Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent': '
Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme
': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={
'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:25:57.997416Z [info     ] Starting background run        [langgraph_api.queue] api_variant=local_dev run_attempt=1 run_created_at=2025-03-02T05:25:57.155859+00:00 run_id=1eff726d-1bf0-6d1
6-b833-f5b4ba77734b run_queue_ms=841 run_started_at=2025-03-02T05:25:57.996932+00:00
2025-03-02T05:25:58.042051Z [info     ] HTTP Request: POST http://localhost:11434/api/chat "HTTP/1.1 404 Not Found" [httpx] api_variant=local_dev
```

```
--- Logging error ---
Traceback (most recent call last):
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 1110, in emit
    msg = self.format(record)
          ^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/logging/__init__.py", line 953, in format
    return fmt.format(record)
           ^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 1087, in format
    ed = p(logger, meth_name, cast(EventDict, ed))
         ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/logging.py", line 62, in __call__
    and LEVELS[event_dict["level"].upper()] > LEVELS["INFO"]
        ~~~~~~^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
KeyError: 'EXCEPTION'
Call stack:
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1002, in _bootstrap
    self._bootstrap_inner()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 1045, in _bootstrap_inner
    self.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/threading.py", line 982, in run
    self._target(*self._args, **self._kwargs)
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 83, in _worker
    work_item.run()
  File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run
    result = self.fn(*self.args, **self.kwargs)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 400, in <lambda>
    lambda: ctx.run(lambda: meth(event, *args, **kw)),
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 224, in exception
    return self._proxy_to_logger("exception", event, *args, **kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/stdlib.py", line 254, in _proxy_to_logger
    return super()._proxy_to_logger(method_name, event=event, **event_kw)
  File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/structlog/_base.py", line 217, in _proxy_to_logger
    return getattr(self._logger, method_name)(*args, **kw)
```

Message: {'run_id': '1eff726d-1bf0-6d16-b833-f5b4ba77734b', 'run_attempt': 1, 'run_created_at': '2025-03-02T05:25:57.155859+00:00', 'run_started_at': '2025-03-02T05:25:57.996932+00:00', 'run_ended_at': '2025-03-02T05:25:58.043402+00:00', 'run_exec_ms': 46, 'event': 'Background run failed', 'logger': 'langgraph_api.queue', 'level': 'exception', 'api_variant': 'local_dev', 'timestamp': '2025-03-02T05:25:58.043436Z', 'exception': 'Traceback (most recent call last):\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/queue.py", line 266, in worker\n   await asyncio.wait_for(consume(stream, run_id), timeout)\n File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/asyncio/tasks.py", line 489, in wait_for\n   return fut.result()\n   ^^^^^^^^^^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 292, in consume\n   raise e from None\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 282, in consume\n   async for mode, payload in stream:\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/stream.py", line 233, in astream\n   event = await wait_if_not_done(anext(stream, sentinel), done)\n   ^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph_api/asyncio.py", line 72, in wait_if_not_done   raise e.exceptions[0] from None\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/__init__.py", line 2274, in astream\n   async for _ in runner.atick(\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 527, in atick\n   _panic_or_proceed(\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/runner.py", line 619, in _panic_or_proceed\n   raise exc\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/pregel/retry.py", line 128, in arun_with_retry\n   return await task.proc.ainvoke(task.input, config)\n   ^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 583, in ainvoke\n   input = await step.ainvoke(input, config, **kwargs)\n   ^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langgraph/utils/runnable.py", line 371, in ainvoke\n   ret = await asyncio.create_task(coro, context=context)\n   ^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 588, in run_in_executor\n   return await asyncio.get_running_loop().run_in_executor(\n   ^^^\n File "/Users/maib303/.local/share/uv/python/cpython-3.11.11-macos-aarch64-none/lib/python3.11/concurrent/futures/thread.py", line 58, in run\n   result = self.fn(*self.args, **self.kwargs)\n   ^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/runnables/config.py", line 579, in wrapper\n   return func(*args, **kwargs)\n   ^^^^^^^^^^^^^^^^^^^^^\n File "/Users/maib303/ollama-deep-researcher/./src/assistant/graph.py", line 109, in reflect_on_summary\n   result = llm_json_mode.invoke(\n   ^^^^^^^^^^^^^^^^^^^^^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 284, in invoke\n   self.generate_prompt(\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 860, in generate_prompt\n   return self.generate(prompt_messages, stop=stop, callbacks=callbacks, **kwargs)\n   ^^\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 690, in generate\n   self._generate_with_cache(\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_core/language_models/chat_models.py", line 913, in _generate_with_cache\n   for chunk in self._stream(messages, stop=stop, **kwargs):\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line 722, in _stream\n   for stream_resp in self._create_chat_stream(messages, stop, **kwargs):\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/langchain_ollama/chat_models.py", line 589, in _create_chat_stream\n   yield from self._client.chat(**chat_params)\n File "/Users/maib303/.cache/uv/archive-v0/YzPxxmE9uHgLarL_QHT6C/lib/python3.11/site-packages/ollama/_client.py", line 168, in inner\n   raise ResponseError(e.response.text, e.response.status_code) from None\nollama._types.ResponseError: model "llama3.2" not found, try pulling it first (status code: 404)\nDuring task with name \'reflect_on_summary\' and id \'605ed963-4ee8-dda0-68aa-b56f3810365a\''}
Arguments: ()

2025-03-02T05:25:58.045642Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream 200 891ms [langgraph_api.server] api_variant=local_dev latency_ms=891 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs/stream path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '472', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'location': '/threads/87920318-244e-429c-9418-abbd0e96d780/runs/1eff726d-1bf0-6d16-b833-f5b4ba77734b/stream', 'cache-control': 'no-store', 'connection': 'keep-alive', 'x-accel-buffering': 'no', 'content-type': 'text/event-stream; charset=utf-8'} route=/threads/{thread_id}/runs/stream status=200
2025-03-02T05:25:58.064628Z [info   ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/threads/87920318-244e-429c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:25:58.066004Z [info   ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=POST path=/threads/87920318-244e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:26:05.658556Z [info   ] GET /info 200 13ms   [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/info path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:26:05.659362Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 14ms [langgraph_api.server] api_variant=local_dev latency_ms=14 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:26:05.660199Z [info   ] POST /assistants/search 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '681', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:26:05.661168Z [info   ] POST /assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions path_params={'assistant_id': '1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:05.661829Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:15.953921Z [info   ] GET /info 200 11ms   [langgraph_api.server] api_variant=local_dev latency_ms=11 method=GET path=/info path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:26:15.954788Z [info   ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 13ms [langgraph_api.server] api_variant=local_dev latency_ms=13 method=GET path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:26:15.956074Z [info   ] POST /assistants/search 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/search path_params={} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '681', 'content-type': 'application/json'} route=/assistants/search status=200
2025-03-02T05:26:15.956635Z [info   ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:15.957642Z [info   ] POST /assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=POST path=/assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions path_params={'assistant_id': '1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:45.153626Z [info   ] Worker stats   [langgraph_api.queue] api_variant=local_dev available=0 max=1
2025-03-02T05:26:45.654784Z [info   ] Queue stats   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:26:45.655446Z [info   ] Sweeped runs   [langgraph_api.queue] api_variant=local_dev run_ids=[]

```
2025-03-02T05:26:51.966852Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/schemas 200 16ms [langgraph_api.server] api_variant=local_dev latency_ms=16 method=GET path=/assistants/a6ab
75b8-fb3d-5c2c-a436-2fee55e33a06/schemas path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:26:51.967372Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/graph 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=GET path=/assistants/a6ab75
b8-fb3d-5c2c-a436-2fee55e33a06/graph path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=xray=true req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5
.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langs
mith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-
length': '1219', 'content-type': 'application/json'} route=/assistants/{assistant_id}/graph status=200
2025-03-02T05:26:51.968270Z [info     ] GET /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs 200 15ms [langgraph_api.server] api_variant=local_dev latency_ms=15 method=GET path=/assistants/a6
ab75b8-fb3d-5c2c-a436-2fee55e33a06/subgraphs path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string=recurse=true req_header={'host': '127.0.0.1:2024', 'user-agent':
 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sche
me': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header
={'content-length': '2', 'content-type': 'application/json'} route=/assistants/{assistant_id}/subgraphs status=200
2025-03-02T05:26:51.969932Z [info     ] POST /assistants/search 200 21ms [langgraph_api.server] api_variant=local_dev latency_ms=21 method=POST path=/assistants/search path_params={} proto=1.1 query_st
ring= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', '
accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive
', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '681', 'content-type': 'application/json'} route=/assistants/sea
rch status=200
2025-03-02T05:26:51.972131Z [info     ] POST /threads/search 200 19ms  [langgraph_api.server] api_variant=local_dev latency_ms=19 method=POST path=/threads/search path_params={} proto=1.1 query_string=
 req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accep
t-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 's
ec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '875', 'content-type': 'application/json'} route=/threads/search stat
us=200
2025-03-02T05:26:51.973857Z [info     ] GET /threads/87920318-244e-429c-9418-abbd0e96d780/runs 200 2ms [langgraph_api.server] api_variant=local_dev latency_ms=2 method=GET path=/threads/87920318-244e-4
29c-9418-abbd0e96d780/runs path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string=limit=1000&offset=0&status=pending req_header={'host': '127.0.0.1:2024', 'user-agent'
: 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-sch
eme': 'langsmith', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_heade
r={'content-length': '2', 'content-type': 'application/json'} route=/threads/{thread_id}/runs status=200
2025-03-02T05:26:51.974538Z [info     ] POST /threads/87920318-244e-429c-9418-abbd0e96d780/history 200 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=POST path=/threads/87920318-2
44e-429c-9418-abbd0e96d780/history path_params={'thread_id': '87920318-244e-429c-9418-abbd0e96d780'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh;
 Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'conten
t-type': 'application/json', 'content-length': '14', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-s
ite', 'priority': 'u=4'} res_header={'content-length': '9683', 'content-type': 'application/json'} route=/threads/{thread_id}/history status=200
2025-03-02T05:26:51.974750Z [info     ] POST /assistants/a6ab75b8-fb3d-5c2c-a436-2fee55e33a06/versions 200 4ms [langgraph_api.server] api_variant=local_dev latency_ms=4 method=POST path=/assistants/a6a
b75b8-fb3d-5c2c-a436-2fee55e33a06/versions path_params={'assistant_id': 'a6ab75b8-fb3d-5c2c-a436-2fee55e33a06'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmit
h', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site
': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '200', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:51.975115Z [info     ] POST /assistants/1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions 200 3ms [langgraph_api.server] api_variant=local_dev latency_ms=3 method=POST path=/assistants/1f1
f3bbf-b5a3-44a0-80ab-81e64b3ac867/versions path_params={'assistant_id': '1f1f3bbf-b5a3-44a0-80ab-81e64b3ac867'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmit
h', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site
': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:56.054787Z [info     ] POST /assistants 200 1ms       [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants path_params={} proto=1.1 query_string= req_
header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-enc
oding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '228', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-f
etch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=0'} res_header={'content-length': '404', 'content-type': 'application/json'} route=/assistants status=200
2025-03-02T05:26:56.059824Z [info     ] POST /assistants/search 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/search path_params={} proto=1.1 query_stri
ng= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'ac
cept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith', 'content-type': 'application/json', 'content-length': '25', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive',
 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '1086', 'content-type': 'application/json'} route=/assistants/sear
ch status=200
2025-03-02T05:26:56.069897Z [info     ] POST /assistants/3a093320-7b36-4c3a-907f-39fc39a9e31a/versions 200 1ms [langgraph_api.server] api_variant=local_dev latency_ms=1 method=POST path=/assistants/3a0
93320-7b36-4c3a-907f-39fc39a9e31a/versions path_params={'assistant_id': '3a093320-7b36-4c3a-907f-39fc39a9e31a'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0
(Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmit
h', 'content-type': 'application/json', 'content-length': '23', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site
': 'cross-site', 'priority': 'u=4'} res_header={'content-length': '338', 'content-type': 'application/json'} route=/assistants/{assistant_id}/versions status=200
2025-03-02T05:26:56.085170Z [info     ] GET /assistants/3a093320-7b36-4c3a-907f-39fc39a9e31a/schemas 200 11ms [langgraph_api.server] api_variant=local_dev latency_ms=11 method=GET path=/assistants/3a09
3320-7b36-4c3a-907f-39fc39a9e31a/schemas path_params={'assistant_id': '3a093320-7b36-4c3a-907f-39fc39a9e31a'} proto=1.1 query_string= req_header={'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (M
acintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding': 'gzip, deflate, br, zstd', 'x-auth-scheme': 'langsmith'
, 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'} res_header={'content-lengt
h': '1524', 'content-type': 'application/json'} route=/assistants/{assistant_id}/schemas status=200
2025-03-02T05:26:56.085930Z [info     ] GET /info 200 1ms             [langgraph_api.server] api_variant=local_dev latency_ms=1 method=GET path=/info path_params={} proto=1.1 query_string= req_header=
{'host': '127.0.0.1:2024', 'user-agent': 'Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:135.0) Gecko/20100101 Firefox/135.0', 'accept': '*/*', 'accept-language': 'en-US,en;q=0.5', 'accept-encoding':
 'gzip, deflate, br, zstd', 'origin': 'https://smith.langchain.com', 'connection': 'keep-alive', 'sec-fetch-dest': 'empty', 'sec-fetch-mode': 'cors', 'sec-fetch-site': 'cross-site', 'priority': 'u=4'}
res_header={'content-length': '61', 'content-type': 'application/json'} route=None status=200
2025-03-02T05:27:45.300787Z [info     ] Worker stats                  [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:27:45.803357Z [info     ] Queue stats                   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
2025-03-02T05:28:45.450824Z [info     ] Worker stats                  [langgraph_api.queue] active=0 api_variant=local_dev available=1 max=1
2025-03-02T05:28:45.953204Z [info     ] Queue stats                   [langgraph_api.queue] api_variant=local_dev max_age_secs=None med_age_secs=None n_pending=0
```