






Estrutura de pasta





































```
<!DOCTYPE html>  
<html lang="pt-BR">  
<head>  
<meta charset="UTF-8">  
<title>Code - desenvolvimento de site</title>  
</head>  
<body>  
</body>  
</html>
```






The image shows a screenshot of the Sublime Text 2 (UNREGISTERED) editor window. The title bar indicates the file is named "<!DOCTYPE html>". The menu bar includes File, Edit, Selection, Find, View, Goto, Tools, Project, Preferences, and Help. The editor area contains the following HTML code:

```
<!DOCTYPE html>
1 <!DOCTYPE html>
2 <html lang="pt-BR">
3 <head>
4   <meta charset="UTF-8">
5   <title>Code - desenvolvimento de site</title>
6 </head>
7
8 <body>
9
10 </body>
11 </html>
```

The status bar at the bottom shows "Line 11, Column 8", "Tab Size: 4", and "Plain Text".







C:\Desktop\Documentos\Site_Final\index.html - Sublime Text 2 (UNREGISTERED)

File Edit Selection Find View Goto Tools Project Preferences Help

index.html

```
1 <!DOCTYPE html>
2 <html lang="pt-BR">
3 <head>
4   <meta charset="UTF-8">
5   <title>Code - desenvolvimento de site</title>
6 </head>
7
8 <body>
9
10 </body>
11 </html>
```

Criaremos também uma folha de estilo para nosso site:

Line 11, Column 8 Tab Size: 4 HTML

