

http://twttr.com/

@maikhoepfel
m@maikhoepfel.de
maikhoepfel.de

@django_oscar
github.com/djangooscar

oscarcommerce.com



日 078 48 48 48

180 mécaniciens certifiés à votre service

Nos engagements

Connexion ou Inscription

Panier 0 articles

Nos conseils mécanique

Qui sommes-nous?

Toutes les pièces > Freinage



Chercher une pièce ou un véhicule

24 résultats



TEXTAR

Flexible de frein par NIPPARTS

Caractéristiques:


Longueur [mm]: 302

Réf. J3703021

Q

Prix recommandé : 19,75 € 15.03 €TTC

Economie: 4,72 € (24%)





Ajouter au panier

Rupture de stock

Réf. 2378401

Vos critères de recherche

Category

Disques (2)

Freins à tambours (7)

Hydraulique (4)

Plaquettes (11)

Brand

BENDIX (2)

BREMBO (2)

FERODO (1)

HELLA (4)

NIPPARTS (10)

TEXTAR (2)

TRW (3)



Caractéristiques:

numéro WVA: 23784 Epaisseur [mm]: 15.5 Largeur [mm] : 154.1 Hauteur [mm] : 63.6

Numéro d'information technique : 2378415505 Indicateur d'usure : avec indicateur d'usure

Système de freinage : Sumitomo

Jeu de 4 mâchoires de frein par NIPPARTS

Caractéristiques :

Diamètre [mm]: 260 Largeur [mm]: 50

Réf. 13500320

Prix recommandé: 97,45 € 65,20 €TTC

Economie: 32,25 € (33%)

Identification du véhicule nécessaire



Ajouter au panier



Flexible de frein par NIPPARTS

Réf. J3703052

Conceptual Overview

This section briefly touches on all of the important parts of AngularJS using a simple example. For a more in-depth explanation, see the tutorial.

Concept	Description
Template	HTML with additional markup
Directives	extend HTML with custom attributes and elements
Model	the data shown to the user in the view and with which the user interacts
Scope	context where the model is stored so that controllers, directives and expressions can access it
Expressions	access variables and functions from the scope
Compiler	parses the template and instantiates directives and expressions
Filter	formats the value of an expression for display to the user
View	what the user sees (the DOM)
Data Binding	sync data between the model and the view
Controller	the business logic behind views
Dependency Injection	Creates and wires objects and functions
Injector	dependency injection container
Module	a container for the different parts of an app including controllers, services, filters, directives which configures the Injector
Service	reusable business logic independent of views



Y Hacker News new | comments | show | ask | jobs | submit

▲ React, a JavaScript library for building user interfaces (facebook.github.io)

287 points by friggeri 598 days ago | comments









ccminifactory

C+C Mini Factory Based in Brooklyn, NY. C+C places miniatures in fanciful environments

179 posts

34.1k followers

767 following

January 2015




</FullPage> -/Chromes



& photographs the outcome. http://society6.com/ccminifactory







Elements Network Sources Timeline Profiles Resources Audits Console React ab9cf6a" title="C+C Mini Factory (@ccminifactory) • Instagram photos and videos" prerelease="false" canSeePrerelease="false" className="page-profile can-open-media" showFooter="true" showHeader="true"> ▼ <FullPage analyticsTitle="User Profile" isHome="false" staticRoot="//instagramstatic-a.akamaihd.net/bluebar/ ab9cf6a" title="C+C Mini Factory (@ccminifactory) • Instagram photos and videos" prerelease="false" canSeePrerelease="false" className="page-profile can-open-media" showFooter="true" showHeader="true"> ▼ <div className="root"> ▼ <div className="page"> ▶ <Header analyticsTitle="User Profile" isHome="false" staticRoot="//instagramstatic-a.akamaihd.net/bluebar/ ab9cf6a" title="C+C Mini Factory (@ccminifactory) • Instagram photos and videos" prerelease="false" canSeePrerelease="false" className="page-profile can-open-media" showFooter="true" showHeader="true"> ...</Header> ▼ <div className="main"> ▼ <header className="feed-header" role="banner"> MediaComp media="..." numMedia="7">...</MediaComp> </header> ▼ <div className="profile-user"> ><ProfileUserView user="...">...</ProfileUserView> </div> ▼ <section className="feed-photos" role="main"> ▶ <AutoloadingPhotoGrid items="..." itemsPerRow="5" maxScrollLoadedItems="60" moreInitiallyAvailable= "true">...</AutoloadingPhotoGrid> </section> <section className="profile-media-modal hidden"></section> </div> </div> ▶ <Footer>...</Footer> ➤ <LoginDialogRoot>...</LoginDialogRoot> </div>

▲ ▼ Props

05 A3 >= 🏰 🔲 ×

▶ items: Array[40] itemsPerRow: 5 maxScrollLoadedItems: 60 moreInitiallvAvailable:...

- ▶ onRequestMore: function...
- proto : Object

▼ State

fetchingState: "DEFAULT" proto : Object

▶ Component

▶ Event Listeners

77+



Questions?





ccminifactory

C+C Mini Factory Based in Brooklyn, NY. C+C places miniatures in fanciful environments

179 posts

34.1k followers

767 following

January 2015




</FullPage> -/Chromes



& photographs the outcome. http://society6.com/ccminifactory







Elements Network Sources Timeline Profiles Resources Audits Console React ab9cf6a" title="C+C Mini Factory (@ccminifactory) • Instagram photos and videos" prerelease="false" canSeePrerelease="false" className="page-profile can-open-media" showFooter="true" showHeader="true"> ▼ <FullPage analyticsTitle="User Profile" isHome="false" staticRoot="//instagramstatic-a.akamaihd.net/bluebar/ ab9cf6a" title="C+C Mini Factory (@ccminifactory) • Instagram photos and videos" prerelease="false" canSeePrerelease="false" className="page-profile can-open-media" showFooter="true" showHeader="true"> ▼ <div className="root"> ▼ <div className="page"> ▶ <Header analyticsTitle="User Profile" isHome="false" staticRoot="//instagramstatic-a.akamaihd.net/bluebar/ ab9cf6a" title="C+C Mini Factory (@ccminifactory) • Instagram photos and videos" prerelease="false" canSeePrerelease="false" className="page-profile can-open-media" showFooter="true" showHeader="true"> ...</Header> ▼ <div className="main"> ▼ <header className="feed-header" role="banner"> MediaComp media="..." numMedia="7">...</MediaComp> </header> ▼ <div className="profile-user"> ><ProfileUserView user="...">...</ProfileUserView> </div> ▼ <section className="feed-photos" role="main"> ▶ <AutoloadingPhotoGrid items="..." itemsPerRow="5" maxScrollLoadedItems="60" moreInitiallyAvailable= "true">...</AutoloadingPhotoGrid> </section> <section className="profile-media-modal hidden"></section> </div> </div> ▶ <Footer>...</Footer> ➤ <LoginDialogRoot>...</LoginDialogRoot> </div>

▲ ▼ Props

05 A3 >= 🏰 🔲 ×

▶ items: Array[40] itemsPerRow: 5 maxScrollLoadedItems: 60 moreInitiallvAvailable:...

- ▶ onRequestMore: function...
- proto : Object


▼ State

fetchingState: "DEFAULT" proto : Object

▶ Component

▶ Event Listeners

77+





More questions?