

MarkOnMinds / Medca Health Care — Platform Bible & Forensic Autopsy

Table of contents

Section 1 — Executive overview
Section 2 — Complete information architecture
Section 3 — Complete feature inventory
Section 4 — User roles & permissions
Section 5 — Website system
Section 6 — Deployment engine
Section 7 — Element library (70 templates)
Section 8 — Industry blueprint packs
Section 9 — Operations
Section 10 — Marketing
Section 11 — Growth Center
Section 12 — Lead intelligence engine
Section 13 — Integrations
Section 14 — Security
Section 15 — Production infrastructure
Section 16 — Complete workflow maps
Section 17 — Production readiness autopsy
Section 18 — Known limitations
Section 19 — Operator manual
Section 20 — Final platform assessment
Document maintenance

MarkOnMinds / Medca Health Care — Platform Bible & Forensic Autopsy

Document type: Master operator, administrator, marketer, developer, and owner reference

Version: 1.0 (documentation-only synthesis)

As-of date: 2026-05-30

Code changes in this sprint: None — documentation only

Test baseline cited: 385 automated tests passing

Prior audit sources (last ~72 hours):

00-executive-summary-production-readiness.md, navigation IA restructure audit, Phase 1–7 platform docs, Phase 8.5 deployment docs, Phase 11 marketing, security hardening sprint, WhatsApp integration, lead intent sprint, element library sprint, industry blueprint packs, production readiness validation, final production patch.

Table of contents

1. [Executive overview](#)
2. [Complete information architecture](#)
3. [Complete feature inventory](#)
4. [User roles & permissions](#)
5. [Website system](#)
6. [Deployment engine](#)
7. [Element library \(70 templates\)](#)
8. [Industry blueprint packs](#)
9. [Operations](#)
10. [Marketing](#)
11. [Growth Center](#)
12. [Lead intelligence engine](#)
13. [Integrations](#)
14. [Security](#)

15. [Production infrastructure](#)
16. [Complete workflow maps](#)
17. [Production readiness autopsy](#)
18. [Known limitations](#)
19. [Operator manual](#)
20. [Final platform assessment](#)

Deep-dive companions: [route-inventory.md](#) · [feature-inventory.md](#) · [module-permission-matrix.md](#) · [deployment-engine.md](#) · [industry-blueprint-packs-sprint.md](#)

Section 1 — Executive overview

What this platform is

MarkOnMinds is the internal product name for the **Medca Health Care** digital operations platform. It is a **Laravel 13** monolith that combines:

- A **public marketing website** (CMS-driven pages, services, careers, hyper-local coverage)
- An **admin workspace** (Livewire + Authority-themed UI) for content, deployment, operations, marketing, and growth
- **First-party analytics and lead intelligence** (click tracking, attribution, lead pipeline)
- **Integrations** (WhatsApp, Google Business Profile, Gemini, GA4/Meta tags, outbound webhooks)

There is no separate microservice tier for core CMS features; optional **queue workers** handle async webhooks and heavy jobs.

Why it exists

Stakeholder	Purpose
Business	Run premium home healthcare in Bangalore (≈ 25 km Arekere radius) with digital acquisition, service catalog, hiring, and lead follow-up
Operators	Publish and re-skin sites without developers; generate industry sites from blueprints
Marketers	See campaigns, attribution, WhatsApp/call/form signals
Growth team	SEO/AEO/GEO, competitors, War Room
Owners	One system for leads, content, and compliance boundaries

Primary objectives

1. **Publish** trustworthy healthcare marketing sites quickly (blueprints + element library).
2. **Capture** leads via forms, WhatsApp clicks, and phone clicks with attribution.
3. **Operate** services, PIN codes, vacancies, and the lead pipeline (“Bookings”).

- 4. **Grow** via competitor intelligence and search surfaces.
- 5. **Govern** access through modules + roles + audit signals.

Core business workflows

- 1. **Visitor → intent → lead** — Browse site → click/call/WhatsApp or submit form → leads row in Operations.
- 2. **Content → deploy** — Site Architect pages/blocks → theme publish → public site.
- 3. **Blueprint → site** — Select industry pack → generate inactive pages → review → activate.
- 4. **Marketing → optimize** — GA4/Meta + first-party events → Lead Intent dashboard.
- 5. **Growth → compete** — Competitors, SEO entity data, War Room intercepts.

System boundaries

In scope	Out of scope (by design)
CMS, deployment engine, operations leads	Full CRM replacement
Click-to-WhatsApp + Business API (optional)	Inbound WhatsApp message analytics (without API)
Manual GMB metric snapshots	Automated GBP Performance API (future)
Job portal for hiring	Hospital EMR / billing

Section 2 — Complete information architecture

Navigation map (sidebar)

Source: App\ModuleAccess::navigation() + App\Support\AdminNavigation

WORKSPACE	
Dashboard	
Site Architect	
Operations	
Marketing	
Growth Center	
User Management	
Security	
System	← uses Settings module grant
Settings	

Module reference

Module	Purpose	Primary users	Why it exists	Dep
Dashboard	Executive snapshot	All granted roles	Orientation	Users, modul

Site Architect	Website structure & deployment	Editor+	Own the public site	Blocks bluepr
Operations	Run the business	Manager+	Leads, services, hiring, coverage	Leads
Marketing	Acquisition intelligence	Manager+	ROI and channel mix	GA4/M trackin
Growth Center	SEO & competitors	Viewer+ read, Editor+ write	Market positioning	Gemin compe
User Management	People & grants	Manager+ mutate	Access control	users.
Security	Posture & audit	Admin+	Compliance visibility	Activit
System	Platform health	Admin+ (settings grant)	Ops for integrations/queue	Setting
Settings	Brand & config	Admin+	Theme, global content, backup	Theme Redis

System is not a separate permission key; it requires **settings** module access (AdminNavigation::SYSTEM_NAV_KEY).

Submodule navigation (horizontal tabs)

Each major module uses **tab strips** (not sidebar children):

- **Site Architect:** Content | Blocks | Deploy | Advanced
- **Operations:** Job Portal | PIN Codes | Services | Bookings
- **Marketing:** Dashboard | Intelligence | Campaigns | Attribution | Reports
- **Growth Center:** Readiness, Competitors, War Room, SEO, AEO, GEO, GA4, AI Pulse (tabs + deep links)
- **System:** Overview | Health | Integrations | Webhooks | Queue | Scheduler
- **Settings:** Appearance | Global Content | Backup | Maintenance

Section 3 — Complete feature inventory

Classification legend: Website · Deployment · Marketing · Growth · Operations · Security · System

Feature	Purpose	Route (canonical)
Public home/CMS pages	Render Page content	/, /p/{slug}
Services catalog	Service marketing	/services-catalog, /services/{
Careers	Vacancies	/careers/{slug}
Pages CRUD	CMS pages	site-architect.pages.*
Blogs	Articles	site-architect.blogs.*
Navigation menus	Header/footer links	site-architect.navigation.*
Media library	Assets	site-architect.media.*

Block Factory	Custom blocks	site-architect.block-factory.†
Section Library	Multi-block sections	site-architect.section-library
Block Presets	Saved block settings	site-architect.block-presets.†
Block Studio	Media/section per block	site-architect.block-studio.*
Blueprint Builder	Generate site from pack	site-architect.blueprint-build
Deployment packages	Export/import site	site-architect.deployment-pack
Module Builder	Dynamic schemas	site-architect.modules.*
Job Portal	Vacancies/applications	operations.job-portal.*
Services admin	Service catalog	operations.services.*
Bookings	Lead pipeline	operations.bookings.*
PIN Codes	Coverage	operations.pin-codes.*
Marketing Dashboard	GA4/Ads summary	marketing.dashboard
Marketing Intelligence	Deep analytics	marketing.intelligence
Lead Intent tab	Calls/WA/forms intents	marketing.dashboard (tab)
Lead export	CSV	modules.marketing.reports.lead
Growth competitors	Competitor CRUD	growth-center.competitors.*
War Room	Intercepts	growth-center.war-room.*
SEO / GEO / AEO	Search surfaces	growth-center.seo.*, geo.*, aeo
User directory	Users	user-management.*
Security overview	Metrics	modules.security
Appearance / Theme	Brand	settings.appearance
Integrations	API keys	settings.integrations
Webhooks	Outbound HTTP	settings.webhooks
Backup / Maintenance	DR / downtime	settings.backup, settings.main

†Backup also requires operator name allowlist.

Full route list: [route-inventory.md](#) (~130+ named routes).

Section 4 — User roles & permissions

Roles

Role	Intent
viewer	Read-only growth; dashboard
editor	Content, blocks, growth mutations
manager	Operations, marketing, blueprint generate
admin	Settings, security, deployment packages

super_admin Full authority, maintenance, user delete

Enforced by middleware role: ... on route groups + Laravel policies.

Module access model

- Stored in `users.module_access` JSON: 8 boolean keys (`ModuleAccess::keys()`).
- **null module_access**: After security hardening (2026-05-30), non-super-admin users are treated as **no modules** until explicitly granted. Super Admin and root account retain full access.
- Configured in **User Management** → **Edit** (checkboxes per module).

What each role typically cannot do

Role	Cannot
viewer	Site Architect, Operations, Marketing, Settings, Security
editor	Operations, Marketing, User Management (mutate), Settings
manager	Security, Settings (unless granted), super_admin-only deletes
admin	— (broad); backup without operator name
super_admin	—

Super Admin authority

- Root account email in `config('root_account.email')` — protected from peer deletion.
- `super_admin` role bypasses module denial at `resolvedModuleAccess()`.
- Maintenance mode, backup restore (with operator allowlist).

Permission workflow (operators)

1. Create user in User Management.
2. Assign **role** (enforces route middleware ceiling).
3. Toggle **module_access** checkboxes (enforces sidebar + `module:*` middleware).
4. User verifies email; active flag must be true.
5. Optional: review Security module for failed logins / denials.

Matrix: [module-permission-matrix.md](#)

Section 5 — Website system

Pages

Question	Answer
What	pages table: slug, title, content (tokens), SEO fields, block_overrides_json, layout mode
Why	Composable public site without redeploying code
How	Content uses <code>{{block:slug}}</code> , <code>{{section:slug}}</code> , <code>{{service:code}}</code> , <code>{{module:key}}</code>

Workflow	Site Architect → Pages → edit → preview → set active
-----------------	---

Blocks

Question	Answer
What	Reusable Blade fragments in blocks table; 70 Git-managed templates
Why	Consistency + governance (php artisan blocks:sync)
How	Managed blocks cannot be deleted in UI; code from config/block_templates.php
Workflow	Block Factory for custom; sync for Git templates

Sections (Section Library)

Question	Answer
What	Ordered list of blocks with style variants (sections / builtin config)
Why	Reuse funnels across pages
How	{{section:slug}} expands to chained blocks
Workflow	Section Library → create → insert slug on page

Block Presets / Block Studio

- **Presets:** Saved settings_json (variants, media) — never replaces block code.
- **Studio:** Per-block media slots + section controls (background, spacing).

Navigation, Blogs, Module Builder

- **Navigation:** Menus for header/footer.
- **Blogs:** /blog/{slug} public posts.
- **Module Builder:** Dynamic CRUD modules (advanced); rare for Medca core site.

Section 6 — Deployment engine

Components

Piece	Config / UI
Blueprints	config/blueprints.php + config/blueprint_packs.php
Style packs	config/style_packs.php
Theme presets	config/theme_presets.php
Global content	Settings → Global Content ({{global:key}})
Generator	BlueprintPageGenerator

How a site is generated

1. **Blueprint Builder** → choose blueprint (e.g. home_healthcare).
2. Choose **style pack** + **theme preset** + layout.
3. **Generate** → creates/updates Page rows with block tokens + overrides.
4. Pages default **inactive** — review in Pages list.
5. **Activate** pages when ready.
6. **Settings** → **Appearance** → preview theme → **Publish** (live brand).

Themes & style packs

- **Theme** controls colors, typography, header preset, layout width (draft vs published).
- **Style pack** maps block types → style_1...style_5 CSS modifiers on .medca-block.
- Publishing theme does not auto-publish all pages.

Detail: [deployment-engine.md](#) · [phase8.5/STYLE-PACKS.md](#)

Section 7 — Element library (70 templates)

Sync: php artisan blocks:sync

Grouped inventory

Category	Count	Representative slugs
Hero	11	hero-home, hero-healthcare, hero-centered, hero-split, hero-video, ...
CTA	6	cta-home, cta-banner, cta-sticky, cta-simple, ...
Features / Services	12+	features-grid, services-grid-full, services-benefits, services-block-carousel, ...
Statistics	2	statistics-row, statistics-cards
Process	2	process-steps, process-flow
Testimonials / Reviews	5	testimonials-grid, testimonials-carousel, reviews-grid, ...
FAQ	2	faq-accordion, faq-columns
Team	2	team-grid, team-leaders
Gallery / Before-After	4	gallery-grid, gallery-showcase, before-after
Video	2	video-embed, video-sidecar
Contact / Forms	4	contact-info, contact-split, form-callback, ...
Pricing / Comparison	3	pricing-tiers, pricing-table, comparison-features
Trust / Logos	3	trust-bar-icons, logos-partners, ...
Location	3	locations-coverage, location-radius, ...
Timeline / Cards / Content	7	timeline-milestones, cards-icon-row, content-prose, ...
Callouts / Lead magnets	4	callout-tip, lead-magnet-guide, ...
Careers / Layout	4	careers-open-roles, services-detail-layout, ...

Variants: Each slug supports style pack variants style_1-style_5; many categories have **multiple layout slugs** (e.g. hero centered vs split).

Detail: [element-library-completion-sprint.md](#)

Section 8 — Industry blueprint packs

Slug	Label	Pages	Landings	Default pack / tl
home_healthcare	Healthcare Pack	14	3	healthcare_profes / clinical_blue
care_home	Care Home Pack	8	1	healthcare_premi premium_gold
real_estate	Real Estate Pack	5	1	modern_purple
cosmetics_clinic	Cosmetics Clinic	6	1	luxury_black
construction, painting, consultancy, education	Legacy verticals	1-2	0	Various

Healthcare pack highlights

- **Services:** Home Care, Elder Care, Nursing, Doctor Visits, Physiotherapy, Palliative Care (dedicated pages).
- **Funnel pages:** FAQ, Testimonials, About, Contact.
- **CTA strategy:** cta-home (home), cta-banner (services), cta-sticky + form-callback (landings).

Deployment workflow (operator)

1. php artisan blocks:sync
2. Site Architect → Blueprint Builder
3. Select pack → Generate
4. Review pages → Activate
5. Publish theme
6. Configure integrations (WhatsApp, GA4, Meta)
7. Optional: php artisan lead-intent:backfill --days=90

Detail: [industry-blueprint-packs-sprint.md](#)

Section 9 — Operations

Bookings = Lead Center

“Bookings” is the Operations UI label for the leads table. There is no separate bookings database entity. A “booking” in business language is a **lead** progressing through pipeline stages (new → qualified → converted).

Area	What it does
Bookings	List/filter leads, edit, notes, status, assignment
Services	Catalog powering /services/{code} and detail pages
PIN Codes	Hyper-local serviceability (Arekere 25 km

	narrative)
Job Portal	Vacancies + applications (separate from patient leads)

Lead handling workflow

1. Visitor submits **API form** (POST /api/leads with X-API-KEY) or staff creates lead manually.
2. Lead appears in **Operations → Bookings**.
3. Marketing attribution fields (utm_*, source) visible when captured.
4. Staff calls/WhatsApps customer; updates status.
5. **Converted** may fire outbound webhook service.booked.

Section 10 — Marketing

Surface	Purpose
Dashboard	GA4 summary, Google/Meta Ads cards, communication snapshots, Lead Intent tab
Intelligence	Deeper reporting (attribution, WhatsApp, calls)
Campaigns	Manual campaign registry
Attribution	First/last touch on leads
Reports	Lead CSV export

Metrics glossary

Metric	Meaning
Lead Intent (total)	Count of lead_intent_events — clicks + form intents (not necessarily unique people)
Calls / WhatsApp / Forms	Channel breakdown on Lead Intent tab
Organic vs Google Ads vs Meta vs GBP	Attribution bucket from UTM + rules
GA4 active users	From GA4 Data API (if configured)

Tracking (unchanged scripts)

- Public: gtag, fbq, medcaTrack() → POST /marketing/track → marketing_click_events.
- **Lead intent layer** mirrors key events into lead_intent_events (additive).

Detail: [marketing.md](#) · [lead-intent-tracking-sprint.md](#)

Section 11 — Growth Center

Tab	Strategic use
Readiness	Checklist before campaigns
Competitors	Track rival entities
War Room	Intercept opportunities
SEO / AEO / GEO	Entity, technical, location/pincode coverage
GA4	Admin GA4 widgets

AI Pulse

Gemini-assisted scans
(config('gemini.api_key'))

Workflow: Viewer monitors → Editor updates competitor data → Manager acts on War Room intercepts.

Detail: [growth-center.md](#)

Section 12 — Lead intelligence engine

What is tracked

Signal	Storage	Creates Booking?
Form submit (click)	marketing_click_events + intent	No
API lead	leads + intent form_submit / google_ads_form	Yes
WhatsApp click	marketing + intent	No
Phone click (tel:)	marketing + intent (after May 2026 fix)	No
GBP proxy clicks	marketing event types	No

What is NOT tracked

- Actual phone call connected / duration
- WhatsApp message sent or replied (without Business API inbound)
- Automated GBP call/direction counts (manual snapshot only)

Flow (form lead)

```
sequenceDiagram
    participant V as Visitor
    participant W as Website
    participant API as POST /api/leads
    participant L as leads table
    participant I as lead_intent_events
    participant O as Operations Bookings

    V->>W: Submit contact form
    W->>API: JSON + API key + UTM
    API->>L: Create Lead
    API->>I: LeadObserver intent
    O->>L: Staff works lead
```

Flow (WhatsApp click)

```
sequenceDiagram
    participant V as Visitor
    participant W as Website
    participant T as /marketing/track
    participant M as marketing_click_events
    participant I as lead_intent_events
    participant WA as WhatsApp app

    V->>W: Click wa.me link
    W->>T: whatsapp_click + UTM
    T->>M: Store click
    T->>I: Lead intent record
    V->>WA: Chat (off-platform)
```

Section 13 — Integrations

Integration	Where	Required fields	Test
WhatsApp	System → Integrations table row	Up to 5 numbers; optional Business API: Phone Number ID, Access Token, Webhook Verify Token	Test on row medca:valid production-readiness
GA4	Marketing settings / google_services	Measurement ID, property (API)	Growth/Ma GA4 tab
Meta Pixel	Marketing settings / meta_ads	Pixel ID	Browser Ev Manager
Google Business Profile	Integrations	OAuth, account/location IDs	Sync review button
Gemini	Integrations	API key via config('gemini.api_key')	AI Pulse / i
Webhooks	System → Webhooks	URL, events, secret	Test deliver webhook_del

WhatsApp operator steps

1. Settings → Integrations → Add **WhatsApp**.
2. Configure up to 5 numbers (display, phone, message, enabled, order).
3. Enable floating button if desired.
4. Advanced: enable **WhatsApp Business API** for automation (optional).
5. Public site uses x-whatsapp.* components automatically.

Detail: [whatsapp-integration-enhancement.md](#)

Section 14 — Security

Model

Defense in depth: auth → active → verified → auto.logout → module: {key} → role:{list} → policies.

Key controls

Control	Location
Module middleware	EnsureModuleAccess
Role middleware	CheckRole
Integrations API	Now requires module:settings (post-hardening)
Audit / security UI	Security module
Backup	super_admin + backup.operator names
Maintenance	super_admin only

Detail: [phase-7-security-validation.md](#) · [sprint-security-navigation-hardening.md](#)

Section 15 — Production infrastructure

Component	Why required	Failure if missing
Redis	Session, cache, queue (default)	Login/session instability; queues stall
Queue worker	Outbound webhooks (async)	Webhooks never deliver
Scheduler (cron)	Scheduled tasks	Reviews sync, cleanup jobs skip
Supervisor	Keep workers alive	Intermittent webhook loss
Storage	Media, backups	Uploads/backups fail
Mail	Notifications	Silent mail failures

Monitoring checklist

- php artisan queue:failed
- System → Health / Queue
- Log channel stack (LOG_CHANNEL)
- Disk space for storage/ and backups

Section 16 — Complete workflow maps

Visitor → Lead → Booking (Operations)

```
flowchart LR
    A[Public page] --> B{Action}
    B -->|Form API| C[leads row]
    B -->|WA / Phone click| D[Intent only]
    C --> E[Operations Bookings]
    E --> F[Converted / Lost]
```

Blueprint → site generation

```
flowchart TD
    A[Blueprint Builder] --> B[BlueprintPageGenerator]
    B --> C[Page records + tokens]
    C --> D[Review inactive pages]
    D --> E[Activate pages]
    E --> F[Theme publish]
    F --> G[Public site]
```

Theme publish

```
flowchart LR
    A[Appearance draft] --> B[Preview session]
    B --> C[Publish]
    C --> D[Published theme + style pack]
    D --> E[ContentParser render]
```

Section 17 — Production readiness autopsy

Sprint / audit	Outcome
Navigation IA restructure	Sidebar order; System hub; canonical marketing URLs module_access null fix;

Security hardening	integrations middleware
WhatsApp integration	Click-to-chat + table row; Business API advanced
Lead intent layer	lead_intent_events + dashboard tab
Element library	48 shared elements (70 total templates)
Industry blueprint packs	4 production packs + 4 legacy
Production validation	Phone tel: bug found
Final patch	Phone tracking fixed; 385 tests
User Management	Intentionally frozen (known create-user gaps documented)

Pending (operational, not code blockers)

- Configure production webhooks + queue worker
- Set GA4/Meta IDs + browser QA
- Enable WhatsApp integration in admin
- Run lead-intent:backfill on deploy
- UM sprint when freeze lifts (role on create, etc.)

Section 18 — Known limitations

1. **Intent ≠ conversion** — Clicks do not create leads automatically.
2. **GBP insights** — Manual GMB snapshots; no Performance API ingest.
3. **Dynamic forms** — Module Builder or /contact; form blocks are CTAs.
4. **Single home slug collision** — Generating multiple blueprints on same env overwrites home if same slug used.
5. **Careers / competitor leads** — Separate tables from patient leads.
6. **Backup operator** — Name allowlist, not role-only.

Section 19 — Operator manual

When to use what

I need to...	Go to...	Why
Change homepage content	Site Architect → Pages	CMS tokens
Generate full healthcare site	Blueprint Builder → home_healthcare	Fastest path
Work new patient enquiry	Operations → Bookings	Lead pipeline
See WhatsApp interest	Marketing → Lead Intent	Aggregated clicks
Change brand colors	Settings → Appearance	Theme draft/publish
Add API key	System → Integrations	Centralized secrets
Fix failed webhook	System → Webhooks → logs	Delivery rows

Site Architect (editor)

1. Open **Site Architect** → **Pages**.
2. Edit page → insert `{{block:slug}}` or `{{section:slug}}`.
3. Preview → set **Active**.
4. Do not delete Git-managed blocks in Block Factory.

Blueprint operator (manager+)

1. Run `blocks:sync` after deploy.
2. Blueprint Builder → select pack → Generate.
3. Review all generated slugs.
4. Activate pages; publish theme.
5. Smoke-test public URLs.

Marketing operator

1. Configure GA4/Meta in settings.
2. Open **Lead Intent** tab weekly.
3. Compare source breakdown to ad spend.
4. Export leads CSV for campaigns as needed.

Operations operator

1. Monitor **Bookings** daily.
2. Filter by source/UTM.
3. Update status and follow-up date.
4. Keep **Services** and **PIN codes** current.

Section 20 — Final platform assessment

Dimension	Score	Notes
Platform (overall)	88	Cohesive CMS + ops + marketing
Architecture	90	Clear modules; monolith appropriate
Security	86	Hardened; UM edge cases remain
Deployment	92	Blueprints + packs + packages mature
Operations	85	Solid leads; naming “Bookings” needs training
Marketing	87	Lead intent + GA4; webhook/GA config ops-dependent
Growth	84	Rich; tab complexity

Is the platform complete?

Functionally complete for Medca's defined scope: public site, deployment engine, operations leads, marketing intelligence, growth tools, integrations framework.

Is it production ready?

Yes — with operational preflight (NEEDS ATTENTION, not NOT READY):

Must do before high-traffic launch

☐ Deploy latest code (phone tel: fix)
Configure WhatsApp + enable integration
Set GA4 / Meta pixel IDs
Configure & test outbound webhooks + queue worker
php artisan migrate + lead-intent:backfill
php artisan blocks:sync
Browser QA: form, WhatsApp, phone click
Runbook: backups, Redis, scheduler

What should happen next (recommended)

Priority	Action
P0	Production deploy + monitoring runbook
P1	Configure webhooks & marketing IDs
P1	Operator training on Bookings vs Lead Intent
P2	User Management sprint (when unfrozen)
P2	GBP Performance API ingest (optional product sprint)
P3	Inbound WhatsApp via Business API webhooks

Document maintenance

When	Update
New blueprint pack	industry-blueprint-packs-sprint.md + Section 8 here
New elements	element-library-completion-sprint.md + Section 7
Permission change	module-permission-matrix.md + Section 4
Route change	route-inventory.md + Section 3

Owner: Platform lead / MarkOnMinds engineering

Classification: Internal — operator bible & forensic autopsy (no customer PII)

End of Platform Bible — Master Document