


GENERAL NOTES

1. All dimensions are in millimeters (mm) (U.N.O)
2. All Connection Bolts Are High Strength Bolts with Hot Dipped Galvanized Finish. Bolts to be lubricated and free from dust / debris. If the erector noticed any lack of such lubrication, he is required to lubricate them at site before tightening.
3. All connections are classified to be in non-slip-critical category and therefore need only be tightened to the 'Snug Tight Condition'. A 'Snug Tight Condition' is defined as the tightness that exists when all plies in a joint are in firm contact. This may be attained by a few impacts of an impact wrench or the full effort of a person using an ordinary spud wrench.
4. It is the responsibility of the erector to ensure the correct type and size of bolt are used at correct location as per the erection drawings.
5. Continuous machine submerged arc weldings (SAW) meets the applicable requirements of the American Welding Society (A.W.S) D1.1M:2007
6. All butt welds are double side, thickness greater than 12 mm are CJP welds with appropriate preparation.
7. Endplate to flange welds are both sides, thickness greater than 12 mm are CJP welds with appropriate preparation.
8. If the flange braces are required only on one side of the column / rafter the required gusset plates may be welded only on that side of the column / rafter.
9. Refer "Anchor Bolt Layout Plan" for base details of column.



STEEL (Pvt.) Ltd.

S.NO	REV.	DATE	DESCRIPTION
00	00	15-APR-2026	COVER PAGE & INDEX SHEET
01	00	15-APR-2026	NODE PLAN
02	00	15-APR-2026	ANCHOR BOLT PLAN
03	00	15-APR-2026	ANCHOR BOLT PLATES
04	00	15-APR-2026	CROSS SECTION @ GL. 01 & 05
05	00	15-APR-2026	CROSS SECTION @ GL. 02 & 04
06	00	15-APR-2026	CONNECTION PLATE'S DETAILS
07	00	15-APR-2026	ROOF FRAMING PLAN
08	00	15-APR-2026	ROOF SHEETING PLAN
09	00	15-APR-2026	END WALL FRAMING @ GL. 01
10	00	15-APR-2026	END WALL SHEETING @ GL. 01
11	00	15-APR-2026	DOOR DETAIL'S (TYP.)
12	00	15-APR-2026	END WALL FRAMING @ GL. 05
13	00	15-APR-2026	END WALL SHEETING @ GL. 05
14	00	15-APR-2026	SIDE WALL FRAMING & SHEETING @ GL. A
15	00	15-APR-2026	SIDE WALL FRAMING & SHEETING @ GL. D

JOB # : MSPL-242

BUILDING NAME : ADDENDUM PEB SHED

CLIENT NAME : STARCH PACK

JOB LOCATION : KASUR

APPROVAL DRAWINGS

238, First Floor Lalazar Commercial Area
Raiwind Road, Thokar Niaz Baig ,Lahore, Pakistan
E-mail: maimaar.steel@gmail.com

Website: www.maimaargroup.com
E-mail: nasir.abbas@maimaargroup.com
Mob-1 : +(92-300) 807 4017 ,+(92-333) 807 1115