Package 'CASdatasets'

December 11, 2020

Type Package

Title Insurance Datasets

Version 1.0-11

Author Christophe Dutang [aut, cre], Arthur Charpentier [ctb]

Maintainer Christophe Dutang <christophe.dutang@ensimag.fr>

Description A collection of datasets, originally for the book 'Computational Actuarial Science with R' edited by Arthur Charpentier. Now, the package contains a large variety of actuarial datasets.

Depends R (>= 3.5.0), xts, sp

Imports lattice

License GPL (>= 2)

NeedsCompilation no

URL http://dutangc.free.fr/pub/RRepos/web/CASdatasets-index.html, http://cas.uqam.ca/, http://dutangc.perso.math.cnrs.fr/RRepository/

BuildResaveData best

LazyData no

R topics documented:

`asiacomrisk` *Large commercial risks in Asia-Pacific*

Description

A completed project by the Insurance Risk and Finance Research Centre (www.IRFRC.com) has assembled a unique dataset from Large Commercial Risk losses in Asia-Pacific (APAC) covering the period 2000-2013. The data was generously contributed by one global reinsurance company and two large Lloyd's syndicates in London. This dataset is the result of the project co-lead by Dr Milidonis (IRFRC and University of Cyprus) and Enrico Biffis (Imperial College Business School), which can be referred to as the IRFRC LCR Dataset.

As expected, the dataset is fully anonymised, as the LCR losses are aggregated along a few dimensions. First, data is categorised based on the World Bank's economic development classification. This means that losses either come from developed or developing countries. The second dimension used to aggregate the data is the time period covered. Data is grouped into (at least) two time-periods: the period before and after the 2008 crisis.

A large commercial risk (LCR) is defined as a loss caused by man-made risks (e.g. fire, explosion, etc.). We exclude natural catastrophe events, and started by focusing on claims that made the data provider incur a loss amount of at least EUR 1 million. We then extended our dataset to include claims leading to loss amounts smaller that EUR 1 million. Given time constraints, we only partially extended loss data by obtaining FGU losses larger than EUR 140k. One should note that any selection bias arising from the data collection exercise is driven by both data quality and reliability. Based on our experience, the latter two attributes are homogeneous across developed and developing countries APAC claims.

For further details, see the technical report: Benedetti, Biffis and Milidonis (2015a).

Usage

```
data(asiacomrisk)
```

Format

`asiacomrisk` contains 7 columns:

`Period` A character string for the period: `"2000-2003"`, `"2004-2008"`, `"2009-2010"`, `"2011-2013"`.

`FGU` From the Ground Up Loss (USD).

`TIV` Total Insurable Value (TIV) replaced with Total Sum Insured (TSI) when the TIV is not available (USD).

`CountryStatus` A character string for the country status: `"Developped"`, `"Emerging"`.

`Usage` A character string for the type of exposure hit by the loss: `"Commercial"`, `"Energy"`, `"Manufacturing"`, `"Misc."`, `"Residential"`.

`SubUsage` A character string for a precised type of exposure hit by the loss: `"Commercial"`, `"Energy"`, `"General industry"`, `"Metals/Mines/Chemicals"`, `"Misc."`, `"Residential"`, `"Utility"`.

`DR` A numeric for the destruction rate (FGU divided TIV capped to 1).

Source

IRFRC

References

Benedetti, D., Biffis, E., and Milidonis, A. (2015a). *Large Commercial Risks (LCR) in Insurance: Focus on Asia-Pacific*, Insurance Risk and Finance Research Centre Technical report.

Benedetti, D., Biffis, E., and Milidonis, A. (2015b). *Large Commercial Exposures and Tail Risk: Evidence from the Asia-Pacific Property and Casualty Insurance Market*, Working paper.

Chavez-Demoulin, V., Embrechts, P., and Hofert, M. (2015). *An extreme value approach for modeling operational risk losses depending on covariates.* The Journal of Risk and Insurance.

Examples

```
# (1) load of data
#
data(asiacomrisk)
dim(asiacomrisk)

# (2) basic boxplots
#

asiacomrisk
boxplot(DR ~ Usage, data=asiacomrisk)
boxplot(DR ~ SubUsage, data=asiacomrisk)
boxplot(DR ~ Period, data=asiacomrisk)
boxplot(DR ~ CountryStatus, data=asiacomrisk)
```

---

ausautoBI8999 *Automobile bodily injury claim dataset in Australia*

Description

This data set contains information on 22036 settled personal injury insurance claims in Australia. These claims arose from accidents occurring from July 1989 through to January 1999. Claims settled with zero payment are not included.

Usage

```
data(ausautoBI8999)
```

Format

`ausautoBI8999` is a data frame of 8 columns and 1,340 rows:

`AccDate`, `ReportDate`, `FinDate` The accident date, the reporting date, the finalization date, note that the day is always set to the first day of the month.

`AccMth`, `ReportMth`, `FinMth` The accident month, the reporting month, the finalization month: 1 = July 1989, ..., 120 = June 1999).

`OpTime` The operational time.

`InjType1`, `InjType2`, `InjType3`, `InjType4`, `InjType5` The injury code for the people injured (up to five).

`InjNb` Number of injured people.

`Legal` A character string for: Has the policyholder a legal representation?

`AggClaim` Aggregate settled amount of claims.

Source

DeJongHellerBook

References

P. De Jong and G.Z. Heller (2008), *Generalized linear models for insurance data*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(ausautoBI8999)
dim(ausautoBI8999)
head(ausautoBI8999)
```

`auscathist` *Australian catastrophe historic*

Description

Historical disaster statistics in Australia from 1967 to 2014.

Usage

```
data(auscathist)
```

Format

auscathist is a data frame of 9 columns:

Year a numeric for the Year.

Quarter a numeric for the quarter of the year.

Date a character string for the date.

FirstDay a Date object for the first day of natural catastrophe.

LastDay a Date object for the last day of natural catastrophe, when available.

Event a character string describing the event.

Type a factor describing the event type among the list: "Cyclone", "Earthquake", "Flood", "Flood,Storm", "Hailstorm", "Other", "Power outage", "Storm", "Tornado", "Weather", "Bushfire".

Location a character string describing the location.

OriginalCost Original cost in million of Australian dollars (AUD).

NormCost2011 Normed cost in million of 2011 Australian dollars (AUD) taking into account inflation, change in wealth and population.

NormCost2014 Normed cost in million of 2014 Australian dollars (AUD) computed as the inflated cost NormCost2011 using CPI.

Source

http://www.insurancecouncil.com.au/

Examples

```
# (1) load of data
#
data(auscathist)

# (2) plot of data
#
plot(ecdf(auscathist$NormCost2014))
```

---

ausNLHYby *Australian Market - non-life insurance (company, state, public level)*

Description

Financial performance and financial position of insurers operating in Australia between 2005 and 2010 (company, state, public level).

Usage

```
data(ausNLHYClaimByState)
data(ausNLHYPremByState)

data(ausNLHYCapAdeqByComp)
data(ausNLHYFinPerfByComp)
data(ausNLHYFinPosByComp)
data(ausNLHYPrivInsur)

data(ausNLHYFinPerfPublic)
data(ausNLHYFinPosPublic)
data(ausNLHYOpIncExpPublic)
data(ausNLHYPremClaimPublic)
data(ausNLHYPubInsur)
```

Format

`ausNLHYPremByState` (Table 10) and `ausNLHYClaimByState` (Table 11) are data frames of 6 columns (values are in million of Australian dollars (AUD)):

- `Class`: Class of business.
- `NSWACTYYYYMM`: New South Wales / Australian Capital Territory for year `YYYY`.
- `VICYYYYMM`: Victoria in year `YYYY` reported on `DateYYYYMM`.
- `QLDYYYMM`: Queensland in year `YYYY` reported on `DateYYYYMM`.
- `SAYYYYMM`: South Australia in year `YYYY` reported on `DateYYYYMM`.
- `WAYYYYMM`: Western Australia in year `YYYY` reported on `DateYYYYMM`.
- `TAYYYYMM`: Tasmania in year `YYYY` reported on `DateYYYYMM`.
- `NTYYYYMM`: Northern Territory in year `YYYY` reported on `DateYYYYMM`.
- `TotalYYYYMM`: Total in year `YYYY` reported on `DateYYYYMM`.

where `YYYYMM` is the concatenation of the year `YYYY` and month `MM`, e.g. `200506`.

`ausNLHYPrivInsur` (Classficiation private) is a data frame of 6 columns (values are in thousand of Australian dollars (AUD)):

- `Company`: Company short name.
- `FullNameYYYYMM`: FUll name of the company for year `YYYY`.
- `DateYYYYMM`: Date in year `YYYY` reported on `DateYYYYMM`.
- `ClassficiationYYYMM`: Classficiation in year `YYYY` reported on `DateYYYYMM` either `Direct` or `Reinsurer`.
- `BranchYYYYMM`: non empty when branch insurer in year `YYYY` reported on `DateYYYYMM`.
- `RestrictionYYYYMM`: Restriction on underwriting in year `YYYY` reported on `DateYYYYMM`.

where `YYYYMM` is the concatenation of the year `YYYY` and month `MM`, e.g. `200506`.

`ausNLHYCapAdeqByComp` (Table 14) is a data frame of 6 columns (values are in thousand of Australian dollars (AUD)):

- `Company`: Company short name.
- `DateYYYYMM`: Balance Date for year `YYYY`.

- MCRYYYYMM: Minimum capital requirement in year YYYY reported on DateYYYYMM.
- CapitalYYYMM: Capital base in year YYYY reported on DateYYYYMM.
- SurplusYYYYMM: Capital surplus in year YYYY reported on DateYYYYMM.
- SolRatioYYYYMM: Solvency coverage ratio in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

ausNLHYFinPerfByComp (Table 12) is a data frame of 9 columns (values are in thousand of Australian dollars (AUD)):

- Company: Company short name.
- DateYYYYMM: Balance Date for year YYYY.
- GWPYYYYMM: Gross written premium revenue in year YYYY reported on DateYYYYMM.
- REYYYYMM: Outwards reinsurance expense in year YYYY reported on DateYYYYMM.
- NWPYYYYMM: Net written premium revenue in year YYYY reported on DateYYYYMM.
- GICYYYYMM: Gross incurred claims in year YYYY reported on DateYYYYMM.
- NRRYYYYMM: Non-reinsurance recoveries revenue in year YYYY reported on DateYYYYMM.
- RRYYYYMM: Reinsurance recoveries revenue in year YYYY reported on DateYYYYMM.
- NICYYYYMM: Net incurred claims in year YYYY reported on DateYYYYMM.
- UWEYYYYMM: Underwriting expenses in year YYYY reported on DateYYYYMM.
- UWRYYYYMM: Underwriting result in year YYYY reported on DateYYYYMM.
- IIYYYYMM: Investment income in year YYYY reported on DateYYYYMM.
- OIYYYYMM: Other items in year YYYY reported on DateYYYYMM.
- NPATYYYYMM: Net profit-loss after tax in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

ausNLHYFinPosByComp (Table 13) is a data frame of 7 columns (values are in thousand of Australian dollars (AUD)):

- Company: Company short name.
- InvestYYYYMM: Investments for year YYYY.
- TotalAssetYYYYMM: Total assets in year YYYY reported on DateYYYYMM.
- ClaimReservYYYMM: Outstanding claims provision in year YYYY reported on DateYYYYMM.
- PremLiabYYYYMM: Premium liabilities in year YYYY reported on DateYYYYMM.
- ClaimReservYYYYMM: Total liabilities in year YYYY reported on DateYYYYMM.
- TotalLiabYYYYMM: Shareholders equity in year YYYY reported on DateYYYYMM.
- EquityYYYYMM: Shareholders equity in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

ausNLHYPubInsur (Classification public) is a data frame of 1 column:

- CompanyYYYYMM: Company name for year YYYY.

ausNLHYFinPerfPublic (Table 15), ausNLHYOpIncExpPublic (Table 16), are data frames of 2 columns (values are in million of Australian dollars (AUD)):

- Content: Content.
- TotalYYYYMM: Total for year YYYY.

ausNLHYFinPosPublic (Table 17) is a data frame of 3 columns (values are in million of Australian dollars (AUD)):

- Content: Content.
- TotalYYYYMM: Total for year YYYY.
- InsideAustraliaOnlyYYYYMM: Inside Australia Only for year YYYY.

ausNLHYPremClaimPublic (Table 18) is a data frame of 6 columns (values are in million of Australian dollars (AUD)):

- Class: Class of business.
- GWPYYYYMM: Gross written premium revenue in year YYYY reported on DateYYYYMM.
- PEYYYYMM: Premium revenue in year YYYY reported on DateYYYYMM.
- REYYYYMM: Reinsurance expense in year YYYY reported on DateYYYYMM.
- GICYYYYMM: Gross incurred claims in year YYYY reported on DateYYYYMM.
- RORYYYYMM: Reinsurance recoveries revenue in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

Source

Data is copyrighted by Australian Prudential Regulation Authority (APRA) and is under the Creative Commons - By licence. Please refer to http://www.apra.gov.au/

See Also

ausNLHYtotal for aggregate level, ausNLHYlloyd for LLoyds and ausNLHYglossary for glossary notes.

Examples

```
# (1) by company data
#
data(ausNLHYCapAdeqByComp)
data(ausNLHYFinPerfByComp)
data(ausNLHYFinPosByComp)

# (2) by state data
#
data(ausNLHYClaimByState)
data(ausNLHYPremByState)

# (3) public sector data
#
data(ausNLHYFinPerfPublic)
data(ausNLHYFinPosPublic)
data(ausNLHYOpIncExpPublic)
data(ausNLHYPremClaimPublic)
```

ausNLHYglossary *Australian Market - non-life insurance (Glossary)*

Description

Financial performance and financial position of insurers operating in Australia between 2005 and 2010 (Glossary).

Details

Glossary notes:

- Capital base is the amount of eligible capital held by an insurer to provide a buffer against losses that have not been anticipated and, in the event of problems, enable the insurer to continue operating while those problems are addressed or resolved. For locally incorporated insurers it is the sum of tier 1 capital (net of deductions) and tier 2 capital . Capital base for branch insurers is derived from net assets inside Australia.
- Captive insurer is a company within a group of related companies performing the function of insurer to that group.
- Classes of business in tables 7-11 are shown in order of risk capital factors as described in guidance note GGN 110.3.
- Direct insurers are those insurers who, excluding intra-group arrangements, predominantly undertake liability by way of direct insurance business.
- Earned premium (as defined in AASB 1023) is the amount of premium earned during the financial year and includes movements in the unearned premium provision.
- Gross claims expense (as per table 11) relates to: claims that are paid during a financial period; and recognised claims liabilities (i.e. movement in outstanding claims provision).
- Gross incurred claims comprises claims paid during the period, movements in the outstanding claims provision and movements in premium liabilities .
- Gross premium revenue is recognised fully when the business is written. The accounting concepts of earned and unearned premium are no longer recognised under the APRA prudential framework, hence this item is not consistent with AASB 1023 requirements. Instead, the potential claims liabilities arising from the uncovered term of written insurance business are recognised through the creation of premium liabilities .
- LMI (Lenders mortgage insurers) provide cover to protect lenders from default by borrowers on loans secured by mortgage. Mortgage insurers are substantially different to other insurers and are subject to special condition of authority.
- Lower tier 2 ratio is lower tier 2 capital divided by tier 1 capital (net of deductions) . The regulatory maximum for this ratio is 50 percent.
- Lloyd's is a London based insurance market in which business is underwritten by both individuals and corporate members who form syndicates to accept risk.
- Minimum capital requirement is the amount of risk-based capital APRA requires general insurers to hold to meet its insurance obligations under a wide range of circumstances.
- Net incurred claims is gross incurred claims net of reinsurance recoveries revenue and non-reinsurance recoveries revenue.
- Net loss ratio is net incurred claims divided by net premium revenue. Net premium revenue is gross premium revenue net of outwards reinsurance expense.

- Net profit/loss refers to profit or loss from ordinary activities after income tax, before extraordinary items.
- Non-reinsurance recoverables comprise recoverables from subrogation, salvage, sharing arrangements etc, net of provision for doubtful debts.
- Non-reinsurance recoveries revenue comprises amounts the insurer has recovered or is entitled to recover from subrogation, salvage and other non-reinsurance recoveries.
- Other assets comprises investment income receivable, other reinsurance assets receivable from reinsurers (i.e. other than reinsurance recoveries), GST receivable, other receivables, tax assets, plant and equipment (net of depreciation) and other assets.
- Other investments are strategic investments/acquisitions and other investments that do not constitute investments integral to insurance operations.
- Other items comprises other operating income, goodwill amortisation and income tax expense or benefit. Other liabilities comprises creditors and accruals, other provisions and other liabilities. Other operating expenses are all operating expenses not related to underwriting.
- Outstanding claims provision is the insurer's liability for outstanding claims. It recognises the potential cost to the insurer of settling claims which it has incurred at the reporting date (including estimates of claims that have not yet been notified to the insurer), but which have not been paid. The amount reported is after taking account of inflation and discounting, without deducting reinsurance and non- reinsurance recoverables .
- Outwards reinsurance expense is premium ceded to reinsurers, recognised as an expense fully when incurred or contracted.
- Payables on reinsurance contracts comprise amounts payable to reinsurers. This includes premiums payable but not yet due for payment, deposits withheld from reinsurers, commissions due to reinsurers and the reinsurers' portion of recoveries and salvage.
- Premium liabilities relate to the future claims arising from future events insured under existing policies accepted. This fully prospective determination is a more effective means of recognising potential risk than the accounting concept of unearned premium. The amount reported is after taking 'account of inflation and discounting, without deducting reinsurance and non-reinsurance recoveries.
- Premium receivables are premiums due, net of provision for doubtful debts, including unclosed business written close to the reporting date.
- Reinsurance recoverables comprise amounts recoverable under reinsurance contracts. Reinsurance and other recoverables is the aggregate of reinsurance recoverables and non-reinsurance recoverables.
- Reinsurance recoveries revenue comprises amounts the insurer has recovered or is entitled to recover from reinsurers on incurred claims during the reporting period.
- Reinsurers are those insurers who, excluding intra-group arrangements, predominantly undertake liability by way of reinsurance business.
- Return on assets is net profit/loss divided by the average on-balance sheet total assets for the period. Return on equity is net profit/loss divided by the average shareholders' equity for the period.
- Run-off insurers are restricted by APRA from writing new or renewal insurance business. However, the company may still be acting as an insurance agent, broker or underwriting agent for other general insurers.
- Solvency coverage is capital base divided by minimum capital requirement.
- Tier 1 capital (net of deductions) comprises the highest quality capital elements, including: paid-up ordinary shares, general reserves, retained earnings, current year earnings net of expected dividends and tax expenses, technical provisions in excess of those required by GPS 210 , non-cumulative irredeemable preference shares and other "innovative" capital instruments. This amount is net of goodwill, other intangible assets and future income tax benefits.

Source

Data is copyrighted by Australian Prudential Regulation Authority (APRA) and is under the Creative Commons - By licence. Please refer to http://www.apra.gov.au/

See Also

ausNLHYby for company, state, public level, ausNLHYlloyd for LLoyds and ausNLHYtotal for aggregate level.

---

ausNLHYlloyd *Australian Market - non-life insurance (LLoyds insurance business)*

Description

Financial performance and financial position of insurers operating in Australia between 2005 and 2010 (LLoyds insurance business).

Usage

```
data(ausNLHYLloydAsset)
data(ausNLHYLloydGPI)
data(ausNLHYLloydUWAcc)
data(ausNLHYLloydUWRes)
```

Format

ausNLHYLloydUWAcc (Table 15) and ausNLHYLloydUWAcc (Table 16) are data frames of 4 columns (values are in thousand of Australian dollars (AUD)):

- Content: Content.
- AccYear2YrAgoYYYYMM: value in the 2-year-ago accounting year in year YYYY reported in December.
- AccYear1YrAgoYYYYMM: value in the 1-year-ago accounting year in year YYYY reported in December.
- AccYear0YrAgoYYYYMM: value in the current accounting year in year YYYY reported in December.

where YYYYMM is the concatenation of the year YYYY and month MM=12, e.g. 200512.

ausNLHYLloydGPI (Table 17) is a data frame of 4 columns (values are in thousand of Australian dollars (AUD)):

- Content: Content.
- DirectYYYYMM: Direct premiums (gross) including inward faculative reinsurance in year YYYY reported in December.
- InwardYYYYMM: Inward treaty reinsurance premiums (gross) in year YYYY reported in December.
- TotalYYYYMM: Total premium income (gross) in year YYYY reported in December.

where YYYYMM is the concatenation of the year YYYY and month MM=12, e.g. 200512.

ausNLHYLloydAsset (Table 18) is a data frame of 4 columns (values are in thousand of Australian dollars (AUD)):

- Content: Content.
- TrustFundYYYYMM: Lloyds Australia trust fund in year YYYY reported in December.
- AssetFund1.YYYYMM: Lloyds Australia joint asset fund No.1 in year YYYY reported in December.
- AssetFund2.YYYYMM: Lloyds Australia joint asset fund No.2 in year YYYY reported in December.

where YYYYMM is the concatenation of the year YYYY and month MM=12, e.g. 200512.

Details

It is not possible to compare Lloyd's with authorised companies. Lloyd's operates a unique three year accounting system that differs substantially from normal practices. Different classes of business are also used.

The individual syndicates, which are members of the Lloyd's market, are independent entities which are supervised by the Financial Services Authority (FSA) in the UK not by APRA. However, for the protection of policy holders in Australia, Lloyd's is required to maintain trust funds in Australia (refer to Lloyd's Assets Table 18).

Source

Data is copyrighted by Australian Prudential Regulation Authority (APRA) and is under the Creative Commons - By licence. Please refer to http://www.apra.gov.au/

See Also

ausNLHYby for company, state, public level, ausNLHYtotal for aggregate level and ausNLHYglossary for glossary notes.

Examples

```
# (1) lloyds data
#
data(ausNLHYLloydAsset)
data(ausNLHYLloydGPI)
data(ausNLHYLloydUWAcc)
data(ausNLHYLloydUWRes)
```

---

ausNLHYtotal *Australian Market - non-life insurance (aggregate level)*

Description

Financial performance and financial position of insurers operating in Australia between 2005 and 2010 (aggregate level).

Usage

```
data(ausNLHYCapAdeq)
data(ausNLHYFinPerf)
data(ausNLHYFinPos)
data(ausNLHYLiability)
data(ausNLHYOffProf)
data(ausNLHYOpIncExp)
data(ausNLHYPremClaim)
data(ausNLHYPrivInsur)
data(ausNLHYPubInsur)
data(ausNLHYRecAASB)
data(ausNLHYReserve)
```

Format

All values are in million of Australian dollars (AUD).

`ausNLHYFinPerf` (Table 1), `ausNLHYCapAdeq` (Table 5), `ausNLHYOpIncExp` (Table 2) are data frames of 4 columns:

- `Content`: Content.
- `InsurersYYYYMM`: Insurers for year `YYYY`.
- `ReinsurersYYYYMM`: Reinsurers in year `YYYY` reported on `DateYYYYMM`.
- `TotalYYYMM`: Total in year `YYYY` reported on `DateYYYYMM`.

where `YYYYMM` is the concatenation of the year `YYYY` and month `MM`, e.g. `200506`.

`ausNLHYRecAASB` (Table 6) is data frames of 4 columns:

- `Content`: Content.
- `NBInsurersYYYYMM`: Non-branch Insurers for year `YYYY`.
- `NBReinsurersYYYYMM`: Non-branch Reinsurers in year `YYYY` reported on `DateYYYYMM`.
- `NBTotalYYYMM`: Non-branch Total in year `YYYY` reported on `DateYYYYMM`.

where `YYYYMM` is the concatenation of the year `YYYY` and month `MM`, e.g. `200506`.

`ausNLHYFinPos` (Table 3) is a data frame of 5 columns:

- `Content`: Content.
- `InsurersYYYYMM`: Insurers for year `YYYY`.
- `ReinsurersYYYYMM`: Reinsurers in year `YYYY` reported on `DateYYYYMM`.
- `TotalYYYMM`: Total in year `YYYY` reported on `DateYYYYMM`.
- `InsideAustraliaOnlyYYYMM`: InsideAustraliaOnly in year `YYYY` reported on `DateYYYYMM`.

where `YYYYMM` is the concatenation of the year `YYYY` and month `MM`, e.g. `200506`.

`ausNLHYPremClaim` (Table 7) is a data frame of 6 columns:

- `Class`: Class of business.
- `GWPYYYYMM`: Gross written premium revenue in year `YYYY` reported on `DateYYYYMM`.
- `REYYYYMM`: Outwards reinsurance expense in year `YYYY` reported on `DateYYYYMM`.

- NWPYYYYMM: Net written premium revenue in year YYYY reported on DateYYYYMM.
- GICYYYYMM: Gross incurred claims in year YYYY reported on DateYYYYMM.
- RRYYYYMM: Reinsurance recoveries revenue in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

ausNLHYReserve (Table 8) is a data frame of 5 columns:

- Class: Class of business.
- GORYYYYMM: Gross Outstanding Reserve in year YYYY reported on DateYYYYMM.
- RRYYYYMM: Reinsurance Recoverables in year YYYY reported on DateYYYYMM.
- NRRYYYYMM: Non Reinsurance Recoverables in year YYYY reported on DateYYYYMM.
- NORYYYYMM: Net Outstanding Reserve in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

ausNLHYLiability (Table 9) is a data frame of 5 columns:

- Content: Content.
- GPLYYYYMM: Gross Premium Liability in year YYYY reported on DateYYYYMM.
- RRYYYYMM: Reinsurance Recoverables in year YYYY reported on DateYYYYMM.
- NRRYYYYMM: Non Reinsurance Recoverables in year YYYY reported on DateYYYYMM.
- NPLYYYYMM: Net Premium Liability in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

ausNLHYOffProf (Table 4) is a data frame of 7 columns:

- Content: Content.
- AusInsurersYYYYMM: Australian Insurers for year YYYY.
- AusReinsurersYYYYMM: Australian Reinsurers in year YYYY reported on DateYYYYMM.
- AusTotalYYYMM: Australian Total level in year YYYY reported on DateYYYYMM.
- OffInsurersYYYYMM: Offshore Insurers for year YYYY.
- OffReinsurersYYYYMM: Offshore Reinsurers in year YYYY reported on DateYYYYMM.
- OffTotalYYYMM: Offshore Total level in year YYYY reported on DateYYYYMM.

where YYYYMM is the concatenation of the year YYYY and month MM, e.g. 200506.

Source

Data is copyrighted by Australian Prudential Regulation Authority (APRA) and is under the Creative Commons - By licence. Please refer to http://www.apra.gov.au/

See Also

ausNLHYby for company, state, public level, ausNLHYlloyd for LLoyds and ausNLHYglossary for glossary notes.

Examples

```
# (1) private sector data
#
data(ausNLHYCapAdeq)
data(ausNLHYFinPerf)
data(ausNLHYFinPos)
data(ausNLHYLiability)
data(ausNLHYOffProf)
data(ausNLHYOpIncExp)
data(ausNLHYPremClaim)
data(ausNLHYPrivInsur)
data(ausNLHYPubInsur)
data(ausNLHYRecAASB)
data(ausNLHYReserve)
```

---

ausNSW *Australian Statistics - New South Wales in 2004*

Description

General statistics of Australian drivers in New South Wales in 2004.

Usage

```
data(ausNSWdriver04)
data(ausNSWdeath02)
```

Format

`ausNSWdriver04` is 2-element list containing the following dataframes.

`ausNSWdriver04$injury` consists of all drivers involved in a crash in 2004 in New South Wales, Australia. There are a total of 82659 drivers in the data set. Drivers with unknown age, age less than 17 years, or road user class "Other" are omitted, leaving 76341 cases. `ausNSWdriver04$injury` contains the driver age, the gender, the vehicle class, the crash degree, and the observed number of crashes.

`ausNSWdriver04$alcohol` consists of drivers involved in a crash in 2004 in New South Wales, Australia, in which the involvement of blood alcohol concentration (BAC) was known. Drivers with unknown age, age less than 17 years, or unknown BAC are omitted, leaving 58890 cases. `ausNSWdriver04$alcohol` contains the driver age, the gender, the blood alcohol concentration, the crash degree, and the observed number of crashes.

`ausNSWdeath02` is 2-element list containing the following dataframes.

`ausNSWdeath02$allcause` contains all-cause mortality data for New South Wales, Australia in 2002, by age band and gender.

`ausNSWdeath02$diabete` contains the number of deaths due to diabetes in New South Wales, Australia in 2002, provided by the Australian Institute of Health and Welfare, from their mortality database.

Source

DeJongHellerBook

References

P. De Jong and G.Z. Heller (2008), *Generalized linear models for insurance data*, Cambridge University Press.

Examples

```
# (1) data
#
data(ausNSWdriver04)
data(ausNSWdeath02)
```

`ausprivauto` *Automobile claim datasets in Australia*

Description

Third party insurance is a compulsory insurance for vehicle owners in Australia. It insures vehicle owners against injury caused to other drivers, passengers or pedestrians, as a result of an accident.

The `ausprivauto0405` dataset is based on one-year vehicle insurance policies taken out in 2004 or 2005. There are 67856 policies, of which 4624 had at least one claim.

The `ausMTPL8486` dataset records the number of third party claims in a twelve-month period between 1984 and 1986 in each of 176 geographical areas (local government areas) in New South Wales, Australia.

The `ausprivautolong` is a simulated dataset containing counts of claims for 40 000 policies, for three periods (years). The simulation is based on a true non-life portfolio. The risk factors are driver's age and vehicle value. Each policy is regarded as a cluster, and hence there are 3 x 40 000 = 120 000 records.

Usage

```
data(ausprivautolong)
data(ausMTPL8486)
data(ausprivauto0405)
```

Format

`ausprivauto0405` is a data frame of 9 columns and 67,856 rows:

`Exposure` The number of policy years.

`VehValue` The vehicle value in thousand of AUD.

`VehAge` The vehicle age group.

`VehBody` The vehicle body group.

`Gender` The gender of the policyholder.

`DrivAge` The age of the policyholder.

`ClaimOcc` Indicates occurence of a claim.

`ClaimNb` The number of claims.

`ClaimAmount` The sum of claim payments.

`ausMTPL8486` is a data frame of 7 columns and 176 rows:

`LocalGov` The local government area.

`StatDiv` The vehicle value in thousand of AUD.

`ClaimNb` The number of third-party claims.

`AccNb` The number of accidents.

`KillInjNb` The number of killed or injured.

`Pop` The population size.

`PopDens` The population density.

`ausprivauto0405` is a data frame of 6 columns and 120,000 rows:

`IDpol` The policy identification number.

`DrivAge` The age of the policyholder.

`VehValue` The vehicle value in thousand of AUD.

`Periode` The period number.

`ClaimNb` The number of claims.

`ClaimOcc` Indicates occurence of a claim.

Source

DeJongHellerBook

References

P. De Jong and G.Z. Heller (2008), *Generalized linear models for insurance data*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(ausprivautolong)
data(ausMTPL8486)
data(ausprivauto0405)
```

austriLoB *Australian private motor triangles*

Description

Dataset austri1autoBI7895 contains claim triangles from an Australian non-life insurer between 1978 and 1995 for bodily injuries. austri1autoBI7895 is a list of 5 elements : a triangle of paid amounts, a triangle of incurred amounts, a traingle of notified claim number, a vector of exposure (in number of vehicle) and a vector of claim inflation indices. This corresponds respectively to Tables 3.3 (incr) and 3.2 (cumul); Table 3.12 (cumul); Tables 2.2 (incr) and 2.6 (cumul); Table B.1; Table B.2 of Taylor (2000). Note that claim amounts of austri1autoBI7895 are incremental.

Dataset austri2auto contains claim triangles from an Australian non-life insurer in run-off. Note that claim amounts are incremental.

Usage

```
#1st Line of Business
data(austri1autoBI7895)

#2nd Line of Business
data(austri2auto)
```

Format

austri1autoBI7895$paid, austri1autoBI7895$incur, austri1autoBI7895$nb contain the insurance triangle, respectively for paid, incurred claims and claim number. austri1autoBI7895$expo contains the vector of exposure, austri1autoBI7895$infl contains the vector of inflation indexes.

austri2auto contains the run-off insurance triangle.

Source

DeJongHellerBook

References

G. Taylor (2000), *Loss reserving: an actuarial perspective*, Springer Science + Business Media.

P. De Jong and G.Z. Heller (2008), *Generalized linear models for insurance data*, Cambridge University Press.

Examples

```
# (1) load of data
#


#1st Line of Business
data(austri1autoBI7895)
```

```
#2nd Line of Business
data(austri2auto)



# (2) graph
#
i <- 2
matplot(cbind(cumsum(austri1autoBI7895$paid[i,]), cumsum(austri1autoBI7895$incur[i,])),
type="l", ylab="Claim Amount (orig. USD)", xlab="Development Year",
main="Incurred vs. paid claim")

#claim number per 100 000 vehicles
fexpo <- 100000 / austri1autoBI7895$expo[rownames(austri1autoBI7895$nb)]
round(austri1autoBI7895$nb * fexpo, 1) #Table 2.1 of Taylor (2000)
matplot(apply(austri1autoBI7895$nb * fexpo, 1, cumsum), type="l",
main="number of claim notified per 100,000 veh", ylab="Cumulative number",
xlab="Development Year")


#paid claim inflated
fclaim <- austri1autoBI7895$infl["1995", "EndYear"] / austri1autoBI7895$infl[, "EndYear"]

g <- function(x, n) c(tail(x, -n), rep(NA, n))
infl <- cbind(fclaim, sapply(1:17, function(n) g(fclaim, n)))

matplot(apply(austri1autoBI7895$paid * infl, 1, cumsum), type="l", ylab="Claim Amount (1995 AUD)",
    xlab="Development Year", main="Paid claim", col=1:10)
legend("bottomright", leg=rownames(austri1autoBI7895$paid), lty=1:5, col=1:10, cex=.5)

#incurred claim inflated
matplot(apply(austri1autoBI7895$incur * infl, 1, cumsum), type="l", ylab="Claim Amount (1995 AUD)",
    xlab="Development Year", main="Incurred claim", col=1:10)
legend("bottomright", leg=rownames(austri1autoBI7895$incur), lty=1:5, col=1:10, cex=.5)
```

`beaonre` *AON Re Belgian dataset*

Description

The dataset was collected by the reinsurance broker AON Re Belgium and comprise 1,823 fire losses for which the building type and the sum insured are available.

Usage

```
data(beaonre)
```

Format

`beaonre` contains three columns and 1823 rows:

`BuildType` The building type either A, B, C, D, E or F.

`ClaimCost` The loss amount in thousand of Danish Krone (DKK).

`SumInsured` The sum insured in thousand of Danish Krone (DKK).

Source

http://lstat.kuleuven.be/Wiley/

References

Dataset used in Beirlant, Dierckx, Goegebeur and Matthys (1999), *Tail index estimation and an exponential regression model*, Extremes 2, 177-200.

Examples

```
# (1) load of data
#
data(beaonre)

# (2) plot and description of data
#

boxplot(ClaimCost ~ BuildType, data=beaonre, log="y",
xlab="Building type", ylab="Claim size", main="AON Re Belgium data")
```

---

besecura *Secura Re Belgian dataset*

Description

The dataset was collected by the reinsurer Secura Re Belgium and comprises of 371 automobile claims from 1988 until 2001. The original claim numbers were corrected, among others, for inflation to reflect 2002 euros.

Usage

```
data(besecura)
```

Format

`besecura` contains two columns and 371 rows:

`Year` The year of claim occurence.

`Loss` The loss amount in euros (EUR).

Source

http://lstat.kuleuven.be/Wiley/

References

Dataset used in Beirlant, Dierckx, Goegebeur and Matthys (2004) *Statistics of Extremes*, Wiley.

Examples

```
# (1) load of data
#
data(besecura)

# (2) plot and description of data
#

plot(Loss ~ Year, data= besecura, log="y", xlab="Year",
ylab="Claim size", main="Secura Re Belgian dataset")
```

`bragg` *Descriptive statistics of aggregate claims and premiums for the 41 Brazilian regions*

Description

The datasets `braggclaim` and `braggprem` are descriptive statistics of the premium/claim per region and type of insurance coverage. Therefore, for each region, there are five rows, one for each type of insurance coverage, i.e. 405 row in total.

Usage

```
data(braggclaim)
data(braggprem)
```

Format

`braggprem` contains 7 columns:

RegionNb A numeric for the region number.

RegionName A character for the region name

Guarantee A character string for the guarantee.

ExpoAvg A numeric for the average of total exposures.

PremAvg A numeric for the average of gross written premium.

SumInsAvg A numeric for the average of sum insured.

StateAb A character string for the abbreviated state name.

`braggclaim` contains 6 columns:

RegionNb A numeric for the region number.

RegionName A character for the region name

Guarantee A character string for the guarantee.

ClaimNb A numeric for the claim number.

AggClaim A numeric for the aggregate claim amount.

StateAb A character string for the abbreviated state name.

Source

The original dataset was provided in Chapter 5 of Charpentier (2014).

References

Charpentier, A. (2014). *Computational Actuarial Science with R*. CRC Press.

Examples

```
# (1) load of data
#
data(braggclaim)
data(braggprem)
```

`brautocoll` *Brazilian Automobile Collision Claims*

Description

Dataset of car traffic collisions that occurred in February 2011, in Belo Horizonte, a Brazilian city. A record consists of date, day, hour, locations (long, lat) and severity for a given collision.

Usage

```
data(brautocoll)
```

Format

`brautocoll` contains 5 columns:

Date The date of the traffic collision, see `Date`.

Day A character string for the weekday.

Hour Hour on the format `hh:mm`.

Lat Latitude of the location.

Long Longitude of the location.

Type A character string for the claim type.

Severity A character string for the severity.

Source

The original dataset was provided in Chapter 5 of Charpentier (2014).

References

Charpentier, A. (2014). *Computational Actuarial Science with R*. CRC Press.

Examples

```
# (1) load of data
#
data(brautocoll)
dim(brautocoll)
```

`brgeomunic` *Brazilian geospatial dataset for municipalities*

Description

`brgeomunic` is a spatial database containing geospatial information of Brazilian municipalities provided by IBGE, the Brazilian governmental agency in charge of geographical issues and official statistics (ibge.gov.br, accessed in February, 2013). `brgeomunic` is a geospatial dataframe of class sp based on three files: one containing the geographical coordinates of the polygons, lines or dots (55mu2500gsd.shp); another with attribute data (55mu2500gsd.dbf); a third file with the index that allows the connection between the .shp and .dbf files(55mu2500gsd.shx). As it is of class sp, `brgeomunic` can be easily plotted or summarized.

The final database is restricted to the municipalities from only four Brazilian states (Sao Paulo (SP), Santa Catarina (SC), Parana (PR), and Rio Grande do Sul (RS)). These states are located in the southern region of Brazil and contain almost 70 million inhabitants (around 36 percent of the Brazilian population) and constitute one of the richest regions of the country (approximately 60 percent of the Brazilian gross product).

`brgeomunicins` is also a geospatial dataframe of class sp combining a subset of `brgeomunic` (1833 cities out of 5566) and insurance statistic information. The insurance information comes from one large actuarial database provided by SUSEP, the agency responsible for the regulation and supervision of the Brazilian insurance, private pension, annuity, and reinsurance markets. SUSEP releases biannually a car insurance database composed of the aggregation of all insurance companies' information. Due to confidentiality concerns, there is no individual-level information, the data being aggregated into zip code areas. Originally, both SUSEP and IBGE databases did not present a unique identification column that provides a forward merge of the two databases. The joint information is the name and the state of each municipality.

Insurance information have been selected to compare premiums, claims, and reported damages for two specific groups: popular vehicles and luxury vehicles. The basic difference between the groups is the power of the engine and the materials and finishing quality. Popular cars have a power of 1,000 cc (cylinders), whereas luxury cars usually have a power of 2,000 cc or greater. Popular cars are thus affordable to most customers.

The `Pop` group contains the following selected popular vehicles: Celta 1.0 (Chevrolet), Corsa 1.0 (Chevrolet), Prisma 1.0 (Chevrolet), Uno 1.0 (Fiat), Palio 1.0 (Fiat), Gol 1. (Volkswagen), Fox 1.0 (Volkswagen), Fiesta 1.0 (Ford), and Ka 1.0 (Ford).

The `Lux` group contains the following selected luxury vehicles: Vectra (Chevrolet), Omega (Chevrolet), Linea (Fiat), Bravo (Fiat), Passat (Volkswagen), Polo (Volkswagen), Fusion (Ford), Focus (Ford), Corolla (Toyota), Civic (Honda), and Audi.

In summary, `brgeomunicins@data` is a dataframe with detailed information of region, city code, yearly exposure, premium, and frequency of claims for the following categories: robbery or theft (`Rob`), partial collision and total loss (`Coll`), fire (`Fire`), or others (`Other`).

In addition to insurance statistics, the final dataframe `brgeomunicins@data` also includes the municipality population (`CityDens10`) based on the 2010 Census, and the 2000 municipality Human

Development Index (HDIcity00). The Human Development Index (HDI) is a summary measure of long-term progress in three basic dimensions of human development: income, education, and health. The HDI provides a counterpoint to another widely used indicator, the Gross Domestic Product (GDP) per capita, which only considers economic dimensions. Both CityDens10 and HDIcity00 columns were generated from the IBGE site (ibge.gov.br, accessed February 2013).

Usage

```
data(brgeomunic)
data(brgeomunicins)
```

Format

brgeomunic@data contains 1 column:

CityCode A character string for the severity.

brgeomunicins@data contains 18 columns:

CityCode A character string for the severity.

State, StateAb Character string ("factor") for the full state name and the two-letter abbreviated state name.

City A character string ("factor") for the cityname.

PopExpo, LuxExpo The sum of exposure periods for policies in the Pop and the Lux groups, in years.

PopPrem, LuxPrem Gross written premium for the Pop and the Lux groups, respectively.

PopClaimRob, LuxClaimRob Aggregate robbery claim number for the Pop and the Lux groups, respectively.

PopClaimColl, LuxClaimColl Aggregate collision claim number for the Pop and the Lux groups, respectively.

PopClaimFire, LuxClaimFire Aggregate fire claim number for the Pop and the Lux groups, respectively.

PopClaimOther, LuxClaimOther Aggregate other claim number for the Pop and the Lux groups, respectively.

HDIcity00 A numeric for the HDI index of the city.

CityDens10 A numeric for the population density.

Source

The original dataset was provided in Chapter 5 of Charpentier (2014).

References

Charpentier, A. (2014). *Computational Actuarial Science with R*. CRC Press.

See Also

See the sp class.

Examples

```
# (1) load of data
#
data(brgeomunicins)
str(brgeomunicins@data)

## Not run:
# (2) plot of data
#
 cols <- rev(gray(seq(0.1, 0.9, length = 5)))

 spplot(brgeomunicins, "HDIcity00", col.regions = cols, cuts = length(cols) - 1)
 spplot(brgeomunicins, "PopClaimFire", col.regions = cols, cuts = length(cols) - 1)
 spplot(brgeomunicins, "PopClaimColl", col.regions = cols, cuts = length(cols) - 1)
 spplot(brgeomunicins, "PopClaimRob", col.regions = cols, cuts = length(cols) - 1)


## End(Not run)
```



`brvehins` *Two Brazilian datasets for vehicle insurance*

Description

`brvehins1`'s , `brvehins2`'s are dataframes containing policy data based on the AUTOSEG (an acronym for Statistical System for Automobiles) and can be accessed online (`www2.susep.gov.br/menuestatistica/Autoseg`, accessed February 2013). Each record includes risk features, claim amount and claim history for year 2011. The dataset `brvehins1` of 1,965,355 vehicle insurance policies has been splitted (randomly) in five datasets of 393,071 policies : `brvehins1a`, `brvehins1b`, `brvehins1c`, `brvehins1d`, `brvehins1e`. The dataset `brvehins2` of 2,667,752 policies has also been splitted (randomly) in four datasets of 666,938 policies : `brvehins2a`, `brvehins2b`, `brvehins2c`, `brvehins2d`.

Usage

```
data(brvehins1a)
data(brvehins1b)
data(brvehins1c)
data(brvehins1d)
data(brvehins1e)

data(brvehins2a)
data(brvehins2b)
data(brvehins2c)
data(brvehins2d)
```

Format

`brvehins1`'s contains 23 columns:

Gender A character string (`"factor"`) for the gender (also indicate corporate policies).

DrivAge A character string (`"factor"`) for the driver age group.

VehYear A numeric for the vehicle year.

FullVehCode A character string (`"factor"`) for the full vehicle code.

VehCode A character string (`"factor"`) for the vehicle group.

Area Local area name (`"factor"`).

State A character string for the state name (`"factor"`).

StateAb Abbreviated state name (`"factor"`).

ExposTotal Total exposure

ExposFireRob Exposure for fire and robbery guarantees.

PremTotal Total premium.

PremFireRob Premium for fire and robbery guarantees.

SumInsAvg Average of sum insured.

ClaimNbRob,ClaimNbPartColl,ClaimNbTotColl,ClaimNbFire,ClaimNbOther Number of claims during the exposure period, respectively for robbery, partial collision, total collision, fire and other guarantees.

ClaimAmountRob,ClaimAmountPartColl,ClaimAmountTotColl,ClaimAmountFire,ClaimAmountOther Claim amounts during the exposure period, respectively for robbery, partial collision, total collision, fire and other guarantees.

`brvehins2`'s contains 18 columns:

VehYear A numeric for the vehicle year.

FullVehCode A character string (`"factor"`) for the full vehicle code.

VehCode A character string (`"factor"`) for the vehicle group.

City A character string (`"factor"`) for the city name.

CityCode A numeric for the city code.

Area Local area name (`"factor"`).

State A character string (`"factor"`) for the state name.

StateAb Abbreviated state name (`"factor"`).

ExposTotal Total exposure

PremTotal Total premium.

ClaimNbRob,ClaimNbColl,ClaimNbFire,ClaimNbOther Number of claims during the exposure period, respectively for robbery, (partial and total) collision, fire and other guarantees.

ClaimAmountRob,ClaimAmountColl,ClaimAmountFire,ClaimAmountOther Claim amounts during the exposure period, respectively for robbery, (partial and total) collision, fire and other guarantees.

Source

www2.susep.gov.br/menuestatistica/Autoseg

Examples

```
## Not run:

# (1) load of data
#
data(brvehins1a)
dim(brvehins1a)
sapply(brvehins1a, class)
str(brvehins1a)

data(brvehins2a)
dim(brvehins2a)
sapply(brvehins2a, class)
str(brvehins2a)


## End(Not run)
```

---

canlifins *Canadian life insurance*

Description

This dataset contains information of 14,889 contracts in force with a large Canadian insurer over the period December 29, 1988 through December 31, 1993. These contracts are joint and last-survivor annuities that were in the payout status over the observation period. For each contract, we have the date of birth, date of death (if applicable) and sex of each annuitant.

Usage

```
data(canlifins)
```

Format

`data` is a data frame of 5 columns and 14,889 rows:

`EntryAgeM` Entry age of the male.

`EntryAgeF` Entry age of the female.

`DeathTimeM` Time of death of the male (zero if not applicable).

`DeathTimeF` Time of death of the female (zero if not applicable).

`AnnuityExpiredM` The date that the annuity guarantee expired (if applicable).

Originally in Frees et al. (1995), the dataset contains 22 contracts where both annuitants are male, 36 contracts where both annuitants are female, in addition to 14,889 contracts where one annuitant is male and the other female (so a total of 14,947 contracts).

Source

Unknown private insurer.

References

Dataset used in Frees, Carriere and Valdez (1995), *Annuity valuation with dependent mortality*, Actuarial Research Clearing House 1995, Vol. 2.

Examples

```
# (1) load of data
#
data(canlifins)
dim(canlifins)

# (2) Table 1 of Frees et al. (1995)
#

table(Age=cut(canlifins$EntryAgeM, c(0, 60, 70, 80, 120)),
Status=cut(canlifins$DeathTimeM, c(-1, 0, 10)))
table(Age=cut(canlifins$EntryAgeF, c(0, 60, 70, 80, 120)),
Status=cut(canlifins$DeathTimeF, c(-1, 0, 10)))
```

`CASdatasets` *CASdatasets package*

Description

Actuarial Datasets (originally for the 'Computational Actuarial Science with R' book)

Details

This package contains the following datasets

- Australia:
  - `auscathist`: Historical disaster statistics in Australia.
  - `ausNLHYtotal`, `ausNLHYCapAdeq`, `ausNLHYFinPerf`, `ausNLHYFinPos`, `ausNLHYLiability`, `ausNLHYOffProf`, `ausNLHYOpIncExp`, `ausNLHYPremClaim`, `ausNLHYPrivInsur`, `ausNLHYPubInsur`, `ausNLHYRecAASB`, `ausNLHYReserve`: Australian Market - non-life insurance (aggregate level).
  - `ausNLHYCapAdeqByComp`, `ausNLHYClaimByState`, `ausNLHYFinPerfByComp`, `ausNLHYFinPerfPublic`, `ausNLHYFinPosByComp`, `ausNLHYFinPosPublic`, `ausNLHYOpIncExpPublic`, `ausNLHYPremByState`, `ausNLHYPremClaimPublic`, `ausNLHYPrivInsur`, `ausNLHYPubInsur`: Australian Market - non-life insurance (company, state, public level).
  - `ausNLHYLloydAsset`, `ausNLHYLloydGPI` `ausNLHYLloydUWAcc`, `ausNLHYLloydUWRes`: Lloyds Market in Australia.
  - `austriLoB`: Australian claim triangles.
  - `ausprivauto`: Australian private motor datasets (by policy).
  - `ausNSW`: New South Wales statistics.
- Belgium:

  - beaonre: AON Re Belgium dataset.
  - besecura: Secura Re Belgium dataset.
- Brazil:
  - brgeomunic: a geospatial dataset of Brazilian cities.
  - brgeomunicins: a geospatial dataset of Brazilian cities with insurance indicators (exposure, claim frequency and premium).
  - brautocoll: a Brazilian dataset of auto collision in Belo Horizonte during one month (categorical claim severity).
  - bragg: aggregate Brazilian dataset per region.
  - brvehins1: a Brazilian vehicle insurance datasets (by policy) with risk features except City.
  - brvehins2: a Brazilian vehicle insurance datasets (by policy) with risk features including City.
- Canada:
  - canlifins: A portfolio of a Canadian life insurer.
- Danemark:
  - danishuni, danishmulti: Danish reinsurance claim dataset.
- European Union:
  - eudirectlapse: lapse dataset.
- France:
  - freaggnumber: a French aggregate claim number dataset.
  - frebiloss: French business interruption losses.
  - freclaimset, freclaimset2: French claim settlements.
  - frecomfire: French commercial fire losses.
  - freDisTables: French disability tables.
  - fremarine: French marine claim dataset (by policy).
  - freMortTables: French mortality tables.
  - fremotorclaim: French private motor claim datasets (by policy).
  - freMTPL: two French Motor-TPL claim datasets (by policy).
  - freMPL: a collection of ten French Motor personal line datasets (by policy).
  - freportfolio: fictive mortality tables and French nation-wide corresponding tables; two disability datasets from a French insurer.
  - fre4LoBtriangles: A collection of triangles for 4 line of business from a private insurer.
  - pricingame: Datesets of Pricing Games of the French institute of Actuaries.
- Germany:
  - credit: A German Credit dataset.
- Italy:
  - itamtplcost: Large losses of an Italian Motor-TPL company.
- New Zealand:
  - nzcathist: Historical disaster statistics in New Zealand.
- Norway:
  - norauto: Norwegian automobile dataset.
  - norfire: Norwegian fire dataset.
  - Norberg: Norberg's credibility dataset.

  - `nortritpl8800`: Norwegian claim triangle.
- Singapore:
  - `sgautonb`: Singapore Automobile claim count dataset.
  - `sgtriangles`: Singapore Property and Casualty triangles.
- Sweden:
  - `swautoins`: Swedish Motor Insurance dataset
  - `swbusscase`: Swedish Buss Insurance dataset
  - `swmotorcycle`: Swedish Motorcycle Insurance dataset
- United Kingdom:
  - `ukaggclaim`: United Kingdom Car Insurance Claims.
  - `ukautocoll`: United Kingdom Car Collision Insurance Claims.
- United States of America:
  - `Davis`: Davis height-weight dataset.
  - `ICB1`, `ICB2`: Insurance Company Benchmarks.
  - `lossalae`,`lossalaefull`: General Third Part-liability claims and expenses.
  - `SOAGMI`: SOA Group Medical Insurance dataset.
  - `usautoBI`: Automobile Bodily Injuries in US.
  - `usautotriangles`: US automobile triangles.
  - `usexpense`: US expense dataset.
  - `usGLtriangles`: US Property and Casualty triangles.
  - `ushurricane`, `ushustormloss4980`: Historical hurricane statistics in United States of America.
  - `uslapseagent`: US lapse dataset from tied-agent channel.
  - `usmassBI`: US Massachusetts Automobile bodily injury claim datasets.
  - `usmedclaim`: US medical claim triangle.
  - `usprivautoclaim`: private automobile claims.
  - `usquakeLR`: California earthquake loss ratios.
  - `ustermlife`: Term life insurance survey.
  - `uswarrantaggnum`: US warranty automobile.
  - `usworkcomp`: US workers compensation datasets.
- Misc.:
  - `eqlist`: Earthquake list.
  - `hurricanehist`: Hurricane history.
  - `PnCdemand`: Property and Casualty demand.
  - `spacedata`: Space dataset.
  - `ECBYieldCurve`, `FedYieldCurve`Yield curve for eurozone and US.
  - `forexUSUK`Foreign exchange rate between USD and GBP.
  - Use the HMD website for mortality database `http://www.mortality.org/`.

Here is a list of datasets whose name has changed compared to the book 'Computational Actuarial Science with R':'

Chapter 1: `extreme2datasince1899` is `hurricanehist`.

Chapter 5: `accidents` and `accidents_data` are merged in `brautocoll`; `55mu2500gsd` is `brgeomunic`; `sul_sp`, `sul+sp_shape` are stored in `brgeomunicins`;

Chapter 9: MyPortfolio is freprojqxINSEE.

Chapter 10: DataMortality is freptfpermdis.

Chapter 11: DEXUSUK is forexUSUK.

Chapter 14: CONTRACTS is freMTPLfreq; CLAIMS is freMTPLsev.

Chapter 15: AutoClaimData is usmassBI2.

Author(s)

Christophe Dutang

---

credit *German Credit dataset*

Description

This dataset contains information of 1,000 credit records. It is a consumer credit files, called the German Credit dataset in Tuff'ery (2011) and Nisbet et al. (2011). New applicants for credit and loans can be evaluated as good or bad payers using 21 explanatory variables.

Usage

```
data(credit)
```

Format

credit is a data frame of 21 columns and 1,000 rows:

checking_status Status of existing checking account, A11: less than 0, A12: from 0 to 200, A13: more than 200, and A14: no running account (or unknown).

duration credit duration in months.

credit_history credit history: A30: delay in paying off in the past, A31: critical account, A32: no credits taken or all credits paid back duly, A33: existing credits paid back duly till now, A34: all credits at this bank paid back duly.

purpose purpose of credit: A40: new car, A41: used car, A42: items of furniture/equipment, A43: radio/television, A44: domestic household appliances, A45: repairs, A46: education, A47: vacation, A48: retraining, A49: business, A410: others.

credit_amount credit amount in Deutsch marks.

savings saving account: A61: less than 100, A62: from 100 to 500, A63: from 500 to 1,000, A64: more than 1,000, A65: no savings account (or unknown).

employment Present employment since: A71: unemployed, A72: less than 1 year, A73: from 1 to 4 years, A74: from 4 to 7 years, A75: more than 7 years.

installment_rate Installment rate (in percentage of disposable income) A81: greater than 35, A82: between 25 and 35, A83: between 20 and 25, A84: less than 20.

personal_status Personal status and sex: A91: male: divorced/separated, A92: female: divorced/separated/married, A93: male: single, A94: male: married/widowed, A95: female: single.

other_parties Other debtors or guarantors: A101: none, A102: co-applicant, A103: guarantor.

`residence_since` Present residence since: `A71`: less than 1 year, `A73`: from 1 to 4 years, `A74`: from 4 to 7 years, `A75`: more than 7 years.

`property_magnitude` Property (most valuable): `A121`: real estate (ownership of house or land), `A122`: savings contract with a building society / Life insurance, `A123`: car or other, `A124`: unknown / no property.

`age` Age (in years).

`other_payment_plans` Other installment plans: `A141`: at other bank, `A142`: at department store or mail order house, `A143`: no further running credits.

`housing` Housing: `A151`: rented flat, `A152`: owner-occupied flat, `A153`: free apartment.

`existing_credits` Number of existing credits at this bank (including the running one) `A161`: one, `A162`: two or three, `A163`: four or five, `A164`: six or more.

`job` Job: `A171`: unemployed / unskilled with no permanent residence, `A172`: unskilled with permanent residence, `A173`: skilled worker / skilled employee / minor civil servant, `A174`: executive / self-employed / higher civil servant.

`num_dependents` Number of people being liable to provide maintenance for `A181`: zero to two, `A182`: three and more.

`telephone` Telephone: `A191`: none, `A192`: yes, registered under the customers name.

`foreign_worker` Foreign worker: `A201`: yes, `A202`: no.

`class` binary variable `0` stands for good and `1` bad (or credit-worthy against not credit-worthy, or no non-payments against existing non-payments).

Source

The original data was provided by:

Professor Dr. Hans Hofmann, Institut fuer Statistik und Oekonometrie,

Universitaet Hamburg, FB Wirtschaftswissenschaften, Von-Melle-Park 5, 2000 Hamburg 13

Professor Dr. Hans Hofmann, Institut fur Statistik und Oekonometrie,

Universitaet Hamburg, FB Wirtschaftswissenschaften, Von-Melle-Park 5, 2000 Hamburg 13

The dataset has been taken from the UCI Repository Of Machine Learning Databases at

https://archive.ics.uci.edu/ml/datasets/Statlog+(German+Credit+Data)

Formerly available at

https://www.en.statistik.uni-muenchen.de/index.html

References

Fahrmeir, L. and Tutz, G. (1994), *Multivariate Statistical Modelling Based on Generalized Linear Models*, Springer.

Nisbet, R., Elder, J. and Miner, G. (2011), *Handbook of Statistical Analysis and Data Mining Applications*, Academic Press.

Tuff'ery, S. (2011), *Data Mining and Statistics for Decision Making*, Wiley.

See Also

For a good variable description, see also https://archive.ics.uci.edu/ml/datasets/Statlog+(German+Credit+Data).

Examples

```
# (1) load of data
#
data(credit)
dim(credit)
head(credit)
```

`danish` *Danish reinsurance claim dataset*

Description

The univariate dataset was collected at Copenhagen Reinsurance and comprise 2167 fire losses over the period 1980 to 1990. They have been adjusted for inflation to reflect 1985 values and are expressed in millions of Danish Krone.

The multivariate dataset is the same data as above but the total claim has been divided into a building loss, a loss of contents and a loss of profits.

Usage

```
data(danishuni)
data(danishmulti)
```

Format

`danishuni` contains two columns:

`Date` The day of claim occurence.

`Loss` The total loss amount in millions of Danish Krone (DKK).

`danishmulti` contains five columns:

`Date` The day of claim occurence.

`Building` The loss amount (mDKK) of the building coverage.

`Contents` The loss amount (mDKK) of the contents coverage.

`Profits` The loss amount (mDKK) of the profit coverage.

`Total` The total loss amount (mDKK).

All columns are numeric except Date columns of class Date.

Source

Embrechts, P., Kluppelberg, C. and Mikosch, T. (1997) *Modelling Extremal Events for Insurance and Finance*. Berlin: Springer.

References

Dataset used in McNeil, A. (1996), *Estimating the Tails of Loss Severity Distributions using Extreme Value Theory*, ASTIN Bull; and Davison, A. C. (2003) *Statistical Models*. Cambridge University Press. Page 278.

Examples

```
# (1) load of data
#
data(danishuni)

# (2) plot and description of data
#
plot(danishuni$Loss)

# (3) load of data
#
data(danishmulti)

# (4) plot and description of data
#
idx <- sample(1:NROW(danishmulti), 10)
barplot(danishmulti$Building[idx], col="grey25",
    ylim=c(0, max(danishmulti$Total[idx])), main="Some claims of danish dataset")
barplot(danishmulti$Content[idx], add=TRUE, col="grey50", axes=FALSE)
barplot(danishmulti$Profits[idx], add=TRUE, col="grey75", axes=FALSE)
legend("topleft", legend=c("Building", "Content", "Profits"), fill=c("grey25",
    "grey50", "grey75"))
```

`Davis` *Davis dataset*

Description

This dataset contains information of 200 individuals.

Usage

```
data(Davis)
```

Format

`data` is a data frame of 5 columns and 200 rows:

`sex` a factor: `M` for male and `F` for female.

`weight` a numeric for the weight in Kg.

`height` a numeric for the height in cm.

`reportedWeight` a numeric for the weight in Kg.

`reportedHeight` a numeric for the height in cm.

Source

https://socialsciences.mcmaster.ca/jfox/Books/Applied-Regression-2E/datasets/Davis.txt

References

Davis (1990) *Body image and weight preoccupation: A comparison between exercising and non-exercising women*, Appetite, 15, 13-21.

Examples

```
# (1) load of data
#
data(Davis)
dim(Davis)
head(Davis)
```

`ECBYieldCurve` *Yield curve data spot rate, AAA-rated bonds, maturities from 3 months to 30 years*

Description

Government bond, nominal, all triple A issuer companies. The maturities are 3 and 6 months and from 1 year to 30 years with frequency business day, provided by European Central Bank. The range date is from 2006-12-29 to 2009-07-24.

Usage

```
data(ECBYieldCurve)
```

Format

It is an `xts` object with 32 interest rate at different matuirties and 655 obeservations.

Source

ECB: http://www.ecb.europa.eu/stats/money/yc/html/index.en.html.

`eqlist` *Earthquake list*

Description

This dataset contains a list of all earthquakes of magnitude greater than 6 between 1900 and 2014.

Usage

```
data(eqlist)
```

Format

`eqlist` is a data frame of 16 columns and 1,698 rows:

`time` A factor for the time.

`latitude` A numeric for the latitude.

`longitude` A numeric for the longitude.

`depth` A numeric for the depth.

`mag` A numeric for the magnitude.

`magType` A factor for the magnitude type.

`nst` An integer for nst.

`gap` A numeric for the gap.

`dmin` A numeric for dmin.

`rms` A numeric for rms.

`net` A factor for the network.

`id` A factor for the identification number.

`updated` A factor for the last update.

`place` A factor for the place.

`type` A factor for the type.

`day` A date for the day.

Source

Earthquake worldwide archive : https://earthquake.usgs.gov/earthquakes/search/.

References

Young, J.B., Presgrave, B.W., Aichele, H., Wiens, D.A. and Flinn, E.A. (1996), *The Flinn-Engdahl Regionalisation Scheme: the 1995 revision*, Physics of the Earth and Planetary Interiors, v. 96, p. 223-297.

Flinn, E.A., Engdahl, E.R. and Hill, A.R. (1974), *Seismic and geographical regionalization*, Bulletin of the Seismological Society of America, vol. 64, p. 771-993.

Flinn, E.A., and Engdahl, E.R. (1965), *A proposed basis for geographical and seismic regionalization*, Reviews of Geophysics, vol. 3, p. 123-149.

See Also

Northern California earthquake archive : https://earthquaketrack.com/v/norcal/recent

Examples

```
# (1) load of data
#
data(eqlist)
dim(eqlist)

plot(eqlist$day[eqlist$mag > 6.5], eqlist$mag[eqlist$mag > 6.5], pch=".",
    xlab="Year", ylab="Magnitude", main="Earthquake above 6.5 mag (worldwide)")
```

`eudirectlapse` *European lapse dataset from the direct channel*

Description

The `eudirectlapse` dataset is based on one-year vehicle insurance renewal quotes for an unknown year and an unknown insurer. There are 23,060 policies.

Usage

```
data(eudirectlapse)
```

Format

`eudirectlapse` is a data frame of 19 columns and 23,060 rows:

`lapse` A binary variable indicating the lapse of the customer.

`polholder_age` The age of the policyholder.

`polholder_BMCevol` The evolution of bonus/malus coefficient (BMC) of the policyholder: 3 categorical values (`"down"` when bonus increases, `"stable"` when coefficient does not change, `"up"` when malus increases.

`polholder_diffdriver` The difference status between the policyholder and the driver.

`polholder_gender` The gender of the policyholder.

`polholder_job` The job of the policyholder: either `"medical"` or `"normal"`.

`policy_age` The age of the policy.

`policy_caruse` The car usage.

`policy_nbcontract` The number of policies given policyholder for this insurer.

`prem_final` The final renewal premium value proposed to policyholder.

`prem_freqperyear` The premium frequency per year.

`prem_last` The premium paid by the policyholder for the last insurance coverage.

`prem_market` A proxy of the market premium.

`prem_pure` The technical premium value.

`vehicl_age` The vehicle age.

`vehicl_agepurchase` The vehicle age at purchase.

`vehicl_garage` The garage type (categorical values).

`vehicl_powerkw` The horsepower of the car (categorical values).

`vehicl_region` The living region of policyholder (unknown category).

Source

Unknown non-life insurers from European Union.

Examples

```
# (1) load of data
#
data(eudirectlapse)
head(eudirectlapse)
```

---

eusavingsurrender *European surrender dataset from the direct channel*

Description

The eusavingULnoPS dataset is based on unit-linked saving products with no profit sharing sold in an unknown European country. Those insurance policies are observed between 1999 and 2008: entries and exits are possible. eusavingULnoPSperYr/perQtr/perMth are repeated version per year, per quarter or per month of eusavingULnoPS such that a policy is repeated per time interval as long as it stays in-force.

Usage

```
data(eusavingULnoPSperYr)
data(eusavingULnoPSperQtr)
data(eusavingULnoPSperMth)
data(eusavingULnoPS)
```

Format

eusavingULnoPS/perYr/perQtr/perMth are data frames of 30 columns:

policy.ID A character for the policy identification number.

issue.date, termination.date Issue and termination dates.

lapse.reason A character for the lapse reason.

premium.frequency A character for the premium frequency.

gender A character for the gender.

underwriting.age A character for the underwriting age.

face.amount A numeric for the underwriting face amount.

risk.premium A numeric for the underwriting risk premium.

saving.premium A numeric for the underwriting saving premium.

CPI.relvar1mth,CPI.relvar1qtr,CPI.relvar1yr,CPI.relvar2yr The relative variation of Consumer Price Index over a month, a quarter, a year or two years.

EUidx.relvar1mth, EUidx.relvar1qtr, EUidx.relvar1yr, EUidx.relvar2yr The relative variation of an European stock index over a month, a quarter, a year or two years.

rate1Y.relvar1mth,rate1Y.relvar1qtr The relative variation of one-year interest rate over a month, a quarter.

`rate2Y.relvar1mth`,`rate2Y.relvar1qtr` The relative variation of two-year interest rate over a month, a quarter.

`rate10Y.relvar1mth`,`rate10Y.relvar1qtr` The relative variation of ten-year interest rate over a month, a quarter.

`unemploy.relvar1mth`,`unemploy.relvar1qtr` The relative variation of an European unemployment rate over a month, a quarter.

`industry.relvar1mth`,`industry.relvar1qtr` The relative variation of an European industry index over a month, a quarter.

`RTV.relvar1mth`,`RTV.relvar1qtr` The relative variation of an European retail trade volume index over a month, a quarter.

Source

Unknown life insurers from European Union.

Examples

```
# (1) load of data
#
data(eusavingULnoPS)
head(eusavingULnoPS)
```

FedYieldCurve *Federal Reserve interest rates*

Description

The data-set contains the interest rates of the Federal Reserve, from January 1982 to December 2012. The interest rates are Market yield on U.S. Treasury securities constant maturity (CMT) (more information on the Treasury yield curve can be found at the following website http://www.treasury.gov/resource-center/data-chart-center/interest-rates/Pages/yieldmethod.aspx) at different maturities (3 months, 6 months, 1 year, 2 years, 3 years, 5 years, 7 years and 10 years), quoted on investment basis and have been gathered with monthly frequency.

Usage

```
data(FedYieldCurve)
```

Format

An object with class attributes `xts`.

Source

FED: http://www.federalreserve.gov/datadownload/Build.aspx?rel=H15.

forexUSUK *Foreign exchange rate between USD and GBP*

Description

The dataset is the daily buying rates in New York City for cable transfers payable in foreign currencies from January 4, 1971 to March 1, 2013. The data can be downloaded from the FRED website. Access to this website was done on March 6, 2012.

Usage

```
data(forexUSUK)
```

Format

forexUSUK is a data frame of 2 columns and 10,583 rows:

Date Date.

Value The index value.

Source

FRED, Federal Reserve Economic Data, Federal Reserve Bank of St. Louis: U.S. - U.K. Foreign Exchange Rate (DEXUSUK): http://research.stlouisfed.org/fred2/series/DEXUSUK.

References

Bollerslev (1987). *Regression Modeling with Actuarial and Financial Applications*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(forexUSUK)
dim(forexUSUK)
head(forexUSUK)


# (2) plot of data
#

forexUSUK <- forexUSUK[forexUSUK$Date >= "2012-01-01", ]
plot(forexUSUK$Date, forexUSUK$Value, main = "US/UK FX Rate",
 xlab = "Year", ylab = "Index", type = "l")
```

`fre4LoBtriangles` *French private motor triangles*

Description

Datasets `fretri1--`, `fretri2--` and `fretri3--` contain claim triangles from a French non-life insurer between 1996 and 2005. Datasets `fretri4auto9403` contain claim triangles from a French non-life insurer between 1994 and 2003. Note that the accident year 1994 corresponds to the sum of years before 1994 (included).

For each dataset, the variable `fretri---` is a list of 3 elements for the damage guarantee, the body guarantee and the total. Each element is also a list of two elements with paid claims and incurred claim amounts. Note that claim amounts are cumulated.

Usage

```
#1st Line of Business
data(fretri1auto9605)

#2nd Line of Business
data(fretri2auto9605)

#3rd Line of Business
data(fretri3auto9605)

#4th Line of Business
data(fretri4auto9403)
```

Format

`fretriXautoYYZZ` contains the insurance triangle for `X`th line of business from year `YY` to year `ZZ`.

Source

Unknown private insurer

Examples

```
# (1) load of data
#


#1st Line of Business
data(fretri1auto9605)

#2nd Line of Business
data(fretri2auto9605)

#3rd Line of Business
data(fretri3auto9605)
```

```
#4th Line of Business
data(fretri4auto9403)
```

---

freaggnumber *French aggregate claim numbers*

Description

The dataset consists of 12513 classes for which we have the driver age, the age of driving licence, the vehicule age, the exposure and the claim number.

Usage

```
data(freaggnumber)
```

Format

danishuni contains 5 columns:

DriverAge The driver age.

LicenceAge The age at which the driver gets its driving licence.

VehAge The vehicule age.

Exposure The exposure (in policy-year).

ClaimNumber The claim number for that group.

Examples

```
# (1) load of data
#
data(freaggnumber)
dim(freaggnumber)

# (2) ecdf plot
#
summary(freaggnumber$ClaimNumber / freaggnumber$Exposure)
```

frebiloss *French business interruption losses*

Description

The univariate dataset was collected at FFSA and comprise 2387 business interruption losses over the period 1985 to 2000 (for losses above 100,000 French Francs).

Usage

```
data(frebiloss)
```

Format

`danishuni` contains 8 columns:

`Year` The year of claim occurence.

`OccurDate` The day of claim occurence.

`PolicyID` The policy identification number.

`ClaimID` The claim identification number.

`ClaimCost` Original claim cost in French Francs (FFR).

`TotalCost` Original total cost (claim+expense) in French Francs.

`ClaimCost2007` Normed claim cost in thousand of 2007 euros (EUR).

`TotalCost2007` Normed total cost in thousand of 2007 euros (EUR).

Source

FFSA

References

Dataset used in Zajdenweber (1996). *Extreme values in business interruption insurance*, Journal of Risk and Insurance, 1, 95-110.

Examples

```
# (1) load of data
#
data(frebiloss)
dim(frebiloss)

# (2) ecdf plot
#
plot(ecdf(frebiloss$ClaimCost2007), log="x", xlim=c(10^1, 10^5))

boxplot(ClaimCost2007~Year, data=frebiloss, log="y")
```

freclaimset *French claim settlements*

Description

The dataset consists of 2306 claims settlements between 1996 and 2006.

Usage

```
data(freclaimset)
```

Format

`freclaimset` contains 6 columns:

`PaymentDate` The payment date.

`Payment` The amount of money paid.

`FbFprov` The file-by-file provision.

`Risk` The risk category.

`Subrisk` The sub-category.

`Type` The risk type.

Source

Unknown private insurer

Examples

```
# (1) load of data
#
data(freclaimset)
dim(freclaimset)
```

freclaimset2 *French individual claim settlements*

Description

The dataset consists of claims settlements of the damage guarantee of a French insurer for motor insurance between 1995 and 2014. 1,012,839 records for 735,079 claims are listed in the dataset in conjunction with some aggregated data (exposure, GWP, claim number) per occurence year.

`freclaimset3fire9207` and `freclaimset3dam9207` consist of randomized claims settlements of the fire/damage guarantee of a French insurer for corporate insurance between 1992 and 2007. 58,056 claims are listed in the dataset for which both paid and incurred (F/F) amounts (EUR) are available.

Usage

```
data(freclaimset2motor)
data(freclaimset3fire9207)
data(freclaimset3dam9207)
```

Format

`freclaimset2motor` is a list of two components. `freclaimset2motor$claimset` contains 8 columns:

`ClaimID` The identification number of the claim, first four characters are the occurence year.

`OccurYear` The occurence year.

`ManagYear` The management year.

`ClaimStatus` A character string for the claim status.

`PaidAmount` The cumulative paid amount for the claim (euro).

`RecourseAmount` The cumulative paid recourse for the claim (euro).

`ExpectCharge` The expected amount for the claim (euro).

`ExpectRecourse` The expected recourse for the claim (euro).

`freclaimset2motor$claimset` contains 4 columns:

`Year` The management year.

`Exposure` The sum of insurance years of the portfolio.

`GWP` The gross written premium (in euro).

`ClaimNb` The Claim Number.

`freclaimset3fire9207` and `freclaimset3dam9207` are data frames with 37 columns:

`NbEmployee` The category of employee number.

`NbSite` The category of site number.

`Surface` The insured surface.

`RiskCateg` An unknown risk category.

`inc_Y15-inc_Y0` `inc_Yj` is the incurred amount of the claim at the end of year 2007-j, i.e. `inc_Y0` is the latest estimate and `inc_Y15` is the oldest estimate.

`paid_Y15-paid_Y0` `paid_Yj` is the paid amount of the claim at the end of year 2007-j, i.e. `paid_Y0` is the latest estimate and `paid_Y15` is the oldest estimate.

`OccurDate` The occurence date. Note that `paid_Yj/inc_Yj` is never empty (i.e. `NA`) even if the claim did occur after the year 2007-j.

Source

Unknown private insurers

Examples

```
# (1) load of data
#
data(freclaimset2motor)
dim(freclaimset2motor)
data(freclaimset3fire9207)
data(freclaimset3dam9207)

# (2) consistency check (should be the same)
#

somerow <- freclaimset2motor$claimset$OccurYear == freclaimset2motor$claimset$ManagYear

cbind(
freclaimset2motor$aggdata$ClaimNb,
table(freclaimset2motor$claimset[somerow, "OccurYear"])
)

# (3) some examples of claims
#

subset(freclaimset2motor$claimset, ClaimID == "1995-000127")

subset(freclaimset2motor$claimset, ClaimID == "1996-008979")

head(freclaimset3fire9207)
tail(freclaimset3fire9207)
```

---

frecomfire *French commercial fire losses*

Description

The univariate dataset was collected at FFSA and comprise 9613 commercial fire losses over the period 1982 to 1996.

Usage

```
data(frecomfire)
```

Format

`frecomfire` contains 4 columns:

`Year` The year of claim occurence.

`OccurDate` The day of claim occurence.

`ClaimCost` Original claim cost in French Francs (FFR).

`ClaimCost2007` Normed claim cost in thousand of 2007 euros (EUR).

Source

FFSA

Examples

```
# (1) load of data
#
data(frecomfire)
dim(frecomfire)
```

---

freDisTables *French Disability Tables and Probabilities*

Description

Naming convention: X2Y stands for going from state X to state Y, where possible states are T (temporary disability), P (permanent disability), D (death). For instance, T2T stands for temporary to temporary disability.

Tables freP2Pdis10, freT2Tdis10 and freT2Pdis10 have been established by the French mutual (BCAC) under a mission mandated by the French association of insurance companies (FFSA) and imposed by the new retirement reglementation after an agreement of professional federations. These tables have been build in 1993 and extended to the age 62 in 2010 by the December 24 act in 2010, cf. JO (2010).

These tables have been entirely rebuilt in 2013 by BCAC: the new imposed tables are Tables freP2Pdis13, freT2Tdis13 and freT2Pdis13, see Bagui (2013).

freP2Pdis10/freP2Pdis13 contain the continuation table of permanent disability (so-called invalidity in France) based on a 10,000-person reference population for all age between 20 and 61 (resp. between 20 and 64). freT2Tdis10/freT2Tdis13 contain the continuation table of temporary disability (so-called incapacity in France) based on a 10,000-person reference population for all age between 20 and 66. (resp. between 21 and 65). freT2Pdis10/freT2Pdis13 contain the transition table (from temporary to permanent disability) based on a 10,000-person reference population for all age between 20 and 61 (resp. between 21 and 62). Note that in France temporary disability is limited to 36 months (irrespective of the entry age) and permanent disability age is capped at the age of retirement 62 for 2010 tables (resp. 65 for 2013 tables).

freT2Pdisprob10/freT2Pdisprob13, freT2Tdisprob10/freT2Tdisprob13, freP2Pdisprob10/freP2Pdisprob13 are the corresponding probabilities deduced from the tables, respectively to go from temporary to permanent disability, to stay temporarily disabled and to stay permanently disabled, given the entry age and the number of month or years already disabled.

Tables freT2Ddis10, freP2Ddis10 have been established by the French mutual (BCAC) under a mission mandated by the French association of insurance companies (FFSA) and imposed by the new retirement reglementation after an agreement of professional federations.

The freP2Ddis10 contains the mortality table of permanent disability (so-called invalidity in France) based on a 10,000-person reference population for all age between 25 and 64. The freT2Ddis10 contains the mortality table of temporary disability (so-called incapacity in France) based on a 10,000-person reference population for all age between 25 and 65.

freP2Ddisprob10, freT2Ddisprob10 are the corresponding probabilities deduced from the tables, respectively to die from temporary disability, to die from permanent disability, given the entry age and the number of month or years already disabled.

Usage

```
data(freP2Pdis10)
data(freT2Tdis10)
data(freT2Pdis10)

data(freP2Pdisprob10)
data(freT2Tdisprob10)
data(freT2Pdisprob10)

data(freT2Ddis10)
data(freP2Ddis10)

data(freT2Ddisprob10)
data(freP2Ddisprob10)

data(freP2Pdis13)
data(freT2Tdis13)
data(freT2Pdis13)

data(freP2Pdisprob13)
data(freT2Tdisprob13)
data(freT2Pdisprob13)
```

Format

`freP2Pdis10/freP2Pdis13` contains 44 (resp. 47) columns:

`EntryAge` The entry age in permanent disability.

`NbYrSpent0`**,...,**`NbYrSpent42/NbYrSpent45` The number of people (among 10,000) who spent a certain number of years (0 to 42/45) in permanent disability.

`freP2Pdisprob10/freP2Pdisprob13` contains the probabilities to stay permanently disabled given the number of years spent in such a state.

`freT2Tdis10/freT2Tdis13` contains 38 columns:

`EntryAge` The entry age in permanent disability.

`NbMthSpent0`**...**`NbMthSpent36` The number of people (among 10,000) who spent a certain number of months (0 to 36) in temporary disability.

`freT2Tdisprob10/freT2Tdisprob13` contains in 36 columns from `NbMthSpent0` to `NbMthSpent35` the probabilities to stay temporarily disabled given the number of months spent in such a state.

`freT2Pdis10/freT2Pdis13` contains 37 columns:

`EntryAge` The entry age in permanent disability.

`NbMthSpent0`**...**`NbMthSpent35` Transition probably from temporary to permanent disability after a certain number of months (0 to 35) spent in temporary disability.

`freT2Pdisprob10/freT2Pdisprob13` contains in 36 columns from `NbMthSpent0` to `NbMthSpent35` the probabilities to become permanently disabled given the number of months spent in temporary disability.

`freT2Ddis10` contains 37 columns:

`EntryAge` The entry age in permanent disability.

`NbMthSpent0`...`NbMthSpent35` The number of people (among 10,000) who spent a certain number of months (0 to 35) in temporary disability.

`freT2Ddisprob10` contains in 36 columns the probabilities to die given the number of months spent in temporary disability.

`freP2Ddis10` contains 37 columns:

`EntryAge` The entry age in permanent disability.

`NbYrSpent0`...`NbYrSpent35` The number of people (among 10,000) who spent a certain number of years (0 to 35) in permanent disability.

`freP2Ddisprob10` contains in 36 columns the probabilities to die given the number of years spent in permanent disability.

Source

RessourcesActuarielles

References

(all ref. in French)

Bagui (2013), *Refonte des loi de maintien en incapacite temporaire de travail*, ISFA actuary memoir.

JO (2010), *Arrete du 24 decembre 2010 fixant les regles de provisionnement des garanties d'incapacite de travail, d'invalidite et de deces*, Journal Officiel, Texte 55 sur 138, 30 decembre 2010.

FFSA (2005), *Demande de donnees relatives aux populations d'assures*, Document de travail FFSA.

Planchet (2005), *Tables de mortalite d'experience pour des portefeuilles de rentiers*, Note methodologique de l'Institut des Actuaires.

Planchet (2006), *Construction des tables de mortalite d'experience pour les portefeuilles de rentiers - presentation de la methode de construction*, Note methodologique de l'Institut des Actuaires.

Serant (2005), *Construction de tables prospectives de mortalite*, Document interne FFSA (confidential).

Tassin (2006), *Note qualitative sur les tables prospectives IA 2006 masculines et feminines*, Document interne de l'Institut des Actuaires.

Examples

```
# (1) load of data
#
data(freP2Pdis10)
data(freT2Tdis10)
data(freT2Pdis10)

data(freP2Pdisprob10)
data(freT2Tdisprob10)
data(freT2Pdisprob10)

data(freT2Ddis10)
data(freP2Ddis10)
```

```
data(freT2Ddisprob10)
data(freP2Ddisprob10)


data(freP2Pdis13)
data(freT2Tdis13)
data(freT2Pdis13)

data(freP2Pdisprob13)
data(freT2Tdisprob13)
data(freT2Pdisprob13)
```

`fredpt17` *French geospatial dataset for departments*

Description

`fredpt17` is a spatial database containing geospatial information of French departments to be used with pricing actuarial games' files, see `pricingame`. `fredpt17` is a geospatial dataframe of class sp based on six files: `DEPARTMENTS.cpg`, `DEPARTMENTS.dbf`, `DEPARTMENTS.prj`, `DEPARTMENTS.qpj`, `DEPARTMENTS.shp`, `DEPARTMENTS.shx`. As it is of class sp, `fredpt17` can be easily plotted or summarized.

Usage

```
data(fredpt17)
```

Format

`fredpt17@data` contains 1 column:

DEPT A factor for the department number.

Source

See https://actinfo.hypotheses.org/86 for the third pricing game.

See Also

See the `sp` class.

Examples

```
# (1) load of data
#
data(fredpt17)


names(fredpt17)
class(fredpt17)
length(fredpt17)
```

```
summary(fredpt17)
dim(fredpt17)


## Not run:
# (2) plot of data
#

 plot(fredpt17)

 spplot(fredpt17)



## End(Not run)
```

`fremarine` *Some French marine losses*

Description

The univariate dataset was collected by a French private insurer and comprise 1,274 marine losses between the January 2003 and June 2006. The status of the claim (settled or opened) is determined at the end of June 2006.

Usage

```
data(fremarine)
```

Format

`fremarine` contains 20 columns:

`OccurDate` The day of claim occurence.

`ReporDate` The day of claim reporting.

`ShipCateg` The category of the insured ship (factor).

`ShipBrand` The brand of the insured ship (factor) (resampled).

`ShipPower` The power of the insured ship (factor).

`ShipEngNb` The engine number of the insured ship (factor).

`ShipEngYear` The engine year of the insured ship (factor) (resampled).

`ShipBuildYear` The building year of the insured ship (factor) (resampled).

`ShipHull` The hull of the insured ship (factor) (resampled).

`ShipLength` The length of the insured ship (factor).

`ShipTonnage` The tonnage of the insured ship (factor).

`InsuredValue` The insured value of the insured ship (factor).

`ClaimPaid` The paid amount (EUR) of the claim (numeric) (rescaled and noisy).

`ClaimCharge` The charge amount (EUR) of the claim (numeric) (rescaled and noisy).

`ClaimRecourse` The recourse amount (EUR) of the claim (numeric) (rescaled and noisy).

`ClaimStatus` The status of the claim (factor) (resampled).

`ClaimCateg` The category of the claim (unknown factor) (resampled).

`Deductible` The deductible value (numeric) (rescaled and noisy).

`HeadQuarter` The city name of the ship headquarter (factor) (resampled).

`Departement` The corresponding French departement of the cityname (factor).

Source

Unknown private insurer

Examples

```
# (1) load of data
#
data(fremarine)
dim(fremarine)
```

`freMortTables` *French Mortality Tables*

Description

The `frePM6064` (resp. `frePF6064`) table has been established on INSEE observations collected between 1960 and 1964 in the French male population (resp. the French female population).

The `freTD7377` (resp. `freTV7377`) table has been established on INSEE observations collected between 1973 and 1977 in the French male population (resp. the French female population). The table was officially approved by the August 22 act in 1986 and applies to life insurance.

The `freTD8890` (resp. `freTV8890`) table has been established on INSEE observations collected between 1988 and 1990 in the French male population (resp. the French female population). The table was officially approved by the April 27 act in 1993 and applies to life insurance.

The `freTPRV93` table is exctracted from the floor table for pricing life annuities. The table was officially approved by the July 28 act in 1993 and is based on the prospective table tracking mortalities for generations between 1887 and 1993 (full table for generation 1950), JO (1993).

The `freTH0002` (resp. `freTF0002`) table has been established on INSEE observations collected in the French male population (resp. the French female population). The table was officially approved by the December 20 act in 2005 and applies to life insurance other than life annuities in conjuction with the table of age shifts `freAS0002`, JO (2005, 2006a, 2006b, 2006c).

The `freTGH05` (resp. `freTGF05`) table has been established based on 19 portfolios (16 from FFSA and 3 from CTIP) in the French male population (resp. the French female population) between 1993 and 2005. The underlying prospective INSEE table has been built on the basis of mortality tables between 1962 and 2000. The table was officially approved by the August 1 act in 2006. The `freTPG93full` table has been built for comparison with TGH05 and TGF05.

Usage

```
data(frePM6064)
data(frePF6064)

data(freTD7377)
data(freTV7377)

data(freTD8890)
data(freTV8890)

data(freTPRV93)
data(freTPG93full)

data(freTF0002)
data(freTH0002)
data(freAS0002)

data(freTGH05)
data(freTGF05)
```

Format

`frePM6064`, `frePF6064`, `freTD7377`, `freTV7377`, `freTD8890`, `freTV8890`, `freTPRV93`, `freTF0002` and `freTH0002` contain 2 columns:

`x` The age `x`.

`lx` The number of people still alive at `x` among the initial 100,000 referenced people.

`freAS0002` contains 6 columns:

`LowerAgeF`, `LowerAgeH` The lower bound of the age class.

`UpperAgeF`, `UpperAgeH` The upper bound of the age class.

`ShiftF`, `ShiftH` The value to shift.

`freTGH05` and `freTGF05` contain 107 columns:

`x` The age `x`.

`lx1900`, ..., `lx2005` The number of people still alive at `x` among the referenced people in year 1900 (etc.. 2005).

`freTPG93full` contains 95 columns:

`x` The age.

`lx1900`, ..., `lx1993` The number of people still alive at `x` among the referenced people in year 1900 (etc.. 1993).

Source

INSEE, JO, RessourcesActuarielles

References

FFSA (2005), *Demande de donnees relatives aux populations d'assures*, Document de travail FFSA.

IA (2006), *Notice d'utilisation des tables de mortalite TH0002 and TF0002*, Note methodologique de l'Institut des Actuaires.

JO (1986), *Arrete du 8 aout 1986*, Journal Officiel num 174, Texte 30, 22 aout 1986.

JO (1993), *Arrete du 28 juillet 1993*, Journal Officiel num 174, Texte 30, 30 juillet 1993.

JO (2005), *Arrete du 20 decembre 2005*, Journal Officiel num 302, Texte 40, 29 decembre 2005.

JO (2006a), *Arrete du 1 aout 2006*, Journal Officiel num 197, Texte 11, 26 aout 2006.

JO (2006b), *Arrete du 8 decembre 2006*, Journal Officiel num 302, Texte 93, 30 decembre 2006.

JO (2006c), *Arrete du 21 decembre 2006*, Journal Officiel num 9, Texte 31, 11 janvier 2007.

Planchet (2005), *Tables de mortalite d'experience pour des portefeuilles de rentiers*, Note methodologique de l'Institut des Actuaires.

Planchet (2006), *Construction des tables de mortalite d'experience pour les portefeuilles de rentiers - presentation de la methode de construction*, Note methodologique de l'Institut des Actuaires.

Serant (2005), *Construction de tables prospectives de mortalite*, Document interne FFSA (confidentiel).

Tassin (2006), *Note qualitative sur les tables prospectives IA 2006 masculines et feminines*, Document interne de l'Institut des Actuaires.

Examples

```
# (1) load of data
#
data(frePM6064)
data(frePF6064)

data(freTD7377)
data(freTV7377)

data(freTD8890)
head(freTD8890)

data(freTV8890)
head(freTV8890)

data(freTPRV93)
head(freTPRV93)

data(freTF0002)
head(freTF0002)

data(freTH0002)
head(freTH0002)

data(freAS0002)
head(freAS0002)

data(freTGH05)
head(freTGH05)
```

```
data(freTGF05)
head(freTGF05)

data(freTPG93full)
head(freTPG93full)
```

`fremotorclaim` *French claims for private motor*

Description

Datasets `fremotor1freq0304a/b/c`, `fremotor1sev0304a/b/c`, `fremotor1prem0304a/b/c` are nine datasets from the same database of an unknown private motor portfolio observed between January 2003 and December 2004, respectively claim frequency databases, claim severity databases and premium databases. The last letter `a`, `b` or `c` distinguishes the random sampling for a given dataset series. Note that some records are common between resampling versions.

Datasets `fremotor1freq0304a/b/c` consist of 64,234 records with explanatory variables for policies (possibly with mutiple vehicles insured under the same policy number). Datasets `fremotor1prem0304a/b/c` consist of 51,949 records of claim numbers (by policy) in 2003 and 2004. Datasets `fremotor1sev0304a/b/c` consist of 9,246 records of ClaimAmount, their occurence date, the corresponding guarantee, in 2003 and 2004.

Datasets `fremotor2sev9907`, `fremotor3sev9907`, `fremotor4sev9907`, and `fremotor2freq9907u`, `fremotor3freq9907u`, `fremotor4freq9907u`, `fremotor2freq9907b`, `fremotor3freq9907b`, `fremotor4freq9907b` are claim severities and claim frequencies coming from the same database for a private motor portfolio observed between 1999 and 2007. For size reason, the database has been splitted into three parts `fremotor2***9907`, `fremotor3***9907`, `fremotor4***9907`. Furthermore, the claim frequencies are available on two different formats : longitudinal unbalanced data and longitudinal balanced data, respectively `fremotor2freq9907u` and `fremotor2freq9907b`. The policy number is only available for claim frequencies: it is impossible to match claim severities and claim frequencies.

Usage

```
data(fremotor1prem0304a)
data(fremotor1prem0304b)
data(fremotor1prem0304c)

data(fremotor1freq0304a)
data(fremotor1freq0304b)
data(fremotor1freq0304c)

data(fremotor1sev0304a)
data(fremotor1sev0304b)
data(fremotor1sev0304c)


data(fremotor2sev9907)
data(fremotor3sev9907)
data(fremotor4sev9907)

data(fremotor2freq9907u)
```

```
data(fremotor3freq9907u)
data(fremotor4freq9907u)
data(fremotor2freq9907b)
data(fremotor3freq9907b)
data(fremotor4freq9907b)
```

Format

`fremotor1prem0304a/b/c` contain 30 columns:

`IDpol` The policy ID (used to link with the claims dataset).

`DrivAge` The driver age, in years (in France, people can drive a car at 18).

`DrivGender` The gender (as `"factor"`).

`MaritalStatus` The marital status (as `"factor"`).

`BonusMalus` Bonus/malus, between 50 and 350: <100 means bonus, >100 means malus in France.

`LicenceNb` The licence nunmber (at least one).

`PayFreq` The payment frequency (as `"factor"`).

`JobCode` The job code (as `"factor"`).

`VehAge` The vehicle age, in years.

`VehClass` The vehicle class (as `"factor"`).

`VehPower` The vehicle power (as `"factor"`) from least powerful `"P2"` to most powerful car `"P15"`.

`VehGas` The car gas, Diesel or regular (as `"factor"`).

`VehUsage` The vehicle usage (as `"factor"`).

`Garage` The type of garage (as `"factor"`).

`Area` The area code (as `"factor"`): unknown category.

`Region` The policy regions in France (based on a standard French classification).

`Channel` The channel distribution code (as `"factor"`): unknown category.

`Marketing` The marketing code (as `"factor"`): unknown category.

`PremWindscreen` The premium for windscreen guarantee (annual basis).

`PremDamAll` The premium for damage all-accident guarantee (annual basis).

`PremFire` The premium for fire guarantee (annual basis).

`PremAcc1` The premium for type-1 accident guarantee (annual basis).

`PremAcc2` The premium for type-2 accident guarantee (annual basis).

`PremLegal` The premium for legal protection guarantee (annual basis).

`PremTPLM` The premium for mandatory third-part liability guarantee (annual basis).

`PremTPLV` The premium for voluntary third-part liability guarantee (annual basis).

`PremServ` The premium for service guarantee (annual basis).

`PremTheft` The premium for theft guarantee (annual basis).

`PremTot` The total premium (annual basis).

`Year` Numeric for the year.

`fremotor1freq0304a/b/c` contain 6 columns:

`IDpol` The policy ID.

`Year` The underwriting year.

`Damage` The claim number for the Damage guarantee.

`Fire` The claim number for the Fire guarantee.

`Other` The claim number for the Other guarantee.

`Theft` The claim number for the Theft guarantee.

`TPL` The claim number for the TPL guarantee.

`Windscreen` The claim number for the Windscreen guarantee.

`fremotor1sev0304a/b/c` contain 6 columns:

`IDpol` The policy ID.

`OccurDate` The occurence date.

`Payment` The amount of money paid.

`IDclaim` The claim ID.

`Guarantee` The corresponding guarantee of the claim.

`fremotor2sev9907`, `fremotor3sev9907`, `fremotor4sev9907` contains 3 columns:

`Year` The occurence year.

`NbClaim` The number of claims aggregated, mostly 1.

`ClaimAmount` The aggregate charge (i.e. expected claim amount).

`fremotor2freq9907u`, `fremotor3freq9907u`, `fremotor4freq9907u` contains 23 columns:

`IDpol` The policy ID.

`Usage` The usage (unknown category).

`VehType` The vehicle type (unknown category).

`VehPower` The vehicle power (unknown category).

`NbYear` The number of years under exposure.

`NbClaimXXXX` The number of claims for year `XXXX`.

`ExpoXXXX` The exposure for year `XXXX`.

`fremotor2freq9907b`, `fremotor3freq9907b`, `fremotor4freq9907b` contains 7 columns:

`IDpol` The policy ID.

`Year` The year.

`NbClaim` The number of claims.

`Expo` The exposure.

`Usage` The usage (unknown category).

`VehType` The vehicle type (unknown category).

`VehPower` The vehicle power (unknown category).

Source

Unknown private insurer

Examples

```
# (1) load of data
#
data(fremotor1prem0304a)
data(fremotor1prem0304b)
data(fremotor1prem0304c)

data(fremotor1freq0304a)
data(fremotor1freq0304b)
data(fremotor1freq0304c)

data(fremotor1sev0304a)
data(fremotor1sev0304b)
data(fremotor1sev0304c)

#gross written premium
tapply(fremotor1prem0304a$PremTot, fremotor1prem0304a$Year, sum)



# (1) load of data
#
data(fremotor2sev9907)
data(fremotor3sev9907)
data(fremotor4sev9907)

data(fremotor2freq9907u)
data(fremotor3freq9907u)
data(fremotor4freq9907u)
data(fremotor2freq9907b)
data(fremotor3freq9907b)
data(fremotor4freq9907b)
```

`freMPL` *French Motor Personal Line datasets*

Description

This collection of ten datasets comes from a private motor French insurer. Each dataset includes risk features, claim amount and claim history of around 30,000 policies for year 2004.

Usage

```
data(freMPL1)
data(freMPL2)
data(freMPL3)
data(freMPL4)
data(freMPL5)
data(freMPL6)
data(freMPL7)
data(freMPL8)
```

```
data(freMPL9)
data(freMPL10)
```

Format

For this collection of dataset, possible variables are given below. `freMPL1-10` contains claim severity and frequency information. The following tabular gives the list of variables by file.

	freMPL1	freMPL2	freMPL3	freMPL4	freMPL5	freMPL6	freMPL7	freMPL8	f
Exposure	1	1	1	1	1	1	1	1	
LicAge	1	1	1	1	1	1	1	1	
RecordBeg	1	1	1	1	1	1	1	1	
RecordEnd	1	1	1	1	1	1	1	1	
VehAge	1	1	1	1	0	0	0	0	
Gender	1	1	1	1	1	1	1	1	
MariStat	1	1	1	1	1	1	1	1	
SocioCateg	1	1	1	1	1	1	1	1	
VehUsage	1	1	1	1	1	1	1	1	
DrivAge	1	1	1	1	1	1	1	1	
HasKmLimit	1	1	1	1	1	1	1	1	
BonusMalus	1	1	1	1	1	1	1	1	
VehBody	1	1	1	1	0	0	0	0	
VehPrice	1	1	1	1	0	0	0	0	
VehEngine	1	1	1	1	0	0	0	0	
VehEnergy	1	1	1	1	0	0	0	0	
VehMaxSpeed	1	1	1	1	0	0	0	0	
VehClass	1	1	1	1	0	0	0	0	
ClaimAmount	1	1	1	1	1	1	1	1	
RiskVar	1	1	1	1	0	0	0	0	
Garage	1	1	1	1	0	0	0	0	
ClaimInd	1	1	1	1	1	1	1	1	
DeducType	0	0	1	1	0	0	0	0	
ClaimNbResp	0	0	0	0	1	1	1	1	
ClaimNbNonResp	0	0	0	0	1	1	1	1	
ClaimNbParking	0	0	0	0	1	1	1	1	
ClaimNbFireTheft	0	0	0	0	1	1	1	1	
ClaimNbWindscreen	0	0	0	0	1	1	1	1	
OutUseNb	0	0	0	0	1	1	1	1	
RiskArea	0	0	0	0	1	1	1	1	

The comprehensive list of the variables (over all datasets) is given below, yet no dataset contains all these variables.

`Exposure` The exposure, in years.

`RecordBeg` Beginning date of record.

`RecordEnd` End date of record.

`DrivAge` The driver age, in years (in France, people can drive a car at 18).

`LicAge` The driving licence age, in months.

`Gender` The gender, either `"Male"` or `"Female"`.

`MariStat` The marital status, either "Alone" or "Other".

`SocioCateg` The social category known as CSP in France, between "CSP1" and "CSP99".

`Garage` The garage, if any, among "Collective garage", "None", "Private garage".

`HasKmLimit` A numeric, 1 if there is a km limit for the policy, 0 otherwise.

`BonusMalus` A numeric for the bonus/malus, between 50 and 350: <100 means bonus, >100 means malus in France.

`VehAge` The vehicle age, in years.

`VehUsage` The vehicle usage among "Private", "Private+trip to office" "Professional", "Professional run".

`VehBody` The vehicle body, among "bus", "cabriolet", "coupe", "microvan", "other microvan", "sedan", "sport utility vehicle", "station wagon", "van".

`VehPrice` The category of the vehicle price from "A" (cheapest) to "Z" (most expensive).

`VehEngine` The vehicle engine, among "carburation", "direct injection overpowered", "electric", "GPL", "injection", "injection overpowered".

`VehEnergy` The vehicle energy, among "diesel", "eletric", "GPL", "regular".

`VehMaxSpeed` The VehMaxSpeed, among "1-130 km/h", "130-140 km/h", "140-150 km/h", "150-160 km/h", "160-170 km/h", "170-180 km/h", "180-190 km/h", "190-200 km/h", "200-220 km/h", "220+ km/h".

`VehClass` The vehicle class (unknown categories), among "0", "A", "B", "H", "M1", "M2".

`RiskVar` Unkonw risk variable between 1 and 20, possibly ordered.

`DeducType` Deductible type, among "Majorized", "Normal", "Partially refunded", "Proportional", "Refunded".

`RiskArea` Unkonw risk area between 1 and 13, possibly ordered.

`ClaimNbResp` Number of responsible claims in the 4 preceding years.

`ClaimNbNonResp` Number of non-responsible claims in the 4 preceding years.

`ClaimNbParking` Number of parking claims in the 4 preceding years.

`ClaimNbFireTheft` Number of fire-theft claims in the 4 preceding years.

`ClaimNbWindscreen` Number of windscreen claims in the 4 preceding years.

`OutUseNb` Number of out-of-use in the 4 preceding years.

`ClaimAmount` Total claim amount of the guarantee.

`ClaimInd` Claim indicator of the guarantee. (this is not the claim number)

Source

Unknown French private insurer.

See Also

For the vehicle body variable, see https://en.wikipedia.org/wiki/Car_classification

For the French bonus/malus, see https://en.wikipedia.org/wiki/Bonus-malus

For the French career categories, see https://fr.wikipedia.org/wiki/Professions_et_cat%C3%A9gories_socioprofessionnelles_en_France

Examples

```
# (1) load of data
#
data(freMPL1)
data(freMPL2)
data(freMPL3)
data(freMPL4)
data(freMPL5)
data(freMPL6)
data(freMPL7)
data(freMPL8)
data(freMPL9)
data(freMPL10)
```



---

freMTPL *French Motor Third-Part Liability datasets*

Description

In the two datasets `freMTPLfreq`, `freMTPLsev`, risk features are collected for 413,169 motor third-part liability policies (observed mostly on one year). In addition, we have claim numbers by policy as well as the corresponding claim amounts. `freMTPLfreq` contains the risk features and the claim number while `freMTPLsev` contains the claim amount and the corresponding policy ID.

In the two datasets `freMTPL2freq`, `freMTPL2sev`, risk features are collected for 677,991 motor third-part liability policies (observed mostly on one year). In addition, we have claim numbers by policy as well as the corresponding claim amounts. `freMTPL2freq` contains the risk features and the claim number while `freMTPL2sev` contains the claim amount and the corresponding policy ID.

Usage

```
data(freMTPLfreq)
data(freMTPLsev)

data(freMTPL2freq)
data(freMTPL2sev)
```

Format

`freMTPLfreq` contains 10 columns:

`PolicyID` The policy ID (used to link with the claims dataset).

`ClaimNb` Number of claims during the exposure period.

`Exposure` The period of exposure for a policy, in years.

`Power` The power of the car (ordered categorical).

`CarAge` The vehicle age, in years.

`DriverAge` The driver age, in years (in France, people can drive a car at 18).

`Brand` The car brand divided in the following groups: `A`- Renaut Nissan and Citroen, `B`- Volkswagen, Audi, Skoda and Seat, `C`- Opel, General Motors and Ford, `D`- Fiat, `E`- Mercedes Chrysler and BMW, `F`- Japanese (except Nissan) and Korean, `G`- other.

`Gas` The car gas, Diesel or regular.

`Region` The policy region in France (based on the 1970-2015 classification).

`Density` The density of inhabitants (number of inhabitants per km2) in the city the driver of the car lives in.

`freMTPLsev` contains 2 columns:

`PolicyID` The occurence date (used to link with the contract dataset).

`ClaimAmount` The cost of the claim, seen as at a recent date.

`freMTPL2freq` contains 11 columns:

`IDpol` The policy ID (used to link with the claims dataset).

`ClaimNb` Number of claims during the exposure period.

`Exposure` The period of exposure for a policy, in years.

`VehPower` The power of the car (ordered values).

`VehAge` The vehicle age, in years.

`DrivAge` The driver age, in years (in France, people can drive a car at 18).

`BonusMalus` Bonus/malus, between 50 and 350: <100 means bonus, >100 means malus in France.

`VehBrand` The car brand (unknown categories).

`VehGas` The car gas, Diesel or regular.

`Area` The density value of the city community where the car driver lives in: from `"A"` for rural area to `"F"` for urban centre.

`Density` The density of inhabitants (number of inhabitants per square-kilometer) of the city where the car driver lives in.

`Region` The policy region in France (based on the 1970-2015 classification).

`freMTPL2sev` contains 2 columns:

`IDpol` The occurence date (used to link with the contract dataset).

`ClaimAmount` The cost of the claim, seen as at a recent date.

Source

Unknown private insurer.

Examples

```
# (1) load of data
#
data(freMTPLfreq)
dim(freMTPLfreq)

data(freMTPLsev)
dim(freMTPLsev)


# (2) check
```

```
#should be equal
sum(freMTPLsev$PolicyID %in% freMTPLfreq$PolicyID)
sum(freMTPLfreq$ClaimNb)



# (1) load of data
#
data(freMTPL2freq)
dim(freMTPL2freq)

data(freMTPL2sev)
dim(freMTPL2sev)
```

---

freportfolio *Portfolio Mortality and Disability Tables*

Description

The freprojqxINSEE table has been established on INSEE projection for the period 2007-2060 based a median scenario, cf. Blanpain and Chardon (2010), adjusted and selected for the purpose of the book.

The frefictivetable represents a fictive portfolio of 87,090 individuals that enter in a healthy condition and have been observed between 1996-01-01 and 2007-12-31. The exit (that may occur before December 2007) is either "deceased" or "other".

The frefictivetable2,frefictivetable3 represents a fictive portfolio of 100,000 individuals that enter in a healthy condition and have been observed between December 1988 and December 1998. The exit is either "deceased" or "other" for censored observation.

The freptfpermdis and freptftempdis datasets comes from two portfolio of two French private companies (insurer or institute), respectively for permanent disability insurance and temporary disability insurance.

Usage

```
data(freprojqxINSEE)
data(frefictivetable)
data(frefictivetable2)
data(frefictivetable3)
data(freptfpermdis)
data(freptftempdis)
```

Format

freprojqxINSEE is a data frame of 109 columns and 66 rows:

Age The age.

F2007,...,F2060 The 1-year female death probabilities

M2007,...,M2060 The 1-year male death probabilities

frefictivetable is a data frame of 6 columns and 87,090 rows:

Id the identification number.

Gender the gender as "factor".

DateOfBirth the date of birth as "Date".

DateIn the entry date as "Date".

DateOut the exit date as "Date".

Status the status at exit : "deceased" (i.e. non-censored observation) or "other" (i.e. censored observation) as "factor".

frefictivetable2,frefictivetable3 are data frames of 5 columns and 100,000 rows:

DateIn the entry date as "Date".

DateOut the exit date as "Date".

Status the status at exit : "deceased" (i.e. non-censored observation) or "other" (i.e. censored observation) as "factor".

DateOfBirth the date of birth as "Date".

Gender the gender as "factor".

freptfpermdis is a data frame of 6 columns and 1,048,575 rows:

PolicyID the policy identification number.

BirthDate the date of birth.

Gender the sex: M for male and F for female.

EntryDate the entry date.

ExitDate the exit date.

ExitStatus the status at exit: "deceased" (i.e. non-censored observation) or "other" (i.e. censored observation).

freptftempdis is a data frame of 9 columns and 560,725 rows:

Gender the sex: M for male and F for female.

JobType the job category: "employee", "managers,engineers,sales responsibles", "non-manager employee" "other 1", "other 2", "other 3", "other 4", "other 5", "technician", "unemployed workers".

UWType the underwriting type: either "specific policy in a collective agreement", "specific policy not linked to a collective agreement", "standard policy in a collective agreement" or "standard policy not linked to a collective agreement".

JobStopType the reason for disability: "illness", "work accident", "pregnancy" (for women only).

Birthdate the date of birth.

OccurDate the date of occurence.

EntryDate the entry date.

ExitDate the exit date.

JobComebackType the status at exit: "recovered" (i.e. non-censored observation: the person goes back to work), "disabled" (i.e. non-censored observation: the person is permanently disabled) or "on-going" (i.e. censored observation).

Source

For freprojqxINSEE, Blanpain and Chardon (2010).

For frefictivetable, Chapter 9 of *Computational Actuarial Science with R*, Ed. Arthur Charpentier, Chapman and Hall/CRC The R Series, 2014.

For freptfpermdis, freptftempdis, RessourcesActuarielles

References

Blanpain, N. and Chardon, O. (2010). *Projections de populations 2007-2060 pour la France metropolitaine: methode et principaux resultats*. Serie des Documents de Travail de la direction des statistiques Demographiques et Sociales F1008, INSEE.

Examples

```
# (1) load of data
#
data(freprojqxINSEE)
data(frefictivetable)

head(freprojqxINSEE)
head(frefictivetable)

# (2) load of data
#

data(frefictivetable2)
range(frefictivetable2$DateIn)
range(frefictivetable2$DateOut)


# (3) other
#

## Not run:
data(freptfpermdis)
data(freptftempdis)


head(freptfpermdis)
head(freptftempdis)

## End(Not run)
```

---

hurricanehist *Hurricane history: Per Storm Maximum Wind Speeds (North Atlantic)*

Description

The dataset consists of 2010 observations for all tropical cyclones in the NHC best track record over the period 1899-2006. Each observation contains per cyclone maximum wind speeds and other relevant information.

Usage

```
data(hurricanehist)
```

Format

`hurricanehist` contains 7 columns:

`Year` The Year.

`Region` The region among `"Basin"`, `"East Florida"`, `"Gulf"`, `"US"`.

`Windmax` The maximum windspeed in knot (1kt = 0.51 m/s).

`NAO` the North Atlantic Oscillation (NAO) index as an indicator of storm steering.

`SOI` the Southern Oscillation Index (SOI) as an indicator of El Nino-Southern Oscillation.

`SST` the Atlantic sea-surface temperature (SST) as an indicator of cyclone energy.

`SSTmda` the SST mda.

Source

See http://myweb.fsu.edu/jelsner/_site/.

References

Dataset used in Jagger and Elsner (2008), *Modelling tropical cyclone intensity with quantile regression*, International Journal of Climatology 29, 1351 - 1361.

Examples

```
# (1) load of data
#
data(hurricanehist)
dim(hurricanehist)

# (2) box plot
#
boxplot(Windmax ~ Year, data=hurricanehist,
ylim=c(35,175), subset=Year > 1939)
```

ICB *Insurance Company Benchmark*

Description

This data set used in the CoIL 2000 Challenge contains information on customers of an insurance company. The data consists of 86 variables and includes product usage data and socio-demographic data derived from zip area codes.

The data was collected to answer the following question: Can you predict who would be interested in buying a caravan insurance policy and give an explanation why?

Usage

```
data(ICB1)
data(ICB2)
```

Format

ICB1 (resp. ICB2) is a data frame of 86 columns (resp. 85) and 5,822 rows (resp. 4,000). Each record consists of 86 (resp 85) variables, containing sociodemographic data (variables 1-43) and product ownership (variables 44-86). The sociodemographic data is derived from zip codes. All customers living in areas with the same zip code have the same sociodemographic attributes. Variable 86 (Purchase) indicates whether the customer purchased a caravan insurance policy. As ICB2 does not have the 86th column, ICB1 should be used for training purposes and ICB2 for testing purposes.

Columns are detailed below

MOSTYPE Customer Subtype see L0

MAANTHUI Number of houses 1 - 10

MGEMOMV Avg size household 1 - 6

MGEMLEEF Avg age see L1

MOSHOOFD Customer main type see L2

MGODRK Roman catholic see L3

MGODPR Protestant ...

MGODOV Other religion

MGODGE No religion

MRELGE Married

MRELSA Living together

MRELOV Other relation

MFALLEEN Singles

MFGEKIND Household without children

MFWEKIND Household with children

MOPLHOOG High level education

MOPLMIDD Medium level education

MOPLLAAG Lower level education

MBERHOOG High status

MBERZELF Entrepreneur

MBERBOER Farmer

MBERMIDD Middle management

MBERARBG Skilled labourers

MBERARBO Unskilled labourers

MSKA Social class A

MSKB1 Social class B1

MSKB2 Social class B2

MSKC Social class C

MSKD Social class D

`MHHUUR` Rented house

`MHKOOP` Home owners

`MAUT1` 1 car

`MAUT2` 2 cars

`MAUT0` No car

`MZFONDS` National Health Service

`MZPART` Private health insurance

`MINKM30` Income < 30.000

`MINK3045` Income 30-45.000

`MINK4575` Income 45-75.000

`MINK7512` Income 75-122.000

`MINK123M` Income >123.000

`MINKGEM` Average income

`MKOOPKLA` Purchasing power class

`PWAPART` Contribution private third party insurance see L4

`PWABEDR` Contribution third party insurance (firms) ...

`PWALAND` Contribution third party insurane (agriculture)

`PPERSAUT` Contribution car policies

`PBESAUT` Contribution delivery van policies

`PMOTSCO` Contribution motorcycle/scooter policies

`PVRAAUT` Contribution lorry policies

`PAANHANG` Contribution trailer policies

`PTRACTOR` Contribution tractor policies

`PWERKT` Contribution agricultural machines policies

`PBROM` Contribution moped policies

`PLEVEN` Contribution life insurances

`PPERSONG` Contribution private accident insurance policies

`PGEZONG` Contribution family accidents insurance policies

`PWAOREG` Contribution disability insurance policies

`PBRAND` Contribution fire policies

`PZEILPL` Contribution surfboard policies

`PPLEZIER` Contribution boat policies

`PFIETS` Contribution bicycle policies

`PINBOED` Contribution property insurance policies

`PBYSTAND` Contribution social security insurance policies

`AWAPART` Number of private third party insurance 1 - 12

`AWABEDR` Number of third party insurance (firms) ...

`AWALAND` Number of third party insurane (agriculture)

`APERSAUT` Number of car policies

`ABESAUT` Number of delivery van policies

AMOTSCO Number of motorcycle/scooter policies

AVRAAUT Number of lorry policies

AAANHANG Number of trailer policies

ATRACTOR Number of tractor policies

AWERKT Number of agricultural machines policies

ABROM Number of moped policies

ALEVEN Number of life insurances

APERSONG Number of private accident insurance policies

AGEZONG Number of family accidents insurance policies

AWAOREG Number of disability insurance policies

ABRAND Number of fire policies

AZEILPL Number of surfboard policies

APLEZIER Number of boat policies

AFIETS Number of bicycle policies

AINBOED Number of property insurance policies

ABYSTAND Number of social security insurance policies

CARAVAN Number of mobile home policies 0 - 1

L0 information: 1 High Income, expensive child, 2 Very Important Provincials, 3 High status seniors, 4 Affluent senior apartments, 5 Mixed seniors, 6 Career and childcare, 7 Dinki s (double income no kids), 8 Middle class families, 9 Modern, complete families, 10 Stable family, 11 Family starters, 12 Affluent young families, 13 Young all american family, 14 Junior cosmopolitan, 15 Senior cosmopolitans, 16 Students in apartments, 17 Fresh masters in the city, 18 Single youth, 19 Suburban youth, 20 Etnically diverse, 21 Young urban have-nots, 22 Mixed apartment dwellers, 23 Young and rising, 24 Young, low educated , 25 Young seniors in the city, 26 Own home elderly, 27 Seniors in apartments, 28 Residential elderly, 29 Porchless seniors: no front yard, 30 Religious elderly singles, 31 Low income catholics, 32 Mixed seniors, 33 Lower class large families, 34 Large family, employed child, 35 Village families, 36 Couples with teens (Married with children), 37 Mixed small town dwellers, 38 Traditional families, 39 Large religous families, 40 Large family farms, 41 Mixed rurals.

L1 information: 1 20-30 years, 2 30-40 years, 3 40-50 years, 4 50-60 years, 5 60-70 years, 6 70-80 years.

L2 information: 1 Successful hedonists, 2 Driven Growers, 3 Average Family, 4 Career Loners, 5 Living well, 6 Cruising Seniors, 7 Retired and Religeous, 8 Family with grown ups, 9 Conservative families, 10 Farmers.

L3 information: 0 0%, 1 1 - 10%, 2 11 - 23%, 3 24 - 36%, 4 37 - 49%, 5 50 - 62%, 6 63 - 75%, 7 76 - 88%.

L4 information: 0 0, 1 1 - 49, 2 50 - 99, 3 100 - 199, 4 200 - 499, 5 500 - 999, 6 1000 - 4999, 7 5000 - 9999, 8 10.000 - 19.999, 9 20.000 - Inf.

Source

Data is (c) Sentient Machine Research 2000

This dataset is owned and supplied by the Dutch datamining company Sentient Machine Research, and is based on real world business data. You are allowed to use this dataset and accompanying information for NON commercial research and education purposes only. It is explicitly NOT allowed to use this dataset for commercial education or demonstration purposes.

http://kdd.ics.uci.edu/databases/tic/tic.data.html.

References

P. van der Putten and M. van Someren (eds) . CoIL Challenge 2000: The Insurance Company Case. Published by Sentient Machine Research, Amsterdam. Also a Leiden Institute of Advanced Computer Science Technical Report 2000-09. June 22, 2000.

See Also

http://kdd.ics.uci.edu/databases/tic/tic.html

There is a special website for this benchmark at http://www.liacs.nl/~putten/library/cc2000/. On this website, you can find an online report featuring 29 papers written by participants in the CoIL Challenge 2000 and further background information.

Examples

```
# (1) load of data
#
data(ICB1)
dim(ICB1)
head(ICB1)

summary(ICB1)

data(ICB2)
```

---

itamtplcost *Italian MTPL cost*

Description

This dataset contains large losses (in excess of 500 Keuro) of an Italian Motor-TPL company since 1997.

Usage

```
data(itamtplcost)
```

Format

`itamtplcost` is a data frame of 2 columns and 457 rows:

`Date` Date of loss (accident date).

`UltimateCost` Ultimate cost trended to 2013 and developed to ultimate losses.

Source

Unknown private insurer.

Examples

```
# (1) load of data
#
data(itamtplcost)
```

`linearmodelfactor` *A simulated with linear model factor*

Description

A simulated with linear model factor

Usage

```
data(linearmodelfactor)
```

Format

The variables for `linearmodelfactor` are

`X` A numeric.

`Y` A numeric.

`Z` A factor.

Examples

```
# (1) load of data
#
data(linearmodelfactor)


head(linearmodelfactor)
```

lossalae *General Liability Claims*

Description

The lossalae is a data frame of 1500 rows and 2 columns containing 1,500 general liability claims randomly chosen from late settlement lags and were provided by Insurance Services Office, Inc. Each claim consists of an indemnity payment (the loss, X1) and an allocated loss adjustment expense (ALAE). ALAE are types of insurance company expenses that are specifically attributable to the settlement of individual claims such as lawyers' fees and claims investigation expenses. The dataset also has an attribute called capped, which gives the row names of the indemnity payments that were capped at their policy limit. This dataset comes from the evd package.

The lossalaefull is a data frame of 1500 rows and 4 columns containing additional information compared to lossalae: the limit of the policy is available.

Usage

```
data(lossalae)
data(lossalaefull)
```

Format

lossalae contains two columns:

Loss A numeric vector containing the indemnity payments (USD).

ALAE A numeric vector containing the allocated loss adjustment expenses (USD).

lossalaefull contains four columns:

Loss A numeric vector containing the indemnity payments (USD).

ALAE A numeric vector containing the allocated loss adjustment expenses (USD).

Limit A numeric vector containing the policy limit (USD).

Censored A binary indicating that the payments are capped to their policy limit (USD).

Source

Frees, E. W. and Valdez, E. A. (1998) Understanding relationships using copulas. *North American Actuarial Journal*, **2**, 1–15.

http://lstat.kuleuven.be/Wiley/

References

Klugman, S. A. and Parsa, R. (1999) Fitting bivariate loss distributions with copulas. *Insurance: Mathematics and Economics*, **24**, 139–148.

Beirlant, J., Goegebeur, Y., Segers, J. and Teugels, J. L. (2004) *Statistics of Extremes: Theory and Applications.*, Chichester, England: John Wiley and Sons.

Cebrian, A.C., Denuit, M. and Lambert, P. (2003). *Analysis of bivariate tail dependence using extreme value copulas: An application to the SOA medical large claims database*, Belgian Actuarial Bulletin, Vol. 3, No. 1.

Examples

```
# (1) load of data
#
data(lossalae)
data(lossalaefull)

# (2) plot of data
#
plot(lossalae$ALAE, lossalae$Loss, log="xy", pch=19)
```

`norauto` *Norwegian fire insurance dataset*

Description

This dataset comprises 183,999 observations of automobile insurance policies losses over a one-year period.

Usage

```
data(norauto)
```

Format

`norauto` contains 7 columns (each row is a policy):

`Male` 1 if the policyholder is a male, 0 otherwise.

`Young` 1 if the policyholder age is below 26 years, 0 otherwise.

`DistLimit` The distance limit as stated in the insurance contract: `"8000 km"`, `"12000 km"`, `"16000 km"`, `"20000 km"`, `"25000-30000 km"`, `"no limit"`.

`GeoRegion` Density of the geographical region (from heaviest to lightest): `"High+"`, `"High-"`, `"Medium+"`, `"Medium-"`, `"Low+"`, `"Low-"`.

`Expo` Exposure as a fraction of year.

`ClaimAmount` 0 or the average claim amount if `NbClaim > 0`.

`NbClaim` The claim number.

Source

Unknown Norwegian insurer.

Downloaded from University of Oslo: http://www.uio.no/studier/emner/matnat/math/STK4520/h05/undervisningsmateriale/

Examples

```
# (1) load of data
#
data(norauto)
summary(norauto)
```

Norberg *Norberg's credibility dataset*

Description

This univariate dataset was self-made by Norberg (1979) for pointing out the relevancy of credibility. It contains hypothetic records of binary claim of an insurance portfolio with 20 policies.

Usage

```
data(Norberg)
```

Format

`Norberg` contains 20 columns and 10 rows. Rows are the 10 years of experience, while columns are the 20 policies in the portfolio.

Source

Public.

References

Dataset used in Ragnar Norberg (1979), *The credibility approach to experience rating*, Scandinavian Actuarial Journal, 181-221.

Examples

```
# (1) load of data
#
data(Norberg)

# (2) plot and description of data
#
matplot(0:9, apply(Norberg, 2, cumsum)/(1:10), type="l",
ylim=c(0, 1), main="Claim experience")
```

norfire *Norwegian fire insurance dataset*

Description

This dataset comprises 9181 fire losses over the period 1972 to 1992 from an unknown Norwegian company. A priority of 500 thousands of Norwegian Krone (NKR) was applied to get this dataset.

Usage

```
data(norfire)
```

Format

`norfire` contains three columns:

`Year` The year of claim occurence.

`Loss` The total loss amount NKR thousands.

`Loss2012` The total loss amount in thousands of 2012 Norwegian Krone, inflated using the Norwegian CPI.

Source

http://lstat.kuleuven.be/Wiley/

References

Dataset used in Beirlant, Teugels and Vynckier (1996), *Practical Analysis of Extreme Values*, Leuven University Press.

in Beirlant, Matthys and Diercks (2001), *Heavy-tailed distributions and rating*, ASTIN Bulletin, Vol. 31, Issue 1.

in Beirlant, Goegebeur, Segers and Teugels (2006), *Statistics of extremes: theory and applications*, John Wiley and Sons.

Examples

```
# (1) load of data
#
data(norfire)

# (2) plot and description of data
#

boxplot(Loss ~ Year, data= norfire, log="y", xlab="Year",
ylab="Claim size", main="Norwegian fire dataset")
```

`nortritpl8800` *Australian liabilty insurance triangles*

Description

Dataset `nortritpl8800` contains claim triangles from a Norwegian non-life insurer between 1988 and 2000 for bodily injuries. `nortritpl8800` is a list of 5 elements : a triangle of claim counts by the sum of reporting and valuation delay, a triangle of claim payments by the sum of reporting and valuation delay, a triangle of reported incurred claims by the sum of reporting and valuation delay, a triangle of claim payments by valuation delay, a triangle of reported incurred claims by valuation delay. Values are cumulated amounts.

Usage

```
#1st Line of Business
data(nortritpl8800)
```

Format

`nortritpl8800$countbyrepdel`, `nortritpl8800$paidbyrepdel`, `nortritpl8800$incurbyrepdel` contain the insurance triangles by reporting+valuation delay. `nortritpl8800$paidbydel`, `nortritpl8800$incurbydel` contains the insurance triangles by valuation delay.

References

W. Neuhaus (2004), *On the Estimation of Outstanding Claims*, Australian Actuarial Journal, 10, 485-518.

Examples

```
# (1) load of data
#


#1st Line of Business
data(nortritpl8800)
```

---

nzcathist *New Zealand catastrophe historic*

Description

Historical disaster statistics in Zealand from 1968 to 2014.

Usage

```
data(nzcathist)
```

Format

`nzcathist` is a data frame of 9 columns:

`Year` a numeric for the Year.

`Quarter` a numeric for the quarter of the year.

`Date` a character string for the date.

`FirstDay` a `Date` object for the first day of natural catastrophe.

`Event` a character string describing the event.

`Type` a factor describing the event type among the list: `"Cyclone"`, `"Earthquake"`, `"Flood"`, `"Flood,Storm"`, `"Hailstorm"`, `"Other"`, `"Power outage"`, `"Storm"`, `"Tornado"`, `"Weather"`.

`Location` a character string describing the location.

`OriginalCost` Original cost in million of Australian dollars (NZD).

`NormCost2011` Normed cost in million of 2011 New Zealand dollars (NZD).

`NormCost2014` Normed cost in million of 2014 New Zealand dollars (NZD).

Source

https://www.icnz.org.nz/media-and-resources/natural-disasters/

Examples

```
# (1) load of data
#
data(nzcathist)

# (2) plot of data
#
plot(ecdf(nzcathist$NormCost2014))
```

PnCdemand *Property and casualty insurance demand*

Description

The `PnCdemand` contains indicators of the demand for property and liability insurance in terms of national economic and risk aversion characteristics. There are 22 countries over 7 years between 1987-1993.

Usage

```
data(PnCdemand)
```

Format

`PnCdemand` contains 22 columns:

`"Name"` A character for the country name.

`"Country"` A numeric for the country identifier.

`"Time"` A numeric for the time identifier.

`"GNPCAP"` A numeric for the Gross national product, in US dollars per capita..

`"NewMEAS"` A numeric for the new measure of wealth produced by the World Bank. It is a composite measure that includes human resources, produced or manufactured assets and natural resources. This variable is time-invariant. It is wealth per capita, in thousands of US dollars.

"RiskAversion" A numeric for the risk aversion, which is proxied by level of education. This is measured by the enrollment ratio of third-level education, that is, the ratio of total enrollment in third-level education institutions to the total population age 20 to 24. Education at the third level is provided by different types of institutions, including universities, teacher-training institutions and technical institutes.

"Protect" A numeric for the protective measures may reduce competition and thus raise prices. Trade barriers are proxied by the insurance market share of foreign firms. Specifically, this is the market share of branches or agencies of foreign undertakings in total domestic non-life insurance.

"PopDens" A numeric for the population density, the average number of people living within a square kilometer.

"Urban" A numeric for the urbanization. The percentage of people living in urban areas.

"LegalSyst" A numeric for the legal system. This is an indicator variable that is equal to one if the country has a common law system and is zero otherwise (statutory law system). This variable is time-invariant.

"CPI" A numeric for the Consumer Price Index, as a percentage.

"Auto" Automobile premium density, computed as total direct gross automobile insurance premiums divided by the country's population. It includes damage or loss to land vehicles as well as liability arising out of the use of motor vehicles. The measure is in US dollars per capita.

with 10 NA

"Transport" Transport premium density. Transport insurance includes railway loss, aircraft loss and liability and ship loss and liability.

"Freight" Freight premium density. It includes all damage to or loss of goods in transit or baggage.

"FireProp" Fire and other property damage premium density. It includes damage or loss of property due to fire, explosion, storm, other natural forces, nuclear energy and land subsidence as well as other damage to property.

with 10 NA

"PecLoss" Pecuniary loss premium density. It includes credit loss, surety loss and other miscellaneous financial losses.

"GenLiab" General liability premium density. It includes all liability other than motor vehicle, aircraft and ship liability.

"AccSick" Accident and sickness premium density.

"OtherNL" Other non-life premium density. It includes legal expenses, assistance and other miscellaneous insurance.

with 23 NA

"MRATE" Motor vehicle ownership per capita.

"NumAcc" ?

"Population" Total population number.

Source

FreesBook-LPD

References

Browne, M. J., Chung, J. and Frees, E. W. (2000). *International property-liability insurance consumption*. Journal of Risk and Insurance, 73-90.

Frees, E. W. (2004). *Longitudinal and panel data: analysis and applications in the social sciences*. Cambridge University Press.

Examples

```
# (1) load of data
#
data(PnCdemand)
```

`pricingame` *French Motor Third-Part Liability datasets used for 100 percent Data Science game*

Description

`pg15training`, `pg15pricing` are the two datasets used for the 2015 pricing game of the French institute of Actuaries organized on November 5, 2015. `pg15training` contains 100,000 TPL policies for private motor insurance used to fit the models, whereas `pg15pricing` contains 36,311 policies of the same guarantee for which the premium is computed. Each record has been observed at most one year and contains risk features of the policyholder and the insured vehicle. For confidentiality reasons, most categorical levels have unknown meaning.

`pg16trainpol`, `pg16trainclaim`, `pg16test` are the three datasets used for the 2016 pricing game of the French institute of Actuaries organized on November 8, 2016. `pg16trainpol` contains 87,228 policies for private motor insurance and `pg16trainclaim` contains 4,568 claims of those 87,228 TPL policies. Policies are guaranteed for all kinds of material damages, but not bodily injuries. Both datasets are used to fit the models, whereas `pg16test` is used for training. For confidentiality reasons, most categorical levels have unknown meaning.

`pg17trainpol`, `pg17trainclaim` are the two training datasets used for the 2017 pricing game of the French institute of Actuaries organized on November 16, 2017. `pg17trainpol` contains 100,000 policies for private motor insurance and `pg17trainclaim` contains 14,243 claims of those 100,00 TPL policies. These training sets correspond to year $t = 0$. `pg17testyear1`, `pg17testyear2`, `pg17testyear3`, `pg17testyear4` are the four test datasets used for the pricing game: each has 100,000 rows of new policies (drivers willing to purchase insurance for Year t with $t = 1, 2, 3, 4$).

Usage

```
data(pg15training)
data(pg15pricing)

data(pg16trainpol)
data(pg16trainclaim)
data(pg16test)

data(pg17trainpol)
data(pg17trainclaim)
data(pg17testyear1)
data(pg17testyear2)
data(pg17testyear3)
data(pg17testyear4)
```

Format

pg15training and pg15pricing are two dataframes with the same columns:

PolNum The policy number.

CalYear The underwriting year.

Gender The gender of the car driver.

Type The car type (a single letter).

Category The car category (a string character).

Occupation The occupation of the driver (a string character).

Age The driver age, in years (in France, people can drive a car at 18).

Group1 The group of the car.

Bonus The bonus-malus (French no-claim discount): -30 means a 30 percent bonus while +20 means a 20 percent malus; see details below.

Poldur The policy age (in year).

Value The car value (in euro).

Adind A dummy variable indicating a material cover.

SubGroup2 The subregion of the driver home (unknown category).

Group2 The region of the driver home (unknown category).

Density The density of inhabitants (number of inhabitants per km2) in the city the driver of the car lives in.

Expdays Exposure in days.

Numtppd The number of third-party material claims.

Numtpbi The number of third-party bodily injury claims.

Indtppd The total cost of third-party material claims (euro).

Indtpbi The total cost of third-party bodily injury claims (euro).

pg16trainpol,pg16trainclaim,pg16test are dataframes with the following columns:

Year The coverage year.

BeginDate,EndDate Beginning date and ending date of the coverage period (of class "Date").

Exposure The exposure as a fraction of year, computed as the difference between EndDate and BeginDate divided by 365.

PolicyID The identification number of the policy.

PolicyAgeCateg The category of the policy age.

PolicyCateg The category of the policy.

CompanyCreation A dummy indicating if the company has been created.

FleetMgt The fleet management category.

FleetSizeCateg The fleet size category

Area The geographical area.

PayFreq The payment frequency.

VehiclAge The vehicle age category.

VehiclNb The number of vehicles

VehiclCateg The vehicle category.

`VehiclPower` The vehicle power

`LicNb` The license number of the vehicle.

`Deduc` The deductible category

`SumInsured` The category of the sum insured.

`BusinessType` The business type.

`ChannelDist` The distribution channel.

`ClaimNb` The claim number.

`ClaimCharge` The claim charge.

`DirectComp` As claims correspond only to material damage, the French claim convention (IDA) was applied. So the insurer may directly refund the insured (when `DirectComp=TRUE`) even if the insurer will sue the third-party insurer to recover the indemnity afterwards.

`CompRate` The rate of compensation (in percent).

`SettlYear` The settlement year.

`pg17***` are dataframes with the following columns:

`id_client` The client identification number: a string of the form `Annnnnnnn` (`A` followed by an 8-digit number). First client ID is `A00000001` and last is `A00091488`.

`id_vehicle` The vehicle identification number: a string of the form `Vnn` (a `V` followed by a 2-digit number). First vehicle is always numbered V01. If a client has multiple vehicles, then the numeration increases by 1. There is no particular ordering in the vehicles, so their rank should not represent anything valuable.

`id_policy` The policy identification number, a string of the form `Annnnnnnn-Vnn` resulting from appending `id_client` and `id_vehicle`.

`id_year` The year of coverage, Year ID begins at `"Year 0"` and ends at `"Year 4"`.

`pol_bonus` The policy bonus (French no-claim discount): `0.5` means a 30 percent bonus while `1.2` means a 20 percent malus; see details below.

`pol_coverage` The coverage category: The coverage are of 4 types : Mini, Median1, Median2 and Maxi, in this order. As you can guess, Mini policies covers only Third Party Liability claims, whereas Maxi policies covers all claims, including Damage, Theft, Windshield Breaking, Assistance, etc.

`pol_duration` The policy duration: Policy duration represents how old the policy is. It is expressed in year, accounted from the beginning of the current year i. Oldest policies in this portfolio can last since prehistoric ages of 45 years.

`pol_sit_duration` The policy current endorsement duration: Situation duration represent how old the current policy caracteristics are. It can be different from pol duration, because the same insurance policy could have evolved in the past (e.g. by changing coverage, or vehicle, or drivers, ...).

`pol_pay_freq` The payment frequency: The price of the insurance coverage can be paid annually, bi-annually, quarterly or monthly.

`pol_payd` A dummy indicating pay as you drive: a string with Yes or No, which indicates whether our client has subscribed a mileage-based policy or not. In those early ages of Year 0, Pay As You Drive was not that current, so they represent a minority in the portfolio.

`pol_usage` The policy usage: it describes what usage the driver makes from his vehicle, most of time. There are 4 possible values : `"WorkPrivate"` which is the most common, `"Retired"` which is presumed to be aimed at retired people (who also are presumed driving less kilometers), `"Professional"` which denotes a professional usage of the vehicle, and `"AllTrips"` which is quite similar to Professional (including pro tours). As for the coverage, it would be very surprising that this variable had no effect on frequency.

`pol_insee_code` The INSEE code of the French city/municipality where the policyholder lives: it is a 5-digits alphanumeric code used by the French National Institute for Statistics and Economic Studies (hence INSEE) to identify "communes" and departments in France. There are about 36,000 "communes" in France, but not every one of them is present in the dataset (there are only 18,000 of them). The first 2 digits of insee code identifies the department (they are 96, not including overseas departments). The insee code or department code can be used to possibly merge external data to the datasets: population density, OSM data, etc.

`drv_drv2` A character string indicating if there is a secondary driver: there is always a first driver, which characteristics (age, sex, licence) are provided, but a secondary driver is optional, and is present 1 time out of 3.

`drv_age1,drv_age2` The driver age of the ith driver: it is expressed in years counted from the beginning of the considered year. Then, `drv_age1` increases by 1 every year, like in real world... Legal age to drive is 18, so you shouldn't find any age below that limit. Due to the fact that the database is built on existing situations before Year 0, in fact the minimum age is 19 in Year 0 dataset. On the other side, you'll also find quite old drivers.

`drv_sex1,drv_sex2` The driver sex of the ith driver. European rules force insurers to charge the same price for women and men. But driver's gender can still be used in academic studies, and that's why drv sex1 is still available in the datasets, and can be used as discriminatory variable in this pricing game.

`drv_age_lic1,drv_age_lic2` The age of the driving license of the ith driver. As for the other ages, it is expressed in integer years from the beginning of the current year.

`vh_age` The vehicle age: This variable is the vehicle's age, the difference between the year of release and the current year.

`vh_cyl` The engine cylinder displacement is expressed in ml in a continuous scale. This variable should be highly correlated with din power of the vehicle.

`vh_din` The `vh_din` is a representation of the motor power. Highly correlated with din power, cylinder, speed and even value of the vehicle.

`vh_fuel` The vehicle fuel type: with mainly two values `"Diesel"` and `"Gasoline"`. Very few Hybrid vehicles can also be found, but, 6 years ago, the hybrid market was still at its beginning.

`vh_make` The vehicle carmaker. As the database is built from a French insurance, the three major brands are Renault, Peugeot and Citroen.

`vh_model` The vehicle model. As a subdivision of the carmake, vehicle is identified by its model name.

`vh_sale_begin,vh_sale_end` `vh_sale_begin` and `vh_sale_end` are the dates (in fact: ages) from the beginning of the current year of the beginning and the end of marketing years of the vehicle. This could for instance identify policies that covers very new vehicles or second-hand ones.

`vh_speed` The vehicle maximum speed (km/h), as stated by the manufacturer.

`vh_type` The vehicle type, either `"Tourism"` or `"Commercial"`. There are more `"Commercial"` types for `"Professional"` policy usage than for `"WorkPrivate"`.

`vh_value` The vehicle's value (replacement value) is expressed in euros, without inflation so it should be stable from a year to another.

`vh_weight` The vehicle weight (kg).

`id_claim` The claim identification number: a string of the form `CLnn` (`CL` followed by a 2-digit number). Numbering of the claims begins at 1 for every policy and each year. Then, the last value of id claim is the maximum number of claims for a vehicle in a year. Two-digits representation is sufficient : this maximum doesn't exceed 7 (but not on Year 0, where the maximum is 6).

`claim_nb` The claim number, as we are talking about individual claims, each claim nb has a value of 1.

`claim_amount` The claim amount: amounts range from (approx.) -2,000 to +300,000. Yes, there are negative values, they come from claims where our driver's liability is not engaged, so there's a legal recourse.

The bonus/malus system is compulsary in France, but we will only use it here as a possible feature. The coefficient is attached to the driver. It starts at 1 for young drivers (i.e. first year of insurance). Then, every year without claim, the bonus decreases by 5 percent until it reaches its minimum of 0.5. Without any claim, the bonus evolution would then be : $1 -> 0.95 -> 0.9 -> 0.85 -> 0.8 -> 0.76 -> 0.72 -> 0.68 -> 0.64 -> 0.6 -> 0.57 -> 0.54 -> 0.51 -> 0.5$. Every time the driver causes a claim (only certain types of claims are taken into account), the coefficient increases by 25 percent, with a maximum of 3.5. Thus, the range of bonus/malus coefficient extends from 0.5 to 3.5 in the datasets.

Source

Datasets from unknown private insurers.

See https://freakonometrics.hypotheses.org/20034 for the first pricing game.

See https://actinfo.hypotheses.org/69 for the second pricing game.

See https://actinfo.hypotheses.org/86 for the third pricing game.

Examples

```
# (1) load of data
#
data(pg15training)
data(pg15pricing)

data(pg16trainpol)
data(pg16trainclaim)
data(pg16test)


data(pg17trainpol)
data(pg17trainclaim)
data(pg17testyear1)


# (2) some check
# should be zero
sum(!pg16trainclaim$PolicyID %in% pg16trainpol$PolicyID)
# should be true
NROW(pg16trainclaim) == sum(pg16trainpol$ClaimNb)
```

---

sgautonb *Singapore Automobile claim count dataset*

Description

This dataset contains automobile injury claim number collected in 1993 in Singapore by the General Insurance Association of Singapore. Records contains individuals characteristics in addition to claim counts.

Usage

```
data(sgautonb)
```

Format

sgautonb is a data frame of 8 columns and 1,340 rows:

SexInsured Gender of insured, including male (M), female(F) and unspecified (U).

Female Numeric: 1 if female, 0 otherwise.

VehicleType The type of vehicle being insured, such as automobile (A), truck (T), and motorcycle (M).

PC Numeric: 1 if private vehicle, 0 otherwise.

Clm_Count Number of claims during the year.

Exp_weights Exposure weight or the fraction of the year that the policy is in effect.

LNWEIGHT Logarithm of exposure weight.

NCD No Claims Discount. This is based ont he previous accident record of the policyholder. The higher the discount, the better is the prior accident record.

AgeCat The age of the policyholder, in years grouped into seven categories. 0-6 indicate age groups 21 and younger, 22-25, 26-35, 36-45, 46-55, 56-65, 66 and over, respectively.

VAgeCat The age of the vehicle, in years, grouped into seven categories. 0-6 indicate groups 0, 1, 2, 3-5, 6-10, 11-15, 16 and older, respectively.

AutoAge0 Numeric: 1 if private vehicle and VAgeCat = 0, 0 otherwise.

AutoAge1 Numeric: 1 if private vehicle and VAgeCat = 1, 0 otherwise.

AutoAge2 Numeric: 1 if private vehicle and VAgeCat = 2, 0 otherwise.

AutoAge Numeric: 1 if Private vehicle and VAgeCat = 0, 1 or 2, 0 otherwise.

VAgecat1 VAgeCat with categories 0, 1, and 2 combined.

Source

FreesBook-RMAFA

References

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Frees and Valdez (2008), *Hierarchical Insurance Claims Modeling*, Journal of the American Statistical Association (103), 1457-1469.

Examples

```
# (1) load of data
#
data(sgautonb)
dim(sgautonb)
head(sgautonb)
```

`sgtriangles` *Singapore general liability triangles*

Description

`sgautoprop9701` is a data report incremental payments from a portfolio of automobile policies for a Singapore property and casualty (general) insurer for years 1997-2001. Payments are for third party property damage from comprehensive insurance policies. All payments have been deflated using a Singaporean consumer price index, so they are in constant dollars.

`sgautoBI9301` contains incremental payments from a portfolio of automobile policies for a Singapore property and casualty (general) insurer for years 1993-2001. Payments, deflated for inflation, are for third party injury from comprehensive insurance policies.

Usage

```
data(sgautoprop9701)
data(sgautoBI9301)
```

Format

`sgautoprop9701` and `sgautoBI9301` are two matrices containing insurance triangles.

Source

Freesbook-RMAFA

References

Frees, E.W. (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Frees, E.W., and E. Valdez (2008). *Hierarchical insurance claims modeling*, Journal of the American Statistical Association 103, 1457-69.

Examples

```
# (1) load of data
#
data(sgautoprop9701)
data(sgautoBI9301)
```

SOAGMI *SOA Group Medical Insurance claim dataset*

Description

The dataset was collected by SOA for a group medical insurance and contains records of all the claim amounts exceeding 25,000 USD over the period 1991 and is available at http://www.soa.org. There is no truncation due to maximum benefits.

Usage

```
data(SOAGMI)
```

Format

SOAGMI contains two columns and 371 rows:

Year The year of claim occurence.

Loss The loss amount in euros (EUR).

Source

http://lstat.kuleuven.be/Wiley/

References

Dataset used in Beirlant, Dierckx, Goegebeur and Matthys (2004), *Statistics of Extremes*, Wiley

in Grazier and G'Sell (1997), *Group Medical Insurance Large Claims Database and Collection*, SOA Monograph M-HB97-1, Society of Actuaries, Schaumburg.

and in Cebrian, Denuit and Lambert (2003), *Analysis of bivariate tail dependence using extreme value copulas: An application to the SOA medical large claims database*, Belgian Actuarial Bulletin, Vol.3, Issue 1.

Examples

```
# (1) load of data
#
data(SOAGMI)
```

spacedata *Space dataset*

Description

This dataset contains 1,698 observations of satelites between 1956 and 2013 where the study focuses failure and success once the satelite has reached its targeted orbit. Failures during the launching step or the testing step are not considered.

Usage

```
data(spacedata)
```

Format

spacedata is a data frame of 16 columns and 1,698 rows:

Event A character string describing the launch: always "LAUNCH: Satellite launched successfully".

EventDate The date of the launch.

MissionType A character string describing the mission goals.

InitOrbit A character string for the satelite orbit, see details.

OrbitRange A character string summarizing the satelite orbit.

Position A character for the position.

ContractLife The contractual life (in years).

Sector A character string: either "CIVIL" or "MILITARY".

IsCommercial When civil usage, 1 indicates private (commercial), 0 public (institution).

Mass Mass of satellite (Kg).

RetireDate Date of retirement, if any.

TotalFailDate Date of total failure, if any, see details.

PartialFailDate Date of partial failure, if any, see details.

AnyFailDate Date of first failure, in any.

OperLifeTime Life Length of the satelite (in years) when operating successfully.

Censored Indicator for censoring.

Details

The satelite orbit is an acronym given by

EO Elliptical Orbit.

G Geostationary.

GTO Geostationary Transfert Orbit.

HEL Heliocentric Orbit.

HEO Highly Elliptical Orbit.

LEO Low Earth Orbit.

`MEO` Medium Earth Orbit.

`PEO` Polar Elliptical Orbit.

`PO` Polar Orbit.

`SSO` Sun-Synchronous Orbit

Some details on earth orbit are given below:

LEO Low Earth orbits (LEO) are defined to be orbits with an average altitude that is less than 2,000 km. An important subset of LEO is the sun-synchronous orbit (SSO). These are circular orbits with an altitude between 500 km and 1200 km that provide an orbital period that result in passes over a point on the Earth's surface at the same time of day, a fixed number of days apart. This is ideal for Earth observation missions. LEO has predominantly been used by civil and military agencies for Earth observation, scientific missions, manned missions and intelligence or spy satellites.

MEO Medium Earth orbits (MEO) are defined to be orbits with an average altitude in the range of 5,000 to 20,000 km. The U.S. military were the first to exploit this orbit with the Global Positioning Satellites (GPS). The numerous satellites in the constellation appear to move slowly across the sky of an observer and several satellites are always visible at any point on the Earth's surface. A similar orbit is used by the Russia's equivalent Glonass system and the European Galileo.

GEO The Geostationary Earth Orbit GEO type orbit features an altitude of approximately 36,000 km. The matched orbital period means that the satellite will appear to be nearly stationary in the sky of an observer, allowing for simplified earth communications and a global coverage. The main use of this type of orbit has been for the telecommunications industry, point-to-point, mobile and direct broadcast. A significant secondary user has been for Earth observation, especially meteorological but also military missile launch and nuclear explosion detection satellites. Commercial use of space satellites has tended to concentrate on the GEO orbit with the market predominantly developing in the late 1970s and throughout the 1980s and 1990s. Total demand for launches to GEO again increased to 1997, mainly due to commercial interests, before a sharp decline in demand into the early 2000s.

Generally, a difference is made between partial losses and total losses with the following definitions:

Total Loss - Constructive Total Loss: (1) Total Loss means physical destruction of the spacecraft, no separation from the launch vehicle or injection in a useless orbit, loss of control of the spacecraft. (2) Constructive Total Loss means a partial loss where the loss ratio is equal or above 75 percent, assimilated to a Total Loss.

Partial Loss: loss of performance impacting the spacecraft intended mission, reduction of useful lifetime, permanently intermittent mission based on a predetermined loss formula.

Source

Data based on two actuarial memoirs and partially modified to fit package standards.

References

Guelou, S. (2013). *Risques spatiaux: modelisation de la fiabilite des satellites en orbite.*, EURo Institut d'Actuariat master thesis, University of Brest, France.

Gauche, J.F. (2012). *Space risks.*, Centre d'Etudes Actuarielles master thesis, Paris, France.

See Also

Castet, J.F. and Saleh, J.H. (2011). *Spacecraft reliability and multi-state failures : a statistical approach*, Wiley.

Castet, J.F., Dubos, G.F and Saleh, J.H. (2011). *Statistical reliability analysis of satellites by mass category : Does spacecraft size matter?*, Acta Astronautica, pages 584-595.

Examples

```
# (1) load of data
#
data(spacedata)
dim(spacedata)
```



`swautoins` *Swedish Motor Insurance dataset*

Description

This dataset contains motor insurance data collected in 1977 in Sweden by the Swedish Committee on the Analysis of Risk Premium. Records contains individuals characteristics in addition to claim counts and severities.

Usage

```
data(swautoins)
```

Format

`swautoins` is a data frame of 7 columns and 2,182 rows:

`Kilometres` Distance driven by a vehicle, grouped into five categories.

`Zone` Graphic zone of a vehicle, grouped into 7 categories.

`Bonus` Driver claim experience, grouped into 7 categories.

`Make` The type of a vehicle

`Insured` The number of policyholder years. A policyholder year is the fraction of the year that the policyholder has a contract with the issuing company.

`Claims` Number of claims.

`Payment` Sum of payments.

Source

FreesBook-RMAFA

References

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Hallin and Ingenbleek (1983), *The Swedish automobile portfolio in 1977. A statistical study*, Scandinavian Actuarial Journal, 49-64.

Andrews and Herzberg (1985), *Data. A collection of problems from many fields for the student and research worker*, Springer-Vedag, New York, pp. 4t3-421.

Examples

```
# (1) load of data
#
data(swautoins)
dim(swautoins)
head(swautoins)
```

`swbusscase` *Swedish Buss Insurance dataset*

Description

This data comes from the former Swedish insurance company Wasa, before its 1999 fusion with Laensfoersaekringar Alliance. In Sweden, insurance involves three types of cover: TPL (third party liability), partial casco and hull. TPL covers any bodily injuries plus property damages caused to others in a traffic accident. Partial casco (may not be used in all countries) covers theft but also some other causes of loss such as fire. Hull covers damage on the policyholder's own vehicle. Note that The TPL insurance is mandatory, while the others are optional. The three types of cover are often sold in a package as a comprehensive insurance, but they are usually priced separately. This dataset contains information relative to partial casco only for buss in the commercial lines. Transportation companies own one or more buses which are insured for a shorter or longer period. It contains aggregated data on 670 companies that were policyholders at Wasa insurance company during the years 1990-1998.

Usage

```
data(swbusscase)
```

Format

`swbusscase` is a data frame of 7 columns and 1,542 rows:

`IDpol` The policy ID, recoded for confidentiality reasons.

`Area` The type of area.

`BusAgeClass` The bus age class with 5 unknown categories.

`ObsNb` The number of observations for the company in a given tariff cell based on area and age class. There may be more than one observation per record, since each renewal is counted as a new observation.

`ClaimNb` The number of claims.

`AggClaim` The sum of claim payments.

`Exposure` The number of policy years.

Source

OhlsonBook

References

E. Ohlsson and B. Johansson (2010), *Non-Life Insurance Pricing with Generalized Linear Models*, Springer.

Examples

```
# (1) load of data
#
data(swbusscase)
dim(swbusscase)
head(swbusscase)
```

`swmotorcycle` *Swedish Motorcycle Insurance dataset*

Description

This data comes from the former Swedish insurance company Wasa, before its 1999 fusion with Laensfoersaekringar Alliance. In Sweden, insurance involves three types of cover: TPL (third party liability), partial casco and hull. TPL covers any bodily injuries plus property damages caused to others in a traffic accident. Partial casco (may not be used in all countries) covers theft but also some other causes of loss such as fire. Hull covers damage on the policyholder's own vehicle. Note that The TPL insurance is mandatory, while the others are optional. The three types of cover are often sold in a package as a comprehensive insurance, but they are usually priced separately. This dataset contains information relative to partial casco only for motorcycles. It contains aggregated data on all insurance policies and claims during 1994-1998.

Usage

```
data(swmotorcycle)
```

Format

`swmotorcycle` is a data frame of 9 columns and 64,548 rows:

`OwnerAge` The owner age.

`Gender` The gender.

`Area` The type of area.

`RiskClass` The motorcycle class, a classification by the so called EV ratio, defined as (Engine power in kW x 100) / (Vehicle weight in kg + 75), rounded to the nearest lower integer. The 75 kg represent the average driver weight. The EV ratios are divided into seven classes.

`VehAge` The Vehicle age, between 0 and 99.

`BonusClass` The bonusclass,taking values from 1 to 7. A new driver starts with bonus class 1; for each claim-free year the bonus class is increased by 1. After the first claim the bonus is decreased by 2; the driver can not return to class 7 with less than 6 consecutive claim free years.

`Exposure` The number of policy years.

`ClaimNb` The number of claims.

`ClaimAmount` The sum of claim payments.

Source

OhlsonBook

References

E. Ohlsson and B. Johansson (2010), *Non-Life Insurance Pricing with Generalized Linear Models*, Springer.

Examples

```
# (1) load of data
#
data(swmotorcycle)
dim(swmotorcycle)
head(swmotorcycle)
```

`swtriangles` *Switzerland general liability triangles*

Description

`swtri1auto` is a named list of two triangles : the incurred (cumulative) amounts and the paid (cumulative) amounts.

Usage

```
data(swtri1auto)
```

Format

`swtriangles` is a named list of two matrices, respectively for incurred and paid amounts.

References

Dahms, R. (2008), *A Loss Reserving Method for Incomplete Claim Data*, Bulletin of the Swiss Association of Actuaries, pp. 127-148.

Dahms, R., Merz, M., Wuethrich, M.V. (2009), *Claims development result for combined claims incurred and claims paid data*. Bulletin Francais d'Actuariat 9 (18), 5-39.

Merz, M., and M. V. Wuethrich (2010), *Paid-Incurred Chain Claims Reserving Method*, Insurance: Mathematics and Economics 46, 2010, pp. 568-579.

Merz, M., and M. V. Wuethrich (2013), *Estimation of Tail Development Factors in the Paid-Incurred Chain Reserving Method*, Variance 71, pp. 61-73.

Examples

```
# (1) load of data
#
data(swtri1auto)
```

`tplclaimnumber` *TPL claim number dataset*

Description

The univariate dataset was collected in the French motor market and comprise 90270 one-year policies for which the claim number is recorded.

Usage

```
data(tplclaimnumber)
```

Format

`tplclaimnumber` contains three columns:

`policy.id` The policy identification number.

`claim.number` The claim number.

`driver.age` The driver age (given in the insurance contract).

Examples

```
# (1) load of data
#
data(tplclaimnumber)

# (2) plot and description of data
#
table(tplclaimnumber$claim.number)
```

ukaggclaim *UK Car Insurance Claims for 1975*

Description

The data give the average claims for damage to the owner's car for privately owned and comprehensively insured vehicles in Britain in 1975. Averages are given in pounds sterling adjusted for inflation. The datasets contains 128 observations.

Usage

```
data(ukaggclaim)
```

Format

`ukaggclaim` contains 5 columns:

`OwnerAge` Policy-holder's age in years, categorized into 8 levels.

`Model` Type of car, in 4 groups.

`CarAge` Vehicle age in years, categorized into 4 levels.

`NClaims` Number of claims.

`AveCost` Average cost of each claim in pounds.

Source

The original dataset was provided by Baxter et al. (1980), then used in McCullagh and Nelder (1989). It is also available at http://www.statsci.org/data/general/carinsuk.html.

References

Baxter, L. A., Coutts, S. M., and Ross, G. A. F. (1980). *Applications of linear models in motor insurance*. In Proceedings of the 21st International Congress of Actuaries, Zurich, Society of Actuaries, pages 11-29.

McCullagh, P., and Nelder, J. A. (1989). *Generalized linear models*. Chapman and Hall, London.

Examples

```
# (1) load of data
#
data(ukaggclaim)
dim(ukaggclaim)

# (2) summary
#
sapply(1:5, function(i) summary(ukaggclaim[,i]))
```

ukautocoll *UK Automobile Collision Claims*

Description

The data give the average claims and claim counts for insured vehicles in UK. Averages are given in pounds sterling adjusted for inflation. The datasets contains 32 observations.

Usage

```
data(ukautocoll)
```

Format

`ukautocoll` contains 5 columns:

`Age` Policy-holder's age in years, categorized into 8 levels.

`Model` Type of car, in 4 groups.

`CarAge` Vehicle age in years, categorized into 4 levels.

`NClaims` Number of claims.

`AveCost` Average cost of each claim in pounds.

Source

The original dataset was provided by Baxter et al. (1980), then used in McCullagh and Nelder (1989) and Mildenhall (1999) It is also available at http://www.statsci.org/data/general/carinsuk.html.

References

Baxter, L. A., Coutts, S. M., and Ross, G. A. F. (1980). *Applications of linear models in motor insurance*. In Proceedings of the 21st International Congress of Actuaries, Zurich, Society of Actuaries, pages 11-29.

McCullagh, P., and Nelder, J. A. (1989). *Generalized linear models*. Chapman and Hall, London.

Mildenhall, S. J. (1999). *A systematic relationship between minimum bias and generalized linear models*. Casualty Actuarial Society Proceedings 86, 393-487, Casualty Actuarial Society. Arlington, Virginia.

Examples

```
# (1) load of data
#
data(ukautocoll)
dim(ukautocoll)

# (2) summary
#
sapply(1:NCOL(ukautocoll), function(i) summary(ukautocoll[,i]))
```

`usautoBI` *Automobile bodily injury claim dataset*

Description

This dataset contains automobile injury claims collected in 2002 by the Insurance Research Council (part of AICPCU and IIA). There are 1,340 records with demographic information, in addition to the claim amount.

Usage

```
data(usautoBI)
```

Format

`usautoBI` is a data frame of 8 columns and 1,340 rows:

`CASENUM` Case number to identify the claim.

`ATTORNEY` Whether the claimant is represented by an attorney: 1 is yes.

`CLMSEX` Claimant's gender: M for male and F for female.

`MARITAL` claimant's marital status : 1 if married, 2 if single, 3 if widowed, and 4 if divorced/separated.

`CLMINSUR` Whether or not the driver of the claimant's vehicle was uninsured: 1 if yes, 2 if no, and 3 if not applicable.

`SEATBELT` Whether or not the claimant was wearing a seatbelt/child restraint: 1 if yes, 2 if no, and 3 if not applicable.

`CLMAGE` Claimant's age.

`LOSS` The claimant's total economic loss (in thousands of USD).

Source

FreesBook-RMAFA

References

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(usautoBI)
dim(usautoBI)
head(usautoBI)
```

`usautotriangles` *US Automobile triangles*

Description

`usautotri9504` comes from Wacek (2007) and represent industry aggregates for private passenger auto liability/medical coverages. This dataset contains cumulative payments between 1995 and 2004 in millions of dollars. Amounts are based on insurance company annual statements from Schedule P (Part 3B). The elements of the triangle represent cumulative net payments, including defense and cost containment expenses.

`usreauto8700` comes from the 2001 edition of the Historical Loss. This dataset has been used by Braun (2004). These data are from reinsurance business for automobile liability coverages for years 1987-2000 and contain cumulative incurred amounts in thousands of US dollars.

Usage

```
data(usautotri9504)
data(usreauto8700)
```

Format

`usautotri9504`, data(usreauto8700) are matrices containing insurance triangles.

Source

FreesBook-RMAFA

References

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Wacek, M.G. (2007). *The path of the ultimate loss ratio estimate*, Variance 1, no. 2, 173-92.

Braun, C. (2004), *The prediction error of the chain ladder method applied to correlated run-off triangles*, ASTIN Bulletin 34, no. 2, 399-423.

Examples

```
# (1) load of data
#
data(usautotri9504)
data(usreauto8700)
```

usexpense *US expense dataset*

Description

This dataset is originally from the National Association of Insurance Commissioners and was examined by Frees (2011). This dataset contains financial statements based on 2005 annual reports for all the property and casualty insurance companies in United States. The annual reports are financial statements that use statutory accounting principles.

Usage

```
data(usexpense)
```

Format

`usexpense` is a data frame of 15 columns and 384 rows:

`CompanyName` Name of the company.
`Group` Indicates if the company is affiliated.
`Mutual` Indicates if the company is a mutual company.
`Stock` Indicates if the company is a stock company.
`RBC` Risk-Based Capital.
`Expenses` Total expenses incurred, in millions of dollars.
`StaffWage` Annual average wage of the insurer's administrative staff, in thousands of dollars.
`AgentWage` Annual average wage of the insurance agent, in thousands of dollars.
`LongLoss` Losses incurred for long tail lines, in millions of dollars.
`ShortLoss` Losses incurred for short tail lines, in millions of dollars.
`GWPpersonal` Gross written premium for personal lines, in millions of dollars.
`GWPcommercial` Gross written premium for commercial lines, in millions of dollars.
`Assets` Net admitted assets, in millions of dollars.
`Cash` Cash and invested assets, in millions of dollars.
`LiqRatio` The ratio of the liquid assets to the current liabilities level.

Source

FreesBook-RMAFA

References

Frees, E.W. (2011). *Regression Modeling with Actuarial and Financial Applications*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(usexpense)
```

usGLtriangles *US general liability triangles*

Description

usreGL8190 comes from the 1991 edition of the Historical Loss Development Study published by the Reinsurance Association of American (page 91). This dataset has been used by Mack (1994) and by England and Verrall (2002). These data are from automatic facultative reinsurance business in general liability (excluding asbestos and environmental) coverages for years 1981-1990. Under a facultative basis, each risk is underwritten by the reinsurer on its own merits.

usreGL8700 comes from the 2001 edition of the Historical Loss. This dataset has been used by Braun (2004). These data are from reinsurance business for general liability coverages for years 1987-2000 and contain cumulative incurred amounts in thousands of US dollars.

ustri1fire is a list of two triangles for fire insurance (one for incurred amounts and the other for paid amounts) from Quard and Mack (2008).

ustri2GL is a list of three triangles for three line-of-business: commercial automobile businesses, homeowners, workers' compensation from Kirschner, Kerley and Isaacs (2002). These are cumulative paid amounts in thousands of dollars.

Usage

```
data(usreGL8700)
data(usreGL8190)
data(ustri1fire)
data(ustri2GL)
```

Format

usreGL8700 and usreGL8190 are two matrices containing insurance triangles. ustri1fire, ustri2GL are named lists.

Source

FreesBook-RMAFA

References

Braun, C. (2004), *The prediction error of the chain ladder method applied to correlated run-off triangles*, ASTIN Bulletin 34, no. 2, 399-423.

England, P.D., and R.J. Verrall (2002), *Stochastic claims reserving in general insurance*, British Actuarial Journal 8, 443-544.

Frees, E.W. (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Mack, T. (1994), *Measuring the variability of chain-ladder reserve estimates*, Casualty Actuarial Society, Spring Forum, Arlington, Virginia.

Quard and Mack (2008), *Munich Chain Ladder: a reserving method that reduces the gap between IBNR projections based on paid losses and IBNR projections based on incurred losses*, Variance, Volume 2, Issue 2.

Kirschner, G.S., Kerley C. and Isaacs B. (2002), *Two approaches to calculating correlated reserves indicators across multiple lines of business*, CAS forum fall.

Examples

```
# (1) load of data
#
data(usreGL8700)
data(usreGL8190)

data(ustri1fire)
data(ustri2GL)
```

`ushurricane` *Normalized Hurricane Damages*

Description

Normalized Hurricane Damages in the United States: 1900-2005 used in Pielke et al. (2008). Originally, the data are stored in an Excel file with 4 worksheets. Damages are normalized according two approaches : (1) the methodology used by Pielke and Landsea (1998), adjusting for inflation, wealth, and population updated to 2005, called PL05; and (2) the methodology used by Collins and Lowe (2001), adjusting for inflation, wealth, and housing units updated to 2005, called CL05.

Usage

```
data(ushustormloss)
data(ushuannualloss)
data(ushuinflation)
data(ushupopulation)
```

Format

`ushustormloss` is a data frame of 7 columns and 207 rows:

`Year` Year of the Hurricane.

`Hurricane.Description` Description of the Hurricane.

`State` States damaged by the Hurricane.

`Category` Category of the Hurricane.

`Base.Economic.Damage` Economic damages (original USD).

`Normalized.PL05` Normalized PL05 damages (2005 USD).

`Normalized.CL05` Normalized CL05 damages (2005 USD).

`ushuannualloss` is a data frame of 2 columns and 106 rows:

`Year` Year.

`Normalized.PL05` Total year Normalized damages (2005 USD).

ushuinflation is a data frame of 9 columns and 106 rows:

Year Year.

Implicit.Price.Deflator Implicit price deflator.

Inflation.Multiplier Inflation multiplier.

Wealth Wealth.

Real.Wealth.2005.Base Real wealth (2005 base).

Real.Wealth.Per.Capita Real wealth per capita.

Real.Wealth.Per.Capita.Multiplier Real wealth per capita multiplier.

Real.Wealth.Per.Housing.Unit Real wealth per housing unit.

Real.Wealth.Per.Housing.Unit.Multiplier Real wealth per housing multiplier.

ushupopulation is a data frame of 12 columns and 217 rows:

Storm.ID Storm ID.

Storm.Year Year of the Storm.

Storm.Name Name of the Storm.

County.Original.Population Original population in counties affected by storm.

County.2005.Population 2005 population in counties affected by storm.

County.Population.Multiplier County population multiplier.

County.Original.Housing.Units Original housing units in counties affected by storm.

County.2005.Housing.Units 2005 housing units in counties affected by storm.

Housing.Units.Multiplier Housing units multiplier.

Year Year

US.Population Total US population.

US.Housing.Units Total US housing units.

Source

http://sciencepolicy.colorado.edu/publications/special/normalized_hurricane_damages.html

References

Dataset used in Pielke, Gratz, Landsea, Collins, Saunders, and Musulin (2008), *Normalized Hurricane Damages in the United States: 1900-2005*, Natural Hazards Review, Volume 9, Issue 1, pp. 29-42. http://sciencepolicy.colorado.edu/admin/publication_files/resource-2476-2008.02.pdf

Examples

```
# (1) load of data
#
data(ushustormloss)
```

ushustormloss4980 *Normalized Hurricane Damages in US between 1949 and 1980*

Description

Normalized Hurricane Damages in the United States due to single hurricanes. They applied to the period from 1949 and 1980 and are adjusted for inflation. Originally, the dataset was compiled by the American Insurance Association and is also reported in Beirlant, Teugels and Vynckier (1996).

Usage

```
data(ushustormloss4980)
```

Format

`ushustormloss4980` is a data frame of 7 columns and 207 rows:

`NormLoss80` Normalized damages (million of 1980 USD).

References

Dataset used in Beirlant, Teugels and Vynckier (1996), *Practical Analysis of Extreme Values*, Leuven University Press.

Examples

```
# (1) load of data
#
data(ushustormloss4980)
```

uslapseagent *United States lapse dataset from tied-agent channel*

Description

The `uslapseagent` portfolio contains detailed information on the 29,317 Whole Life policies, all sold from the tied-agent channel between January 1995 and December 2008.

For each policy, we know the issuance date, the gender of the policyholder, the age category, etc... ~Unfortunately, some variables are rather uninformative.

Usage

```
data(uslapseagent)
```

Format

`uslapseagent` is a data frame of 14 columns and 29,317 rows:

`issue.date` Issue date. For policies not terminated in December 2008, we have non information: fixed right censored.

`duration` Time duration in quarters, unknown if censored.

`acc.death.rider` Indicates if the policy has an accidental death rider (i.e. an option covering accidental death).

`gender` The gender of the policyholder.

`premium.frequency` The premium frequency: either infra-annual (monthly, quarterly, semi-annual); annual or supra-annual.

`risk.state` The risk state: either `"Smoker"` or `"NonSmoker"`.

`underwriting.age` The underwriting age: either `"Young"` (between 0 and 34 years old), `"Middle"` (between 35 and 54 years old) or `"Old"` (between 55 and 84 years old).

`living.place` The living place (categorical value).

`annual.premium` The annual premium (standardized scale): mean 560.88 and standard deviation 526.58 in original USD scale.

`DJIA` the last observed quarterly variation of the DowJones Index (in standardized scale): mean 0.00178 and standard deviation 0.0494 in original scale.

`termination.cause` The type of termination.

`surrender` A binary variable indicating the surrender by policyholder.

`death` A binary variable indicating the death of policyholder.

`other` A binary variable indicating other termination such as term.

`allcause` A binary variable indicating all termination.

Source

Unknown non-life insurers from United States, used in Milhaud and Dutang (2018), preprint at https://hal.archives-ouvertes.fr/hal-01985256.

References

Dataset used in Milhaud and Dutang (2018), *Lapse tables for lapse risk management in insurance: a competing risk approach*, European Actuarial Journal, 2018, Volume 8, Issue 1.

Examples

```
# (1) load of data
#
data(uslapseagent)
head(uslapseagent)
```

`usmassBI` *Massachusetts Automobile bodily injury claim datasets*

Description

The dataset `usmassBI` contains automobile bodily injury claims collected in 2001 in Massachusetts, and studied in Frees (2010) and Rempala and Derrig (2005). There are 348 records with demographic information, in addition to the claim amount. Claims that are closed by year end are excluded. Potential fraudulent claims are from provider=A.

The dataset `usmassBI2` contains automobile bodily injury claims collected between 1993 and 1998 in Massachusetts, and studied in Frees and Wang (2005). This is a sample of 29 Massachusetts towns described in Frees (2003). Claim amounts have been rescaled to adjust for the effects of inflation: all claims are in 1991 dollars, using the Consumer Price Index (CPI) for the rescaling factor.

Usage

```
data(usmassBI)
data(usmassBI2)
```

Format

`usmassBI` is a data frame of 8 columns and 1,340 rows:

`claims` Claim amount for bodily insurance coverage (in millions of USD).

`provider` Health care provider is either `"A"` or `"Other"`.

`providerA` Binary variable indicating the presence of `"Other"` provider.

`logclaims` Logarithm of claim amount.

`usmassBI2` is a data frame of 5 columns and 174 rows:

`TOWNCODE` The index of Massachusetts towns.

`YEAR` The calendar year of the observation.

`AC` Average claims per unit of exposure.

`PCI` Per-capita income of the town.

`PPSM` Population per square mile of the town.

Source

FreesBook-RMAFA

References

Frees, E.W. (2003), *Multivariate Credibility for Aggregate Loss Models*, North American Actuarial Journal 7(1), 13-37.

Frees, E.W. (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Frees, E.W. and Wang, P. (2005), *Credibility using copulas*, North American Actuarial Journal, 9(2), 31-48.

Rempala, G.A., and R.A. Derrig (2005), *Modeling hidden exposures in claim severity via the EM algorithm*, North American Actuarial Journal 9(2), 108-128.

Examples

```
# (1) load of data
#
data(usmassBI)
dim(usmassBI)
head(usmassBI)


# (1) load of data
#
data(usmassBI2)
dim(usmassBI2)
head(usmassBI2)

# summary tables
sapply(levels(usmassBI2$TOWNCODE), function(x) summary(subset(usmassBI2, TOWNCODE == x)$AC))
sapply(unique(usmassBI2$YEAR), function(x) summary(subset(usmassBI2, YEAR == x)$AC))

#plot average claims
plot(AC~YEAR, data=usmassBI2)
for(i in usmassBI2$TOWNCODE) lines(AC~YEAR, data=subset(usmassBI2, TOWNCODE== i), col=i)
```

---

usmedclaim *US Medical claim incremental triangles*

Description

This dataset comes from Gamage et al. (2007) and contains medical-care payements by month between January 2001 and December 2003. Payments for medical-care coverage come from policies with no deductible or coinsurance. For a given month and a development year, payments are aggregated among members but are cumulated over development year. The payments exclude prescription drugs that typically have a shorter payment pattern than other medical claims.

Usage

```
data(usmedclaim)
```

Format

`usmedclaim` is a matrix containing two columns (with members count and month) and the insurance triangle.

Source

FreesBook-RMAFA

References

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Gamage, J., Linfield, J., Ostaszewski, K. and S. Siegel (2007). *Statistical methods for health actuaries - IBNR estimates: An introduction*, Society of Actuaries Working Paper, Schaumburg, Illinois.

Examples

```
# (1) load of data
#
data(usmedclaim)
head(usmedclaim, 10)


# (2) graph of data
#
matplot(t(as.matrix(usmedclaim[,-(1:2)])), type="b", main="Payment by accident month",
    xlab="Month", ylab="Amount (USD)")
```

---

usprivautoclaim *US Private Auto Claims*

Description

This dataset contains claim amounts for private motor insurance from a US property and casualty insurer. Claims that were not closed by the year end are excluded. A risk classification is available and is based on driver and vehicle characteristics.

Usage

```
data(usprivautoclaim)
```

Format

`usprivautoclaim` contains 5 columns:

`STATE` State in US.

`CLASS` Risk category.

`GENDER` Gender.

`AGE` Driver age.

`PAID` Claim amount.

Source

FreesBook-RMAFA

References

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Hallin and Ingenbleek (1983), *The Swedish automobile portfolio in 1977. A statistical study*, Scandinavian Actuarial Journal, 49-64.

Andrews and Herzberg (1985), *Data. A collection of problems from many fields for the student and research worker*, Springer-Vedag, New York, pp. 4t3-421.

Examples

```
# (1) load of data
#
data(usprivautoclaim)
dim(usprivautoclaim)
```

`usquakeLR` *California earthquake loss ratios*

Description

Loss ratios for earthquake insurance in California between 1971 and 1994.

Usage

```
data(usquakeLR)
```

Format

`usquakeLR` is a data frame of 2 columns and 24 rows:

`Year` Year of the earthquake.

`LossRatio` Loss ratio.

References

Dataset used in Jaffee and Russell (1996), *Catastrophe Insurance, Capital Markets and Uninsurable Risks*, Philadelphia: Financial Institutions Center, The Wharton School, p. 96-112.

and

in Embrechts, Resnick and Samorodnitsky (1999). *Extreme Value Theory as a Risk Management Tool*, North American Actuarial Journal, Volume 3, Number 2.

Examples

```
# (1) load of data
#
data(usquakeLR)

# (2) plot log scale
#
plot(usquakeLR$Year, usquakeLR$LossRatio+1e-3,
ylim=c(1e-3, 1e4), log="y", ylab="Loss Ratio", xlab="Year")
```

`ustermlife` *US Term Life insurance*

Description

This dataset comes from Survey of Consumer Finances (SCF), a nationally representative sample that contains extensive information on assets, liabilities, income, and demographic characteristics of those sampled (potential U.S. customers). It contains a random sample of 500 households with positive incomes that were interviewed in the 2004 survey. For term life insurance, the quantity of insurance is measured by the policy face, the amount that the company will pay in the event of the death of the named insured. Characteristics include annual income, the number of years of education of the survey respondent and the number of household members.

Usage

```
data(ustermlife)
```

Format

`ustermlife` is a data frame of 15 columns and 384 rows:

`Gender` Gender of the survey respondent.

`Age` Age of the survey respondent.

`MarStat` Marital status of the survey respondent: 1 if married, 2 if living with partner, and 0 otherwise.

`Education` Number of years of education of the survey respondent.

`Ethnicity` Ethnicity.

`SmarStat` Marital status of the respondent's spouse.

`Sgender` Gender of the respondent's spouse.

`Sage` Age of the respondent's spouse.

`Seducation` Education of the respondent's spouse.

`NumHH` Number of household members.

`Income` Annual income of the family.

`TotIncome` Total income.

`Charity` Charitable contributions.

`Face` Amount that the company will pay in the event of the death of the named insured.

`FaceCVLifePol` Face amount of life insurance policy with a cash value.

`CashCVLifePol` Cash value of life insurance policy with a cash value.

`BorrowCVLifePol` Amount borrowed on life insurance policy with a cash value.

`NetValue` Net amount at risk on life insurance policy with a cash value.

Source

FreesBook-RMAFA

References

Frees, E.W. (2011). *Regression Modeling with Actuarial and Financial Applications*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(ustermlife)
```

`uswarrantaggnum` *Warranty Automobile claims*

Description

This dataset contains claims numbers for a sample of 15,775 automobiles that were sold and under warranty for 365 days. Warranties are guarantees of product reliability issued by the manufacturer. The warranty data are for one vehicle system (e.g., brakes or power train) and cover one year with a 12,000 mile limit on coverage.

Usage

```
data(uswarrantaggnum)
```

Format

`uswarrantaggnum` is a data frame of 8 columns and 1,340 rows:

`PolicyNumber` Policy number.

`ClaimNumber` Claim number. 5 is actually 5 and more.

Source

FreesBook-RMAFA

References

Cook, R.J. and J.F. Lawless (2002), *The statistical analysis of recurrent events*, Springer.

Frees (2010), *Regression modelling with actuarial and financial applications*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(uswarrantaggnum)
uswarrantaggnum
```

`usworkcomp` *US workers compensation datasets*

Description

The dataset `usworkcomp` is originally from the National Council on Compensation Insurance and was examined by Klugman (1992), Frees et al. (2001) and Frees (2011). This database contains records of losses due to permanent or partial disability claims for workers compensation insurance in US. For each claim amount, the payroll is available as a measure of exposure units. A total of 847 data points is available coming from the observation of 121 risk classes over 7 years.

The dataset `usworkcomptri8807` comes from an unknown US insurer: this reserve triangle was used in Lacoume (2007).

Usage

```
data(usworkcomp)
```

Format

`usworkcomp` is a data frame of 4 columns and 847 rows:

`CL` Occupation class identifier, 1-124.

`YR` Year identifier, 1-7.

`PR` Payroll, a measure of exposure to loss, in dollars.

`LOSS` Losses related to permanent partial disability, in dollars.

`usworkcomptri8807` is a reserve triangle with 21 development years and 20 accident years.

Source

FreesBook-RMAFA

References

Klugman, Stuart A. (1992). *Bayesian Statistics in Actuarial Science*, Kluwer, Boston.

Frees, E.W. and Young, V.R. and Luo, Y. (2001), *Case studies using panel data models*, North American Actuarial Journal, 5, 24-42.

Lacoume, A. (2007), *Mesure du risque de reserve sur un horizon de un an*, Actuary memoir, ISFA.

Frees, E.W. (2011). *Regression Modeling with Actuarial and Financial Applications*, Cambridge University Press.

Examples

```
# (1) load of data
#
data(usworkcomp)


# Table 3 of Fres et al. (2001)
# (in million USD)

t(sapply(unique(usworkcomp$YR),
function(y) summary( subset(usworkcomp, YR == y)[,"PR"] / 10^6 )))
```

Index