## Answer To the Question of assignment-25

1.

You are required to develop a fully functional payroll management software using the Laravel framework. The application should have the following features:

**User Authentication:** 

Simple Employee Leave Application Management System

**User Type** 

Employees: Can request leaves.

Managers: Approve or reject leave requests.

User Type

Define leave categories like vacation, sick leave, etc

Leave Requests:

Employees request time off with dates and reason.

Managers get notified of new requests.

Approval Process:

Managers approve or reject requests.

Notifications Email sent to employees.

**Leave Balances:** 

System tracks available leave days.

**Basic Reporting:** 

Simple reports on leave history.

```
Step 1: Database Setup
Configure the .env file with your database credentials named
DB_DATABASE=dsa_leave_management
Step 2: Design and Implement Database Tables
Create migration files:
2021_12_11_143933_staff_data.php
2021_12_11_144004_user_account.php
2021_12_11_144121_leave_data.php
2023_01_13_164324_create_leave_type.php
Edit the generated migration files:
database/migrations/2021_12_11_143933_staff_data.php
public function up()
  {
   Schema::create('staff_data', function (Blueprint $table) {
       $table->increments('auto_id');
       $table->string('staff_id');
       $table->string('firstname');
       $table->string('lastname');
       $table->string('dob');
       $table->string('email');
       $table->string('phone number');
       $table->string('position');
    });
  }
database/migrations/2021_12_11_144004_user_account.php
public function up()
  {
   Schema::create('user_account', function (Blueprint $table) {
```

```
$table->increments('auto_id');
    $table->string('staff_id');
    $table->string('username');
    $table->string('password');
    $table->string('account_type');
   });
   // Insert some stuff
   DB::table('user_account')->insert(
     array(
       'staff_id' => "00001",
       'username' => "admin",
       'password' => "admin123",
       'account_type' => "admin"
     )
   );
  }
database/migrations/2021_12_11_144121_leave_data.php
public function up()
  {
   Schema::create('leave_data', function (Blueprint $table) {
    $table->increments('auto_id');
    $table->string('staff_id');
    $table->string('type_of_leave');
```

```
$table->string('description',5000);
    $table->date('date_of_leave');
    $table->datetime('date_of_request');
    $table->string('approval_status');
   });
database/migrations/2023_01_13_164324_create_leave_type.php
public function up()
  {
    Schema::create('leave_type', function (Blueprint $table) {
      $table->id();
      $table->string('leave_type_name');
      $table->integer('count');
      $table->date('from_date');
      $table->date('to_date');
      $table->boolean('active');
    });
Run migrations:
php artisan migrate
Create controller:
*****DatabaseController.php
<?php
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
use Redirect;
use Session;
use DB;
use Mail;
use App\Mail\MailNotify;
class DatabaseController extends Controller
{
 public function AddLeaveType(Request $request){
  $session_type = Session::get('Session_Type');
  $session_value = Session::get('Session_Value');
  if($session_type == "Admin"){
   $this->validate($request, [
    'ltype' => 'required',
    'lcount' => 'required',
    'Ifrom' => 'required',
    'lto' => 'required',
   ]);
   $ltype
             = $request->ltype;
   $|count = $request->|count;
   $Ifrom = $request->Ifrom;
   $lto
          = $request->lto;
```

```
if (DB::table('leave_type')->where('leave_type_name', $ltype)->doesntExist()) {
    if(DB::insert('INSERT INTO leave_type (leave_type_name, count, from_date, to_date, active) values
(?, ?, ?, ?)', [$ltype,$lcount,$lfrom,$lto,1])){
      return redirect()->back()->with('message', 'Operation Successful.');
    }
   }else{
    return redirect()->back()->withErrors("<strong>Unable to register:</strong> The given leave type
already exists in the database");
   }
  }
  return view("login-page");
 }
  public function InsertStaffData(Request $request){
   $session_type = Session::get('Session_Type');
   $session_value = Session::get('Session_Value');
   if($session_type == "Admin"){
```

```
$this->validate($request, [
     'staff id' => 'required',
     'first_name' => 'required',
     'last_name' => 'required',
     'date_of_birth' => 'required',
     'email' => 'required',
     'phone_number' => 'required',
     'position' => 'required',
    ]);
    $staff id
                = $request->staff id;
    $first name = $request->first name;
    $last_name = $request->last_name;
    $date_of_birth = $request->date_of_birth;
    $email
                = $request->email;
    $phone_number = $request->phone_number;
                 = $request->position;
    $position
    if (DB::table('staff_data')->where('staff_id', $staff_id)->doesntExist()) {
     if(DB::insert('INSERT INTO staff data (staff id, firstname, lastname, dob, email, phone number,
position) values (?, ?, ?, ?, ?, ?)', [$staff_id, $first_name, $last_name, $date_of_birth, $email,
$phone_number, $position])){
       return redirect()->back()->with('message', 'Registeration is Successful.');
     }
```

```
}else{
     return redirect()->back()->withErrors("<strong>Unable to register:</strong> The given staff ID
already exists in the database");
    }
   }
  }
  public function DeleteStaffData($auto_id){
   $session_type = Session::get('Session_Type');
    if($session_type == "Admin"){
      if(DB::table('staff_data')->where('auto_id', '=', $auto_id)->delete()){
        return redirect()->back()->with('message', 'Deletion is Successful.');
      }
   }else{
      return Redirect::to("/");
   }
 }
 public function UpdateStaffData(Request $request){
```

```
$session_type = Session::get('Session_Type');
   if($session_type == "Admin"){
    $this->validate($request, [
     'auto_id' => 'required',
     'first_name' => 'required',
     'last_name' => 'required',
     'date of birth' => 'required',
     'email' => 'required',
     'phone number' => 'required',
     'position' => 'required',
    ]);
    $auto_id
                 = $request->auto_id;
    $first_name = $request->first_name;
    $last_name = $request->last_name;
    $date_of_birth = $request->date_of_birth;
    $email
                = $request->email;
    $phone number = $request->phone number;
    $position
                = $request->position;
    if(DB::table('staff_data')->where('auto_id', $auto_id)->update(['firstname' => $first_name,
'lastname' => $last_name, 'dob' => $date_of_birth, 'email' => $email, 'phone_number' =>
$phone_number, 'position' => $position])){
```

return Redirect::to("/view-staff-management-index")->with('message', 'Updation is Successful.');

```
}else{
     return Redirect::to("/view-staff-management-index")->with('message', 'No changes made.');
    }
   }else{
     return Redirect::to("/");
   }
}
 public function ChangeUsername(Request $request){
  $session_type = Session::get('Session_Type');
  if($session_type == "Admin"){
    $admin_data = DB::table('user_account')->where("account_type", "admin")->get(); // Get staff
data.
    if($request->password == $admin_data[0]->password){
     if(DB::table('user_account')->where('account_type', 'admin')->update(['username'=>$request-
>username])){
```

```
return redirect()->back()->with('message', 'Username has been updated successfully.');
    }else{
      return redirect()->back()->with('message', 'No changes made.');
    }
   }else{
    return redirect()->back()->withErrors('The password is wrong.');
   }
  }else{
    return Redirect::to("/");
 }
public function ChangePassword(Request $request){
 $session_type = Session::get('Session_Type');
 if($session_type == "Admin"){
   $admin_data = DB::table('user_account')->where("account_type", "admin")->get(); // Get staff data.
```

```
if($request->current_password == $admin_data[0]->password){
    if($request->new_password == $request->confirm_password){
     if(DB::table('user_account')->where('account_type', 'admin')->update(['password'=>$request-
>new_password])){
        return redirect()->back()->with('message', 'Password has been updated successfully.');
      }else{
       return redirect()->back()->with('message', 'No changes made.');
     }
    }else{
     return redirect()->back()->withErrors('The confirm password does not match');
    }
   }else{
    return redirect()->back()->withErrors('The current password is wrong.');
   }
  }else{
```

```
return Redirect::to("/");
 }
}
 public function EditUserAccount(Request $request){
  $session_type = Session::get('Session_Type');
  if($session_type == "Admin"){
   $this->validate($request, [
    'username' => 'required',
    'password' => 'required',
   ]);
   $username = $request->username;
   $password = $request->password;
   $auto_id = $request->auto_id;
   if(DB::table('user_account')->where('auto_id', $auto_id)->update(['username' => $username,
'password' => $password])){
    return Redirect::to("/view-user-accounts-index")->with('message', 'Updation is Successful.');
   }else{
```

```
return Redirect::to("/view-user-accounts-index")->with('message', 'No changes made.');
   }
  }else{
    return Redirect::to("/");
  }
}
public function DeleteUserAccount($auto_id){
  $session_type = Session::get('Session_Type');
  if($session_type == "Admin"){
    if(DB::table('user_account')->where('auto_id', '=', $auto_id)->delete()){
      return redirect()->back()->with('message', 'Deletion is Successful.');
    }
  }else{
    return Redirect::to("/");
  }
}
```

```
public function InsertUserAccount(Request $request){
 $session_type = Session::get('Session_Type');
 $session_value = Session::get('Session_Value');
 if($session_type == "Admin"){
  $this->validate($request, [
   'staff id' => 'required',
   'username' => 'required',
   'password' => 'required',
  ]);
  $staff_id = $request->staff_id;
  $username = $request->username;
  $password = $request->password;
  $staff_email_data = DB::table('staff_data')->where('staff_id',$staff_id)->select("email")->get();
  $data = [
  "subject"=>"New User Created",
  "body"=>"Username:$username \n Password:$password"
  ];
 // MailNotify class that is extend from Mailable class.
 try
 {
  Mail::to( $staff_email_data )->send(new MailNotify($data));
```

```
//return response()->json(['Great! Successfully send your mail']);
  catch(Exception $e)
   return response()->json(['Mail not sent']);
  }
  if (DB::table('user_account')->where('staff_id', $staff_id)->doesntExist()) {
   if (DB::table('user_account')->where('username', $username)->doesntExist()) {
     if(DB::insert('INSERT INTO user_account (staff_id, username, password, account_type) values (?, ?,
?, ?)', [$staff_id, $username, $password, "staff"])){
       return redirect()->back()->with('message', 'Account creation is Successful.');
     }
   }else{
     return redirect()->back()->withErrors("<strong>Unable to create:</strong> The given username
already exists in the database.");
   }
  }else{
```

```
return redirect()->back()->withErrors("<strong>Unable to create:</strong> The staff already has an
account");
  }
 }
}
public function AcceptRequest($auto_id){
 $session_type = Session::get('Session_Type');
 $session_value = Session::get('Session_Value');
 if($session_type == "Admin"){
  if (DB::table ('leave\_data')-> where (["auto\_id"=> \$auto\_id])-
>update(['approval_status'=>"[ACCEPTED]"])){
     return redirect()->back()->with('message', 'Accepted');
  }else{
   return redirect()->back()->with('message', 'No changes made.');
  }
 }else{
    return Redirect::to("/");
```

```
}
}
public function DeclineRequest($auto_id){
 $session_type = Session::get('Session_Type');
 $session_value = Session::get('Session_Value');
 if($session_type == "Admin"){
  if(DB::table('leave_data')->where(["auto_id"=>$auto_id])-
>update(['approval_status'=>"[DECLINED]"])){
     return redirect()->back()->with('message', 'Declined');
  }else{
   return redirect()->back()->with('message', 'No changes made.');
  }
 }else{
    return Redirect::to("/");
 }
}
```

```
public function ChangeUsernameOfStaffAccount(Request $request){
  $session_type = Session::get('Session_Type');
  $session_value = Session::get('Session_Value');
  if($session_type == "Staff"){
   $staff_data = DB::table('user_account')->where(["account_type" => "staff", "staff_id" =>
$session_value])->get(); // Get staff data.
   if($request->password == $staff_data[0]->password){
    if(DB::table('user_account')->where(["account_type" => "staff", "staff_id" => $session_value])-
>update(['username'=>$request->username])){
       return redirect()->back()->with('message', 'Username has been updated successfully.');
    }else{
     return redirect()->back()->with('message', 'No changes made.');
    }
   }else{
    return redirect()->back()->withErrors('The password is wrong.');
   }
```

```
}else{
    return Redirect::to("/");
 }
}
public function ChangePasswordOfStaffAccount(Request $request){
  $session_type = Session::get('Session_Type');
  $session_value = Session::get('Session_Value');
  if($session_type == "Staff"){
   $staff_data = DB::table('user_account')->where(["account_type" => "staff", "staff_id" =>
$session_value])->get(); // Get staff data.
   if($request->current_password == $staff_data[0]->password){
    if($request->new_password == $request->confirm_password){
     if(DB::table('user_account')->where(["account_type" => "staff", "staff_id" => $session_value])-
>update(['password'=>$request->new_password])){
        return redirect()->back()->with('message', 'Password has been updated successfully.');
     }else{
```

```
return redirect()->back()->with('message', 'No changes made.');
    }
   }else{
    return redirect()->back()->withErrors('The confirm password does not match');
   }
  }else{
   return redirect()->back()->withErrors('The current password is wrong.');
  }
}else{
  return Redirect::to("/");
public function InsertLeaveDataOfStaffAccount(Request $request){
 $session_type = Session::get('Session_Type');
 $session_value = Session::get('Session_Value');
```

```
if($session_type == "Staff"){
   $this->validate($request, [
    'type_of_leave' => 'required',
    'description' => 'required',
    'date_of_leave' => 'required',
   ]);
   $staff id
                 = $session_value;
   $type of leave = $request->type of leave;
   $description = $request->description;
   $date_of_leave = $request->date_of_leave;
   $date_of_request = date('Y-m-d H:i:s');
   $approval_status = "[PENDING]";
   $results = DB::table('leave_type')->where('leave_type_name', $type_of_leave)->value('id');
   if(DB::insert('INSERT INTO leave_data (staff_id, type_of_leave, description, date_of_leave,
date_of_request, approval_status ) values (?, ?, ?, ?, ?)', [$staff_id, $results, $description,
$date_of_leave, $date_of_request, $approval_status])){
     return redirect()->back()->with('message', 'Leave request has been submited successfully.');
   }
```

```
}
}
public\ function\ Delete Leave Pending Request In Staff Account (\$auto\_id) \{
 $session_type = Session::get('Session_Type');
 if($session_type == "Staff"){
  if(DB::table('leave_data')->where('auto_id', '=', $auto_id)->delete()){
     return redirect()->back()->with('message', 'Deletion is Successful.');
  }
 }else{
    return Redirect::to("/");
 }
```

```
}
?>
***LoginController.php
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use DB;
use Redirect;
use Session;
class LoginController extends Controller
{
  public function HandleLoginContoller(Request $request){
    $this->validate($request, [
     'username' => 'required',
     'password' => 'required',
    // 'login_type' => 'required',
    ]);
    $user_entered_username = $request->username;
    $user_entered_password = $request->password;
```

```
// $user_entered_login_type = $request->login_type;
    $real_staff_id = "";
   $real_username = "";
   $real_password = "";
    $real_account_type = "";
   //$user = DB::select( DB::raw("SELECT staff_id,username, password,account_type FROM
user_account WHERE username ='$user_entered_username' AND
account_type='$user_entered_login_type'"));
    $user = DB::select( DB::raw("SELECT staff id,username, password,account type FROM
user_account WHERE username ='$user_entered_username'"));
    foreach($user as $u){
     $real_staff_id = $u->staff_id;
     $real_username = $u->username;
     $real_password = $u->password;
     $real_account_type = $u->account_type;
   }
   if($real_username != "" && $real_password != "" && $real_account_type != ""){
    if($user entered username == $real username && $user entered password == $real password){
     if($real_account_type == "admin"){
```

```
Session::put('Session_Type', 'Admin');
   Session::put('Session_Value', $real_username);
   return Redirect::to("/view-home-page");
  }else if($real_account_type == "staff"){
   Session::put('Session_Type', 'Staff');
   Session::put('Session_Value', $real_staff_id);
   return Redirect::to("/view-home-page-of-staff-account");
  }
}else{
 return Redirect::to("/")->withErrors(['The username or password is incorrect.']);
}
}else{
 return Redirect::to("/")->withErrors(['Sorry, no account found for this credentials']);
echo $real_password." ".$real_password." ".$real_account_type;
```

```
}
  public function HandleLogoutContoller(){
   Session::flush();
   return Redirect('/');
  }
}
*** MailController.php
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use Mail;
use App\Mail\MailNotify;
class MailController extends Controller
{
public function index()
  $data = [
   "subject"=>"Leave Update",
   "body"=>"Leave"
   ];
```

```
// MailNotify class that is extend from Mailable class.
  try
  {
   Mail::to('receiver@example.com')->send(new MailNotify($data));
   return response()->json(['Great! Successfully send in your mail']);
  }
  catch(Exception $e)
  {
   return response()->json(['Sorry! Please try again latter']);
  }
}
**** PageController.php
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use Redirect;
use Session;
use DB;
class PageController extends Controller
{
 public function ViewLoginPageController(){
   return view("login-page");
```

```
}
public function ViewHomePageController(){
   $session_type = Session::get('Session_Type');
   $session_value = Session::get('Session_Value');
   if($session_type == "Admin"){
    $pending_data = DB::select("SELECT leave_data.*, staff_data.firstname, staff_data.lastname FROM
leave_data, staff_data WHERE staff_data.staff_id = leave_data.staff_id AND leave_data.approval_status
= '[PENDING]' ORDER BY leave_data.date_of_request ASC"); // SQL-CODE
    $leave_type=DB::table('leave_type')->value('leave_type_name');
    $leave_type =DB::table('leave_type')->groupBy('leave_type_name','id')-
>select('id','leave_type_name', \DB::raw('COUNT(*) as cnt'))->get();
    return view("admin-dashboard-content/home-page")->with(["pending_data"=>
$pending_data,"leave_type"=>$leave_type]);
   }else if($session_type == "Staff"){
    $pending_data = DB::select("SELECT leave_data.*,leave_type.leave_type_name
staff_data.firstname, staff_data.lastname FROM leave_data, staff_data, leave_type WHERE
staff data.staff id = leave data.staff id AND leave data.type of leave=leave type name.id AND
leave_data.approval_status = '[PENDING]' ORDER BY leave_data.date_of_request ASC"); // SQL-CODE
```

```
$leave_t= DB::table('leave_data')->join('leave_type_name', 'leave_data.type_of_leave', '=',
'leave_type_name.id')->get();
    return view("admin-dashboard-content/home-page")->with(["pending_data",
$pending_data,'staff_user_data' => $staff_user_data,'leave_t'=>$leave_t]);
   }else{
    return Redirect::to("/");
   }
}
 public function ViewStaffManagementIndexController(){
   $session_type = Session::get('Session_Type');
   $session_value = Session::get('Session_Value');
   if($session_type == "Admin"){
    $staff_data = DB::table('staff_data')->get(); // Get staff data.
    return view("admin-dashboard-content/staff-management-page-1-index")->with('staff_data',
$staff_data); //Send staff data with it.
   }else{
    return Redirect::to("/");
```

```
}
}
 public function ViewStaffManagementEditController($auto_id){
   $session_type = Session::get('Session_Type');
   $session_value = Session::get('Session_Value');
   if($session_type == "Admin"){
    $staff_data = DB::table('staff_data')->where("auto_id", $auto_id)->get(); // Get staff data.
     return view("admin-dashboard-content/staff-management-page-2-edit")->with('staff_data',
$staff_data); //Send staff data with it.
   }else{
    return Redirect::to("/");
   }
}
 public function ViewSettingsPageContoller(){
   $session_type = Session::get('Session_Type');
   $session_value = Session::get('Session_Value');
```

```
if($session_type == "Admin"){
    $admin_data = DB::table('user_account')->where("account_type", "admin")->get(); // Get staff
data.
    return view("admin-dashboard-content/settings-page-1-index")->with('admin_data',
$admin_data); //Send staff data with it.
   }else{
    return Redirect::to("/");
   }
}
 public function ViewUserAccountsIndexContoller(){
   $session_type = Session::get('Session_Type');
   $session_value = Session::get('Session_Value');
   if($session_type == "Admin"){
    $staff_data = DB::select("SELECT * FROM staff_data WHERE staff_data.staff_id NOT IN (SELECT
user_account.staff_id FROM user_account)"); // SQL-CODE
    $staff_user_data = DB::table('user_account')->where("account_type", "staff")->get(); // Get staff
data.
```

```
return view("admin-dashboard-content/user-accounts-page-1-index")->with(['staff_user_data' =>
$staff_user_data, "staff_data" => $staff_data]); //Send staff data with it.
   }else{
    return Redirect::to("/");
   }
}
 public function ViewEditUserAccount($auto_id){
  $session_type = Session::get('Session_Type');
  $session_value = Session::get('Session_Value');
  if($session_type == "Admin"){
   $user_data = DB::table('user_account')->where(["auto_id" => $auto_id])->get();
   return view("admin-dashboard-content/user-accounts-page-2-edit")->with(['user_data' =>
$user_data]); //Send staff data with it.
  }else{
   return Redirect::to("/");
  }
```

```
}
 public function ViewLeaveHistoryController(){
  $session_type = Session::get('Session_Type');
  if($session_type == "Admin"){
   $staff_basic_data = DB::table('staff_data')->select("staff_id","firstname", "lastname")->get();
   $leave_data = DB::table('leave_data')->where(["approval_status" => "[ACCEPTED]"])-
>orWhere("approval_status", "[DECLINED]")->orderBy('date_of_request', 'DESC')->get();
   $leave_type=DB::table('leave_type')->get();
   return view("admin-dashboard-content/leave-management-page-1-index")-
>with(["staff_basic_data"=>$staff_basic_data,"leave_type"=>$leave_type,"leave_data" => $leave_data,
"filter_options" => ["staff_id" => "Select a staff","type_of_leave" => "All", "year" => "All", "month" =>
"All", "status" => "All"]]); //Send staff data with it.
  }else{
   return Redirect::to("/");
  }
```

```
}
 public function FilterSearchLeaveHistoryController(Request $request){
  $session_type = Session::get('Session_Type');
  if($session_type == "Admin"){
   $session_value = Session::get('Session_Value');
   $staff_basic_data = DB::table('staff_data')->select("firstname", "lastname")->where(["staff_id" =>
$session_value])->get();
   $SqlCode = "";
   $staff_id = $request->staff_id;
   $type_of_leave = $request->type_of_leave;
   $year
             = $request->year;
   $month = $request->month;
   $status = $request->status;
   if($type_of_leave == "All" && $year == "All" && $month == "All" && $status == "All" && $staff_id !=
""){
    $$qlCode = "$ELECT * FROM leave_data WHERE (approval_status = '[ACCEPTED]' OR
approval_status = '[DECLINED]') AND staff_id = '$staff_id' ORDER BY 'DESC'";
   }else if($type of leave != "All" && $year == "All" && $month == "All" && $status == "All" &&
$staff_id != ""){
```

```
$$qlCode = "$ELECT * FROM leave_data WHERE type_of_leave = '$type_of_leave' AND
(approval_status = '[ACCEPTED]' OR approval_status = '[DECLINED]') AND staff_id = '$staff_id' ORDER BY
'DESC'";
   }else if($type of leave == "All" && $year != "All" && $month == "All" && $status == "All" &&
$staff id != ""){
    $$qlCode = "$ELECT * FROM leave data WHERE date of leave LIKE '{$year} %' AND
(approval status = '[ACCEPTED]' OR approval status = '[DECLINED]') AND staff id = '$staff id' ORDER BY
'DESC'";
   }else if($type of leave == "All" && $year != "All" && $month != "All" && $status == "All" &&
$staff_id != ""){
    $$qlCode = "$ELECT * FROM leave_data WHERE date_of_leave LIKE '%{$year}_{$month}___%' AND
(approval_status = '[ACCEPTED]' OR approval_status = '[DECLINED]') AND staff_id = '$staff_id' ORDER BY
'DESC'";
   }else if($type of leave == "All" && $year == "All" && $month == "All" && $status != "All" &&
$staff_id != ""){
    $$qlCode = "$ELECT * FROM leave data WHERE approval status = '$status' AND staff id =
'$staff_id' ORDER BY 'DESC'";
   }else if($type_of_leave != "All" && $year != "All" && $month == "All" && $status == "All" &&
$staff_id != ""){
    $$qlCode = "$ELECT * FROM leave_data WHERE (date_of_leave LIKE '%{$year}_____%' AND
type of leave = '$type of leave') AND (approval status = '[ACCEPTED]' OR approval status =
'[DECLINED]') AND staff_id = '$staff_id' ORDER BY 'DESC'";
   }else if($type of leave != "All" && $year != "All" && $month != "All" && $status == "All" &&
$staff_id != ""){
```

```
$SqlCode = "SELECT * FROM leave_data WHERE (date_of_leave LIKE '%{$year}_{$month} ___%' AND
type_of_leave = '$type_of_leave') AND (approval_status = '[ACCEPTED]' OR approval_status =
'[DECLINED]') AND staff id = '$staff id' ORDER BY 'DESC'";
   }else if($type_of_leave != "All" && $year != "All" && $month != "All" && $status != "All" && $staff_id
!= ""){
    $$qlCode = "$ELECT * FROM leave data WHERE (date of leave LIKE '%{$year} {$month} %' AND
type of leave = '$type of leave' AND approval status = '$status') AND (approval status = '[ACCEPTED]'
OR approval_status = '[DECLINED]') AND staff_id = '$staff_id' ORDER BY 'DESC'";
   }else if($type of leave != "All" && $year != "All" && $month == "All" && $status != "All" &&
$staff_id != ""){
    $$qlCode = "$ELECT * FROM leave data WHERE date of leave LIKE '%{$year} %' AND
type_of_leave = '$type_of_leave' AND approval_status = '$status' AND staff_id = '$staff_id' ORDER BY
'DESC'";
   }else if($type of leave == "All" && $year != "All" && $month == "All" && $status != "All" &&
$staff_id != ""){
    $$qlCode = "$ELECT * FROM leave data WHERE date of leave LIKE '%{$year} %' AND
approval_status = '$status' AND staff_id = '$staff_id' ORDER BY 'DESC'";
   }else if($type_of_leave == "All" && $year != "All" && $month != "All" && $status != "All" &&
$staff_id != ""){
    $$qlCode = "$ELECT * FROM leave_data WHERE date_of_leave LIKE '%{$year}_{$month}___%' AND
approval status = '$status' AND staff id = '$staff id' ORDER BY 'DESC'";
   }else{
    return redirect()->back()->withErrors("<strong>Wrong filter.</strong>");
```

```
}
   $leave_data = DB::select($SqlCode); // SQL-CODE
   $staff_basic_data = DB::table('staff_data')->select("staff_id","firstname", "lastname")->get();
   $leave_type_data = collect([]);
   return view("admin-dashboard-content/leave-management-page-1-index")-
>with(["staff_basic_data" =>$staff_basic_data,"leave_data" => $leave_data,"leave_type_data" =>
$leave_type_data, "filter_options" => ["staff_id" => "$staff_id", "type_of_leave" => "$type_of_leave",
"year" => "$year", "month" => "$month", "status" => "$status"]]); //Send staff data with it.
  }else{
   return Redirect::to("/");
  }
}
```

public function ViewHomePageOfStaffAccountController(){

```
$session_type = Session::get('Session_Type');
  if($session_type == "Staff"){
   $session_value = Session::get('Session_Value');
   $staff_basic_data = DB::table('staff_data')->select("firstname", "lastname")->where(["staff_id" =>
$session_value])->get();
   $leave_pending_data = DB::table('leave_data')->where(["staff_id" => $session_value,
"approval status" => "[PENDING]"])->orderBy('date of leave', 'ASC')->get();
   $username = DB::table('user_account')->select("username")->where(["staff_id" => $session_value])-
>get();
   $leave data = DB::table('leave data')->where(["staff id" => $session value])-
>where(["approval_status" => "[ACCEPTED]"])->orWhere("approval_status", "[DECLINED]")-
>orderBy('date_of_request', 'DESC')->get();
   $leave_type=DB::table('leave_type')->get();
   $leave_count=DB::table('leave_data')->where(["approval_status" => "[ACCEPTED]"])-
>where(["staff_id" => $session_value])->select('type_of_leave', DB::raw('count(*) as total'))-
>groupBy('type_of_leave')->get();
   return view("staff-dashboard-content/home-page-index")-
>with(['leave_count'=>$leave_count,'staff_basic_data' =>
$staff_basic_data,"leave_type"=>$leave_type,"leave_data" => $leave_data, "username" => $username,
"leave_pending_data" => $leave_pending_data]);
```

```
}else{
   return Redirect::to("/");
  }
}
 public function ViewSettingsPageOfStaffAccountContoller(){
  $session_type = Session::get('Session_Type');
  if($session_type == "Staff"){
   $session_value = Session::get('Session_Value');
   $staff_basic_data = DB::table('staff_data')->select("firstname", "lastname")->where(["staff_id" =>
$session_value])->get();
   $staff_data = DB::table('user_account')->where(["account_type" => "staff", "staff_id" =>
$session_value])->get(); // Get staff data.
   return view("staff-dashboard-content/settings-page-1-index")->with(['staff_data' => $staff_data,
'staff_basic_data' => $staff_basic_data]); //Send staff data with it.
  }else{
   return Redirect::to("/");
  }
```

```
}
public function ViewMyLeaveHistoryPageOfStaffAccountController(){
  $session_type = Session::get('Session_Type');
  if($session_type == "Staff"){
   $session value = Session::get('Session Value');
   $staff_basic_data = DB::table('staff_data')->select("firstname", "lastname")->where(["staff_id" =>
$session_value])->get();
   $leave_data = DB::table('leave_data')->where(["staff_id" => $session_value])-
>where(["approval_status" => "[ACCEPTED]"])->orWhere("approval_status", "[DECLINED]")-
>orderBy('date_of_request', 'DESC')->get();
   $leave_type=DB::table('leave_type')->get();
   return view("staff-dashboard-content/my-leave-history")->with(["staff basic data"
=>$staff_basic_data,"leave_data" => $leave_data,"leave_type"=>$leave_type,"filter_options" =>
["type_of_leave" => "All", "year" => "All", "month" => "All", "status" => "All"]]); //Send staff data with it.
  }else{
```

```
return Redirect::to("/");
  }
}
 public function FilterSearchLeaveHistoryPageOfStaffAccountController(Request $request){
  $session_type = Session::get('Session_Type');
  if($session_type == "Staff"){
   $session_value = Session::get('Session_Value');
   $staff_basic_data = DB::table('staff_data')->select("firstname", "lastname")->where(["staff_id" =>
$session_value])->get();
   $SqlCode = "";
   $type_of_leave = $request->type_of_leave;
             = $request->year;
   $year
   $month = $request->month;
   $status = $request->status;
   if($type_of_leave == "All" && $year == "All" && $month == "All" && $status == "All"){
    $$qlCode = "SELECT * FROM leave_data WHERE approval_status = '[ACCEPTED]' OR
approval_status = '[DECLINED]' ORDER BY 'DESC'";
   }else if($type_of_leave != "All" && $year == "All" && $month == "All" && $status == "All"){
```

```
$$qlCode = "$ELECT * FROM leave data WHERE type of leave = '$type of leave' AND
(approval_status = '[ACCEPTED]' OR approval_status = '[DECLINED]') ORDER BY 'DESC'";
   }else if($type_of_leave == "All" && $year != "All" && $month == "All" && $status == "All"){
    $$qlCode = "SELECT * FROM leave_data WHERE date_of_leave LIKE '{$year}______%' AND
(approval status = '[ACCEPTED]' OR approval status = '[DECLINED]') ORDER BY 'DESC'";
   }else if($type of leave == "All" && $year != "All" && $month != "All" && $status == "All"){
    $$qlCode = "$ELECT * FROM leave data WHERE date of leave LIKE '%{$year} {$month} %' AND
(approval_status = '[ACCEPTED]' OR approval_status = '[DECLINED]') ORDER BY 'DESC'";
   else if(stype of leave == "All" && syear == "All" && smonth == "All" && status != "All"){}
    $SqlCode = "SELECT * FROM leave data WHERE approval status = '$status' ORDER BY 'DESC'";
   }else if($type of leave != "All" && $year != "All" && $month == "All" && $status == "All"){
    $$qlCode = "$ELECT * FROM leave data WHERE (date of leave LIKE '%{$year} %' AND
type of leave = '$type of leave') AND (approval status = '[ACCEPTED]' OR approval status =
'[DECLINED]') ORDER BY 'DESC'";
   }else if($type of leave != "All" && $year != "All" && $month != "All" && $status == "All"){
    $$qlCode = "$ELECT * FROM leave data WHERE (date of leave LIKE '%{$year} {$month} %' AND
type of leave = '$type of leave') AND (approval status = '[ACCEPTED]' OR approval status =
'[DECLINED]') ORDER BY 'DESC'";
   }else if($type_of_leave != "All" && $year != "All" && $month != "All" && $status != "All"){
```

```
$SqlCode = "SELECT * FROM leave_data WHERE (date_of_leave LIKE '%{$year}_{$month} ___%' AND
type_of_leave = '$type_of_leave' AND approval_status = '$status') AND (approval_status = '[ACCEPTED]'
OR approval status = '[DECLINED]') ORDER BY 'DESC'";
   }else if($type_of_leave != "All" && $year != "All" && $month == "All" && $status != "All"){
    $$qlCode = "SELECT * FROM leave_data WHERE date_of_leave LIKE '%{$year}_____%' AND
type_of_leave = '$type_of_leave' AND approval_status = '$status' ORDER BY 'DESC'";
   }else if($type_of_leave == "All" && $year != "All" && $month == "All" && $status != "All"){
    $$qlCode = "SELECT * FROM leave_data WHERE date_of_leave LIKE '%{$year}_____%' AND
approval_status = '$status' ORDER BY 'DESC'";
   }else if($type_of_leave == "All" && $year != "All" && $month != "All" && $status != "All"){
    $$qlCode = "$ELECT * FROM leave_data WHERE date_of_leave LIKE '%{$year}_{$month}___%' AND
approval status = '$status' ORDER BY 'DESC'";
   }else{
    return redirect()->back()->withErrors("<strong>Wrong filter.</strong>");
  }
   $leave_data = DB::select($SqlCode); // SQL-CODE
   return view("staff-dashboard-content/my-leave-history")->with(["staff basic data"
=>$staff basic data,"leave data" => $leave data, "filter options" => ["type of leave" =>
"$type_of_leave", "year" => "$year", "month" => "$month", "status" => "$status"]]); //Send staff data
with it.
```

```
}else{
   return Redirect::to("/");
  }
}
}
*****<mark>ProvisionServer.php</mark>
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
class ProvisionServer extends Controller
{
  * Handle the incoming request.
  * @param \Illuminate\Http\Request $request
  * @return \Illuminate\Http\Response
  */
  public function __invoke(Request $request)
  {
   //
  }
```

```
}
```

## **Create routes:**

```
Web.php with below code:
<?php
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Route;
use App\Http\Controllers\PageController;
use App\Http\Controllers\LoginController;
use App\Http\Controllers\DatabaseController;
use App\Http\Controllers\Mail;
use App\Http\Controllers\MailController;
Route::get('/',[PageController::class, 'ViewLoginPageController']);
Route::post('/handle-login',[LoginController::class, 'HandleLoginContoller']);
Route::get('/view-home-page',[PageController::class, 'ViewHomePageController']);
Route::get('/handle-logout',[LoginController::class, 'HandleLogoutContoller']);
Route::get('/view-staff-management-index',[PageController::class,
'ViewStaffManagementIndexController']);
Route::post('/insert-staff-data',[DatabaseController::class, 'InsertStaffData']);
```

```
Route::get('/delete-staff-data/{auto_id}',[DatabaseController::class, 'DeleteStaffData']);
Route::get('/view-staff-management-edit/{auto_id}',[PageController::class,
'ViewStaffManagementEditController']);
Route::post('/update-staff-data',[DatabaseController::class, 'UpdateStaffData']);
Route::get('/view-settings-index',[PageController::class, 'ViewSettingsPageContoller']);
Route::post('/change-username',[DatabaseController::class, 'ChangeUsername']);
Route::post('/change-password',[DatabaseController::class, 'ChangePassword']);
Route::get('/view-user-accounts-index',[PageController::class, 'ViewUserAccountsIndexContoller']);
Route::get('/delete-user-account/{auto_id}',[DatabaseController::class, 'DeleteUserAccount']);
Route::get('/view-edit-user-account/{auto_id}',[PageController::class, 'ViewEditUserAccount']);
Route::post('/edit-user-account',[DatabaseController::class, 'EditUserAccount']);
Route::post('/insert-user-accounts',[DatabaseController::class, 'InsertUserAccount']);
Route::get('/accept-request/{auto_id}',[DatabaseController::class, 'AcceptRequest']);
Route::get('/decline-request/{auto_id}',[DatabaseController::class, 'DeclineRequest']);
Route::get('/view-leave-history',[PageController::class, 'ViewLeaveHistoryController']);
```

```
Route::post('/filter-search-leave-history-controller',[PageController::class,
'FilterSearchLeaveHistoryController']);
Route::get('/view-home-page-of-staff-account',[PageController::class,
'ViewHomePageOfStaffAccountController']);
Route::get('/view-settings-index-of-staff-account',[PageController::class,
'ViewSettingsPageOfStaffAccountContoller']);
Route::post('/change-username-of-staff-account',[DatabaseController::class,
'ChangeUsernameOfStaffAccount']);
Route::post('/change-password-of-staff-account',[DatabaseController::class,
'ChangePasswordOfStaffAccount']);
Route::post('/insert-leave-data-of-staff-account',[DatabaseController::class,
'InsertLeaveDataOfStaffAccount']);
Route::get('/delete-leave-pending-request-in-staff-account/{auto_id}',[DatabaseController::class,
'DeleteLeavePendingRequestInStaffAccount']);
Route::get('/view-my-leave-history-of-staff-account',[PageController::class,
'ViewMyLeaveHistoryPageOfStaffAccountController']);
Route::post('/filter-search-leave-history-of-staff-account',[PageController::class,
'FilterSearchLeaveHistoryPageOfStaffAccountController']);
Route::get('/sendmail', [MailController::class, 'index']);
```

```
Route::post('/add-leave-type',[DatabaseController::class, 'AddLeaveType']);
?>
Create app->Mail -> MailNotify.php
Edit the below code
<?php
namespace App\Mail;
use Illuminate\Bus\Queueable;
use Illuminate\Contracts\Queue\ShouldQueue;
use Illuminate\Mail\Mailable;
use Illuminate\Queue\SerializesModels;
class MailNotify extends Mailable
{
  use Queueable, SerializesModels;
  public $data=[];
  * Create a new message instance.
```

```
* @return void
  public function __construct($data)
    $this->data= $data;
  }
  * Build the message.
  * @return $this
  */
  public function build()
  {
    return $this->from('seven.soft.testing@gmail.com', 'Cambo Tutorial')
    ->subject($this->data["subject"])
          ->view('emails.subscribe')->with("data",$this->data);
 }
Create app-> Exceptions-> Handler.php
Edit the below code:
<?php
namespace App\Exceptions;
use Illuminate\Foundation\Exceptions\Handler as ExceptionHandler;
use Throwable;
```

}

```
class Handler extends ExceptionHandler
  /**
  * A list of the exception types that are not reported.
  * @var array<int, class-string<Throwable>>
  */
  protected $dontReport = [
    //
  ];
  /**
  * A list of the inputs that are never flashed for validation exceptions.
  * @var array<int, string>
  protected $dontFlash = [
    'current_password',
    'password',
    'password_confirmation',
  ];
  /**
  * Register the exception handling callbacks for the application.
  * @return void
  */
  public function register()
  {
```

```
$this->reportable(function (Throwable $e) {
      //
    });
  }
}
Create model:
App->Models-> User.php
Edit the below code:
<?php
namespace App\Models;
use Illuminate\Contracts\Auth\MustVerifyEmail;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Foundation\Auth\User as Authenticatable;
use Illuminate\Notifications\Notifiable;
use Laravel\Sanctum\HasApiTokens;
class User extends Authenticatable
{
  use HasApiTokens, HasFactory, Notifiable;
  /**
  * The attributes that are mass assignable.
  * @var array<int, string>
  */
```

```
protected $fillable = [
  'name',
  'email',
  'password',
];
/**
 * The attributes that should be hidden for serialization.
 * @var array<int, string>
*/
protected $hidden = [
  'password',
  'remember_token',
];
/**
 * The attributes that should be cast.
 * @var array<string, string>
 */
protected $casts = [
  'email_verified_at' => 'datetime',
];
```

}

```
Create views:
*** login-page.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/x-icon" href="/assets/img/favicon.png">
<link rel="stylesheet" href="/assets/css/bootstrap.min.css">
<link rel="stylesheet" href="/assets/css/Inr-icon.css">
<link rel="stylesheet" href="/assets/css/font-awesome.min.css">
k rel="stylesheet" href="/assets/css/style.css">
<title>Login Page</title>
<!--[if It IE 9]>
               <script src="assets/js/html5shiv.min.js"></script>
               <script src="assets/js/respond.min.js"></script>
               <![endif]-->
</head>
<body>
```

```
<div id="loader-wrapper">
<div class="loader">
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
</div>
</div>
<div class="inner-wrapper login-body">
<div class="login-wrapper">
<div class="container">
<div class="loginbox shadow-sm grow">
<div class="login-left">
<img class="img-fluid" src="/assets/img/logo.png" style="border-radius: 15%;" style="border-radius:</pre>
15%;" alt="Logo">
</div>
<div class="login-right">
<div class="login-right-wrap">
<h1>Login</h1>
Access to our dashboard
@if($errors->any())
                       @foreach ($errors->all() as $error)
                                      <div id="errorBox" style="text-align:center;margin-top:20px;"</pre>
class="alert alert-danger col-md-12 alert-dismissible fade show" role="alert">
```

```
<strong
style="color:white;">{!!$error!!}</strong>
                                                      <button type="button" style="color:white;"</pre>
class="close" data-dismiss="alert" aria-label="Close">
                                                      <span aria-hidden="true" style="color:white;"</pre>
>×</span>
                                                      </button>
                                      </div>
                                      <script>
                                              window.onload=function(){
                                                      $("#errorBox").delay(3000).fadeOut("slow");
                                              }
                                      </script>
                       @endforeach
               @endif
<form action="handle-login" method="POST" class="login-form">
{{ csrf_field() }}
<div class="form-group">
<input class="form-control" type="text" placeholder="Username" name="username" required>
</div>
<div class="form-group">
<input class="form-control" type="password" placeholder="Password" name="password" required>
```

```
</div>
<!--div class="form-group">
<input type="radio" name="login_type" id="login_type_admin" value="admin">
        <label for="inlineRadio1">Admin Login</label>
        <input type="radio" name="login_type" id="login_type_staff" value="staff">
                   <label for="inlineRadio2">Staff Login</label>
</div-->
<div class="form-group">
<button class="btn btn-theme button-1 text-white ctm-border-radius btn-block" type="submit"
value="Login" >Login</button>
</div>
</form>
<div class="text-center forgotpass"><a href="forgot-password.html">Forgot Password?</a></div>
<div class="login-or">
<span class="or-line"></span>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

```
<script src="/assets/js/jquery-3.2.1.min.js"></script>
<script src="/assets/js/popper.min.js"></script>
<script src="/assets/js/bootstrap.min.js"></script>
<script src="/assets/plugins/theia-sticky-sidebar/ResizeSensor.js"></script>
<script src="/assets/plugins/theia-sticky-sidebar/theia-sticky-sidebar.js"></script>
<script src="/assets/js/script.js"></script>
</body>
</html>
*** staff-dashboard-layout-> dashboard-template.blade.php
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/x-icon" href="assets/img/favicon.png">
k rel="stylesheet" href="assets/css/bootstrap.min.css">
k rel="stylesheet" href="assets/css/Inr-icon.css">
```

```
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
<link rel="stylesheet" href="assets/css/style.css">
<title>index Page</title>
<!--[if It IE 9]>
               <script src="assets/js/html5shiv.min.js"></script>
               <script src="assets/js/respond.min.js"></script>
               <![endif]-->
</head>
<body>
<div id="loader-wrapper">
<div class="loader">
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
</div>
</div>
<div class="inner-wrapper">
<header class="header">
<div class="top-header-section">
<div class="container-fluid">
```

```
<div class="row align-items-center">
<div class="col-lg-3 col-md-3 col-sm-3 col-6">
<div class="logo my-3 my-sm-0">
<a href="employees-dashboard.html">
<img src="assets/img/logo.png" style="border-radius: 15%;" alt="logo image" class="img-fluid"
width="100">
</a>
</div>
</div>
<div class="col-lg-9 col-md-9 col-sm-9 col-6 text-right">
<div class="user-block d-none d-lg-block">
<div class="row align-items-center">
<div class="col-lg-12 col-md-12 col-sm-12">
<div class="user-notification-block align-right d-inline-block">
<div class="top-nav-search">
<form>
<input type="text" class="form-control" placeholder="Search here">
<button class="btn" type="submit"><i class="fa fa-search"></i></button>
</form>
</div>
</div>
<div class="user-notification-block align-right d-inline-block">
Leave">
<a href="/view-home-page-of-staff-account" class="font-23 menu-style text-white align-middle">
<span class="Inr Inr-briefcase position-relative"></span>
</a>
```

```
</div>
<div class="user-info align-right dropdown d-inline-block header-dropdown">
<a href="javascript:void(0)" data-toggle="dropdown" class=" menu-style dropdown-toggle">
<div class="user-avatar d-inline-block">
<img src="{{asset('dashboard-template')}}/img/undraw_profile.svg" alt="user avatar" class="rounded-
circle img-fluid" width="55">
</div>
</a>
<div class="dropdown-menu notification-dropdown-menu shadow-lg border-0 p-3 m-0 dropdown-
menu-right">
<a class="dropdown-item p-2" href="/view-home-page-of-staff-account">
<span class="media align-items-center">
<span class="Inr Inr-user mr-3"></span>
<span class="media-body text-truncate">
<span class="text-truncate">Profile</span>
</span>
</span>
</a>
<a class="dropdown-item p-2" href="/view-settings-index-of-staff-account">
<span class="media align-items-center">
<span class="Inr Inr-cog mr-3"></span>
<span class="media-body text-truncate">
<span class="text-truncate">Settings</span>
</span>
```

```
</span>
</a>
<a class="dropdown-item p-2" href="/handle-logout">
<span class="media align-items-center">
<span class="Inr Inr-power-switch mr-3"></span>
<span class="media-body text-truncate">
<span class="text-truncate">Logout</span>
</span>
</span>
</a>
</div>
</div>
</div>
</div>
</div>
<div class="d-block d-lg-none">
<a href="javascript:void(0)">
<span class="Inr Inr-user d-block display-5 text-white" id="open_navSidebar"></span>
</a>
<div class="offcanvas-menu" id="offcanvas_menu">
<span class="Inr Inr-cross float-left display-6 position-absolute t-1 l-1 text-white"
id="close_navSidebar"></span>
<div class="user-info align-center bg-theme text-center">
<a href="javascript:void(0)" class="d-block menu-style text-white">
<div class="user-avatar d-inline-block mr-3">
<img src="assets/img/profiles/img-6.jpg" alt="user avatar" class="rounded-circle img-fluid" width="55">
```

```
</div>
</a>
</div>
<div class="user-notification-block align-center">
<div class="top-nav-search">
<form>
<input type="text" class="form-control" placeholder="Search here">
<button class="btn" type="submit"><i class="fa fa-search"></i></button>
</form>
</div>
</div>
<hr>
<div class="user-menu-items px-3 m-0">
<a class="px-0 pb-2 pt-0" href="employees-dashboard.html">
<span class="media align-items-center">
<span class="Inr Inr-home mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Dashboard</span>
</span>
</span>
</a>
<a class="p-2" href="employees.html">
<span class="media align-items-center">
<span class="Inr Inr-users mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Employees</span>
</span>
</span>
</a>
```

```
<a class="p-2" href="employees-list">
<span class="media align-items-center">
<span class="Inr Inr-apartment mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Company</span>
</span>
</span>
</a>
<a class="p-2" href="employees-list">
<span class="media align-items-center">
<span class="Inr Inr-calendar-full mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Calendar</span>
</span>
</span>
</a>
<a class="p-2" href="leave.html">
<span class="media align-items-center">
<span class="Inr Inr-briefcase mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Leave</span>
</span>
</span>
</a>
<a class="p-2" href="employees-list">
<span class="media align-items-center">
<span class="Inr Inr-star mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Reviews</span>
```

```
</span>
</span>
</a>
<a class="p-2" href="leave-reports.html">
<span class="media align-items-center">
<span class="Inr Inr-rocket mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Reports</span>
</span>
</span>
</a>
<a class="p-2" href="employees-list">
<span class="media align-items-center">
<span class="Inr Inr-sync mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Manage</span>
</span>
</span>
</a>
<a class="p-2" href="admin.html">
<span class="media align-items-center">
<span class="Inr Inr-cog mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Settings</span>
</span>
</span>
</a>
<a class="p-2" href="details.html">
<span class="media align-items-center">
```

```
<span class="Inr Inr-user mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Profile</span>
</span>
</span>
</a>
<a class="p-2" href="index.html">
<span class="media align-items-center">
<span class="Inr Inr-power-switch mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Logout</span>
</span>
</span>
</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<div class="page-wrapper">
<div class="container-fluid">
<div class="row">
```

```
<div class="col-xl-3 col-lg-4 col-md-12 theiaStickySidebar">
<aside class="sidebar sidebar-user">
<div class="row">
<div class="col-md-12">
<div class="card ctm-border-radius shadow-sm grow">
<div class="card-body py-4">
<div class="row">
<div class="col-md-12 mr-auto text-left">
<div class="custom-search input-group">
<div class="custom-breadcrumb">
<a href="employees-dashboard.html" class="text-</pre>
dark">Home</a>
Dashboard
<h4 class="text-dark">Employees Dashboard</h4>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="user-card card shadow-sm bg-white text-center ctm-border-radius grow">
<div class="user-info card-body">
<div class="user-avatar mb-4">
```

```
<img src="{{asset('dashboard-template')}}/img/undraw_profile.svg" alt="User Avatar" class="img-fluid
rounded-circle" width="100">
</div>
<div class="user-details">
<h4><b>Welcome {{$staff_basic_data[0]->firstname}} {{$staff_basic_data[0]->lastname}}</b>
{{date('D,d M Y')}}
</div>
</div>
</div>
<div class="sidebar-wrapper d-lg-block d-md-none d-none">
<div class="card ctm-border-radius shadow-sm border-none grow">
<div class="card-body">
<div class="row no-gutters">
<div class="col-12 align-items-center text-center">
<a href="/view-home-page-of-staff-account" class="{{Request::path()==='view-home-page-of-staff-account" class="{{Request::path()==='view-home-page-of-staff-account" class="}
account'?'text-white active':'text-dark'}} p-4 first-slider-btn ctm-border-right ctm-border-left ctm-
border-top"><span class="Inr Inr-home pr-0 pb-lg-2 font-23"></span><span
class="">Homepage</span></a>
</div>
<div class="col-12 align-items-center shadow-none text-center">
<a href="/view-my-leave-history-of-staff-account" class="{{Request::path()==='view-my-leave-history-
of-staff-account'?'text-white active':'text-dark'}} p-4 second-slider-btn ctm-border-right ctm-border-
top"><span class="Inr Inr-users pr-0 pb-lg-2 font-23"></span><span class="">My Leave
History</span></a>
</div>
```

<div class="col-6 align-items-center shadow-none text-center">

<a class="{{Request::path()==='view-settings-index-of-staff-account'?'text-white active':'text-dark'}} p-4 ctm-border-right ctm-border-left" href="/view-settings-index-of-staff-account"><span class="Inr Inr-cog pr-0 pb-lg-2 font-23"></span><span class="">Settings</span></a>
<div class="col-6 align-items-center shadow-none text-center"></div>
$\label{logout} $$ \sim \operatorname{logout'' class} = {\operatorname{Request::path()==='handle-logout'?'text-white active':'text-dark'}} $$ p-4$ last-slider-btn ctm-border-right">Logout $
<div class="col-xl-9 col-lg-8 col-md-12"></div>
@yield('dashboard-staff-content')

```
</div>
<div class="sidebar-overlay" id="sidebar_overlay"></div>
<script src="assets/js/jquery-3.2.1.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/plugins/theia-sticky-sidebar/ResizeSensor.js"></script>
<script src="assets/plugins/theia-sticky-sidebar/theia-sticky-sidebar.js"></script>
<script src="assets/js/script.js"></script>
</body>
</html>
*****View-> staff-dashboard-content-> home-page-index.blade.php
@extends('staff-dashboard-layout.dashboard-template')
@php
$totalleave=0
@endphp
@foreach($leave_type as $key => $data)
@php
```

```
$totalleave=$totalleave+$data->count
@endphp
@endforeach
@php
$val=$totalleave-count($leave_data)
@endphp
@if ($val<=0)
 @section('dashboard-staff-content')
 @section('dashboard-staff-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"
alert-dismissible fade show" role="alert">
     <strong style="color:white;">{!!$error!!}</strong>
     <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true" style="color:white;" >&times;</span>
     </button>
   </div>
   <script>
```

```
window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
    setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
```

```
}, 1000);
  </script>
@endif
<br>
<h4>Number of Leaves Remaining: <span style="text-weight:bold; color:blue;">{!!$val!!}</span> </h4>
<h4>You have No Leaves Remaining </h4>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">My Pending Requests</h3>
   <br>
   @foreach ($leave_pending_data as $key => $data)
     <div class="card mb-3">
      <div class="card-header">
       <strong>{{$data->date_of_leave}}</strong>
       <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
```

```
</div>
      <div class="card-body">
      <h5 class="card-title">{{$data->type_of_leave}}</h5>
      {{$data->description}}
       <a class="btn btn-danger float-right confirmation" href="/delete-leave-pending-request-in-staff-
account/{{$data->auto_id}}">Delete Request</a>
      </div>
     </div>
   @endforeach
  </div>
</div>
@endsection
@endif
@if ($val>0)
 @section('dashboard-staff-content')
```

```
@if($errors->any())
     @foreach ($errors->all() as $error)
              <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12" class="alert alert-danger class="alert al
alert-dismissible fade show" role="alert">
                        <strong style="color:white;">{!!$error!!}</strong>
                        <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
                        <span aria-hidden="true" style="color:white;" >&times;</span>
                        </button>
               </div>
               <script>
                    window.onload=function(){
                        $("#errorBox").delay(3000).fadeOut("slow");
                   }
              </script>
      @endforeach
@endif
@if(session()->has('message'))
```

```
<div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
    setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
@endif
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Requesting for leave</h3>
   <br>
   <form action="/insert-leave-data-of-staff-account" method="POST">
    {{ csrf_field() }}
```

```
<div class="form-group row">
     <label for="type_of_leave" class="col-sm-2 col-form-label">Type of Leave</label>
     <div class="col-sm-8">
     <select class="form-control" name="type_of_leave" id="type_of_leave" aria-label="Default select
example" required>
   <option selected disabled>Select a Leave Type</option>
   @foreach($leave_type as $key =>$data)
   <option style="color:black" > {{$data->leave_type_name}}
   @php($var=$data->count)
   @foreach($leave_count as $keyy=>$object)
   @if(($data->id)== $object->type_of_leave)
   @php($var=($data->count)-($object->total))
   @endif
   @endforeach
   <optgroup label="Remaining : {{$var}}"</pre>
   style="color:green"></optgroup>
    <optgroup label="Total : {{$data->count}}" style="color:red" </optgroup>
   </option>
   @endforeach
      </select>
```

```
</div>
    </div>
<div>
   </div>
    <div class="form-group row">
     <label for="description" class="col-sm-2 col-form-label">Description</label>
     <div class="col-sm-8">
      <textarea class="form-control" name="description" id="description" placeholder="Enter the
description" required></textarea>
     </div>
    </div>
    <div class="form-group row">
     <label for="date_of_leave" class="col-sm-2 col-form-label">Date of Leave</label>
     <div class="col-sm-4">
       <input type="date" class="form-control" id="date_of_leave" name="date_of_leave" required>
     </div>
    </div>
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
```

```
<input class="btn btn-primary col-md-2 col-sm-12" value="Submit" id="button" type="submit">
     </div>
    </div>
   </form>
  </div>
</div>
<br>
<h4>Number of Leaves Remaining: <span style="text-weight:bold; color:blue;">{!!$val!!}</span> </h4>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">My Pending Requests</h3>
   <br>
   @foreach ($leave_pending_data as $key => $data)
     <div class="card mb-3">
      <div class="card-header">
       <strong>{{$data->date_of_leave}}</strong>
       <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
      </div>
      <div class="card-body">
       <!--h5 class="card-title">{{$data->type_of_leave}}</h5-->
```

<pre>@foreach(\$leave_type as \$keyy=&gt;\$object)</pre>
@if(\$keyy == \$data->type_of_leave-1)
{{ \$object->leave_type_name }}
@endif
@endforeach
<a class="btn btn-danger float-right confirmation" href="/delete-leave-pending-request-in-staff account/{{\$data-&gt;auto_id}}">Delete Request</a>
@endforeach
@endsection
@endif

```
<script>
  window.onload=function(){
   $(".nav-item:eq(0)").addClass("active");
   $('.confirmation').on('click', function () {
     return confirm('Are you sure to delete?');
   });
  }
</script>
View-> staff-dashboard-content-> my-leave-history.blade.php
@extends('staff-dashboard-layout.dashboard-template')
@section('dashboard-staff-content')
@php
$totalleave=0
@endphp
@foreach($leave_type as $key => $data)
@php
```

```
$totalleave=$totalleave+$data->count
@endphp
@endforeach
@php
$val=$totalleave-count($leave_data)
@endphp
@if($errors->any())
      @foreach ($errors->all() as $error)
               <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12" class="alert alert-danger 
alert-dismissible fade show" role="alert">
                          <strong>{!!$error!!}</strong>
                          <button type="button" class="close" data-dismiss="alert" aria-label="Close">
                          <span aria-hidden="true">&times;</span>
                          </button>
               </div>
                <script>
                     window.onload=function(){
```

```
$("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
    setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
```

```
</script>
@endif
<div class="card">
   <div class="card-body">
    <h3 class="panel-title" style="text-align:center;">Search Filter</h3>
    <br>
    <form action="/filter-search-leave-history-of-staff-account" method="POST">
     {{ csrf_field() }}
     <div class="form-row">
      <div class="col-md-4 mb-3">
       <label for="type_of_leave">Type of Leave</label>
       <select class="form-control" name = "type_of_leave" id="type_of_leave" aria-label="Default
select example" required>
       @foreach($leave_type as $key => $data)
      <option>{{$data->leave_type_name}}</option>
      @endforeach
       </select>
      </div>
      <div class="col-md-4 mb-3">
```

## <label for="year">Year</label>

<select class="form-control" name = "year" id="year" aria-label="Default select example"
required>

```
<option value="All" selected>All
<option value='2021'>2021</option>
<option value='2022'>2022</option>
<option value='2023'>2023</option>
<option value='2024'>2024</option>
<option value='2025'>2025</option>
<option value='2026'>2026</option>
<option value='2027'>2027</option>
<option value='2028'>2028</option>
<option value='2029'>2029</option>
<option value='2030'>2030</option>
<option value='2031'>2031</option>
<option value='2032'>2032</option>
<option value='2033'>2033</option>
<option value='2034'>2034</option>
<option value='2035'>2035</option>
<option value='2036'>2036</option>
<option value='2037'>2037</option>
<option value='2038'>2038</option>
<option value='2039'>2039</option>
<option value='2040'>2040</option>
<option value='2041'>2041</option>
<option value='2042'>2042</option>
<option value='2043'>2043</option>
```

<option value='2044'>2044</option> <option value='2045'>2045</option> <option value='2046'>2046</option> <option value='2047'>2047</option> <option value='2048'>2048</option> <option value='2049'>2049</option> <option value='2050'>2050</option> <option value='2051'>2051</option> <option value='2052'>2052</option> <option value='2053'>2053</option> <option value='2054'>2054</option> <option value='2055'>2055</option> <option value='2056'>2056</option> <option value='2057'>2057</option> <option value='2058'>2058</option> <option value='2059'>2059</option> <option value='2060'>2060</option> <option value='2061'>2061</option> <option value='2062'>2062</option> <option value='2063'>2063</option> <option value='2064'>2064</option> <option value='2065'>2065</option> <option value='2066'>2066</option> <option value='2067'>2067</option> <option value='2068'>2068</option> <option value='2069'>2069</option>

<option value='2070'>2070</option>

<option value='2071'>2071</option>

<option value='2072'>2072</option>

<option value='2073'>2073</option> <option value='2074'>2074</option> <option value='2075'>2075</option> <option value='2076'>2076</option> <option value='2077'>2077</option> <option value='2078'>2078</option> <option value='2079'>2079</option> <option value='2080'>2080</option> <option value='2081'>2081</option> <option value='2082'>2082</option> <option value='2083'>2083</option> <option value='2084'>2084</option> <option value='2085'>2085</option> <option value='2086'>2086</option> <option value='2087'>2087</option> <option value='2088'>2088</option> <option value='2089'>2089</option> <option value='2090'>2090</option> <option value='2091'>2091</option> <option value='2092'>2092</option> <option value='2093'>2093</option> <option value='2094'>2094</option> <option value='2095'>2095</option> <option value='2096'>2096</option> <option value='2097'>2097</option> <option value='2098'>2098</option> <option value='2099'>2099</option>

<option value='2100'>2100</option>

<option value='2101'>2101</option>

```
<option value='2102'>2102</option>
 <option value='2103'>2103</option>
  <option value='2104'>2104</option>
  <option value='2105'>2105</option>
  <option value='2106'>2106</option>
 <option value='2107'>2107</option>
 <option value='2108'>2108</option>
  <option value='2109'>2109</option>
  <option value='2110'>2110</option>
 <option value='2111'>2111</option>
 <option value='2112'>2112</option>
 <option value='2113'>2113</option>
 <option value='2114'>2114
 <option value='2115'>2115</option>
 <option value='2116'>2116</option>
  <option value='2117'>2117</option>
 <option value='2118'>2118</option>
  <option value='2119'>2119</option>
 <option value='2120'>2120</option>
  <option value='2121'>2121</option>
</select>
</div>
<div class="col-md-4 mb-3">
<label for="month">Month</label>
```

<select class="form-control" name = "month" id="month" aria-label="Default select example"
required>

```
<option value="All" selected>All
        <option value='01'>January</option>
        <option value='02'>February</option>
        <option value='03'>March</option>
        <option value='04'>April
        <option value='05'>May</option>
        <option value='06'>June
        <option value='07'>July</option>
        <option value='08'>August</option>
        <option value='09'>September</option>
        <option value='10'>October</option>
        <option value='11'>November</option>
        <option value='12'>December</option>
       </select>
      </div>
      <div class="col-md-4 mb-3">
       <label for="status">Status</label>
       <select class="form-control" name = "status" id="status" aria-label="Default select example"</pre>
required>
        <option value="All" selected>All</option>
        <option value="[ACCEPTED]">Accepted</option>
        <option value="[DECLINED]">Declined</option>
       </select>
      </div>
```

```
</div>
     <input class="btn btn-primary float-right" value="Search" type="submit">
    </form>
   </div>
</div>
<br>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">My Leave History</h3>
   <h4>Number of Leaves: <span style="text-weight:bold; color:blue;">{{count($leave_data)}}</span>
</h4>
   <h4>Number of Leaves Remaining: <span style="text-weight:bold; color:blue;">{{$val}}</span>
</h4>
   <hr>
   <br>
   @foreach ($leave_data as $key => $data)
     <div class="card mb-3">
      @if($data->approval_status =="[ACCEPTED]")
       <div class="card-header">
        <strong>{{$data->date_of_leave}} (Accepted)</strong>
        <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
```

```
</div>
      @elseif($data->approval_status =="[DECLINED]")
       <div class="card-header">
        <strong>{{$data->date_of_leave}} (Declined)</strong>
        <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
       </div>
      @endif
      <div class="card-body">
       <!--h5 class="card-title">Leave Type ID: {{$data->type_of_leave}}<h5-->
       @foreach($leave_type as $keyy=>$object)
       @if($keyy == $data->type_of_leave-1)
      {{ $object->leave_type_name }}
       @endif
       @endforeach
      </div>
     </div>
   @endforeach
  </div>
</div>
@endsection
```

```
<script>
  window.onload=function(){
   $(".nav-item:eq(1)").addClass("active");
   $('.confirmation').on('click', function () {
     return confirm('Are you sure to delete?');
   });
   $('#type_of_leave').val("{{$filter_options['type_of_leave']}}");
   $('#year').val("{{$filter_options['year']}}");
   $('#month').val("{{$filter_options['month']}}");
   $('#status').val("{{$filter_options['status']}}");
  }
</script>
View-> staff-dashboard-content-> my-leave-history.blade.php
@extends('staff-dashboard-layout.dashboard-template')
@section('dashboard-staff-content')
```

@php

```
$totalleave=0
@endphp
@foreach($leave_type as $key => $data)
@php
$totalleave=$totalleave+$data->count
@endphp
@endforeach
@php
$val=$totalleave-count($leave_data)
@endphp
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"
alert-dismissible fade show" role="alert">
     <strong>{!!$error!!}</strong>
     <button type="button" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true">&times;</span>
```

```
</button>
   </div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
```

```
setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
@endif
<div class="card">
   <div class="card-body">
    <h3 class="panel-title" style="text-align:center;">Search Filter</h3>
    <br>
    <form action="/filter-search-leave-history-of-staff-account" method="POST">
     {{ csrf_field() }}
     <div class="form-row">
      <div class="col-md-4 mb-3">
       <label for="type_of_leave">Type of Leave</label>
       <select class="form-control" name = "type_of_leave" id="type_of_leave" aria-label="Default
select example" required>
       @foreach($leave_type as $key => $data)
```

```
<option>{{$data->leave_type_name}}</option>
      @endforeach
       </select>
      </div>
      <div class="col-md-4 mb-3">
       <label for="year">Year</label>
       <select class="form-control" name = "year" id="year" aria-label="Default select example"</pre>
required>
        <option value="All" selected>All</option>
        <option value='2021'>2021</option>
        <option value='2022'>2022</option>
        <option value='2023'>2023</option>
        <option value='2024'>2024</option>
        <option value='2025'>2025</option>
        <option value='2026'>2026</option>
        <option value='2027'>2027</option>
        <option value='2028'>2028</option>
        <option value='2029'>2029</option>
        <option value='2030'>2030</option>
        <option value='2031'>2031</option>
        <option value='2032'>2032</option>
        <option value='2033'>2033</option>
        <option value='2034'>2034</option>
        <option value='2035'>2035</option>
        <option value='2036'>2036</option>
```

- <option value='2037'>2037</option> <option value='2038'>2038</option> <option value='2039'>2039</option> <option value='2040'>2040</option> <option value='2041'>2041</option> <option value='2042'>2042</option> <option value='2043'>2043</option> <option value='2044'>2044</option> <option value='2045'>2045</option> <option value='2046'>2046</option> <option value='2047'>2047</option> <option value='2048'>2048</option> <option value='2049'>2049</option> <option value='2050'>2050</option> <option value='2051'>2051</option> <option value='2052'>2052</option> <option value='2053'>2053</option> <option value='2054'>2054</option> <option value='2055'>2055</option> <option value='2056'>2056</option> <option value='2057'>2057</option>
- <option value='2061'>2061</option>

<option value='2058'>2058</option>

<option value='2059'>2059</option>

<option value='2060'>2060</option>

- <option value='2062'>2062</option>
- <option value='2063'>2063</option>
- <option value='2064'>2064</option>
- <option value='2065'>2065</option>

- <option value='2066'>2066</option>
  <option value='2067'>2067</option>
  <option value='2068'>2068</option>
  <option value='2069'>2069</option>
  <option value='2070'>2070</option>
  <option value='2071'>2071</option>
  <option value='2072'>2072</option>
  <option value='2073'>2073</option>
  <option value='2074'>2074</option>
- <option value='2075'>2075</option>
- <option value='2076'>2076</option>
- <option value='2077'>2077</option>
- <option value='2078'>2078</option>
- <option value='2079'>2079</option>
- <option value='2080'>2080</option>
- <option value='2081'>2081</option>
- <option value='2082'>2082</option>
- <option value='2083'>2083</option>
- <option value='2084'>2084</option>
- <option value='2085'>2085</option>
- <option value='2086'>2086</option>
- <option value='2087'>2087</option>
- <option value='2088'>2088</option>
- <option value='2089'>2089</option>
- <option value='2090'>2090</option>
- <option value='2091'>2091</option>
- <option value='2092'>2092</option>
- <option value='2093'>2093</option>
- <option value='2094'>2094</option>

<option value='2095'>2095</option> <option value='2096'>2096</option> <option value='2097'>2097</option> <option value='2098'>2098</option> <option value='2099'>2099</option> <option value='2100'>2100</option> <option value='2101'>2101</option> <option value='2102'>2102</option> <option value='2103'>2103</option> <option value='2104'>2104</option> <option value='2105'>2105</option> <option value='2106'>2106</option> <option value='2107'>2107</option> <option value='2108'>2108</option> <option value='2109'>2109</option> <option value='2110'>2110</option> <option value='2111'>2111 <option value='2112'>2112</option> <option value='2113'>2113</option> <option value='2114'>2114</option> <option value='2115'>2115</option> <option value='2116'>2116</option> <option value='2117'>2117</option> <option value='2118'>2118</option> <option value='2119'>2119</option> <option value='2120'>2120</option> <option value='2121'>2121</option>

```
</div>
      <div class="col-md-4 mb-3">
       <label for="month">Month</label>
       <select class="form-control" name = "month" id="month" aria-label="Default select example"</pre>
required>
        <option value="All" selected>All</option>
        <option value='01'>January</option>
        <option value='02'>February</option>
        <option value='03'>March</option>
        <option value='04'>April</option>
        <option value='05'>May</option>
        <option value='06'>June
        <option value='07'>July</option>
        <option value='08'>August</option>
        <option value='09'>September</option>
        <option value='10'>October</option>
        <option value='11'>November</option>
        <option value='12'>December</option>
       </select>
      </div>
      <div class="col-md-4 mb-3">
       <label for="status">Status</label>
       <select class="form-control" name = "status" id="status" aria-label="Default select example"</pre>
required>
```

```
<option value="All" selected>All</option>
        <option value="[ACCEPTED]">Accepted</option>
        <option value="[DECLINED]">Declined</option>
       </select>
      </div>
     </div>
     <input class="btn btn-primary float-right" value="Search" type="submit">
    </form>
   </div>
</div>
<br>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">My Leave History</h3>
   <h4>Number of Leaves: <span style="text-weight:bold; color:blue;">{{count($leave_data)}}</span>
</h4>
   <h4>Number of Leaves Remaining: <span style="text-weight:bold; color:blue;">{{$val}}</span>
</h4>
   <hr>
   <br>
```

```
@foreach ($leave_data as $key => $data)
 <div class="card mb-3">
   @if($data->approval_status =="[ACCEPTED]")
    <div class="card-header">
     <strong>{{$data->date_of_leave}} (Accepted)</strong>
     <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
    </div>
   @elseif($data->approval_status =="[DECLINED]")
    <div class="card-header">
     <strong>{{$data->date_of_leave}} (Declined)</strong>
     <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
    </div>
   @endif
   <div class="card-body">
    <!--h5 class="card-title">Leave Type ID: {{$data->type_of_leave}}<h5-->
    @foreach($leave_type as $keyy=>$object)
   @if($keyy == $data->type_of_leave-1)
   {{ $object->leave_type_name }}
   @endif
    @endforeach
   </div>
 </div>
```

@endforeach

```
</div>
</div>
@endsection
<script>
  window.onload=function(){
   $(".nav-item:eq(1)").addClass("active");
   $('.confirmation').on('click', function () {
     return confirm('Are you sure to delete?');
   });
   $('#type_of_leave').val("{{$filter_options['type_of_leave']}}");
   $('#year').val("{{$filter_options['year']}}");
   $('#month').val("{{$filter_options['month']}}");
   $('#status').val("{{$filter_options['status']}}");
  }
</script>
```

```
View-> staff-dashboard-content-> settings-page-1-index.blade.php
@extends('staff-dashboard-layout.dashboard-template')
@section('dashboard-staff-content')
@if($errors->any())
    @foreach ($errors->all() as $error)
            <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12" class="alert alert-danger class="alert alert-
alert-dismissible fade show" role="alert">
                    <strong style="color:white;">{!!$error!!}</strong>
                    <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
                    <span aria-hidden="true" style="color:white;" >&times;</span>
                    </button>
            </div>
            <script>
                window.onload=function(){
                    $("#errorBox").delay(3000).fadeOut("slow");
                }
            </script>
     @endforeach
@endif
```

```
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
    setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
@endif
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Change Username</h3>
   <br>
```

```
<form action="/change-username-of-staff-account" method="POST">
    {{ csrf_field() }}
    <div class="form-group row">
     <label for="username" class="col-sm-2 col-form-label">Username</label>
     <div class="col-sm-8">
      <input type="text" class="form-control" id="username" value="{{$staff_data[0]->username}}"
name="username" placeholder="Username" required>
     </div>
    </div>
    <div class="form-group row">
     <label for="password" class="col-sm-2 col-form-label">Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="password" name="password"
placeholder="Password" required>
     </div>
     <div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"</pre>
id="check1" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
```

```
<input class="btn btn-primary col-md-2 col-sm-12" value="Change" id="button" type="submit">
     </div>
    </div>
   </form>
  </div>
</div>
<br>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Change Password</h3>
   <br>
   <form action="/change-password-of-staff-account" method="POST">
    {{ csrf_field() }}
    <div class="form-group row">
     <label for="current_password" class="col-sm-2 col-form-label">Current Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="current_password" name="current_password"</pre>
placeholder="Current Password" required>
     </div>
     <div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
```

```
<input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"
id="check2" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label for="new_password" class="col-sm-2 col-form-label">New Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="new_password" name="new_password"
placeholder="New Password" required>
     </div>
     <div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"
id="check3" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label for="confirm_password" class="col-sm-2 col-form-label">Confirm Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="confirm_password" name="confirm_password"
placeholder="Confirm Password" required>
     </div>
```

```
<div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"</pre>
id="check4" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
      <input class="btn btn-primary col-md-2 col-sm-12" value="Change" id="button" type="submit">
     </div>
    </div>
   </form>
  </div>
</div>
<br>
@endsection
<script>
```

```
window.onload=function(){
$(".nav-item:eq(2)").addClass("active");
document.getElementById("check1").onclick = function(){
  if(document.getElementById("check1").checked == true){
   document.getElementById("password").type="text";
  }else{
  document.getElementById("password").type="password";
  }
}
document.getElementById("check2").onclick = function(){
  if(document.getElementById("check2").checked == true){
   document.getElementById("current_password").type="text";
  }else{
  document.getElementById("current_password").type="password";
  }
}
```

```
document.getElementById("check3").onclick = function(){
  if(document.getElementById("check3").checked == true){
   document.getElementById("new_password").type="text";
  }else{
  document.getElementById("new_password").type="password";
  }
}
document.getElementById("check4").onclick = function(){
  if(document.getElementById("check4").checked == true){
  document.getElementById("confirm_password").type="text";
  }else{
  document.getElementById("confirm_password").type="password";
  }
}
}
```

```
</script>
View-> emails-> subscribe.blade.php
<!DOCTYPE html>
<html>
<head>
  <title>Mail</title>
</head>
<body>
  <h1>{{ $data['subject'] }}</h1>
  {{ $data['body'] }}
</body>
</html>
View-> staff-dashboard-content-> settings-page-1-index.blade.php
View-> admin-dashboard-layout-> dashboard-template.blade.php
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="icon" type="image/x-icon" href="assets/img/favicon.png">
<link rel="stylesheet" href="assets/css/bootstrap.min.css">
<link rel="stylesheet" href="assets/css/Inr-icon.css">
```

```
<link rel="stylesheet" href="assets/css/font-awesome.min.css">
k rel="stylesheet" href="assets/css/style.css">
<title>Dashboard Page</title>
<!--[if It IE 9]>
               <script src="assets/js/html5shiv.min.js"></script>
               <script src="assets/js/respond.min.js"></script>
               <![endif]-->
</head>
<body>
<div class="inner-wrapper">
<div id="loader-wrapper">
<div class="loader">
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
<div class="dot"></div>
</div>
</div>
<header class="header">
<div class="top-header-section">
<div class="container-fluid">
<div class="row align-items-center">
```

```
<div class="col-lg-3 col-md-3 col-sm-3 col-6">
<div class="logo my-3 my-sm-0">
<a href="index.html">
<img src="assets/img/logo.png" style="border-radius: 15%;" alt="logo image" class="img-fluid"
width="100">
</a>
</div>
</div>
<div class="col-lg-9 col-md-9 col-sm-9 col-6 text-right">
<div class="user-block d-none d-lg-block">
<div class="row align-items-center">
<div class="col-lg-12 col-md-12 col-sm-12">
<div class="user-notification-block align-right d-inline-block">
<div class="top-nav-search">
<form>
<input type="text" class="form-control" placeholder="Search here">
<button class="btn" type="submit"><i class="fa fa-search"></i></button>
</form>
</div>
</div>
<div class="user-info align-right dropdown d-inline-block header-dropdown">
<a href="javascript:void(0)" data-toggle="dropdown" class=" menu-style dropdown-toggle">
<div class="user-avatar d-inline-block">
<img src="assets/img/profiles/img-6.jpg" alt="user avatar" class="rounded-circle img-fluid" width="55">
</div>
</a>
```

```
<div class="dropdown-menu notification-dropdown-menu shadow-lg border-0 p-3 m-0 dropdown-
menu-right">
<a class="dropdown-item p-2" href="/view-home-page">
<span class="media align-items-center">
<span class="Inr Inr-user mr-3"></span>
<span class="media-body text-truncate">
<span class="text-truncate">Profile</span>
</span>
</span>
</a>
<a class="dropdown-item p-2" href="/view-staff-management-index">
<span class="media align-items-center">
<span class="Inr Inr-cog mr-3"></span>
<span class="media-body text-truncate">
<span class="text-truncate">Settings</span>
</span>
</span>
</a>
<a class="dropdown-item p-2" href="/handle-logout">
<span class="media align-items-center">
<span class="Inr Inr-power-switch mr-3"></span>
<span class="media-body text-truncate">
<span class="text-truncate">Logout</span>
</span>
</span>
</a>
</div>
```

```
</div>
</div>
</div>
</div>
<div class="d-block d-lg-none">
<a href="javascript:void(0)">
<span class="Inr Inr-user d-block display-5 text-white" id="open_navSidebar"></span>
</a>
<div class="offcanvas-menu" id="offcanvas_menu">
<span class="Inr Inr-cross float-left display-6 position-absolute t-1 l-1 text-white"
id="close_navSidebar"></span>
<div class="user-info align-center bg-theme text-center">
<a href="javascript:void(0)" class="d-block menu-style text-white">
<div class="user-avatar d-inline-block mr-3">
<img src="assets/img/profiles/img-6.jpg" alt="user avatar" class="rounded-circle img-fluid" width="55">
</div>
</a>
</div>
<div class="user-notification-block align-center">
<div class="top-nav-search">
<form>
<input type="text" class="form-control" placeholder="Search here">
<button class="btn" type="submit"><i class="fa fa-search"></i></button>
</form>
</div>
</div>
<hr>
```

```
<div class="user-menu-items px-3 m-0">
<a class="px-0 pb-2 pt-0" href="index.html">
<span class="media align-items-center">
<span class="Inr Inr-home mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Dashboard</span>
</span>
</span>
</a>
<a class="p-2" href="employees.html">
<span class="media align-items-center">
<span class="Inr Inr-users mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Employees</span>
</span>
</span>
</a>
<a class="p-2" href="employees-list.html">
<span class="media align-items-center">
<span class="Inr Inr-apartment mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Employees List</span>
</span>
</span>
</a>
<a class="p-2" href="employees-team.html">
<span class="media align-items-center">
<span class="Inr Inr-calendar-full mr-3"></span>
<span class="media-body text-truncate text-left">
```

```
<span class="text-truncate text-left">Employees Team</span>
</span>
</span>
</a>
<a class="p-2" href="leave.html">
<span class="media align-items-center">
<span class="Inr Inr-briefcase mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Leave</span>
</span>
</span>
</a>
<a class="p-2" href="add-employee.html">
<span class="media align-items-center">
<span class="Inr Inr-star mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Add Employees</span>
</span>
</span>
</a>
<a class="p-2" href="leave-reports.html">
<span class="media align-items-center">
<span class="Inr Inr-rocket mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Reports</span>
</span>
</span>
</a>
<a class="p-2" href="employees-list">
```

```
<span class="media align-items-center">
<span class="Inr Inr-sync mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Manage</span>
</span>
</span>
</a>
<a class="p-2" href="/view-settings-index">
<span class="media align-items-center">
<span class="Inr Inr-cog mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Settings</span>
</span>
</span>
</a>
<a class="p-2" href="/view-staff-management-index">
<span class="media align-items-center">
<span class="Inr Inr-user mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Profile</span>
</span>
</span>
</a>
<a class="p-2" href="index.html">
<span class="media align-items-center">
<span class="Inr Inr-power-switch mr-3"></span>
<span class="media-body text-truncate text-left">
<span class="text-truncate text-left">Logout</span>
</span>
```

```
</span>
</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<div class="page-wrapper">
<div class="container-fluid">
<div class="row">
<div class="col-xl-3 col-lg-4 col-md-12 theiaStickySidebar">
<aside class="sidebar sidebar-user">
<div class="row">
<div class="col-12">
<div class="card ctm-border-radius shadow-sm grow">
<div class="card-body py-4">
<div class="row">
<div class="col-md-12 mr-auto text-left">
<div class="custom-search input-group">
<div class="custom-breadcrumb">

    col class="breadcrumb no-bg-color d-inline-block p-0 m-0 mb-2">

<|i class="breadcrumb-item d-inline-block"><a href="/" class="text-dark">Home</a>
```

```
Dashboard
<h4 class="text-dark">Admin Dashboard</h4>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="user-card card shadow-sm bg-white text-center ctm-border-radius grow">
<div class="user-info card-body">
<div class="user-avatar mb-4">
<img src="assets/img/profiles/img-13.jpg" alt="User Avatar" class="img-fluid rounded-circle"
width="100">
</div>
<div class="user-details">
<h4><b>Welcome Admin</b></h4>
{{date('D,d M Y')}}
</div>
</div>
</div>
<div class="sidebar-wrapper d-lg-block d-md-none d-none">
<div class="card ctm-border-radius shadow-sm border-none grow">
<div class="card-body">
<div class="row no-gutters">
```

```
<div class="col-6 align-items-center text-center">
<a href="/view-home-page" class="{{Request::path()==='view-home-page'?'text-white active':'text-
dark'}} p-4 first-slider-btn ctm-border-right ctm-border-left ctm-border-top"><span class="Inr Inr-home
pr-0 pb-lg-2 font-23"></span><span class="">Homepage</span></a>
</div>
<div class="col-6 align-items-center shadow-none text-center">
<a href="/view-staff-management-index" class="{{Request::path()==='view-staff-management-
index'?'text-white active':'text-dark'}} p-4 second-slider-btn ctm-border-right ctm-border-top"><span
class="Inr Inr-users pr-0 pb-Ig-2 font-23"></span><span class="">Staff Management</span></a>
</div>
<div class="col-6 align-items-center shadow-none text-center">
<a href="/view-leave-history" class="{{Request::path()==='view-leave-history'?'text-white active':'text-
dark'}} p-4 ctm-border-right ctm-border-left"><span class="Inr Inr-apartment pr-0 pb-Ig-2 font-
23"></span><span class="">Leave Management</span></a>
</div>
<div class="col-6 align-items-center shadow-none text-center">
<a href="/view-user-accounts-index" class="{{Request::path()==='view-user-accounts-index'?'text-white
active':'text-dark'}} p-4 ctm-border-right"><span class="Inr Inr-calendar-full pr-0 pb-lg-2 font-
23"></span><span class="">User Accounts</span></a>
</div>
<div class="col-6 align-items-center shadow-none text-center">
<a href="/view-settings-index" class="{{Request::path()==='view-settings-index'?'text-white active':'text-
dark'}} p-4 ctm-border-right ctm-border-left"><span class="Inr Inr-cog pr-0 pb-Ig-2 font-
23"></span><span class="">Settings</span></a>
</div>
<div class="col-6 align-items-center shadow-none text-center">
<a href="/handle-logout" class="{{Request::path()==='handle-logout'?'text-white active':'text-dark'}} p-4
last-slider-btn ctm-border-right"><span class="Inr Inr-power-switch pr-0 pb-lg-2 font-23"></span><span
class="">Logout</span></a>
```

</div>

```
</div>
</div>
</div>
</div>
</aside>
</div>
<div class="col-xl-9 col-lg-8 col-md-12">
<div class="quicklink-sidebar-menu ctm-border-radius shadow-sm bg-white card grow">
<div class="card-body">
<a href="index.html" class="text-white">Admin
Dashboard</a>
<a class="text-dark" href="/">Employees
Dashboard</a>
</div>
</div>
<br>
@yield('dashboard-admin-content')
<div class="sidebar-overlay" id="sidebar_overlay"></div>
```

```
<script src="assets/js/jquery-3.2.1.min.js"></script>
<script src="assets/js/popper.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/Chart.min.js"></script>
<script src="assets/js/chart.js"></script>
<script src="assets/plugins/theia-sticky-sidebar/ResizeSensor.js"></script>
<script src="assets/plugins/theia-sticky-sidebar/theia-sticky-sidebar.js"></script>
<script src="assets/js/script.js"></script>
</body>
</html>
View-> admin-dashboard-content-> home-page.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Pending Requests</h3>
   <br>
```

```
@foreach ($pending_data as $key => $data)
     <div class="card mb-3">
      <div class="card-header">
       <strong>{{$data->date_of_leave}} ({{$data->firstname}}) {{$data->lastname}})</strong>
       <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
      </div>
      <div class="card-body">
       @foreach($leave_type as $keyy=>$object)
       @if($object->id== $data->type_of_leave)
       {{ $object->leave_type_name }}
       @endif
       @endforeach
       <a style="margin-left:10px;" class="btn btn-danger float-right " href="/decline-request/{{$data-
>auto_id}}">Decline</a>
       <a class="btn btn-primary float-right" href="/accept-request/{{$data->auto_id}}">Accept</a>
      </div>
     </div>
   @endforeach
```

```
</div>
</div>
@endsection
View-> admin-dashboard-content-> leave-management-page-1-index.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"</pre>
alert-dismissible fade show" role="alert">
     <strong style="color:white;">{!!$error!!}</strong>
     <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true" style="color:white;" >&times;</span>
     </button>
   </div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
```

```
</script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
    setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
```

@endif

```
<div class="card">
              <div class="card-body">
                   <h3 class="panel-title" style="text-align:center;">Search Filter</h3>
                   <br>
                   <form action="/filter-search-leave-history-controller" method="POST">
                      {{ csrf_field() }}
                       <div class="form-row">
                            <div class="col-md-4 mb-3">
                                <label for="staff_id">Select Staff</label>
                                <select class="form-control" name = "staff_id" id="staff_id" aria-label="Default select example"</pre>
required>
                                     <option value="Select a staff" selected disabled>Select a staff/option>
                                      @foreach ($staff_basic_data as $key => $data)
                                          <\!option\ value="\{\{\$ data->staff\_id\}\}">\{\{\$ data->staff\_id\}\}\ (\{\{\$ data->firstname\}\}\}\ \{\{\$ data->staff\_id\}\}">\{\{\$ data->staff\_id\}">\{\} data->
>lastname}})</option>
                                      @endforeach
                                </select>
                            </div>
                             <div class="col-md-4 mb-3">
                                <label for="type_of_leave">Type of Leave</label>
```

```
<select class="form-control" name = "type_of_leave" id="type_of_leave" aria-label="Default
select example" required>
       @foreach($leave_type as $key => $data)
      <option>{{$data->leave_type_name}}</option>
      @endforeach
       </select>
      </div>
      <div class="col-md-4 mb-3">
       <label for="year">Year</label>
       <select class="form-control" name = "year" id="year" aria-label="Default select example"</pre>
required>
        <option value="All" selected>All</option>
        <option value='2021'>2021</option>
        <option value='2022'>2022</option>
        <option value='2023'>2023</option>
        <option value='2024'>2024</option>
        <option value='2025'>2025</option>
        <option value='2026'>2026</option>
        <option value='2027'>2027</option>
        <option value='2028'>2028</option>
        <option value='2029'>2029</option>
        <option value='2030'>2030</option>
```

<option value='2031'>2031</option>

- <option value='2032'>2032</option>
  <option value='2033'>2033</option>
  <option value='2034'>2034</option>
  <option value='2035'>2035</option>
- <option value='2036'>2036</option>
- <option value='2037'>2037</option>
- <option value='2038'>2038</option>
- <option value='2039'>2039</option>
- <option value='2040'>2040</option>
- <option value='2041'>2041</option>
- <option value='2042'>2042</option>
- <option value='2043'>2043</option>
- <option value='2044'>2044</option>
- <option value='2045'>2045</option>
- <option value='2046'>2046</option>
- <option value='2047'>2047</option>
- <option value='2048'>2048</option>
- <option value='2049'>2049</option>
- <option value='2050'>2050</option>
- <option value='2051'>2051</option>
- <option value='2052'>2052</option>
- <option value='2053'>2053</option>
- <option value='2054'>2054</option>
- <option value='2055'>2055</option>
- <option value='2056'>2056</option>
- <option value='2057'>2057</option>
- <option value='2058'>2058</option>
- <option value='2059'>2059</option>
- <option value='2060'>2060</option>

- <option value='2061'>2061</option>
  <option value='2062'>2062</option>
  <option value='2063'>2063</option>
- <option value='2064'>2064</option>
- <option value='2065'>2065</option>
- <option value='2066'>2066</option>
- <option value='2067'>2067</option>
- <option value='2068'>2068</option>
- <option value='2069'>2069</option>
- <option value='2070'>2070</option>
- <option value='2071'>2071</option>
- <option value='2072'>2072</option>
- <option value='2073'>2073</option>
- <option value='2074'>2074</option>
- <option value='2075'>2075</option>
- <option value='2076'>2076</option>
- <option value='2077'>2077</option>
- <option value='2078'>2078</option>
- <option value='2079'>2079</option>
- <option value='2080'>2080</option>
- <option value='2081'>2081</option>
- <option value='2082'>2082</option>
- <option value='2083'>2083</option>
- <option value='2084'>2084</option>
- <option value='2085'>2085</option>
- <option value='2086'>2086</option>
- <option value='2087'>2087</option>
- <option value='2088'>2088</option>
- <option value='2089'>2089</option>

- <option value='2090'>2090</option>
- <option value='2091'>2091</option>
- <option value='2092'>2092</option>
- <option value='2093'>2093</option>
- <option value='2094'>2094</option>
- <option value='2095'>2095</option>
- <option value='2096'>2096</option>
- <option value='2097'>2097</option>
- <option value='2098'>2098</option>
- <option value='2099'>2099</option>
- <option value='2100'>2100</option>
- <option value='2101'>2101</option>
- <option value='2102'>2102</option>
- <option value='2103'>2103</option>
- <option value='2104'>2104</option>
- <option value='2105'>2105</option>
- <option value='2106'>2106</option>
- <option value='2107'>2107</option>
- <option value='2108'>2108</option>
- <option value='2109'>2109
- <option value='2110'>2110</option>
- <option value='2111'>2111</option>
- <option value='2112'>2112</option>
- <option value='2113'>2113</option>
- <option value='2114'>2114
- <option value='2115'>2115</option>
- <option value='2116'>2116</option>
- <option value='2117'>2117</option>
- <option value='2118'>2118</option>

```
<option value='2120'>2120</option>
        <option value='2121'>2121</option>
       </select>
      </div>
      <div class="col-md-4 mb-3">
       <label for="month">Month</label>
       <select class="form-control" name = "month" id="month" aria-label="Default select example"</pre>
required>
        <option value="All" selected>All</option>
        <option value='01'>January
        <option value='02'>February</option>
        <option value='03'>March
        <option value='04'>April</option>
        <option value='05'>May</option>
        <option value='06'>June
        <option value='07'>July</option>
        <option value='08'>August</option>
        <option value='09'>September</option>
        <option value='10'>October</option>
        <option value='11'>November</option>
        <option value='12'>December</option>
       </select>
      </div>
```

<option value='2119'>2119</option>

```
<div class="col-md-4 mb-3">
       <label for="status">Status</label>
       <select class="form-control" name = "status" id="status" aria-label="Default select example"</pre>
required>
        <option value="All" selected>All</option>
        <option value="[ACCEPTED]">Accepted</option>
        <option value="[DECLINED]">Declined</option>
       </select>
      </div>
     </div>
     <input class="btn btn-primary float-right" value="Search" type="submit">
    </form>
   </div>
</div>
<br>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Add Leave Type</h3>
<br>
   <form action="/add-leave-type" method="POST">
     {{ csrf_field() }}
```

```
<div class="form-row">
   <div class="col-md-4 mb-3">
    <label for="ltype">Input Leave Type Name:</label>
    <input class="form-control" type="text" id="ltype" name="ltype">
</div>
<div class="col-md-4 mb-3">
    <label for="lcount">Leave Count:</label>
    <input class="form-control" type="number" id="lcount" name="lcount">
</div>
<div class="col-md-4 mb-3">
    <label for="ltype">From Date:</label>
    <input class="form-control" type="date" id="lfrom" name="lfrom">
</div>
<div class="col-md-4 mb-3">
    <label for="ltype">To Date:</label>
    <input class="form-control" type="date" id="lto" name="lto">
</div>
```

```
</div>
   <input class="btn btn-primary float-right" value="Add" type="submit">
   </div>
   </div>
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">My Leave History</h3>
   <!--h4>Number of Leaves: <span style="text-weight:bold;
color:blue;">{{count($leave_data)}}</span> </h4-->
   <br>
   <hr>
   <br>
   @foreach ($leave_data as $key => $data)
     <div class="card mb-3">
      @if($data->approval_status =="[ACCEPTED]")
       <div class="card-header">
        <strong>{{$data->date_of_leave}} {{$data->staff_id}}
```

```
@foreach($staff_basic_data as $keyy=>$object)
@if($keyy == $data->staff_id-1)
{{ $object->firstname }}
@endif
@endforeach
 (Accepted)</strong>
 <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
</div>
@elseif($data->approval_status =="[DECLINED]")
<div class="card-header">
 <strong>{{$data->date_of_leave}}
@foreach($staff_basic_data as $keyy=>$object)
@if($keyy == $data->staff_id-1)
{{ $object->firstname }}
@endif
@endforeach
 (Declined)</strong>
 <i class="float-right" style="font-size:85%;">Request sent on :- {{$data->date_of_request}}</i>
</div>
@endif
```

```
<div class="card-body">
      <!--h5 class="card-title">{{$data->type_of_leave}}<h5-->
      @foreach($leave_type as $keyy=>$object)
      @if($keyy == $data->type_of_leave-1)
      {{ $object->leave_type_name }}
      @endif
       @endforeach
      </div>
     </div>
   @endforeach
  </div>
</div>
@endsection
<script>
  window.onload=function(){
   $(".nav-item:eq(2)").addClass("active");
```

```
$('.confirmation').on('click', function () {
     return confirm('Are you sure to delete?');
   });
   $('#staff_id').val("{{$filter_options['staff_id']}}");
   $('#type_of_leave').val("{{$filter_options['type_of_leave']}}");
   $('#year').val("{{$filter_options['year']}}");
   $('#month').val("{{$filter options['month']}}");
   $('#status').val("{{$filter_options['status']}}");
  }
</script>
View-> admin-dashboard-content-> settings-page-1-index.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"</pre>
alert-dismissible fade show" role="alert">
     <strong style="color:white;">{!!$error!!}</strong>
     <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true" style="color:white;" >&times;</span>
```

```
</button>
   </div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
```

```
setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
@endif
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Change Username</h3>
   <br>
   <form action="/change-username" method="POST">
    {{ csrf_field() }}
    <div class="form-group row">
     <label for="username" class="col-sm-2 col-form-label">Username</label>
     <div class="col-sm-8">
      <input type="text" class="form-control" id="username" value="{{$admin_data[0]->username}}"
name="username" placeholder="Username" required>
     </div>
    </div>
    <div class="form-group row">
```

```
<label for="password" class="col-sm-2 col-form-label">Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="password" name="password"
placeholder="Password" required>
     </div>
     <div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"</pre>
id="check1" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
      <input class="btn btn-primary col-md-2 col-sm-12" value="Change" id="button" type="submit">
     </div>
    </div>
   </form>
  </div>
</div>
<br>
<div class="card">
```

```
<div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Change Password</h3>
   <br>
   <form action="/change-password" method="POST">
    {{ csrf_field() }}
    <div class="form-group row">
     <label for="current_password" class="col-sm-2 col-form-label">Current Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="current_password" name="current_password"
placeholder="Current Password" required>
     </div>
     <div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"</pre>
id="check2" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label for="new_password" class="col-sm-2 col-form-label">New Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="new_password" name="new_password"
placeholder="New Password" required>
     </div>
```

```
<div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"</pre>
id="check3" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label for="confirm_password" class="col-sm-2 col-form-label">Confirm Password</label>
     <div class="col-sm-8">
      <input type="password" class="form-control" id="confirm_password" name="confirm_password"
placeholder="Confirm Password" required>
     </div>
     <div class="checkbox col-md-2" style="margin-top:0.6%;">
       <label>
        <input type="checkbox" style="width: 0.9rem; height: 0.9rem;" class="form-check-input"</pre>
id="check4" runat="server"> Show Password
       </label>
     </div>
    </div>
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
      <input class="btn btn-primary col-md-2 col-sm-12" value="Change" id="button" type="submit">
     </div>
```

```
</div>
  </form>
  </div>
</div>
<br>
@endsection
<script>
  window.onload=function(){
  $(".nav-item:eq(4)").addClass("active");
  document.getElementById("check1").onclick = function(){
    if(document.getElementById("check1").checked == true){
     document.getElementById("password").type="text";
    }else{
     document.getElementById("password").type="password";
    }
```

```
document.getElementById("check2").onclick = function(){
 if(document.getElementById("check2").checked == true){
  document.getElementById("current_password").type="text";
 }else{
  document.getElementById("current_password").type="password";
 }
}
document.getElementById("check3").onclick = function(){
 if(document.getElementById("check3").checked == true){
  document.getElementById("new_password").type="text";
 }else{
  document.getElementById("new_password").type="password";
 }
}
```

}

```
document.getElementById("check4").onclick = function(){
    if(document.getElementById("check4").checked == true){
     document.getElementById("confirm_password").type="text";
    }else{
     document.getElementById("confirm_password").type="password";
    }
  }
  }
</script>
View-> admin-dashboard-content-> staff-management-page-1-index.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"
alert-dismissible fade show" role="alert">
     <strong>{!!$error!!}</strong>
     <button type="button" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true">&times;</span>
```

```
</button>
   </div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
```

```
setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
@endif
<div class="card">
   <div class="card-body">
    <h3 class="panel-title" style="text-align:center;">Register Staffs</h3>
    <br>
    <form action="/insert-staff-data" method="POST">
     {{ csrf_field() }}
     <div class="form-row">
      <div class="col-md-4 mb-3">
       <label for="staff_id">Staff ID</label>
       <input type="text" class="form-control" id="staff_id" name="staff_id" placeholder="Enter Staff
ID" required>
      </div>
```

```
<div class="col-md-4 mb-3">
       <label for="first_name">First Name</label>
       <input type="text" class="form-control" id="first_name" name="first_name" placeholder="Enter</pre>
First Name" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="last_name">Last Name</label>
       <input type="text" class="form-control" id="last_name" name="last_name" placeholder="Enter</pre>
Last Name" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="date_of_birth">Date of Birth</label>
       <input type="date" class="form-control" id="date_of_birth" name="date_of_birth" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="email">Email</label>
       <input type="email" class="form-control" id="email" name="email" placeholder="Enter Email
Address" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="phone_number">Phone Number</label>
       <input type="text" class="form-control" id="phone number" name="phone number"
placeholder="Enter Phone Number" required>
      </div>
      <div class="col-md-4 mb-3">
```

```
<label for="position">Position</label>
    <input type="text" class="form-control" id="position" name="position" placeholder="Enter
Position/Role" required>
   </div>
   </div>
   <input class="btn btn-lg btn-primary" value="Register" type="submit">
  </form>
 </div>
</div>
<br>
<div class="card">
 <div class="card-body">
   <thead>
     #
      Staff ID
      First Name
      Last Name
      Date of Birth
      Email
      Phone Number
      Position
      Actions
```

```
</thead>
                                         @foreach ($staff_data as $key => $data)
                                                           {{ $key + 1 }}
                                                                      {{$data->staff_id}}
                                                                      {{$data->firstname}}
                                                                      {{$data->lastname}}
                                                                      {{$data->dob}}
                                                                      {{$data->email}}
                                                                      {{$data->phone_number}}
                                                                      {{$data->position}}
                                                                      <a class="btn btn-primary" href="/view-staff-management-edit/{{$data-
\verb|-auto_id|| $$ \sim -id| $
>auto_id}}">Delete</a>
                                                           @endforeach
                                         </div>
</div>
```

```
@endsection
<script>
  window.onload=function(){
   $(".nav-item:eq(1)").addClass("active");
   $('.confirmation').on('click', function () {
     return confirm('Are you sure to delete?');
   });
  }
</script>
View-> admin-dashboard-content-> staff-management-page-2-edit.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"
alert-dismissible fade show" role="alert">
     <strong style="color:white;">{!!$error!!}</strong>
     <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true" style="color:white;" >&times;</span>
     </button>
```

```
</div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
        <strong> {{ session()->get('message') }}</strong>
        <button type="button" class="close" data-dismiss="alert" aria-label="Close">
        <span aria-hidden="true">&times;</span>
        </button>
  </div>
  <script>
      setTimeout(
```

```
function()
        $("#successBox").delay(3000).fadeOut("slow");
      }, 1000);
  </script>
@endif
<div class="card">
   <div class="card-body">
    <h3 class="panel-title" style="text-align:center;">Edit Staffs</h3>
    <br>
    <form action="/update-staff-data" method="POST">
     {{ csrf_field() }}
     <div class="form-row">
      <div class="col-md-4 mb-3">
       <label for="first_name">First Name</label>
       <input type="text" class="form-control" id="first_name" name="first_name" placeholder="Enter
First Name" value="{{$staff_data[0]->firstname}}" required>
      </div>
      <div class="col-md-4 mb-3">
```

```
<label for="last_name">Last Name</label>
       <input type="text" class="form-control" id="last_name" name="last_name" placeholder="Enter
Last Name" value="{{$staff_data[0]->lastname}}" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="date_of_birth">Date of Birth</label>
       <input type="date" class="form-control" id="date_of_birth" name="date_of_birth"
value="{{$staff_data[0]->dob}}" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="email">Email</label>
       <input type="email" class="form-control" id="email" name="email" placeholder="Enter Email</p>
Address" value="{{$staff_data[0]->email}}" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="phone_number">Phone Number</label>
       <input type="text" class="form-control" id="phone number" name="phone number"</pre>
placeholder="Enter Phone Number" value="{{$staff_data[0]->phone_number}}" required>
      </div>
      <div class="col-md-4 mb-3">
       <label for="position">Position</label>
       <input type="text" class="form-control" id="position" name="position" placeholder="Enter</pre>
Position/Role" value="{{$staff_data[0]->position}}" required>
      </div>
     </div>
```

```
<input type="hidden" name="auto_id" value="{{$staff_data[0]->auto_id}}" />
     <input class="btn btn-lg btn-primary float-right" value="Update" type="submit">
    </form>
   </div>
</div>
@endsection
<script>
  window.onload=function(){
   $(".nav-item:eq(0)").addClass("active");
  }
</script>
View-> admin-dashboard-content-> user-accounts-page-1-index.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"</pre>
alert-dismissible fade show" role="alert">
     <strong style="color:white;">{!!$error!!}</strong>
     <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
```

```
<span aria-hidden="true" style="color:white;" >&times;</span>
     </button>
   </div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
    <strong> {{ session()->get('message') }}</strong>
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <script>
```

```
setTimeout(
    function()
    {
      $("#successBox").delay(3000).fadeOut("slow");
    }, 1000);
  </script>
@endif
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Create User Accounts</h3>
   <br>
   <form action="/insert-user-accounts" method="POST">
    {{ csrf_field() }}
    <div class="form-group row">
     <label for="username" class="col-sm-2 col-form-label">Staff ID</label>
     <div class="col-sm-8">
      <select class="form-control" name = "staff_id" id="staff_id" aria-label="Default select example">
       <option selected disabled>Select a staff/option>
       @foreach ($staff_data as $key => $data)
```

```
<option value="{{$data->staff_id}}">{{$data->staff_id}} ({{$data->firstname}} {{$data-}
>lastname}})</option>
       @endforeach
      </select>
     </div>
    </div>
    <div class="form-group row">
     <label for="username" class="col-sm-2 col-form-label">Username</label>
     <div class="col-sm-8">
      <input type="text" class="form-control" id="username" name="username" placeholder="Enter</pre>
username" required>
     </div>
    </div>
    <div class="form-group row">
     <label for="password" class="col-sm-2 col-form-label">Password</label>
     <div class="col-sm-8">
      <input type="text" class="form-control" id="password" name="password" placeholder="Enter
password" required>
     </div>
    </div>
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
      <input class="btn btn-primary col-md-2 col-sm-12" value="Create" id="button" type="submit">
     </div>
    </div>
```

```
</form>
 </div>
</div>
<br>
<div class="card">
 <div class="card-body">
  <thead>
    #
    Staff ID
    Username
    Password
    Actions
    </thead>
   @foreach ($staff_user_data as $key => $data)
     {{ $key + 1 }}
      {{$data->staff_id}}
      {{$data->username}}
      {{$data->password}}
```

```
<a class="btn btn-primary" href="/view-edit-user-account/{{$data-
>auto_id}}">Edit</a> <a class="btn btn-danger confirmation" href="/delete-user-account/{{$data-
>auto_id}}">Delete</a>
          @endforeach
       </div>
</div>
@endsection
<script>
  window.onload=function(){
  $(".nav-item:eq(3)").addClass("active");
  $('.confirmation').on('click', function () {
     return confirm('Are you sure to delete?');
  });
 }
</script>
```

```
View-> admin-dashboard-content-> user-accounts-page-2-edit.blade.php
@extends('admin-dashboard-layout.dashboard-template')
@section('dashboard-admin-content')
@if($errors->any())
 @foreach ($errors->all() as $error)
   <div id="errorBox" style="text-align:center;margin-top:20px;" class="alert alert-danger col-md-12"</pre>
alert-dismissible fade show" role="alert">
     <strong style="color:white;">{!!$error!!}</strong>
     <button type="button" style="color:white;" class="close" data-dismiss="alert" aria-label="Close">
     <span aria-hidden="true" style="color:white;" >&times;</span>
     </button>
   </div>
   <script>
    window.onload=function(){
     $("#errorBox").delay(3000).fadeOut("slow");
    }
   </script>
 @endforeach
@endif
```

```
@if(session()->has('message'))
  <div id="successBox" style="text-align:center;margin-top:20px;" class="alert alert-success col-md-12"</pre>
alert-dismissible fade show" role="alert">
        <strong> {{ session()->get('message') }}</strong>
        <button type="button" class="close" data-dismiss="alert" aria-label="Close">
        <span aria-hidden="true">&times;</span>
        </button>
  </div>
  <script>
      setTimeout(
      function()
      {
        $("#successBox").delay(3000).fadeOut("slow");
      }, 1000);
  </script>
@endif
<div class="card">
  <div class="card-body">
   <h3 class="panel-title" style="text-align:center;">Change Username</h3>
   <br>
   <form action="/edit-user-account" method="POST">
```

```
{{ csrf_field() }}
    <div class="form-group row">
     <label for="username" class="col-sm-2 col-form-label">Username</label>
     <div class="col-sm-8">
      <input type="text" class="form-control" id="username" value="{{$user_data[0]->username}}"
name="username" placeholder="Username" required>
     </div>
    </div>
    <div class="form-group row">
     <label for="password" class="col-sm-2 col-form-label">Password</label>
     <div class="col-sm-8">
      <input type="text" class="form-control" id="password" value="{{$user_data[0]->password}}"
name="password" placeholder="Password" required>
     </div>
    </div>
    <input type="hidden" name="auto_id" value="{{$user_data[0]->auto_id}}">
    <div class="form-group row">
     <label style="visibility:hidden;" for="button" class="col-sm-2 col-form-label">button</label>
     <div class="col-sm-8">
      <input class="btn btn-primary col-md-2 col-sm-12 float-right" value="Update" id="button"
type="submit">
     </div>
    </div>
   </form>
```

```
</div>
</div>
@endsection

<script>

window.onload=function(){
  $(".nav-item:eq(3)").addClass("active");
  }

</script>
```