

RMIT UNIVERSITY
COSC2639 CLOUD COMPUTING
OUA STUDY PERIOD 3, 2022

ASSESSMENT 3
SOLUTION ARCHITECTURE



CONTENTS

1. Links	3
2. Summary	3
3. Introduction	4
3.1. Application features.....	4
4. Related work	6
5. System architecture	7
5.1. Architectural diagram	7
5.2. System components, APIs and data.....	9
6. Learning resources	13
7. References	15
Appendix A: User registration page	16
Appendix B: User login page	16
Appendix C: Home page.....	17
Appendix D: Favourites page	17
Appendix E: Player profile page	18
Appendix F: Champions page	19
Appendix G: Champion profile page	20
Appendix H: Mobanalytics player profile page.....	21
Appendix I: OP.GG player profile page	22

1. LINKS

Important URLs for this project are listed below. The data sources are further explained throughout this report. Note that the live application URL will only be live during my project demonstration. This is due to the 4 hour limit of AWS Learner Lab sessions.

- [Live application](#)
- GitHub
 - [Main code](#)
 - [Pre-deployment code](#)
 - [Lambda functions](#)
- Data sources
 - League of Legends APIs
 - [SUMMONER-V4](#)
 - [LEAGUE-V4](#)
 - [MATCH-V5](#)
 - League of Legends [Data Dragon](#)

2. SUMMARY

Cloud Computing students were required to implement an application using AWS cloud platform and technologies. I developed an application called LoL Buddy, which is aimed at people who play the League of Legends computer game. Its purpose is to help users keep track of their favourite players. The main features of the application are as follows.

- User login and registration
- Player search form
- Player profile page
- Player leaderboard
- List of favourited players
- Champion search form
- Champion profile page

The AWS services chosen to develop LoL Buddy include Elastic Beanstalk, S3, DynamoDB, API Gateway, Lambda and CloudSearch. Other external services, such as Google Chart API, League of Legends API and League of Legends Data Dragon, were also used.

3. INTRODUCTION

[League of Legends](#) is an online computer game created by Riot Games. It consists of two teams of five players. The teams fight each other and whoever destroys their opponents base first is the winner. Players can choose from 160+ different champions to battle with.

LoL Buddy is a web application that supports the League of Legends game. The goal is to provide a tool that people can use to keep up to date with their favourite players. The application is targeted towards anyone who is interested in League of Legends. This includes players that would consider themselves a casual, regular or hardcore gamer.

I was motivated to make LoL Buddy because League of Legends is my favourite game and I have not been able to find something like this that is simple and easy to use. Most websites like this overwhelm the user with information and analytics, making it difficult to find what you're looking for. Further, LoL Buddy lends itself to cloud computing because a service like this must be delivered over the internet and, due to fluctuating user demand, there is a need for scalable system components.

A variety of technologies were used to develop LoL Buddy. The frontend uses HTML, CSS, JavaScript and Jinja. The backend uses Python and Flask. Several AWS services and APIs, which are discussed later, were also used to leverage the benefits of cloud computing.

3.1. APPLICATION FEATURES

The following provides a description of the main features implemented in the LoL Buddy application. To support each description, a screenshot of the feature has been included in the specified appendix.

User registration

A user can make a LoL Buddy account by entering an email, username and password on the registration page (see [Appendix A](#)). All this data is required but only the email must be unique. If the email entered already exists in the system, registration will be unsuccessful and the "email already exists" message will be displayed. If the entered email doesn't already exist, registration will be successful and the user will be taken to the login page.

User login

After registering, a user can login (see [Appendix B](#)). In order to login, an email and password that exists in the system must be entered. If the combination doesn't exist, the "email or password is invalid" message will show. If it does exist, then a login session will be created and the user will be taken to the home page. The username will also display in the top navigation bar with a button to log out. If the user clicks the logout button, their session will be terminated and they will be taken back to the login screen.

Player search

At the top of the home page is a player search form (see [Appendix C](#)). A player name must be entered exactly how it appears in-game. There is also an option to choose players on Oceania or North America servers. There are more servers than this but, for the purpose of this project, I have chosen to support just these. If the player name entered can't be found, the "we couldn't find a player with this name" message will appear. It should be noted that users and players are different. A user refers to someone with a LoL Buddy account and a player refers to someone with a League of Legends account.

Player profile

If the player name entered in the player search can be found, then the player profile will be loaded (see [Appendix E](#)). The player profile contains important information about the player, such as their match history and rank. Also, selected statistics are displayed in a graph at the top of the page, to help users make sense of all the data on the page.

Favourites

Users have the ability to favourite players. All players that have been favourited will appear on the favourites page (see [Appendix D](#)). To favourite a player, a user can click the favourite button on a player profile (see [Appendix E](#)). To unfavourite a player, the user can click the X button next to a player on the favourites page. Favourites are an easy way for users to save players they would like to keep track of.

Leaderboard

On the home page there is a leaderboard that highlights the top 5 players on the Oceanic and North America servers (see [Appendix C](#)). Top players are those with the highest rank, which is Challenger, and league points in the 5v5 solo game mode. The purpose of having the leaderboard on the same page as the player search is to suggest some player profiles a user may want to view if they are unsure which player they want to search for.

Champion search

In League of legends, a champion is a character that a player controls in-game. There are many champions a player can choose from. The champions page (see [Appendix F](#)) lists all the champions, along with a search and filtering option. To search for a champion, the user must enter the full champion name. The results can be sorted in descending or ascending order. They can also be filtered by class (play style) and difficulty level (how hard it is to play). If no results are found, the “we couldn't any matches” message will appear.

Champion profile

A user can learn more about a champion and its abilities by visiting the champion profile page (see [Appendix G](#)). A champion's profile page can be accessed by clicking on a champion listed on the champions page (see [Appendix F](#)) or in the match history section of a player profile (see [Appendix E](#)). The champion profile is intended to help inform users about the champions their favourite players are picking.

4. RELATED WORK


There are a couple of existing websites that are similar to LoL Buddy. For example, [OP.GG](#) and [Mobalytics](#). Both of these have a player search, player profile, champion search and champion profile feature. Perhaps the biggest flaw in these websites is that there is far too much information presented on the player profile pages (see [Appendix H](#) and [Appendix I](#)). While hardcore players may prefer to have all of this information, it could be difficult for new and inexperienced players to find anything of use. With LoL Buddy, I wanted to make something that was really simple and easy to understand, for everyone. To support this, I made sure to include only the most important information, and I also implemented a clean user interface that ensures clarity with visual hierarchy. Another point of difference is LoL Buddy's favourites feature. While browsing the mentioned related websites, I could not find any way to track players. This is a desirable feature because a user may want to view a certain player's profile again but might not be able to remember their name.

5. SYSTEM ARCHITECTURE

5.1. ARCHITECTURAL DIAGRAM

Figure 1 (overpage) shows a high-level architectural diagram for the LoL Buddy application. The purpose of this diagram is to indicate the communication between different cloud components, such as AWS services, APIs and other data sources. These components are further elaborated on in section after.

Figure 1: Architectural diagram for LoL Buddy



5.2. SYSTEM COMPONENTS, APIS AND DATA


AWS Elastic Beanstalk

LoL Buddy was deployed using Elastic Beanstalk. This service automatically handles capacity provisioning, load balancing, scaling and health monitoring [1]. It does this by using other AWS services, such as EC2, S3, Elastic Load Balancing, Auto Scaling and CloudWatch [1]. Elastic Beanstalk was thought to be a suitable service due to its time saving benefits and automated scaling capabilities. For example, it is predicted that LoL Buddy's traffic will fluctuate often. If there is a new League of Legends patch or tournament, more people may be playing the game and, therefore, more people will demand a service like LoL Buddy. In this case, there will be no need for any complicated manual configurations, Elastic Beanstalk will automatically scale resources as needed.

AWS DynamoDB

DynamoDB is a NoSQL database service for applications of any scale [2]. User data for LoL Buddy is stored with DynamoDB. This was a good option because the data lends itself to key-value pairs, only simple queries were required and auto-scaling was necessary as application usage will vary. Figure 2 shows the tables in DynamoDB and how they are related. Items in the users table represent people who have a LoL Buddy account. Items in the favourites_oce and favourites_na table represent League of Legends players that a user has favoured. Note that with these tables, "oce" indicates an Oceanic player and "na" indicates a North American player. These tables have been split up because players with the same name can exist in different regions but not in the same region.

Figure 2: DynamoDB entity-relationship diagram



AWS API Gateway

APIs can be published and maintained with API Gateway [3]. LoL Buddy has a RESTful API for its user data. Requests to this API trigger Lambda functions that manipulate the database. The users API includes the following methods and resources.

- GET, POST and DELETE /favourite
- GET /favourites
- GET /login
- GET and POST /register

APIs were used in the LoL Buddy application for their flexibility and reusability. For example, future work for the LoL Buddy app could involve making a mobile application. In this instance, a lot of the development work relating to users will have already been done, the mobile application will just need to call the existing API in its backend.

AWS Lambda

Lambda lets you run code without provisioning or managing servers [4]. LoL Buddy has Lambda functions that use Boto3 to perform operations on the data in DynamoDB. These functions are triggered by the users API, which was created with API Gateway. The following points outline what each what each Lambda functions does, depending on the API request.

- register_user
 - Triggered by the /register resource
 - Performs operations on the users table
 - GET method checks if a user with the entered details already exists
 - POST method creates a user
- login_user
 - Triggered by the /login resource
 - Performs operations on the users table
 - GET method checks if a user with the details entered exists
- favourite_player
 - Triggered by the /favourite resource
 - Performs operations on the favourites_ace and favourites_na table
 - GET method checks if a user has already favourited a player
 - POST method favourites a player
 - DELETE method removes a favourited player
- favourites_list
 - Triggered by the /favourites resource
 - Performs operations on the favourites_ace and favourites_na table
 - GET method returns all players a user has favourited

League of Legends API

The League of Legends API ([SUMMONER-V4](#), [LEAGUE-V4](#) and [MATCH-V5](#)) was used in the LoL Buddy application to source information about players. The API requires developers to sign up and [request an API key](#), which needs to be refreshed every 24 hours. A description of how the League of Legends API was used in the LoL Buddy application is as follows.

- **Leaderboard**
 - Information for the leaderboard is requested from
GET /lol/league/v4/challengerleagues/by-queue/{queue}
- **Player search**
 - Checks if the input matches with a player name by requesting
GET /lol/summoner/v4/summoners/by-name/{summonerName}
- **Player profile**
 - Information for the profile section is requested from
GET /lol/summoner/v4/summoners/by-name/{summonerName}
 - Information for the ranked section is requested from
GET /lol/league/v4/entries/by-summoner/{encryptedSummonerId}
 - For the match history section, a list of player matches is requested from
GET /lol/match/v5/matches/by-puuid/{puuid}/ids
and then information for each individual match is requested from
GET /lol/match/v5/matches/{matchId}

League of Legends Data Dragon

[Data Dragon](#) is an online portal that hosts League of Legends game data and assets for third party developers. All the images on LoL Buddy, except for the logo (which I designed myself), were sourced from Data Dragon. This includes the champion square assets, champion splash assets, champion ability assets and profile icons. Additionally, all data pertaining to queue types and champions was pulled from json files hosted on Data Dragon.

AWS S3

As previously mentioned, many of the images used in the LoL Buddy application were already hosted online in the League of Legends Data Dragon portal. However, there were some images, such as the ranked emblems and LoL Buddy logo, that needed a hosting solution. A script was used to create a S3 bucket, separate to the one Elastic Beanstalk uses for application files, and upload the images. LoL Buddy then uses Boto3 to access the images as needed. S3 was the preferred choice due to its simplicity and 99.999999999% durability [5]. The high scalability of S3 was also desirable because it ensures storage requirements can be fulfilled if more features are added later.

AWS CloudSearch

Search engines for web applications can be set up quickly with CloudSearch [6]. LoL Buddy uses CloudSearch for its champion search and filtering feature. To do this, a script downloads a json file containing data about all the League of Legends champions. Next, selected data is pulled out, formatted and put in a new json file. The file is then uploaded to CloudSearch and the data is added to the search index. From here, LoL Buddy processes user input and submits search requests via the CloudSearch API. The results are returned to the user on the frontend. This simple method works because, since champion data is static, the data and search index will not have to be updated. It should be noted that the champion search does not support partial searching. This is because CloudSearch only allows for a wildcard suffix (not prefix). It was thought that it may be confusing for the user if partial searching worked in some cases but not others, so the decision to omit partial searching was made.

Google Chart API

The Google Chart API generates graphical charts from supplied data [7]. This tool has been used in the LoL Buddy application to help communicate the match statistics on the player profile page. The graph that shows the “matches won” is a [donut chart](#) and the graph that shows the “most played role” is a [column chart](#). The way this works is, the LoL Buddy backend collects match data from the League of Legends API and performs calculations, such as converting the data to percentages. This information is then passed to a JavaScript file that calls the API, draws the chart and displays it to the user.

6. LEARNING RESOURCES

Developing LoL Buddy was a major learning experience. The following references were used to learn how to implement the different technologies used.

AWS Elastic Beanstalk

RMIT University, “Week 4: Cloud applications”, 2022. [Online]. Available: https://rmit.instructure.com/courses/97109/pages/4-dot-0-0-week-introduction?module_item_id=4197594 [Accessed: 13 Nov. 2022].

AWS API Gateway

RMIT University, “Week 7: Serverless computing and container technologies”, 2022. [Online]. Available: https://rmit.instructure.com/courses/97109/pages/7-dot-0-0-week-introduction?module_item_id=4197655 [Accessed: 13 Nov. 2022].

AWS Lambda

RMIT University, “Week 7: Serverless computing and container technologies”, 2022. [Online]. Available: https://rmit.instructure.com/courses/97109/pages/7-dot-0-0-week-introduction?module_item_id=4197655 [Accessed: 13 Nov. 2022].

AWS CloudSearch

Amazon Web Services, “Amazon CloudSearch: Developer Guide”, n.d. [Online]. Available: <https://docs.aws.amazon.com/cloudsearch/latest/developerguide/what-is-cloudsearch.html> [Accessed: 13 Nov. 2022].

AWS DynamoDB

RMIT University, “Week 6: Cloud databases”, 2022. [Online]. Available: https://rmit.instructure.com/courses/97109/pages/6-dot-0-0-week-introduction?module_item_id=4197632 [Accessed: 13 Nov. 2022].

Google Chart API

Google, "Using Google Charts", n.d. [Online]. Available:
<https://developers.google.com/chart/interactive/docs> [Accessed: 13 Nov. 2022].


League of Legends API

Riot Games, "Developer Portal", n.d. [Online]. Available:
https://developer.riotgames.com/docs/portal#_getting-started [Accessed: 13 Nov. 2022].

7. REFERENCES

- [1] Amazon Web Services, “AWS Elastic Beanstalk”, n.d. [Online]. Available: <https://aws.amazon.com/elasticbeanstalk/> [Accessed: 13 Nov. 2022].
- [2] Amazon Web Services, “Amazon DynamoDB”, n.d. [Online]. Available: <https://aws.amazon.com/dynamodb/> [Accessed: 13 Nov. 2022].
- [3] Amazon Web Services, “Amazon API Gateway”, n.d. [Online]. Available: <https://aws.amazon.com/api-gateway/> [Accessed: 13 Nov. 2022].
- [4] Amazon Web Services, “AWS Lambda”, n.d. [Online]. Available: <https://aws.amazon.com/lambda/> [Accessed: 13 Nov. 2022].
- [5] Amazon Web Services, “AWS S3”, n.d. [Online]. Available: <https://aws.amazon.com/s3/> [Accessed: 13 Nov. 2022].
- [6] Amazon Web Services, “Amazon CloudSearch”, n.d. [Online]. Available: <https://aws.amazon.com/cloudsearch> [Accessed: 13 Nov. 2022].
- [7] Google, “Display live data on your site”, n.d. [Online]. Available: <https://developers.google.com/chart> [Accessed: 13 Nov. 2022].

APPENDIX A: USER REGISTRATION PAGE



The screenshot shows the 'REGISTER' page of the 'LOL BUDDY' application. At the top, there is a header with the 'LOL BUDDY' logo. Below the header, the word 'REGISTER' is centered. The main content area contains a registration form with three input fields: 'EMAIL*', 'USERNAME*', and 'PASSWORD*'. Each field is represented by a white rectangular box. Below these fields is a purple button labeled 'REGISTER'. Under the button, there is a link that says 'Already have an account? [Login](#)'. At the bottom of the page, there is a small disclaimer text.

LOL BUDDY

REGISTER

EMAIL*

USERNAME*


PASSWORD*

REGISTER

Already have an account? [Login](#)

RMIT University, COSC2639 Cloud Computing, OUA study period 3, 2022. Assessment 3 by Carelle Mulawa-Richards (s3749114). This application isn't endorsed by Riot Games and doesn't reflect the views or opinions of Riot Games or anyone officially involved in producing or managing Riot Games properties. Riot Games, and all associated properties are trademarks or registered trademarks of Riot Games, Inc.

APPENDIX B: USER LOGIN PAGE



The screenshot shows the 'LOGIN' page of the 'LOL BUDDY' application. At the top, there is a header with the 'LOL BUDDY' logo. Below the header, the word 'LOGIN' is centered. The main content area contains a login form with two input fields: 'EMAIL' and 'PASSWORD'. Each field is represented by a white rectangular box. Below these fields is a purple button labeled 'LOGIN'. Under the button, there is a link that says 'Don't have an account? [Register](#)'. At the bottom of the page, there is a small disclaimer text.

LOL BUDDY

LOGIN

EMAIL

PASSWORD

LOGIN

Don't have an account? [Register](#)

RMIT University, COSC2639 Cloud Computing, OUA study period 3, 2022. Assessment 3 by Carelle Mulawa-Richards (s3749114). This application isn't endorsed by Riot Games and doesn't reflect the views or opinions of Riot Games or anyone officially involved in producing or managing Riot Games properties. Riot Games, and all associated properties are trademarks or registered trademarks of Riot Games, Inc.

APPENDIX C: HOME PAGE

 **LOL BUDDY** [Players](#) [Favourites](#) [Champions](#) Hello Carelle! [LOGOUT](#)

PLAYER SEARCH

REGION

Oceania

PLAYER NAME

Enter player name exactly as it looks in-game

SEARCH

5V5 RANKED SOLO LEADERBOARDS

OCEANIA		
	PLAYER NAME	LEAGUE POINTS
#1	COACH KISEE	1297
#2	SOULI	1252
#3	BIOPANTHER	1236
#4	COACH CUPCAKE	1097
#5	KURAK	1085

NORTH AMERICA		
	PLAYER NAME	LEAGUE POINTS
#1	C2 METEOS	1720
#2	PWVX HC9999NA	1710
#3	MU APA	1694
#4	WAKANDA FOREVER	1684
#5	SIDDYWIDDY123	1654

RMIT University, COSC2639 Cloud Computing, OUA study period 3, 2022, Assessment 3 by Carelle Mulawa-Richards (s3749114). This application isn't endorsed by Riot Games and doesn't reflect the views or opinions of Riot Games or anyone officially involved in producing or managing Riot Games properties. Riot Games, and all associated properties are trademarks or registered trademarks of Riot Games, Inc.

APPENDIX D: FAVOURITES PAGE

 **LOL BUDDY** [Players](#) [Favourites](#) [Champions](#) Hello Carelle! [LOGOUT](#)

FAVOURITED PLAYERS

 **THEV1PER**
Oceania 

 **KURAK**
Oceania 

 **COACH CUPCAKE**
Oceania 

 **SOULI**
Oceania 

RMIT University, COSC2639 Cloud Computing, OUA study period 3, 2022, Assessment 3 by Carelle Mulawa-Richards (s3749114). This application isn't endorsed by Riot Games and doesn't reflect the views or opinions of Riot Games or anyone officially involved in producing or managing Riot Games properties. Riot Games, and all associated properties are trademarks or registered trademarks of Riot Games, Inc.

APPENDIX E: PLAYER PROFILE PAGE

 **LOL BUDDY**

PlayersFavouritesChampions

Hello Carelle!LOGOUT

PROFILE



C2 METEOS
North America
Level 637

RECENT STATISTICS

MATCHES WON



70% Win Rate

MOST PLAYED ROLE



Role	Percentage
Top	0%
Jungle	100%
Middle	0%
Bottom	0%
Support	0%

MATCH HISTORY

CHAMPION	ROLE	OUTCOME	KDA	MODE	DURATION
10 NOV					
	Jungle	Victory	5 / 7 / 10	5v5 Ranked Solo	30 mins
	Jungle	Victory	8 / 5 / 10	5v5 Ranked Solo	21 mins
09 NOV					
	Jungle	Victory	4 / 1 / 7	5v5 Ranked Solo	20 mins
	Jungle	Defeat	5 / 5 / 11	5v5 Ranked Solo	29 mins
	Jungle	Victory	6 / 3 / 10	5v5 Ranked Solo	21 mins
	Jungle	Victory	6 / 3 / 3	5v5 Ranked Solo	20 mins
	Jungle	Victory	10 / 1 / 2	5v5 Ranked Solo	20 mins
	Jungle	Victory	6 / 1 / 8	5v5 Ranked Solo	15 mins
08 NOV					
	Jungle	Defeat	8 / 3 / 5	5v5 Ranked Solo	25 mins
	Jungle	Defeat	2 / 5 / 4	5v5 Ranked Solo	26 mins

FAVOURITE

RANKED



CHALLENGER I
Ranked Solo 5x5
1720 League Points
585 Wins
481 Losses



PLATINUM I
Ranked Flex
18 League Points
7 Wins
4 Losses

RMIT University, COSC2639 Cloud Computing, OUA study period 3, 2022. Assessment 3 by Carelle Mulawa-Richards (s3749114). This application isn't endorsed by Riot Games and doesn't reflect the views or opinions of Riot Games or anyone officially involved in producing or managing Riot Games properties. Riot Games, and all associated properties are trademarks or registered trademarks of Riot Games, Inc.

APPENDIX F: CHAMPIONS PAGE

 **LOL BUDDY**

[Players](#) [Favourites](#) [Champions](#)

Hello Carelle!

LOGOUT

CHAMPION SEARCH

CHAMPION NAME

SEARCH

CLASS

DIFFICULTY


SORT


All

All


Ascending


Aatrox



Ahri



Akali



Akshan



Alistar



Amumu



Anivia



Annie



Aphelios



Ashe



Aurelion


Azir



Bard



Bel'Veth



Blitzcrank



Brand



Braum



Caitlyn



Camille



Cassiopeia



Cho'Gath



Corki



Darius



Diana



Dr. Mundo


Draven


Ekko


Elise


Evelynn


Ezreal


APPENDIX G: CHAMPION PROFILE PAGE

 **LOL BUDDY**

PlayersFavouritesChampions

Hello Carelle!

LOGOUT



AATROX

THE DARKIN BLADE

FighterTank★☆☆Medium

ABILITIES

**DEATHBRINGER STANCE**

Periodically, Aatrox's next basic attack deals bonus physical damage and heals him, based on the target's max health.

**UMBRAL DASH**

Passively, Aatrox heals when damaging enemy champions. On activation, he dashes in a direction.

**THE DARKIN BLADE**

Aatrox slams his greatsword down, dealing physical damage. He can swing three times, each with a different area of effect.

**WORLD ENDER**


Aatrox unleashes his demonic form, fearing nearby enemy minions and gaining attack damage, increased healing, and Move Speed. If he gets a takedown, this effect is extended.

**INFERNAL CHAINS**

Aatrox smashes the ground, dealing damage to the first enemy hit. Champions and large monsters have to leave the impact area quickly or they will be dragged to the center and take the damage again.

RMIT University, COSC2639 Cloud Computing, OUA study period 3, 2022. Assessment 3 by Carelle Mulawa-Richards (s3749114). This application isn't endorsed by Riot Games and doesn't reflect the views or opinions of Riot Games or anyone officially involved in producing or managing Riot Games properties. Riot Games, and all associated properties are trademarks or registered trademarks of Riot Games, Inc.

APPENDIX H: MOBANALYTICS PLAYER PROFILE PAGE



<https://app.mobalytics.gg/lol/profile/oce/elleoh/overview>

APPENDIX I: OP.GG PLAYER PROFILE

OP.GG League of Legends Desktop Valorant PUBG OVERWATCH English oppg715364148719

Home Champions Game Mode Stats Leaderboards Pro Matches Multi-Search OCE .GG

AdBlock Detected! AdBlock could interfere with some features from loading.

 **Elleoh** ★
Ladder Rank 192,040 (85.78% of top)
Update
Last updated: 42 minutes ago

S2021 Silver 4 | S2020 Silver 3 | S9 Silver 2 | S7 Silver 4 | More Season Tier ▼

Summary Champions Live Game Use OP Score to get a more accurate breakdown of your skill level.

AD Get your business online with the perfect WordPress site. Get yours here

Ranked Solo **Bronze 3** 84W 110L 75 LP Win Rate 43%

Ranked Flex Unranked

S2022 All Ranked Solo Ranked Flex

Summoner	Played	W - L	Win Ratio
Caitlyn	2.76:1 KDA	40%	50 Played
Nami	3.53:1 KDA	37%	30 Played
Brand	2.08:1 KDA	38%	29 Played
Kog'Maw	2.63:1 KDA	68%	19 Played
Morgana	2.74:1 KDA	59%	17 Played
Vayne	2.31:1 KDA	38%	13 Played
Senna	3.55:1 KDA	67%	6 Played

Show More + Past Seasons >

Recently Played With (Recent 20 Games)

Summoner	Played	W - L	Win Ratio
Ranked Solo a month ago	0 / 9 / 20	2.73 KDA	60% (3W 2L)
Ranked Solo a month ago	3 / 3 / 8	3.67:1 KDA	60% (3W 2L)
Ranked Solo a month ago	3 / 4 / 14	4.25:1 KDA	67% (2W 1L)
Ranked Solo a month ago	0 / 0 / 4	Perfect KDA	60% (3W 2L)
Ranked Solo a month ago	2 / 1 / 22	24.00:1 KDA	60% (3W 2L)
Ranked Solo a month ago	2 / 7 / 9	1.57:1 KDA	26% (1W 4L)
Ranked Solo a month ago	0 / 0 / 5	Perfect KDA	26% (1W 4L)
Ranked Solo a month ago	11 / 8 / 16	3.38:1 KDA	50% (3W 2L)

<https://www.op.gg/summoners/oce/Elleoh>