

Individual Assignment 5

Maisie Prestridge

2026-05-10

1. Set up

Packages

```
# general use and cleaning  
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --  
v dplyr      1.2.0      v readr      2.2.0  
v forcats    1.0.1      v stringr    1.6.0  
v ggplot2    4.0.2      v tibble     3.3.1  
v lubridate  1.9.5      v tidyr      1.3.2  
v purrr      1.2.1
```

```
-- Conflicts ----- tidyverse_conflicts() --
```

```
x dplyr::filter() masks stats::filter()
```

```
x dplyr::lag()     masks stats::lag()
```

```
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become
```

```
library(here)
```

here() starts at /Users/maisieprestridge/Desktop/github/week-05_spring-2026_aquatic-inverts

```
library(janitor)
```

Attaching package: 'janitor'

The following objects are masked from 'package:stats':

chisq.test, fisher.test

```
library(snakecase)

# wrap axis labels
library(scales)
```

Attaching package: 'scales'

The following object is masked from 'package:purrr':

discard

The following object is masked from 'package:readr':

col_factor

```
# reading .xlsx files
library(readxl)

# visualise missing data
library(naniar)

# arrange plots
library(patchwork)
```

Data

```
# taxonomic information
taxon_list <- read_csv(here("data", "taxon_list.csv"))
```

Rows: 50 Columns: 15

-- Column specification -----

Delimiter: ","

chr (15): verbatim_name, taxonRank, scientificName, kingdom, Phylum, Class, ...

i Use ``spec()`` to retrieve the full column specification for this data.

i Specify the column types or set ``show_col_types = FALSE`` to quiet this message.

```
# aquatic invertebrates
aq_ins <- read_xlsx(here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
  sheet = "Aquatic Insects")

# site information
sites <- read_xlsx(here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
  sheet = "sites")

# water quality
water_quality <- read_xlsx(here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
  sheet = "Water Quality",
  na = c("", "n/a", "N/A", "over", "173+"))
```