

Open Source 101

Introduction

"Je vais contribuer à React !"

The screenshot shows the GitHub repository page for the 'react' project, which is a public repository maintained by 'facebook'. The repository has 1.2k issues, 435 pull requests, and 219k stars. The main branch is 'main', and there are 77 branches and 141 tags. The repository is actively developed, with many commits from various contributors like 'jackpope' and 'circleci'. The repository page includes sections for 'About', 'Releases', 'Used by', and 'Contributors'.

About
The library for web and native user interfaces.

react.dev
react javascript library ui frontend declarative

Readme

MIT license

Code of conduct

Security policy

Activity

Custom properties

219k stars

6.6k watching

46.1k forks

Report repository

Releases 99

18.2.0 (June 14, 2022) [Latest]
on Jun 14, 2022

+ 98 releases

Used by 19.9m

Contributors 1,649

1,649 contributors

Introduction

"OK ! Je vais corriger un bug. Est ce que c'est bien comme premier ticket à régler ?"

The screenshot shows the GitHub Issues page for the `facebook/react` repository. The page has a dark theme. At the top, there are navigation links for Code, Issues (1.2k), Pull requests (435), Actions, Projects, Wiki, Security, and Insights. A search bar with placeholder text "Type [] to search" is located at the top right, along with several icons. Below the header, a modal window titled "Want to contribute to facebook/react?" is open, containing instructions about contributing guidelines and open issues, with a "Dismiss" button.


The main content area displays a list of open issues. The search bar below the header shows the query `is:open label:"Type: Bug"`. There are filters for Labels (67) and Milestones (1), and a "New issue" button. A link to "Clear current search query, filters, and sorts" is also present.

The list of issues is as follows:

- 179 Open ✓ 997 Closed
- Author ▾ Label ▾ Projects ▾ Milestones ▾ Assignee ▾ Sort ▾
- [DevTools Bug]: Consistent memory leak when refreshing on React + non-React websites.** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#28322 opened 3 days ago by bradken
- [DevTools Bug]: react-devtools depends on vulnerable versions of electron and got** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#28058 opened 3 weeks ago by elkwagenknecht
- [DevTools Bug]: sayHelloToBackendManager continuously and pointlessly polls on every page** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#27952 opened last month by sneekers-the-rat
- [DevTools Bug]: Source map error: URL: react_devtools_backend_compact.js.map** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#27938 opened on Jan 15 by El70
- Bug: [React Refresh] Unexpected behavior when adding/removing elements prior to uncontrolled inputs** (Component: Fast Refresh)
Status: Unconfirmed Type: Bug
#27933 opened on Jan 13 by lawrencecochenet
- [DevTools Bug]: Hook parsing fails if a hook uses useSyncExternalStore** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#27889 opened on Jan 7 by jamesvaughan
- [DevTools Bug]: React instrumentation encountered an error: TypeError: e.hasOwnProperty is not a function.** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#27851 opened on Dec 20, 2023 by moinard1
- [DevTools Bug]: Excessive CPU Usage** (Component: Developer Tools)
Status: Unconfirmed Type: Bug
#27791 opened on Dec 4, 2023 by ischael

Introduction

"On m'a parlé de **fork** mais je ne comprends pas trop ce que c'est..."



Ce sont des phrases familières ?

Qui suis-je ?



- Maiste
- Tombé dans l'Open Source il y a 7 ans
- email : dev@maiste.fr
- github : @maiste

Il était une fois...

Historique

- Début du logiciel : académiciens et chercheurs

Historique - Début


Les universités et l'armée




Historique

- Début du logiciel : Académiciens et chercheurs
- Années 70 : Séparation du logiciel et de l'hardware car anti-compétitif 🚫

Historique - Années 70



VS



Historique

- Début du logiciel : Académiciens et chercheurs
- Années 70 : Séparation du logiciel et de l'hardware car anti-compétitif 🚫
- Septembre 1983 : Création du GNU Manifesto par Richard Stallman

Historique - GNU Manifesto

La suite de programmes GNU



Historique

- Début du logiciel : Académiciens et chercheurs
- Années 70 : Séparation du logiciel et de l'hardware car anti-compétitif 🚫
- Septembre 1983 : Création du GNU Manifesto par Richard Stallman
- Octobre 1985 : Création de la Free Software Foundation
- Février 1986 : Publication de la Free Software Definition

Free Software Definition

Les quatre libertés :

1. La liberté d'exécuter le programme, pour tous les usages ;
2. La liberté d'étudier le fonctionnement du programme et de l'adapter à ses besoins ;
3. La liberté de redistribuer des copies du programme ;
4. La liberté d'améliorer le programme et de distribuer ces améliorations au public, pour en faire profiter toute la communauté.

"You should think of free as in free speech, not as in free beer." – *Richard Stallman*

Historique

- Début du logiciel : Académiciens et chercheurs
- Années 70 : Séparation du logiciel et de l'hardware car anti-compétitif 🚫
- Septembre 1983 : Création du GNU Manifesto par Richard Stallman
- Octobre 1985 : Création de la Free Software Foundation
- Février 1986 : Publication de la Free Software Definition
- Février 1998 : Cission et création de l'Open Source Initiative

Open Source Definition

Les 10 pointes de l'OSI :

1. La redistribution libre
2. Le code source
3. Les œuvres dérivées
4. L'intégrité du code source de l'auteur
5. La non-discrimination contre des personnes ou groupes
6. La non-discrimination contre des champs d'application
7. La distribution de licence
8. La licence ne doit pas être spécifique à un produit
9. La licence ne doit pas restreindre d'autres logiciels
10. La licence doit être neutre sur le plan technologique

Et nous dans tout ça ?



Et nous dans tout ça ?

- Le Libre (Free Software) est lié à l'utilisateur
- L'Open Source est lié au logiciel
- Le code ouvert
- La collaboration
- (*Plus une vision de l'OSI*)

A priori sur l'Open Source en tant que développeuse et développeur ?

A priori ?

- C'est compliqué de contribuer
- Je ne sais pas par où commencer
- Je ne sais pas quoi faire
- Je n'ai pas le niveau (syndrôme de l'imposteur)
- Je ne code pas



peacock

On remonte ses manches et on s'y met ?

Contribuer à l'Open Source

Pas que du code

- Corriger de la documentation

Pas que du code - Documentation

Les typos

docs: fix typos in website/docs/i18n/i18n-git.mdx #9396


Merged slorber merged 1 commit into facebook:main from suravshrestha:patch1 on Oct 12, 2023

Conversation 3 Commits 1 Checks 3 Files changed 1

Changes from all commits ▾ File filter ▾ Conversations ▾ Jump to ▾ ⚙ ▾

website/docs/i18n/i18n-git.mdx ▾

...	@@ -20,7 +20,7 @@ This strategy has advantages:
20 20	Using Git also present some shortcomings:
21 21	
22 22	- **Hard for non-developers** : they do not master Git and pull-requests
23 23	- **Hard for professional translators** : they are used to SaaS translation softwares and advanced features
24 24	+ - **Hard for professional translators** : they are used to SaaS translation software and advanced features
25 25	- **Hard to maintain** : you have to keep the translated files *in sync* with the translated files
26 26	:::note
....	



Pas que du code - Documentation

Maintenir à jour le code et la documentation

docs: update CLI command options #9690

Merged slorber merged 1 commit into facebook:main from shahednasser:patch-2 on Jan 3

Conversation 3 Commits 1 Checks 10 Files changed 1

Changes from all commits ▾ File filter ▾ Conversations ▾ Jump to ▾

website/docs/cli.mdx

```
diff --git a/website/docs/cli.mdx b/website/docs/cli.mdx
index 37...37 100 -rwxr-xr-x
--- a/website/docs/cli.mdx
+++ b/website/docs/cli.mdx
@@ -37,37 +37,9 @@ Builds and serves a preview of your site locally with [Webpack Dev Server](https://
| Name | Default | Description |
| --- | --- | --- |
| ... | ... | ... |
-| --dev' | | Builds in dev mode, including full React error messages. |
+| --dev' | | Builds the website in dev mode, including full React error messages. |
@@ -40,41 +40,44 @@ Specifies the port of the dev server. |
| --port | 3000 | Specifies a host to use. For example, if you want your server to be accessible externally, you can use `--host 0.0.0.0`. |
| --host | localhost | Specify a host to use. For example, if you want your server to be accessible externally, you can use `--host 0.0.0.0`. |
+| --locale' | | Specify site locale to be used. |
@@ -43,44 +43,44 @@ Enables Hot Module Replacement without page refresh as a fallback in case of build failures. More information [here](https://webpack.js.org/configuration/dev-server/#devserverhotonly). |
| --hot-only | 'false' | Enables Hot Module Replacement without page refresh as a fallback in case of build failures. More information [here](https://webpack.js.org/configuration/dev-server/#devserverhotonly). |
| --no-open | 'false' | Do not open the page automatically in the browser. |
| --config | 'undefined' | Path to Docusaurus config file, default to '[siteDir]/docusaurus.config.js' |
@@ -45,86 +86,11 @@ Compiles your site for production. |
@@ -86,87 +86,88 @@ Builds and serves a preview of your site locally with [Webpack Dev Server](https://
| Name | Default | Description |
| --- | --- | --- |
| ... | ... | ... |
-| --dev' | | Builds in dev mode, including full React error messages. |
+| --dev' | | Builds the website in dev mode, including full React error messages. |
@@ -89,90 +89,91 @@ Analyze your bundle with the [webpack bundle analyzer](https://github.com/webpack-contrib/webpack-bundle-analyzer). |
| --bundle-analyzer' | 'false' | Analyze your bundle with the [webpack bundle analyzer](https://github.com/webpack-contrib/webpack-bundle-analyzer). |
| --out-dir' | 'build' | The full path for the new output directory, relative to the current workspace. |
| --config' | 'undefined' | Path to Docusaurus config file, default to '[siteDir]/docusaurus.config.js' |
+| --locale' | | Build the site in the specified locale. If not specified, all known locales are built. |
@@ -92,94 +92,94 @@ Build website without minimizing JS/CSS bundles. |
| --no-minify' | 'false' | Build website without minimizing JS/CSS bundles. |
@@ -95,96 +95,96 @@ Deploys your site with [GitHub Pages](https://pages.github.com/). Check out the
:::info
@@ -139,142 +139,141 @@ Deploy the site in the specified locale. If not specified, all known locales are deployed. |
| --locale' | | Deploy the site in the specified locale. If not specified, all known locales are deployed. |
@@ -144,145 +144,145 @@ The full path for the new output directory, relative to the current workspace. |
| --out-dir' | 'build' | The full path for the new output directory, relative to the current workspace. |
| --skip-build' | 'false' | Deploy website without building it. This may be useful when using a custom deploy script. |
| --config' | 'undefined' | Path to Docusaurus config file, default to '[siteDir]/docusaurus.config.js' |
```

Pas que du code - Documentation

En ajoutant les information manquantes

Update README.md #1326

Merged ChristophWurst merged 1 commit into `nextcloud:master` from `maiste:patch-1` on Feb 15, 2023


Conversation 0 Commits 1 Checks 20 Files changed 1 +1 -0

Changes from all commits File filter Conversations Jump to Review in codespace Review changes

0 / 1 files viewed

README.md

```
diff --git a/README.md b/README.md
--- a/README.md
+++ b/README.md
@@ -5,6 +5,7 @@ [![Sauce Test Status](https://saucelabs.com/browser-matrix/nextcloud-totp.svg)](https://saucelabs.com/u/nextcloud-totp)
 5   5
 6   6
 7   7 Tested with the following apps:
+ 8 + * [Aegis](https://github.com/beemdevelopment/Aegis) (open source) Available via [F-Droid](https://f-droid.org/en/packages/com.beemdevelopment.aegis/) and [Google Play](https://play.google.com/store/apps/details?id=com.beemdevelopment.aegis). It features a built-in QR-code reader.
 9  9 * [andOTP](https://github.com/helloworld1/andOTP) (open source) Available via [F-Droid](https://f-droid.org/packages/org.shadowice.flocke.andotp/) and [Google Play](https://play.google.com/store/apps/details?id=org.shadowice.flocke.andotp). It features a built-in QR-code reader.
 10 10 * [FreeOTPPlus](https://github.com/helloworld1/FreeOTPPlus/) (open source) Available via [F-Droid](https://f-droid.org/packages/org.liberty.android.freeotpplus/) and [Google Play](https://play.google.com/store/apps/details?id=org.liberty.android.freeotpplus).
 11 11 * [OTP Authenticator](https://github.com/0xb0b/otp-authenticator) (open source) Available via [F-Droid](https://f-droid.org/en/packages/net.bierbaumer.otp_authenticator/) and [Google Play](https://play.google.com/store/apps/details?id=net.bierbaumer.otp_authenticator). It features a built-in QR-code reader.
```



Pas que du code

- Corriger de la documentation
 - Participer sur les forums

Pas que du code - Forum


Discourse

The screenshot shows a forum interface for the Caddy community. The top navigation bar includes links for Wiki, Docs, GitHub, Rules, Sign Up, Log In, and a search icon. The left sidebar features a navigation menu with Topics, More, Categories (Announcements, Help, Showcase, Wiki), and All categories. The main content area displays a list of topics, each with a title, a 'Help' link, user icons, reply count, view count, and last update time.

Topic	Replies	Views	Activity
⌘ * Welcome to the Caddy Community	1	53.4k	May '16
Caddy server does not write any log file	3	45	2h
⌘ Caddy File Server - Problems with CSP	2	56	7h
⌘ How do I use Caddy to redirect to my internal domains with pihole	1	43	8h
⌘ Compression not happening on reverse proxy php-fpm	2	37	13h
⌘ Error Adapting Config using Caddyfile	0	23	15h
Confusion: rewrite directive help	2	43	19h
Caddy running in background, site not visible via curl or browser	12	65	22h
⌘ Caddy propagates sends only some requests to local backend	2	75	1d
I need help with Caddy on my Snap RocketChat Install	1	47	1d
Allowing http when visiting via IP instead of dns	3	83	1d

Pas que du code - Forum

Golang



The screenshot shows the homepage of the Go Forum. At the top, there is a navigation bar with a logo of a pug dog, a "Go Forum" link, and buttons for "Sign Up" and "Log In". There are also search and menu icons. Below the navigation, there are links for "all categories ▶", "Latest" (which is highlighted in blue), "Top", and "Categories". The main content area displays two forum topics:

Topic	Replies	Views	Activity
An Unofficial Discourse User Reference Guide Getting Help "This is a "quick" how-to guide for using Discourse forum/community software. It contains a majority of the common features available to users/content editors, but may not have complete coverage of the featureset. If anyo... read more	3	10.7k	Jul '18
Welcome to the Go Forum Site Feedback Welcome to the Go Forum! This is a place for people who use the Go programming language or want to learn more about it. We hope you'll participate with us. Here you'll find: Go questions and answers, Discussions and... read more	1	156k	Sep '15

Pas que du code - Forum

OCaml

 OCaml

[Sign Up](#) [Log In](#)

[all categories ▶](#) [all tags ▶](#) [Latest](#) [Top](#) [Categories](#)

Topic	Replies	Views	Activity
Welcome to OCaml Discourse Community This is an area to discuss the OCaml programming language, and the tooling and library ecosystem around it such as the opam package manager. You are very welcome here as a beginner to the language, and also for more adv... read more	 0	10.3k	Aug '17
Ppxlib dev meetings Community announce, ppx, ppxlib, dev-meetings	 14	1.9k	1m
Tutorial on GADTs Learning gadt, blog, tutorial	 18	1.2k	8m
Can OCaml "abstract above the code level"?	 18	2.1k	8m

Pas que du code - Forum

Rust

The screenshot shows the homepage of the Rust programming language users forum. The header features the Rust logo and navigation links for 'Sign Up' and 'Log In'. Below the header, there are tabs for 'all categories', 'Latest' (which is selected), 'Top', and 'Categories'. The main content area displays a list of forum topics:

- Welcome to the Rust programming language users forum**
This forum is for help, discussion, and announcements related to the Rust programming language. Please read our code of conduct before participating. We will remove any posts that are not respectful, constructive, and o... read more
- Forum Code Formatting and Syntax Highlighting**
To format code in this forum you need to surround the code with three backticks (```). For example, typing this... ``` fn main() { println!() } ``` ...will be rendered as highlighted Rust code, like so: fn main() ... read more
- How the pin SmartPiner fixed data?**
- Version hell at "simplelog"**
- Rustdoc seems to list trait implementation fns in a strange order**
- Can't find crate for `wasm_bindgen_macro` when building using wasm-pack**

Each topic entry includes a small user icon, the number of replies, views (in orange), and the posting date.

Pas que du code - Forum

Kotlin

 **Kotlin**


[Sign Up](#) [!\[\]\(8e2b6fa99613fbe158bbb17338f0c874_img.jpg\) Log In](#) [!\[\]\(85a55adf3041fb29641d900e28ddf27d_img.jpg\)](#) [!\[\]\(c3d88ec526d8ee03e6fddb1eab875d11_img.jpg\)](#)

[all categories ▾](#) [Latest](#) [Top](#) [Categories](#)

Topic	Replies	Views	Activity	
🔒 🎉 Welcome to the Kotlin Discussions powered by Discourse Welcome to the community of Kotlin users, contributors and developers. Please make sure to read the Code of conduct before posting.		1	11.8k	Dec '15
Intersection Type Compatibility Problem With Java <small>Language Design</small>		6	99	4h
Custom Clang version with Kotlin/Native <small>Native</small>		0	22	6h
Run MinGW executable with wine via Gradle? <small>Native</small>		4	42	6h
Twitter Social Login using Kotlin <small>Android</small>		4	75	6h

Pas que du code - Forum

Kubernetes



The screenshot shows the Kubernetes Community Forums homepage. At the top, there's a navigation bar with links to Documentation, Blog, Partners, Community, Case Studies, Sign Up, Log In, a search icon, and a menu icon. Below the navigation is a large blue banner with the text "Community Forums" and a stylized ship's wheel icon. A small note at the bottom of the banner states: "This site is governed by the [CNCF Code of Conduct](#). Check out our [quick tutorial video](#) on how to effectively subscribe to topics." The main content area has tabs for "all categories", "all tags", "Categories", "Latest", and "Top". Under the "Categories" tab, there are two sections: "Announcements" (with 341 topics) and "General Discussions" (with 5.4k topics). The "Announcements" section includes a link to the "Ecosystem". The "General Discussions" section includes a link to "HackerOne Bug Bounty Program". To the right, there's a "Latest" section showing two recent posts: one from a user named "cncf" about refraining from posting exam content, and another from "General Discussions" about the HackerOne Bug Bounty Program.

Category	Topics
Announcements Announcements from around the Kubernetes project related to core Kubernetes. Ecosystem	341
General Discussions Got something to say about Kubernetes? Hop in here. Links to interesting cloud-native blog posts encouraged.	5.4k

Latest
 Please refrain from posting CKA/CKAD exam content or cheatsheets here General Discussions cncf Dec '23
 HackerOne Bug Bounty Program General Discussions May '20

Pas que du code

- Corriger de la documentation
- Participer sur les forums
 - Financer les projets

Pas que du code - Financer

Avec GitHub Sponsors

The screenshot shows the GitHub repository page for the 'zod' project. At the top, there's a navigation bar with the repository name 'zod' (Public), a 'Sponsor' button, a 'Watch' button (61), a 'Fork' button (1k), and a 'Starred' button (28.7k). Below the navigation is a list of recent commits from 'alexmarqs'. On the right side of the page, there's an 'About' section describing 'zod' as a 'TypeScript-first schema validation with static type inference'. It includes links to 'zod.dev' and various GitHub metrics like stars (28.7k), forks (1k), and watchers (61). A red arrow points to the 'Sponsor' button located at the bottom of the page under the 'Sponsor this project' heading.

Sponsor

Watch 61

Fork 1k

Starred 28.7k

zod (Public)

alexmarqs chore: add zod-config library to the ecosystem (#3200) a5a9d31 · last week 1,921 Commits

.github/workflows Remove stalebot 4 months ago

.husky Add files 2 years ago

configs Export jsdoc with @deprecated when building (#2717) 4 months ago

deno/lib Add zhttp library to docs (#3134) last week

src Fix lint 4 months ago

static fix: [#1784] dark mode in the documentation (#1932) last year

.dependency-cruiser.js Test husky 2 years ago

.editorconfig Added .editorconfig to fix ide-related inconsistencies 4 years ago

.eslintignore Cleanup up custom error handling. Wrote ERROR_HANDLI... 4 years ago

.eslintrc.js Test husky 2 years ago

.gitignore Revamp tests 8 months ago

.nojekyll COnfigure docify 2 years ago

.prettierrc.yaml Flatten schema docs 2 years ago

CHANGELOG.md chore(documentation): Update CHANGELOG to redirect to ... last year

CODE_OF_CONDUCT.md Add Contributor's Covenant as Code of Conduct 2 years ago

CONTRIBUTING.md docs: update CONTRIBUTING.md links (#1584) 2 years ago

ERROR_HANDLING.md docs: update ref to discriminated-unions.docs (#2485) 5 months ago

About

TypeScript-first schema validation with static type inference

zod.dev

typescript static-types schema-validation type-inference runtime-validation

Readme

MIT license

Code of conduct

Activity

28.7k stars

61 watching

1k forks

Report repository

Releases 79

v3.22.4 (Latest) on Oct 4, 2023

+ 78 releases

Sponsor this project


colinmcdonnell Colin McDonnell

Sponsor

Learn more about GitHub Sponsors

Pas que du code - Financer

Avec l'Open Collective



The screenshot shows the webpack project page on Open Collective. At the top is the webpack logo, a blue hexagonal prism icon. Below it is the word "webpack" in a bold, black, sans-serif font. Underneath the title are two buttons: "COLLECTIVE" and "Open source". To the right of these buttons are four small circular icons with icons inside: an envelope, a globe, a Twitter bird, and a GitHub octocat. To the right of these icons is the text "Fiscal Host: Open Source Collective". Below this section is a paragraph of text: "webpack is THE build solution for modern web applications." At the bottom of the page are three navigation links: "CONTRIBUTE" with a star and moon icon, "BUDGET" with a money bag icon, and "ABOUT" with a person icon.

Pas que du code - Financer

Avec l'Open Collective

Budget

Transparent and open finances.

All Expenses Transactions

 Monthly financial contribution to webpack (Backer) Credit from Leonardo Rodrigues Ferreira to webpack • February 10, 2024	+ \$2.00 USD COMPLETED
CONTRIBUTION #735728 View Details ▾	
 Monthly financial contribution to webpack (Backer) Credit from DEV-3 - Web Development Company to webpack • February 10, 2024	+ \$2.00 USD COMPLETED
CONTRIBUTION #735585 View Details ▾	
 Financial contribution to webpack Credit from Guest to webpack • February 9, 2024	+ \$1.23 USD COMPLETED
CONTRIBUTION #735365 View Details ▾	

\$ TODAY'S BALANCE
\$95,058.87 USD

↗ TOTAL RAISED
\$1,492,844.58 USD

⤳ TOTAL DISBURSED
\$1,397,785.71 USD

⌚ ESTIMATED ANNUAL BUDGET
\$259,026.55 USD




Et le code dans tout ça ?

- Corriger un bug
- Développer une feature
- Aider les mainteneurs

... sur un projet que l'on utilise


Contribuer - L'art de la fourchette



Contribuer - Le manuel

Commencer avec un peu de lecture

 .stylelintrc.js	chore: various improvements to repo setup (#6471)	2 years ago
 .watchmanconfig	misc(v2): make watchman config valid	4 years ago
 CHANGELOG.md	chore: release Docusaurus 3.1.1 docs (#9794)	2 weeks ago
 CODE_OF_CONDUCT.md	Update CODE_OF_CONDUCT.md	6 years ago
 CONTRIBUTING.md	docs: improve the opening sentence's clarity (#9177)	7 months ago
 LICENSE	chore: yearless copyright headers for source code (#2320)	4 years ago
 LICENSE-docs	Docusaurus documentation license (#118)	7 years ago
 README.md	docs: add Argos badge (#9685)	last month
 crowdin.v2.yaml	feat(website): improve prism themes (#6214)	3 years ago



Contribuer - Le manuel

Le README

Installation and Getting Started

The [reference documentation](#) includes detailed [installation instructions](#) as well as a comprehensive [getting started](#) guide.

Here is a quick teaser of a complete Spring Boot application in Java:

```
import org.springframework.boot.*;
import org.springframework.boot.autoconfigure.*;
import org.springframework.web.bind.annotation.*;

@RestController
@SpringBootApplication
public class Example {

    @RequestMapping("/")
    String home() {
        return "Hello World!";
    }

    public static void main(String[] args) {
        SpringApplication.run(Example.class, args);
    }
}
```

Contribuer - Le manuel

Continuons la lecture

 .stylelintrc.js	chore: various improvements to repo setup (#6471)	2 years ago
 .watchmanconfig	misc(v2): make watchman config valid	4 years ago
 CHANGELOG.md	chore: release Docusaurus 3.1.1 docs (#9794)	2 weeks ago
 CODE_OF_CONDUCT.md	Update CODE_OF_CONDUCT.md	6 years ago
 CONTRIBUTING.md	docs: improve the opening sentence's clarity (#9177)	7 months ago
 LICENSE	chore: yearless copyright headers for source code (#2320)	4 years ago
 LICENSE-docs	Docusaurus documentation license (#118)	7 years ago
 README.md	docs: add Argos badge (#9685)	last month
 crowdin.v2.yaml	feat(website): improve prism themes (#6214)	3 years ago

Contribuer - Le manuel

Le CONTRIBUTING

Using GitHub Issues

We use GitHub issues to track bugs and enhancements. If you have a general usage question please ask on [Stack Overflow](#). The Spring Boot team and the broader community monitor the [spring-boot](#) tag.

If you are reporting a bug, please help to speed up problem diagnosis by providing as much information as possible. Ideally, that would include a small sample project that reproduces the problem.

Reporting Security Vulnerabilities


If you think you have found a security vulnerability in Spring Boot please **DO NOT** disclose it publicly until we've had a chance to fix it. Please don't report security vulnerabilities using GitHub issues, instead head over to <https://spring.io/security-policy> and learn how to disclose them responsibly.

Sign the Contributor License Agreement

Before we accept a non-trivial patch or pull request we will need you to [sign the Contributor License Agreement](#). Signing the contributor's agreement does not grant anyone commit rights to the main repository, but it does mean that we can accept your contributions, and you will get an author credit if we do. Active contributors might be asked to join the core team, and given the ability to merge pull requests.

Contribuer - Le manuel

Finissons notre lecture



<code>.stylelintrc.js</code>	chore: various improvements to repo setup (#6471)	2 years ago
<code>.watchmanconfig</code>	misc(v2): make watchman config valid	4 years ago
<code>CHANGELOG.md</code>	chore: release Docusaurus 3.1.1 docs (#9794)	2 weeks ago
<code>CODE_OF_CONDUCT.md</code>	Update CODE_OF_CONDUCT.md	6 years ago
<code>CONTRIBUTING.md</code>	docs: improve the opening sentence's clarity (#9177)	7 months ago
<code>LICENSE</code>	chore: yearless copyright headers for source code (#2320)	4 years ago
<code>LICENSE-docs</code>	Docusaurus documentation license (#118)	7 years ago
<code>README.md</code>	docs: add Argos badge (#9685)	last month
<code>crowdin.v2.yaml</code>	feat(website): improve prism themes (#6214)	3 years ago

Contribuer - Le manuel - CODE_OF_CONDUCT

Le CODE OF CONDUCT

Contributor Code of Conduct

As contributors and maintainers of this project, and in the interest of fostering an open and welcoming community, we pledge to respect all people who contribute through reporting issues, posting feature requests, updating documentation, submitting pull requests or patches, and other activities.

We are committed to making participation in this project a harassment-free experience for everyone, regardless of level of experience, gender, gender identity and expression, sexual orientation, disability, personal appearance, body size, race, ethnicity, age, religion, or nationality.

Examples of unacceptable behavior by participants include:

- The use of sexualized language or imagery
- Personal attacks
- Trolling or insulting/derogatory comments
- Public or private harassment
- Publishing other's private information, such as physical or electronic addresses, without explicit permission

Contribuer - Le B.A-BA


1. Demander avant de se lancer
2. Commencer petit
3. Faire des choses reproductibles : bugs ou tests
4. Les mainteneurs sont des humains : ça ne sert à rien de s'énerver

... la même rigueur que sur nos projets finalement ;)

Contribuer - En cas de refus

Mon changement n'est pas accepté :

1. Tant pis !



Contribuer - En cas de refus

Mon changement n'est pas accepté :

1. Tant pis !
2. Maintenir un fork :
 - Garder les changements du dépôt original
 - Suivre les versions de release

Contribuer - En cas de refus

Mon changement n'est pas accepté :

1. Tant pis !
2. Maintenir un fork :
 - Garder les changements du dépôt original
 - Suivre les versions de release



Contribuer - En cas de refus

Mon changement n'est pas accepté :

1. Tant pis !
2. Maintenir un fork :
 - Garder les changements du dépôt original
 - Suivre les versions de release
3. Hard Fork : un nouveau projet ?

Contribuer - Hard Fork

Example notable de Hard fork :



The open source infrastructure as code tool.

Previously named OpenTF, OpenTofu is a fork of Terraform that is open-source, community-driven, and managed by the Linux Foundation.

[Read Manifesto](#) [Try it out](#)

Un jour je serai le meilleur mainteneur

Disclaimer

Ce n'est pas le monde des bisounours



Aw, man!

#Laff

Disclaimer

Burnout



Disclaimer

Insultes et demande intempestives

Volkan Yazıcı
@yazicivo

Log4j maintainers have been working sleeplessly on mitigation measures; fixes, docs, CVE, replies to inquiries, etc. Yet nothing is stopping people to bash us, for work we aren't paid for, for a feature we all dislike yet needed to keep due to backward compatibility concerns.

翻译推文

Aleksey Shipilëv @shipilev · 12月10日

Sending hugs to Log4J people. This must be an extraordinarily shitty Friday for them. twitter.com/brunoborges/st...

显示这个主题帖

上午12:55 · 2021年12月11日 · Twitter Web App

1,819 转推 213 引用推文 8,713 喜欢次数

Disclaimer

Vol de projet (*ouvert à débat*)

Why are we changing the license for MongoDB?

The market is quickly moving to consume most software as a service. This is a time of incredible opportunity for open source projects, with the potential to foster a new wave of great open source server side software. The reality, however, is that once an open source project becomes interesting, it is too easy for large cloud vendors to capture all the value but contribute nothing back to the community.

Given this risk, small companies are unwilling to make that bet, so most software being written is closed source.

Disclaimer

- Burnout / pressions
- Insultes
- Demande intempestives
- Vol de projets

...comme dans la société mais protégez-vous !

Pourquoi le faire

Ça vaut le coup ?



Pourquoi le faire

- Relecture par les pairs: qualité du code
- Améliorer la sécurité du code (relatif à l'utilisation du code)
- Rencontrer des gens du domaine
- Ne pas réinventer la roue
- S'intégrer à un écosystème déjà ouvert

Les choses importantes à savoir

- Ouvrir le code si on se sent prêt
- Choisir une licence

Les choses importantes à savoir

Choisir une licence

Add a license to your project

Apache License 2.0
GNU General Public License v3.0
MIT License
BSD 2-Clause "Simplified" License
BSD 3-Clause "New" or "Revised" License
Boost Software License 1.0
Creative Commons Zero v1.0 Universal
Eclipse Public License 2.0
GNU Affero General Public License v3.0
GNU General Public License v2.0
GNU Lesser General Public License v2.1
Mozilla Public License 2.0
The Unlicense

Choose a license to add to your project

Select a template on the left to get started.

Learn more about [which license best fits your project](#).

Les choses importantes à savoir


- Ouvrir le code si on se sent prêt
- Choisir une licence
- Remplir le README
- Remplir le CONTRIBUTING.md

Les choses importantes à savoir

- Ouvrir le code si on se sent prêt
- Choisir une licence
- Remplir le README
- Remplir le CONTRIBUTING.md
- Utiliser des templates d'issues

Les choses importantes à savoir

Templates d'issues



The screenshot shows a list of GitHub issue templates. Each template is represented by a card with an icon, a title, a brief description, and a 'Get started' button.

- Bug Report**
Submit a bug report to help us improve
[Get started](#)
- Documentation**
Report an issue related to documentation
[Get started](#)
- Feature design / RFC**
Submit a detailed feature request with a concrete proposal, including an exhaustive API / UI design
[Get started](#)
- Proposal**
Propose a non-trivial change to Docusaurus
[Get started](#)
- Report a security vulnerability**
Please review our [security policy](#) for more details.
[View policy](#)
- Feature request**
The Canny board to send us feature requests, vote and measure the interest of users. Useful to submit a feature request when you have an idea but no concrete API design proposal.
[Open](#)
- Simple question - Discord chat**
This issue tracker is not for technical support. Please use our Discord chat, and ask the community for help.
[Open](#)
- Simple question - Stack Overflow**
This issue tracker is not for technical support. Please use Stack Overflow, and ask the community for help.
[Open](#)
- Advanced question - GitHub Discussions**
Use GitHub Discussions for advanced and unanswered questions only, requiring a maintainer's answer. Make sure the question wasn't already asked.
[Open](#)

[View organization templates](#)

La soirée Open Source

La soirée - Les retours

- Merci aux participantes, aux participants et à Takiveille



La soirée - Les retours

- Merci aux participantes, aux participants et à Takiveille
- 25 personnes
- 3 PRs ouvertes sur des dépôts Open Source

La soirée - Les retours

- La soirée n'avait pas le **bon état d'esprit** : ne pas participer pour participer
- Sur un autre format, Hacking Night :
 - Projets personnels
 - Coding challenges
 - **Coder ensemble sur des projets**

Conclusion

On récapitule ?

- Contribuer sur des projets que l'on utilise et que l'on apprécie
- À la hauteur de ses moyens
- Se mettre à la place de la mainteneuse ou du mainteneur
- Ouvrir son code pour des projets qui s'y prêtent
- Ouvrir son code si l'on pense que l'on est prêt

Ouverture

Open Data

Paris Data met à disposition les données produites et collectées par la Ville de Paris

Rechercher une donnée par mot clef :

ex : propreté...



Ouverture

Open Hardware



Ouverture

Open Science

The screenshot shows the arXiv homepage. At the top left is the Cornell University logo, which is a circular seal with a building and trees inside. To its right, the text "Cornell University" is written in a white serif font. Below this is the arXiv logo, consisting of the word "arXiv" in a large, white, sans-serif font. The letter "X" has a diagonal line through it. The background of the page is dark blue at the top, transitioning to white at the bottom where the text and search bar are located. In the white area, there is a paragraph of text describing arXiv's mission and scope. Below this, there is a search interface with a dropdown menu set to "Physics", a "Search" button, and other links like "Form Interface" and "Catchup".

arXiv is a free distribution service and an open-access archive for nearly 2.4 million scholarly articles in the fields of physics, mathematics, computer science, quantitative biology, quantitative finance, statistics, electrical engineering and systems science, and economics. Materials on this site are not peer-reviewed by arXiv.

Subject search and browse:

Physics ▾

Search Form Interface Catchup

Ouverture

Open Knowledge



Aucun de nous ne sait ce que nous savons tous,
ensemble.

– Euripide

Merci pour votre attention !



Vous avez des questions ?

Sources

- Wikipédia :
 - Open Source
- Opensource.com :
 - What is Open Source
 - What's the difference between open source software and free software
- Opensource.org (OSI) :
 - The Open Source Definition
- Red Hat
 - L'Open Source, qu'est que c'est ?
- Digital Ocean :
 - The Difference Between Free and Open Source Software
- Amazon :
 - Open Source
- Youtube:
 - "The Hard Parts of Open Source" by Evan Czaplicki
 - "A survival guide to open source" par Alexandre Fauquette.
 - "The Economics of Programming Languages" by Evan Czaplicki (Strange Loop 2023)
- PimCore:
 - Open Source your company
- Google :
 - Why OpenSource
- Supabase :
 - Why you should Open Source your company