

Namanmarket X ShopeeFoodAPI Documentation

Overview

ShopeeFoodAPI provides an endpoint to access JSON files on the Nam An server. This endpoint requires Basic Authentication to ensure that only authorized users can access the files.

Authentication

The endpoint uses Basic Authentication with the following credentials:

- **Basic namanmarketshopeeapi**

Endpoints

GET `https://namanapi.namanmarket.com/shopeefoodapi/{store_id}.json`

Nam An Market currently has 4 stores with the following corresponding IDs:

- **21 Thảo Điền:** 10001
- **46 Hưng Phúc:** 10004
- **17 Mai Chí Thọ:** 10005
- **303 Nguyễn Văn Trỗi:** 10006

Example: `curl --location 'https://namanapi.namanmarket.com/shopeefoodapi/10001.json' \`

`--header 'Authorization: Basic namanmarketshopeefoodapi'`

Returns the menu of store 10001.

Responses

- **200 OK:** Returns the file content.
- **400 Bad Request:** The path is not a file.
- **401 Unauthorized:** Invalid authentication credentials.
- **404 Not Found:** The file does not exist.

Request Example

Curl Request:

`curl --location 'https://namanapi.namanmarket.com/shopeefoodapi/10001.json' \`

`--header 'Authorization: Basic namanmarketshopeefoodapi'`

Python Request:

```
import requests

url = "https://namanapi.namanmarket.com/shopeefoodapi/10001.json"

payload = {}

headers = {'Authorization': 'Basic namanmarketshopeefoodapi'}

response = requests.request("GET", url, headers=headers, data=payload, verify
= False)

print(response.status_code)
```

Response Example

200 OK

```
HTTP/1.1 200 OK
Content-Disposition: attachment; filename="10001.json"
Content-Type: application/octet-stream

[File content]
```

400 Bad Request

```
HTTP/1.1 400 Bad Request
Content-Type: application/json

{
  "detail": "Bad request"
}
```

404 Not Found

```
HTTP/1.1 404 Not Found
Content-Type: application/json

{
  "detail": "File not found"
}
```