

Alzheimer's Disease Cognitive Decline:

- **Memory Loss:** One of the earliest signs is difficulty remembering recent events or conversations. This often progresses to forgetting important dates, names, and the need for repetitive information.
- **Disorientation:** Patients may become disoriented in familiar places or lose track of dates and time.
- **Difficulty in Problem Solving:** Challenges in planning or solving problems, such as managing finances or following a recipe, are common.
- **Language Issues:** Trouble finding the right words, repeating oneself, or struggling with vocabulary.

Behavioral Changes:

- **Mood Swings:** Anxiety, confusion, Agitation and suspicion may arise, especially in unfamiliar situations.
- **Withdrawal from Social Activities:** Reduced participation in hobbies, social activities, and work due to cognitive difficulties.
- **Apathy:** A lack of interest in previously enjoyed activities, leading to social withdrawal and depression.

Psychological Symptoms

- Hallucinations and delusions.
- Sleep disturbances and wandering behavior.

Physical Symptoms:

- **Motor Skills:** In later stages, there may be a decline in the ability to coordinate and execute physical tasks, such as dressing or eating.
- **Impact on Daily Living:** Increasing dependence on caregivers for daily activities. ● Progressive loss of self-care abilities.
- Changes in social interaction patterns.

Parkinson's Disease Motor Symptoms:

- Tremors: Often starting in the hands or fingers, especially at rest.
- Bradykinesia: Slowness of movement, making everyday tasks challenging.
- Muscle Rigidity: Stiffness in the muscles that can limit the range of motion.
- Postural Instability: Issues with balance and coordination, leading to a higher risk of falls.

Non-Motor Symptoms:

- Cognitive Impairment: Although not as pronounced as in Alzheimer's, cognitive decline can occur, affecting executive functions and memory.
- Mood Disorders: Depression, anxiety, and apathy are common, with some patients also experiencing hallucinations or delusions.
- Sleep Disturbances: Issues such as REM sleep behavior disorder (acting out dreams) and difficulty falling or staying asleep.
- Autonomic Dysfunction: Symptoms like constipation, urinary issues, and blood pressure fluctuations.

Behavioral Changes:

- Impulsivity: Some patients may develop impulsive behaviors, often related to the side effects of medication (e.g., compulsive gambling or eating).
 - Changes in Speech: Soft, slurred, or monotone speech can occur, often with difficulty finding the right words.
 - Reduced Facial Expression: A "masked face" appearance due to reduced facial muscle activity.
- ### Comparative Behavioral Analysis
- Cognitive Symptoms ○ AD: More pronounced memory impairment and difficulty in forming new memories. ○ PD: Memory issues are less severe; executive dysfunction and attention problems are more prominent.
 - Emotional and Behavioral Symptoms ○ AD: More likely to present with hallucinations and paranoia. ○ PD: Depression and anxiety are more prevalent, with a higher tendency for apathy.
 - Daily Functioning ○ AD: Rapid decline in the ability to perform daily activities. ○ PD: Progressive motor symptoms make daily activities challenging, but cognitive symptoms are more gradual.