Week 12

Changes to my code

- 1. Utilised a server https://nm2207-db.vercel.app/api/377 (thank you Jeremiah) to keep track of how many people vote for oppose/ support
 - Line in code:
 - 377main.js: 329 373
- 2. Added sources for the data used in my charts at the end
 - Line in code:
 - index.html: 278 284
- 3. Added a back to top button (*How To Create a Scroll Back To Top Button*, 2023)
 - Line in code:
 - index.html: 36
 - 377appstyle.css: 13 44
 - 377main.js: 14 31
- 4. Added a custom cursor (*Div Follow the Mouse Cursor* | *Onmousemove Event Javascript*, 2019)
 - Line in code:
 - index.html: 35
 - 377appstyle.css: 48 59
 - 377main.js: 42 50
- 5. Added a window popup alert when the Submit button for the contact form is clicked
 - Line in code:
 - 377main.js: 415 417
- 6. Edited the aesthetics of the page: changed the colours of my backgrounds and changed all my icons to pixel art style
 - Sourced for pixel art on Google
- 7. Edited my pie chart (under "Let's first understand how Singaporeans' perception on LGBTQ+ issues have changed from 2018 to 2022.") to make it the same size
 - Shortened my legends so they were all in one line (Oppose/Support, Disagree/Agree)
 - Split the title of the chart into two lines for both pie charts

Write the storyboard for the data story. Report the errors and challenges you are facing.

Errors/ challenges	Solution
Size of chart is not very appealing, it looked too wide compared to my texts/ other	Changed the width and height of the canvas to have a better scaling

elements	
Challenging to find data on the LGBTQ+ community in Singapore specifically, given that this topic is not very much discussed about	Combined data from different sources to make it more cohesive and comprehensive, from studies by IPS and IPSOS
Count for Support/Oppose Section 377A resets every time the web page is refreshed	Used a server to store the votes even after refreshing the page
Can't get chart to read my fetch API data 294	Needed to first fetch the data from fetch API server and assign the value in the endpoint (v[0].oppose and v[0].support) to the empty data array in votePie
Chart did not update although the values in the server changed Solution	 Needed to manually add 1 to data.value.support and data.value.oppose (in the updateChart function) as the data was still the data before the button was clicked Used ChatGPT to check for any errors with my syntax and to suggest improvements to my code
Webpage didn't fill up the whole page, there were white margins for some of the divs	Found out that one of the divs had "width: 100%" which caused it to be (id="conclusion")
Not very clear/ obvious when buttons are clicked	 Changed background colour on hover Changed cursor to pointer when hovering on button Added simple animations on hover (How to Animate Buttons With CSS, 2023)
Cursor wasn't very responsive whenever I moved it 39	Was following a YouTube tutorial (<i>Div Follow the Mouse Cursor</i> <i>Onmousemove Event Javascript</i> , 2019) which used e.clientX and e.clientY. Entered my code to Chat GPT and they suggested to use e.pageX and e.pageY instead, which solved my issue. Consulted with Stack Overflow and it may be due to pageX/Y coordinates are relative to the

	top left corner of the whole rendered page (including parts hidden by scrolling), while clientX/Y coordinates are relative to the top left corner of the visible part of the page, "seen" through the browser window (Dan, 2014).
--	---

Bibliography

- Dan. (2014, January 30). *Answer to "What is the difference between screenX/Y, clientX/Y and pageX/Y?"* Stack Overflow. https://stackoverflow.com/a/21452887
- Div follow the mouse cursor | onmousemove event javascript. (2019, April 13). https://www.youtube.com/watch?v=IMV-hf4JIK0
- How To Animate Buttons With CSS. (n.d.). Retrieved April 7, 2023, from https://www.w3schools.com/howto/howto css animate buttons.asp
- How To Create a Scroll Back To Top Button. (n.d.). Retrieved April 6, 2023, from https://www.w3schools.com/howto/howto is scroll to top.asp