Treatment-Emergent Adverse Events by SOC and Preferred Term

Primary System Organ Class / Reported Term for the Adverse Event	**Placebo** N=86	**Xanomeline High Dose** N=72	**Xanomeline Low Dose** N=96	**Total** N=254
Treatment Emergent AEs	65 (75.6%)	68 (94.4%)	84 (87.5%)	217 (85.4%)
CARDIAC DISORDERS	12 (14.0%)	14 (19.4%)	14 (14.6%)	40 (15.7%)
ATRIAL FIBRILLATION	1 (1.2%)	2 (2.8%)	2 (2.1%)	5 (2.0%)
ATRIAL FLUTTER	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
ATRIAL HYPERTROPHY	1 (1.2%)	0	0	1 (0.4%)
ATRIOVENTRICULAR BLOCK FIRST DEGREE	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
ATRIOVENTRICULAR BLOCK SECOND DEGREE	1 (1.2%)	0	0	1 (0.4%)
BRADYCARDIA	1 (1.2%)	0	0	1 (0.4%)
BUNDLE BRANCH BLOCK LEFT	1 (1.2%)	0	0	1 (0.4%)
BUNDLE BRANCH BLOCK RIGHT	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
CARDIAC DISORDER	0	1 (1.4%)	0	1 (0.4%)
CARDIAC FAILURE CONGESTIVE	1 (1.2%)	0	0	1 (0.4%)
MYOCARDIAL INFARCTION	4 (4.7%)	4 (5.6%)	2 (2.1%)	10 (3.9%)
PALPITATIONS	0	0	2 (2.1%)	2 (0.8%)
SINUS ARRHYTHMIA	1 (1.2%)	0	0	1 (0.4%)
SINUS BRADYCARDIA	2 (2.3%)	8 (11.1%)	7 (7.3%)	17 (6.7%)
SUPRAVENTRICULAR EXTRASYSTOLES	1 (1.2%)	1 (1.4%)	1 (1.0%)	3 (1.2%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
SUPRAVENTRICULAR TACHYCARDIA	0	0	1 (1.0%)	1 (0.4%)
TACHYCARDIA	1 (1.2%)	0	0	1 (0.4%)
VENTRICULAR EXTRASYSTOLES	0	1 (1.4%)	2 (2.1%)	3 (1.2%)
VENTRICULAR HYPERTROPHY	1 (1.2%)	0	0	1 (0.4%)
WOLFF-PARKINSON-WHITE SYNDROME	0	0	1 (1.0%)	1 (0.4%)
CONGENITAL, FAMILIAL AND GENETIC DISORDERS	0	2 (2.8%)	1 (1.0%)	3 (1.2%)
VENTRICULAR SEPTAL DEFECT	0	2 (2.8%)	1 (1.0%)	3 (1.2%)
EAR AND LABYRINTH DISORDERS	1 (1.2%)	1 (1.4%)	2 (2.1%)	4 (1.6%)
CERUMEN IMPACTION	0	0	1 (1.0%)	1 (0.4%)
EAR PAIN	1 (1.2%)	0	0	1 (0.4%)
VERTIGO	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
EYE DISORDERS	2 (2.3%)	1 (1.4%)	2 (2.1%)	5 (2.0%)
CONJUNCTIVAL HAEMORRHAGE	0	0	1 (1.0%)	1 (0.4%)
CONJUNCTIVITIS	1 (1.2%)	0	0	1 (0.4%)
EYE ALLERGY	1 (1.2%)	0	0	1 (0.4%)
EYE PRURITUS	1 (1.2%)	0	0	1 (0.4%)
EYE SWELLING	1 (1.2%)	0	0	1 (0.4%)
VISION BLURRED	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
GASTROINTESTINAL DISORDERS	17 (19.8%)	19 (26.4%)	15 (15.6%)	51 (20.1%)
ABDOMINAL DISCOMFORT	0	1 (1.4%)	0	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
ABDOMINAL PAIN	1 (1.2%)	1 (1.4%)	3 (3.1%)	5 (2.0%)
CONSTIPATION	1 (1.2%)	0	0	1 (0.4%)
DIARRHOEA	9 (10.5%)	3 (4.2%)	5 (5.2%)	17 (6.7%)
DYSPEPSIA	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
DYSPHAGIA	0	0	1 (1.0%)	1 (0.4%)
FLATULENCE	1 (1.2%)	0	0	1 (0.4%)
GASTROINTESTINAL HAEMORRHAGE	0	1 (1.4%)	0	1 (0.4%)
GASTROOESOPHAGEAL REFLUX DISEASE	1 (1.2%)	0	0	1 (0.4%)
GLOSSITIS	1 (1.2%)	0	0	1 (0.4%)
HIATUS HERNIA	1 (1.2%)	0	0	1 (0.4%)
NAUSEA	3 (3.5%)	6 (8.3%)	3 (3.1%)	12 (4.7%)
RECTAL HAEMORRHAGE	0	0	1 (1.0%)	1 (0.4%)
SALIVARY HYPERSECRETION	0	4 (5.6%)	0	4 (1.6%)
STOMACH DISCOMFORT	0	1 (1.4%)	0	1 (0.4%)
VOMITING	3 (3.5%)	6 (8.3%)	4 (4.2%)	13 (5.1%)
GENERAL DISORDERS AND ADMINISTRATION SITE CONDITIONS	21 (24.4%)	36 (50.0%)	51 (53.1%)	108 (42.5%)
APPLICATION SITE BLEEDING	0	0	1 (1.0%)	1 (0.4%)
APPLICATION SITE DERMATITIS	5 (5.8%)	7 (9.7%)	9 (9.4%)	21 (8.3%)
APPLICATION SITE DESQUAMATION	0	0	1 (1.0%)	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
APPLICATION SITE DISCHARGE	0	1 (1.4%)	0	1 (0.4%)
APPLICATION SITE DISCOLOURATION	0	0	1 (1.0%)	1 (0.4%)
APPLICATION SITE ERYTHEMA	3 (3.5%)	14 (19.4%)	13 (13.5%)	30 (11.8%)
APPLICATION SITE INDURATION	1 (1.2%)	0	0	1 (0.4%)
APPLICATION SITE IRRITATION	3 (3.5%)	9 (12.5%)	9 (9.4%)	21 (8.3%)
APPLICATION SITE PAIN	0	2 (2.8%)	0	2 (0.8%)
APPLICATION SITE PERSPIRATION	0	2 (2.8%)	0	2 (0.8%)
APPLICATION SITE PRURITUS	6 (7.0%)	21 (29.2%)	23 (24.0%)	50 (19.7%)
APPLICATION SITE REACTION	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
APPLICATION SITE SWELLING	0	2 (2.8%)	1 (1.0%)	3 (1.2%)
APPLICATION SITE URTICARIA	0	1 (1.4%)	2 (2.1%)	3 (1.2%)
APPLICATION SITE VESICLES	1 (1.2%)	5 (6.9%)	5 (5.2%)	11 (4.3%)
APPLICATION SITE WARMTH	0	0	1 (1.0%)	1 (0.4%)
ASTHENIA	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
CHEST DISCOMFORT	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
CHEST PAIN	0	2 (2.8%)	0	2 (0.8%)
CHILLS	1 (1.2%)	1 (1.4%)	1 (1.0%)	3 (1.2%)
FATIGUE	1 (1.2%)	5 (6.9%)	5 (5.2%)	11 (4.3%)
FEELING ABNORMAL	0	1 (1.4%)	0	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
FEELING COLD	0	1 (1.4%)	0	1 (0.4%)
INFLAMMATION	0	0	1 (1.0%)	1 (0.4%)
MALAISE	0	2 (2.8%)	1 (1.0%)	3 (1.2%)
OEDEMA	0	0	2 (2.1%)	2 (0.8%)
OEDEMA PERIPHERAL	2 (2.3%)	2 (2.8%)	1 (1.0%)	5 (2.0%)
PAIN	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
PYREXIA	2 (2.3%)	0	1 (1.0%)	3 (1.2%)
SECRETION DISCHARGE	0	0	1 (1.0%)	1 (0.4%)
SUDDEN DEATH	0	0	1 (1.0%)	1 (0.4%)
SWELLING	0	0	1 (1.0%)	1 (0.4%)
ULCER	0	0	1 (1.0%)	1 (0.4%)
HEPATOBILIARY DISORDERS	1 (1.2%)	0	0	1 (0.4%)
HYPERBILIRUBINAEMIA	1 (1.2%)	0	0	1 (0.4%)
IMMUNE SYSTEM DISORDERS	0	0	1 (1.0%)	1 (0.4%)
HYPERSENSITIVITY	0	0	1 (1.0%)	1 (0.4%)
INFECTIONS AND INFESTATIONS	16 (18.6%)	13 (18.1%)	9 (9.4%)	38 (15.0%)
BRONCHITIS	1 (1.2%)	0	0	1 (0.4%)
CELLULITIS	0	0	1 (1.0%)	1 (0.4%)
CERVICITIS	1 (1.2%)	0	0	1 (0.4%)
CYSTITIS	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
EAR INFECTION	2 (2.3%)	0	0	2 (0.8%)
GASTROENTERITIS VIRAL	1 (1.2%)	0	0	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
HORDEOLUM	0	1 (1.4%)	0	1 (0.4%)
INFLUENZA	1 (1.2%)	1 (1.4%)	1 (1.0%)	3 (1.2%)
LOCALISED INFECTION	1 (1.2%)	0	0	1 (0.4%)
LOWER RESPIRATORY TRACT INFECTION	0	1 (1.4%)	0	1 (0.4%)
NASOPHARYNGITIS	2 (2.3%)	6 (8.3%)	4 (4.2%)	12 (4.7%)
PNEUMONIA	0	0	1 (1.0%)	1 (0.4%)
RHINITIS	0	1 (1.4%)	0	1 (0.4%)
UPPER RESPIRATORY TRACT INFECTION	6 (7.0%)	3 (4.2%)	1 (1.0%)	10 (3.9%)
URINARY TRACT INFECTION	2 (2.3%)	1 (1.4%)	0	3 (1.2%)
VAGINAL MYCOSIS	1 (1.2%)	0	0	1 (0.4%)
VIRAL INFECTION	0	0	1 (1.0%)	1 (0.4%)
INJURY, POISONING AND PROCEDURAL COMPLICATIONS	4 (4.7%)	5 (6.9%)	5 (5.2%)	14 (5.5%)
CONTUSION	1 (1.2%)	2 (2.8%)	1 (1.0%)	4 (1.6%)
EXCORIATION	2 (2.3%)	1 (1.4%)	1 (1.0%)	4 (1.6%)
FACIAL BONES FRACTURE	0	1 (1.4%)	0	1 (0.4%)
FALL	1 (1.2%)	1 (1.4%)	2 (2.1%)	4 (1.6%)
HIP FRACTURE	1 (1.2%)	2 (2.8%)	0	3 (1.2%)
JOINT DISLOCATION	0	0	1 (1.0%)	1 (0.4%)
SKIN LACERATION	1 (1.2%)	0	2 (2.1%)	3 (1.2%)
WOUND	0	0	1 (1.0%)	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
INVESTIGATIONS	10 (11.6%)	5 (6.9%)	7 (7.3%)	22 (8.7%)
BIOPSY	0	1 (1.4%)	0	1 (0.4%)
BIOPSY PROSTATE	0	1 (1.4%)	0	1 (0.4%)
BLOOD ALKALINE PHOSPHATASE INCREASED	1 (1.2%)	0	0	1 (0.4%)
BLOOD CHOLESTEROL INCREASED	0	1 (1.4%)	0	1 (0.4%)
BLOOD CREATINE PHOSPHOKINASE INCREASED	1 (1.2%)	0	0	1 (0.4%)
BLOOD GLUCOSE INCREASED	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
BLOOD URINE PRESENT	1 (1.2%)	0	0	1 (0.4%)
BODY TEMPERATURE INCREASED	0	0	1 (1.0%)	1 (0.4%)
CYSTOSCOPY	1 (1.2%)	0	0	1 (0.4%)
ELECTROCARDIOGRAM ST SEGMENT DEPRESSION	4 (4.7%)	0	1 (1.0%)	5 (2.0%)
ELECTROCARDIOGRAM T WAVE AMPLITUDE DECREASED	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
ELECTROCARDIOGRAM T WAVE INVERSION	2 (2.3%)	1 (1.4%)	1 (1.0%)	4 (1.6%)
HEART RATE INCREASED	1 (1.2%)	0	0	1 (0.4%)
HEART RATE IRREGULAR	1 (1.2%)	0	0	1 (0.4%)
NASAL MUCOSA BIOPSY	0	0	1 (1.0%)	1 (0.4%)
WEIGHT DECREASED	0	0	1 (1.0%)	1 (0.4%)
METABOLISM AND NUTRITION DISORDERS	6 (7.0%)	2 (2.8%)	1 (1.0%)	9 (3.5%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
DECREASED APPETITE	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
DEHYDRATION	1 (1.2%)	0	0	1 (0.4%)
DIABETES MELLITUS	1 (1.2%)	0	0	1 (0.4%)
FOOD CRAVING	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
HYPONATRAEMIA	1 (1.2%)	0	0	1 (0.4%)
INCREASED APPETITE	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS	4 (4.7%)	7 (9.7%)	7 (7.3%)	18 (7.1%)
ARTHRALGIA	1 (1.2%)	1 (1.4%)	2 (2.1%)	4 (1.6%)
ARTHRITIS	0	1 (1.4%)	0	1 (0.4%)
BACK PAIN	1 (1.2%)	3 (4.2%)	1 (1.0%)	5 (2.0%)
FLANK PAIN	0	1 (1.4%)	0	1 (0.4%)
MUSCLE SPASMS	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
MUSCULAR WEAKNESS	0	0	1 (1.0%)	1 (0.4%)
MYALGIA	0	1 (1.4%)	0	1 (0.4%)
PAIN IN EXTREMITY	1 (1.2%)	0	0	1 (0.4%)
SHOULDER PAIN	1 (1.2%)	0	2 (2.1%)	3 (1.2%)
NEOPLASMS BENIGN, MALIGNANT AND UNSPECIFIED (INCL CYSTS AND POLYPS)	0	1 (1.4%)	2 (2.1%)	3 (1.2%)
COLON CANCER	0	0	1 (1.0%)	1 (0.4%)
MALIGNANT FIBROUS HISTIOCYTOMA	0	0	1 (1.0%)	1 (0.4%)
PROSTATE CANCER	0	1 (1.4%)	0	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
NERVOUS SYSTEM DISORDERS	8 (9.3%)	23 (31.9%)	22 (22.9%)	53 (20.9%)
AMNESIA	0	1 (1.4%)	0	1 (0.4%)
BALANCE DISORDER	0	0	1 (1.0%)	1 (0.4%)
BURNING SENSATION	0	2 (2.8%)	0	2 (0.8%)
COGNITIVE DISORDER	0	1 (1.4%)	0	1 (0.4%)
COMPLEX PARTIAL SEIZURES	0	0	1 (1.0%)	1 (0.4%)
COORDINATION ABNORMAL	0	0	1 (1.0%)	1 (0.4%)
DIZZINESS	2 (2.3%)	10 (13.9%)	9 (9.4%)	21 (8.3%)
HEADACHE	3 (3.5%)	5 (6.9%)	3 (3.1%)	11 (4.3%)
HEMIANOPIA HOMONYMOUS	0	0	1 (1.0%)	1 (0.4%)
HYPERSOMNIA	0	1 (1.4%)	0	1 (0.4%)
LETHARGY	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
PARAESTHESIA	0	1 (1.4%)	0	1 (0.4%)
PARAESTHESIA ORAL	0	0	1 (1.0%)	1 (0.4%)
PARKINSON'S DISEASE	1 (1.2%)	0	0	1 (0.4%)
PAROSMIA	0	1 (1.4%)	0	1 (0.4%)
PARTIAL SEIZURES WITH SECONDARY GENERALISATION	0	1 (1.4%)	0	1 (0.4%)
PSYCHOMOTOR HYPERACTIVITY	1 (1.2%)	0	0	1 (0.4%)
SOMNOLENCE	2 (2.3%)	1 (1.4%)	3 (3.1%)	6 (2.4%)
STUPOR	0	0	1 (1.0%)	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
SYNCOPE	0	2 (2.8%)	5 (5.2%)	7 (2.8%)
SYNCOPE VASOVAGAL	0	1 (1.4%)	0	1 (0.4%)
TRANSIENT ISCHAEMIC ATTACK	0	1 (1.4%)	2 (2.1%)	3 (1.2%)
PSYCHIATRIC DISORDERS	10 (11.6%)	7 (9.7%)	11 (11.5%)	28 (11.0%)
AGITATION	2 (2.3%)	0	3 (3.1%)	5 (2.0%)
ANXIETY	0	0	3 (3.1%)	3 (1.2%)
COMPLETED SUICIDE	1 (1.2%)	0	0	1 (0.4%)
CONFUSIONAL STATE	2 (2.3%)	1 (1.4%)	3 (3.1%)	6 (2.4%)
DELIRIUM	0	1 (1.4%)	0	1 (0.4%)
DELUSION	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
DEPRESSED MOOD	0	0	1 (1.0%)	1 (0.4%)
DISORIENTATION	1 (1.2%)	0	0	1 (0.4%)
HALLUCINATION	0	1 (1.4%)	0	1 (0.4%)
HALLUCINATION, VISUAL	0	1 (1.4%)	0	1 (0.4%)
INSOMNIA	2 (2.3%)	2 (2.8%)	0	4 (1.6%)
IRRITABILITY	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
LIBIDO DECREASED	0	1 (1.4%)	0	1 (0.4%)
LISTLESS	0	1 (1.4%)	0	1 (0.4%)
NIGHTMARE	0	1 (1.4%)	0	1 (0.4%)
RESTLESSNESS	0	0	1 (1.0%)	1 (0.4%)
RENAL AND URINARY DISORDERS	4 (4.7%)	3 (4.2%)	3 (3.1%)	10 (3.9%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
CALCULUS URETHRAL	0	1 (1.4%)	0	1 (0.4%)
DYSURIA	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
INCONTINENCE	0	0	1 (1.0%)	1 (0.4%)
MICTURITION URGENCY	1 (1.2%)	1 (1.4%)	1 (1.0%)	3 (1.2%)
NEPHROLITHIASIS	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
POLLAKIURIA	1 (1.2%)	0	0	1 (0.4%)
REPRODUCTIVE SYSTEM AND BREAST DISORDERS	2 (2.3%)	1 (1.4%)	0	3 (1.2%)
BENIGN PROSTATIC HYPERPLASIA	1 (1.2%)	1 (1.4%)	0	2 (0.8%)
PELVIC PAIN	1 (1.2%)	0	0	1 (0.4%)
RESPIRATORY, THORACIC AND MEDIASTINAL DISORDERS	8 (9.3%)	10 (13.9%)	9 (9.4%)	27 (10.6%)
ALLERGIC GRANULOMATOUS ANGIITIS	0	1 (1.4%)	0	1 (0.4%)
COUGH	1 (1.2%)	5 (6.9%)	5 (5.2%)	11 (4.3%)
DYSPHONIA	0	0	1 (1.0%)	1 (0.4%)
DYSPNOEA	1 (1.2%)	1 (1.4%)	1 (1.0%)	3 (1.2%)
EMPHYSEMA	1 (1.2%)	0	0	1 (0.4%)
EPISTAXIS	0	2 (2.8%)	1 (1.0%)	3 (1.2%)
HAEMOPTYSIS	1 (1.2%)	0	0	1 (0.4%)
NASAL CONGESTION	3 (3.5%)	3 (4.2%)	1 (1.0%)	7 (2.8%)
PHARYNGEAL ERYTHEMA	0	1 (1.4%)	0	1 (0.4%)
PHARYNGOLARYNGEAL PAIN	0	1 (1.4%)	1 (1.0%)	2 (0.8%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
POSTNASAL DRIP	1 (1.2%)	0	0	1 (0.4%)
PRODUCTIVE COUGH	0	1 (1.4%)	0	1 (0.4%)
RALES	1 (1.2%)	0	0	1 (0.4%)
RESPIRATORY TRACT CONGESTION	0	1 (1.4%)	0	1 (0.4%)
RHINORRHOEA	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
SKIN AND SUBCUTANEOUS TISSUE DISORDERS	20 (23.3%)	39 (54.2%)	39 (40.6%)	98 (38.6%)
ACTINIC KERATOSIS	0	1 (1.4%)	0	1 (0.4%)
ALOPECIA	1 (1.2%)	0	0	1 (0.4%)
BLISTER	0	1 (1.4%)	5 (5.2%)	6 (2.4%)
COLD SWEAT	1 (1.2%)	0	0	1 (0.4%)
DERMATITIS CONTACT	0	0	1 (1.0%)	1 (0.4%)
DRUG ERUPTION	1 (1.2%)	0	0	1 (0.4%)
ERYTHEMA	8 (9.3%)	14 (19.4%)	14 (14.6%)	36 (14.2%)
HYPERHIDROSIS	2 (2.3%)	8 (11.1%)	4 (4.2%)	14 (5.5%)
PRURITUS	8 (9.3%)	25 (34.7%)	21 (21.9%)	54 (21.3%)
PRURITUS GENERALISED	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
RASH	5 (5.8%)	8 (11.1%)	13 (13.5%)	26 (10.2%)
RASH ERYTHEMATOUS	0	0	1 (1.0%)	1 (0.4%)
RASH MACULO-PAPULAR	0	1 (1.4%)	0	1 (0.4%)

Primary System Organ Class / Reported Term for the Adverse Event	Placebo N=86	Xanomeline High Dose N=72	Xanomeline Low Dose N=96	Total N=254
RASH PRURITIC	0	2 (2.8%)	1 (1.0%)	3 (1.2%)
SKIN EXFOLIATION	0	0	1 (1.0%)	1 (0.4%)
SKIN IRRITATION	3 (3.5%)	5 (6.9%)	6 (6.2%)	14 (5.5%)
SKIN ODOUR ABNORMAL	0	1 (1.4%)	0	1 (0.4%)
SKIN ULCER	1 (1.2%)	0	0	1 (0.4%)
URTICARIA	0	1 (1.4%)	1 (1.0%)	2 (0.8%)
SOCIAL CIRCUMSTANCES	0	1 (1.4%)	0	1 (0.4%)
ALCOHOL USE	0	1 (1.4%)	0	1 (0.4%)
SURGICAL AND MEDICAL PROCEDURES	2 (2.3%)	2 (2.8%)	1 (1.0%)	5 (2.0%)
ACROCHORDON EXCISION	0	1 (1.4%)	0	1 (0.4%)
CATARACT OPERATION	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
EYE LASER SURGERY	1 (1.2%)	0	0	1 (0.4%)
SKIN LESION EXCISION	0	1 (1.4%)	0	1 (0.4%)
VASCULAR DISORDERS	3 (3.5%)	1 (1.4%)	3 (3.1%)	7 (2.8%)
HOT FLUSH	0	0	1 (1.0%)	1 (0.4%)
HYPERTENSION	1 (1.2%)	0	1 (1.0%)	2 (0.8%)
HYPOTENSION	2 (2.3%)	0	1 (1.0%)	3 (1.2%)
ORTHOSTATIC HYPOTENSION	1 (1.2%)	0	0	1 (0.4%)
WOUND HAEMORRHAGE	0	1 (1.4%)	0	1 (0.4%)