Informatik

Webteknologier 2

2020-12-07















PROJEKTET



GUIDE OM RYSENSTEEN FOR KOMMENDE ELEVER:

På grund af corona er intoaftenen for kommende 1.g elever blevet aflyst. Som skole har vi brug for nye elever når I forlader skolen til sommer. Jeres opgave er at lave en hjemmeside som guider de kommende elever til at vælge af Rysensteen Gymnasium.

I projektet skal I dokumentere

- En beskrivelse af en persona.
- Hvordan hjemmesiden rammer den valgte persona.
- Designvalg, ud fra Normanns designprincipper.

I dag



- Lave grupper
 - 2-3 personer med samme ambitioner
 - Gerne samme klasse
 - Aflevering individuelt link til hjemmeside
 - Layout og indhold må gerne være fælles
- Brainstorm over indhold til hjemmesiden baseret på jeres målgruppe
- I gang med tutorials w3schools.com




Intro til HTML Tutorial med w3schools.com

Visuelle elementer:

- Tekst
- Billeder
- Videoer

Skjulte elementer

- Koder
- Links
- Farvekoder (CSS)







```
<!DOCTYPE html>
<html>
<head>
</head>
<body>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
<title>Page Title</title>
</head>
<body>


<h1>My First Heading</h1>
My first paragraph.
</body>
</html>
```

My First Heading

My first paragraph.

Regel:

- Tags kommer i par og skal lukkes
- Undtagen fx
for linjeskift



- The <!DOCTYPE html> declaration defines this document to be HTML5
- The <html> element is the root element of an HTML page
- The <head> element contains meta information about the document
- The <title> element specifies a title for the document
- The <body> element contains the visible page content
- The <h1> element defines a large heading
- The element defines a paragraph

HTML Tutorial (35 minutter)



Læs og kig på eksemplere i følgende afsnit. I behøver ikke at kunne huske alt, bare sørg for at kunne finde det frem senere:

- HTML Basic
- HTML Elements
- HTML Attributes
- HTML Headings
- HTML Paragraphs
- HTML Styles
- HTML Formatting
- HTML Comments
- HTML Colors

Tags, som I burde ha' stødt på i modulet



- <!DOCTYPE html>
- <html></html>
- <head></head>
- <title></title>
- <body></body>
- h1>,</h1>,<h2>,</h2>,...
- •
- <a href=<u>https://rysensteen.dk</u>>
 Rysensteen Gymnasium
-
- ,,,,
- attributes (name="value")

- Style: <h1 style = "font-size:60px;"> Tekst </h1>
- <hr>
-

- <tagname style="property:value;">
- <body style = "background-color:powderblue;">
- <h1 style="color:blue;"></h1>
- Thisis a paragraph.
- Formatting: ,,<sub>,<sup>
- <!-- Write your comments here -->





Lav en hjemmeside i Bracket/Atom.

Siden skal have:

- filnavnet introaftenRysensteen.html
- Titel
- en farvet baggrund
- en fornuftig overskrift, hvor du ændrer font og farve
- en kommentar et sted i programmet
- en paragraf med tekst med fakta om landet
 - hvor du bruger linjeskift
 - fed og/eller kursiv skrift
- en vandret streg et sted

ekstra hvis I har tid

et billed.

T	

Defines a dropdown list

cite, datetime Defines details of an element

open

plugin

color of text

Defines a form

target

document

Defines a definition description Defines deleted text

Defines a dialog (conversation)

Used to define a directory list

Defines a section in a document

Defines a definition term

Defines a definition list

Defines a definition term

Defines emphasized text Defines external interactive content or

> height, src, type, width Defines a fieldset

disabled, form, name

Defines a group of media content, and their

Used to define font face, font size, and font

accept-charset, action, autocomplete,

Used to define a frameset, which organized

Defines information about the document

height, name, sandbox, seamless, src,

alt, src, height, ismap, usemap, width

accept, alt, autocomplete, autofocus, checked, disabled, form, formaction,

formnovalidate, formtarget, height, list, max, maxlength, min, multiple,

required, size, src, step, type, value,

name, pattern, placeholder, readonly,

formenctype, formmethod,

Defines a header for a section or page Defines information about a section in a

enctype, method, name, novalidate,

Used to define one particular window

(frame) within a frameset

multiple windows (frames)

Defines header 1 to header 6

Defines a horizontal rule Defines an html document

manifest, xmlns

Defines italic text Defines an inline sub window

Defines an image

width

Defines an input field

Defines a footer for a section or page

<datalist>

<dd>

<details>

<dialog>

<dfn>

<dir>

<div>

<dl>

<dt>

<embed>

<fieldset>

<figure>

<footer>

<form>

<frame>

<head>

<header>

<hgroup>

<html>

<iframe>

<input>

<hr>

<i>>

<frameset>

<h1> to <h6>

<ins></ins>	Defines inserted text		
	cite, datetime	<samp></samp>	Defines sample computer code
<keygen/>	Defines a generated key in a form autofocus, challenge, disabled, form, keytype, name	<script></td><td colspan=3>Defines a definition list async, type charset defer, src</td></tr><tr><td><kbd></td><td>Defines keyboard text</td><td><pre><section></pre></td><td>Defines a section cite</td></tr><tr><td><label></td><td>Defines an inline sub window</td><td></td><td>Defines a selectable list</td></tr><tr><td>(IIIDCI)</td><td>for, form</td><td><select></td><td>autofocus, disabled, form, multiple,</td></tr><tr><td><legend></td><td>Defines a title in a fieldset</td><td></td><td>name, size</td></tr><tr><td>:li></td><td>Defines a list item</td><td><small></td><td>Defines small text</td></tr><tr><td></td><td>value</td><td><pre><source></pre></td><td>Defines media resources</td></tr><tr><td>link></td><td>Defines a resource reference</td><td>_</td><td>media, src, type</td></tr><tr><td></td><td>href, hreflang, media, rel, sizes, type</td><td></td><td>Defines a section in a document</td></tr><tr><td>map></td><td>Defines an image map name</td><td></td><td>Defines strong text</td></tr><tr><td></td><td></td><td><style></td><td>Defines a style definition</td></tr><tr><td>mark></td><td>Defines marked text</td><td>\Style></td><td>type, media, scoped</td></tr><tr><td>menu></td><td>Defines a menu list</td><td><sub>, <sup</td><td>Defines sub/super-scripted text</td></tr><tr><td></td><td>label, type</td><td></td><td>Defines a table</td></tr><tr><td>meta></td><td>Defines meta information charset, content, http-equiv, name</td><td>(table)</td><td>summary</td></tr><tr><td></td><td></td><td></td><td>Defines a table body</td></tr><tr><td>meter></td><td>Defines measurement within a predefined range</td><td><100dy></td><td>summary</td></tr><tr><td></td><td>high, low, max, min, optimum, value</td><td>></td><td>Defines a table cell</td></tr><tr><td>nav></td><td>Defines navigation links</td><td>Ciu></td><td>colspan, headers, rowspan</td></tr><tr><td></td><td>Used to display text for browsers that do</td><td></td><td>Defines a text area</td></tr><tr><td>noframes></td><td>not handle frames</td><td><textarea></td><td colspan=2>autofocus, cols, disabled, form maxlength, name, placeholder</td></tr><tr><td>noscript></td><td>Defines a noscript section</td><td></td><td>readonly, readonly, required, rows, wrap</td></tr><tr><td>object></td><td>Defines an embedded object</td><td><tfoot>,</td><td colspan=2></td></tr><tr><td>Object></td><td>data, form, height, name, type, usemap, width</td><td><thead></td><td>Defines a table footer / head</td></tr><tr><td></td><td>Defines an ordered list</td><td></td><td>Defines a table header</td></tr><tr><td>ol></td><td>reversed, start</td><td><ui></td><td>colspan, headers, rowspan, scope</td></tr><tr><td></td><td>Defines an option group</td><td><time></td><td>Defines a date/tim</td></tr><tr><td>optgroup></td><td>label, disabled</td><td>XIIIIC></td><td>datetime</td></tr><tr><td>option></td><td>Defines an option in a drop-down list</td><td><title></td><td>Defines the document title</td></tr><tr><td>options</td><td>disabled, label, selected, value</td><td></td><td>Defines a table row</td></tr><tr><td>output></td><td>Defines some types of output</td><td><u>></td><td>datetime</td></tr><tr><td>output></td><td>for, form, name</td><td><tt></td><td>Used to define teletype text</td></tr><tr><td>p></td><td>Defines a paragraph</td><td><u></td><td>Used to define underlined text</td></tr><tr><td>param></td><td>Defines a parameter for an object</td><td></td><td>Defines an unordered list</td></tr><tr><td></td><td>name, value</td><td><var></td><td>Defines a variable</td></tr><tr><td>pre></td><td>Defines preformatted text</td><td></td><td>Defines a video</td></tr><tr><td>(progress></td><td>Defines progress of a task of any kind max, value</td><td><video></td><td>autobuffer, autoplay, controls, height, loop, src, width</td></tr><tr><td></td><td>Defines a short quotation</td><td></td><td></td></tr><tr><td>< 0.5</td><td></td><td></td><td></td></tr></tbody></table></script>	

н	M	L5	ı	AG	C	1E	:A	П	51	11		ı
		Cre	22	ted	h۷ ۱	N۵	hsi	to!	Set	un	or	a

	<ins></ins>	cite, datetime				
	<keygen/>	Defines a generated key in a form autofocus, challenge, disabled, form, keytype, name				
	<kbd></kbd>	Defines keyboard text				
	1111111	Defines an inline sub window				
	<label></label>	for, form				
	<legend></legend>	Defines a title in a fieldset				
	<	Defines a list item value				
	k>	Defines a resource reference href, hreflang, media, rel, sizes, type				
	<map></map>	Defines an image map name				
	<mark></mark>	Defines marked text				
	<menu></menu>	Defines a menu list label, type				
	-700-0720-00	Defines meta information				
	<meta/>	charset, content, http-equiv, name				
	<meter></meter>	Defines measurement within a predefined range				
		high, low, max, min, optimum, value				
	<nav></nav>	Defines navigation links				
	<noframes></noframes>	Used to display text for browsers that do not handle frames				
	<noscript></noscript>	Defines a noscript section				
	and the same	Defines an embedded object				
	<object></object>	data, form, height, name, type, usemap, width				
	 	Defines an ordered list reversed, start				
		Defines an option group				
	<optgroup></optgroup>	label, disabled				
	<option></option>	Defines an option in a drop-down list disabled, label, selected, value				
	<output></output>	Defines some types of output for, form, name				
	<	Defines a paragraph				
	<param/>	Defines a parameter for an object name, value				
	<pre><</pre>	Defines preformatted text				
	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Defines progress of a task of any kind max, value				
	<q></q>	Defines a short quotation				
	<rp></rp>	Used in ruby annotations to define what to show browsers that to not support the ruby element				
	<rt></rt>	Defines explanation to ruby annotations				
	<ruby></ruby>	Defines ruby annotations				
	<s>, <strike></strike></s>	Used to define strikethrough text.				

		HTML 5 NEW TAG					
	TAG NO	T SUPPORTED IN HTML 5					
		Define a comment					
		Defines the document type					
		Defines a hyperlink					
	<a>	$\begin{array}{c} \text{href, hreflang, media, ping , rel,} \\ \text{target, type} \end{array}$					
	<abbr></abbr>	Defines an abbreviation					
	<acronym></acronym>	Used to define an embedded acronym					
	<address></address>	Defines an address elemen					
	<applet></applet>	Used to define an embedded applet					
	Samurasa	Defines an area inside an image map					
	<area/>	alt, coords, href, hreflang, media, ping, rel, shape, target, type					
	<article></article>	Defines an article					
_		cite, pubdate					
	<aside></aside>	Defines content aside from the page content					
	<audio></audio>	Defines sound content					
		autobuffer, autoplay, controls, src					
		Defines bold text					
	<base/>	Defines a base URL for all the links in a page href, target					
		Used to define a default font-color, font-					
	<basefont/>	size, or font-family for all the document					
	<bdo></bdo>	Defines the direction of text display dir					
	 	Used to make text bigger					
	<blookquote></blookquote>	Defines a long quotation					
	<body></body>	Defines the body element					
		Inserts a single line break					
	SUL 2	Defines a push button					
	<button></button>	autofocus, disabled, form, formaction, formenctype, formmethod, formnovalidate, formtarget, name, type, value					
	<canvas></canvas>	Defines graphics height, width					
	<caption></caption>	Defines a table caption					
	<center></center>	Used to center align text and content					
	<cite></cite>	Defines a citation					
	1.00	Defines computer code text					
	<code></code>	autobuffer, autoplay, controls, src					
	<col/>	Defines attributes for table columns					
	<colgroup></colgroup>	Defines groups of table columns span					
		Defines a command button					
	<command/>	checked, disabled, icon, label,					

radiogroup, type





I Chrome kan man se kildekoden med

view->Developer->vi
ew Source.

Eller højreklik på siden og vælg "vis sidens kilde"

Prøv at se koden fra denne hjemmeside.

https://mpsteenstrup.github .io/index.html

Hvilke elementer kan I genkende?

