

```
In [1]: # Python Comments  
print("Welcome to DKTE")
```

Welcome to DKTE

```
In [ ]:
```

```
In [2]: print("Hello world")
```

Hello world

```
In [3]: if 5 > 2:  
        print("Five is greater than 2")
```

Five is greater than 2

```
In [8]: print("Welcome To AIML Department")  
print("Hello Student")  
print("Hello World")
```

Welcome To AIML Department
Hello Student
Hello World

```
In [9]: print("Hello World")  
print("Have a good day")  
print("Learning python is fun")
```

Hello World
Have a good day
Learning python is fun

```
In [10]: print('Hello World')
```

Hello World

```
In [11]: print(3 + 3)
```

6

```
In [12]: print("I am",19,"years old.")
```

I am 19 years old.

```
In [13]: print("I am",25)
```

I am 25

```
In [14]: #print(Hello world)
print("Hello world")
```

Hello world

```
In [17]: x = 22      # x is type int
y = "Prachi"  # y is now of type str
print(x)
print(y)
```

22

Prachi

```
In [18]: x = str(3)
y = int(4)
z = float(6)

print(x)
print(y)
print(z)
```

3

4

6.0

```
In [19]: x = 22
y = "Prachi"
print(type(x))
print(type(y))
```

<class 'int'>

<class 'str'>

```
In [21]: z = 'true'
print(type(z))
```

<class 'str'>

```
In [22]: myvar = "Prachi"
my_var = "Prachi"
MYVAR = "Prachi"
mYVAR = "Prachi"
myVar = "Prachi"

print(myvar)
print(my_var)
print(MYVAR)
print(mYVAR)
print(myVar)
```

Prachi
Prachi
Prachi
Prachi
Prachi

```
In [23]: x, y, z = "Orange", "Banana", "Apple"
print(x)
print(y)
print(z)
```

Orange
Banana
Apple

```
In [24]: x = y = z = "Orange"
print(x)
print(y)
print(z)
```

Orange
Orange
Orange

```
In [26]: fruits = ["Apple", "Cherry", "Banana"]
x,y,z = fruits
print(x)
print(y)
print(z)
```

Apple
Cherry
Banana

```
In [27]: x = "Python"
y = "is"
z = "awesome"
print(x,y,z)
```

Python is awesome

```
In [1]: x = "awesome"
def myfunc():
    print("python is " + x)

myfunc()
```

python is awesome

```
In [2]: x = 5
y = 3.14
z = "Hello"

print(type(x))
print(type(y))
print(type(z))
```

<class 'int'>
<class 'float'>
<class 'str'>

```
In [3]: x = 5
y = 3.14
z = 1j

print(type(x))
print(type(y))
print(type(z))
```

<class 'int'>
<class 'float'>
<class 'complex'>

```
In [4]: x = 5
y = 3.14555
z = -353535

print(type(x))
print(type(y))
print(type(z))
```

<class 'int'>
<class 'float'>
<class 'int'>

```
In [5]: x = float(1)
y = int(2)
z = complex(1)
print(x)
print(y)
print(z)

print(type(x))
print(type(y))
print(type(z))
```

```
1.0
2
(1+0j)
<class 'float'>
<class 'int'>
<class 'complex'>
```

```
In [6]: print("Prachi")
print("AIML Department")
a = 'Hello'
print(a)
b = """ I am Prachi,I studied in Dkte College """
print(b)
```

```
Prachi
AIML Department
Hello
 I am Prachi,I studied in Dkte College
```

```
In [7]: a = "Hi Prachi"
print(a[1])
print(a[4])
```

```
i
r
```

```
In [8]: for x in "banana":
        print(x)
```

```
b
a
n
a
n
a
```

```
In [9]: fruits = ["apple", "mango", "cherry"]
for x in fruits:
    print(x)
    if x == "apple":
        break
```

apple

```
In [10]: fruits = ["apple", "mango", "cherry"]
for x in fruits:
    if x == "mango":
        continue
    print(x)
```

cherry

```
In [18]: for x in range(7):
          print(x)
          for y in range(2, 5):
              print(y)
```

0
1
2
3
4
5
6
2
3
4

```
In [12]: for x in range(7):
          print(x)
          else:
              print("Finally Finished!")
```

0
1
2
3
4
5
6
Finally Finished!

```
In [16]: for x in range(7):  
        if x == 5: break  
        print(x)  
    else:  
        print("Finally finished!")
```

0
1
2
3
4

```
In [15]: color = ["red", "pink", "blue"]  
        fruits = ["apple", "mango", "cherry"]  
  
        for x in color:  
            for y in fruits:  
                print(x,y)
```

red apple
red mango
red cherry
pink apple
pink mango
pink cherry
blue apple
blue mango
blue cherry

```
In [24]: for x in range(3, 20, 5):  
        print(x)
```

3
8
13
18

```
In [27]: for x in [1, 2, 3]:  
        pass
```

```
In [29]: for x in [0, 1, 2]:  
        pass  
        print(x)
```

2

```
In [30]: print(10 > 3)
print(2 == 5)
print(2 % 2 == 2)
```

True
False
False

```
In [31]: a = 30
b = 20

if b > a:
    print("b is greater")
else:
    print("a is greater")
```

a is greater

```
In [39]: x = "prachi"
y = 19

print(bool(x))
print(bool(y))
```

True
True

```
In [44]: bool([])
bool(0)
bool({})
```

Out[44]: False

```
In [45]: # Operators in python
print(10 + 3)
```

13

```
In [51]: sum1 = 200 + 50
sum2 = sum1 + 200
sum3 = sum2 + sum2

print(sum1)
print(sum2)
print(sum3)
```

250
450
900

```
In [53]: sub1 = 200 - 50
sub2 = sub1 - 200
sub3 = sub2 - sub2

print(sub1)
print(sub2)
print(sub3)
```

```
150
-50
0
```

```
In [54]: x = 20
y = 10

print(x + y)
print(x - y)
print(x * y)
print(x / y)
print(x % y)
print(x ** y)
print(x // y)
```

```
30
10
200
2.0
0
10240000000000
2
```

```
In [56]: num = 4

x = "WEEKEND!" if num > 5 else "Workday"

print(x)
```

```
Workday
```

```
In [76]: num = 5
x = "Fri" if num == 5 else "Sat" if num == 6 else "Sun" if num == 7 else "Wee
print(x)
```

```
Fri
```

```
In [77]: x = 10
y = 5

print(x == y)
print(x != y)
print(x > y)
print(x < y)
print(x >= y)
print(x <= y)
```

False
True
True
False
True
False

```
In [79]: print("My name is 'Prachi'")
print('Python is "Awesome"')
```

My name is 'Prachi'
Python is "Awesome"

```
In [82]: a = "My Name is Prachi"
print(len(a))
```

17

```
In [83]: txt = "The Good Things Takes Time"
print("Good" in txt)
```

True

```
In [86]: txt = "The Good Things Takes Time"
print("Free" in txt)
```

False

```
In [87]: txt = "The Good Things Takes Time"
if "Good" in txt:
    print("yes")
    print('"Good" is present')
```

yes
"Good" is present

```
In [ ]:
```

