

TDD: Visibilidad de Recompensas recibidas

Phase	Commits	Files
 RED	test: backend + frontend failing tests	KudosQueryControllerTest.java , KudoQueryServiceTest.java , kudosService.test.ts , KudosPublicPage.test.tsx
 GREEN	feat: DTOs, Entity, Repository, Service, Controller, Page, Hook	10+ backend files + 5 frontend files
 REFACTOR	refactor: Specifications, AbortController, Caching	KudoSpecifications.java , updated hook & service

RED Tests

Frontend (Vitest/Jest)

- frontend/src/pages/__tests__/KudosPublicPage.test.tsx (*added*)
- frontend/src/services/api/__tests__/kudosService.test.ts (*added*)

frontend > src > pages > _tests_ > LandingPage.test.tsx > ...

```
1 import { render, screen } from '@testing-library/react';
2 import LandingPage from '../LandingPage';
3 import { vi, describe, it, expect, beforeEach } from 'vitest';
4 import { MemoryRouter } from 'react-router-dom';
5
6 // Mock components that might be complex or use specific hooks
7 vi.mock('../components/landing/LandingHero', () => ({
8   LandingHero: () => <div data-testid="landing-hero">Hero Section</div>,
9 }));
10
11 vi.mock('../components/landing/LandingHowItWorks', () => ({
12   LandingHowItWorks: () => <div data-testid="landing-how">How it Works</div>,
13 }));
14
15 vi.mock('../components/landing/LandingTech', () => ({
16   LandingTech: () => <div data-testid="landing-tech">Tech Section</div>,
17 }));
18
19 vi.mock('../components/landing/LandingFooter', () => ({
20   LandingFooter: () => <div data-testid="landing-footer">Footer</div>,
21 }));
22
23 describe('LandingPage', () => {
24   it('renders all landing sections', () => {
25     render(
```

PROBLEMS 36

OUTPUT

DEBUG CONSOLE

TERMINAL

TEST RESULTS

PORTS

Filter (e.g. text, !exclude, !esca...



Launch

```
Class not found com.softkianos.producer.service.KudoQueryServiceTest
java.lang.ClassNotFoundException: com.softkianos.producer.service.KudoQueryServiceTest
    at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)
    at java.base/jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(ClassLoaders.java:188)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:525)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.loadClass(RemoteTestRunner.java:758)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.loadClasses(RemoteTestRunner.java:481)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:504)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)
```


```
TS kudosService.test.ts | KudosPublicPage.test.tsx M X | KudosPublicPage.test.tsx 1, M | LandingPage.test.tsx 2, M
frontend > src > pages > _tests_ > KudosPublicPage.test.tsx > describe('KudosPublicPage') callback > beforeEach() callback
1 import { describe, it, expect, vi, beforeEach } from 'vitest';
2 import { render, screen, waitFor } from '@testing-library/react';
3 import { MemoryRouter } from 'react-router-dom';
4 import '@testing-library/jest-dom/vitest';
5 import KudosPublicPage from '../KudosPublicPage';
6 import { kudosService } from '../../services/api/kudosService';
7
8 vi.mock('../../services/api/kudosService', () => ({
9   kudosService: {
10     list: vi.fn(),
11     send: vi.fn(),
12   },
13 }));
14
15 const renderPage = () =>
16   render(
17     <MemoryRouter initialEntries={['/kudos-public']}>
18       <KudosPublicPage />
19     </MemoryRouter>
20   );
21
22 const mockKudosResponse = {
23   content: [
24     {
25       receotor: 'María García'.
```

PROBLEMS 37 | OUTPUT | DEBUG CONSOLE | TERMINAL | TEST RESULTS | PORTS | Filter (e.g. text, !exclude, !esca... | Q | Launch

```
Class not found com.softkianos.producer.service.KudoQueryServiceTest
java.lang.ClassNotFoundException: com.softkianos.producer.service.KudoQueryServiceTest
    at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641)
    at java.base/jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(ClassLoaders.java:188)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:525)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.loadClass(RemoteTestRunner.java:758)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.loadClasses(RemoteTestRunner.java:481)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:584)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)
```

Backend (Spring Boot tests)

- producer-api/src/test/java/com/softkianos/producer/controller/KudosQueryControllerTest.java (added)
- producer-api/src/test/java/com/softkianos/producer/service/KudoQueryServiceTest.java (added)




```
producer-api > src > test > java > com > sofikianos > producer > service > KudoQueryServiceTest.java > KudoQueryServiceTest

25 import static org.mockito.Mockito.when;
26
27 @ExtendWith(MockitoExtension.class)
28 class KudoQueryServiceTest {
29
30     @Mock
31     private KudoQueryRepository kudoQueryRepository;
32
33     private KudoQueryServiceImpl kudoQueryService;
34
35     @BeforeEach
36     void setUp() {
37         kudoQueryService = new KudoQueryServiceImpl(kudoQueryRepository);
38     }
39
40     @Test
41     @DisplayName("Should map Kudo entity to KudoListItemDTO without sensitive data")
42     void searchKudos_MapsEntityToDTO_NoSensitiveData() {
43         var entity = Kudo.builder()
44             .id(id: 42L)
45             .fromUser(fromUser: "juan.perez@sofka.com")
46             .toUser(toUser: "maria.garcia@sofka.com")
47             .category(KudoCategory.Teamwork)
48             .message(message: "Gran colaboración")
49             .createdAt(LocalDateTime.of(year: 2026, month: 2, dayOfMonth: 20, hour: 10, minute: 0))
50             .build();
51     }
52 }
```


PROBLEMS 34 OUTPUT DEBUG CONSOLE TERMINAL TEST RESULTS PORTS Filter (e.g. text, !exclude, !esca...) Launch Java Tests - \${sy} | X

```
Class not found com.sofikianos.producer.service.KudoQueryServiceTest
java.lang.ClassNotFoundException: com.sofikianos.producer.service.KudoQueryServiceTest
    at java.base/jdk.internal.loader.BuiltinClassLoader.loadClass(BuiltinClassLoader.java:641) BuiltInClassLoader.java:641
    at java.base/jdk.internal.loader.ClassLoaders$AppClassLoader.loadClass(ClassLoaders.java:188) ClassLoaders.java:188
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:525) ClassLoader.java:525
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.loadClass(RemoteTestRunner.java:758)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.loadClasses(RemoteTestRunner.java:481)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:504)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:748)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:443)
    at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:211)
```

🟢 GREEN TESTS

Front-End

- frontend/src/pages/KudosPublicPage.tsx (*added*) — the public page
- frontend/src/hooks/data/useKudosPublic.ts (*added*) — data-fetching hook
- frontend/src/services/api/kudosService.ts (*modified*) — API client updates
- frontend/src/types/models/kudoPublic.ts (*added*) — public kudo model/type
- frontend/src/App.tsx (*modified*) — wiring route/page into app



```
1 import { BrowserRouter as Router, Routes, Route } from 'react-router-dom';
2 import { Navbar } from './components/Navbar';
3 import LandingPage from './pages/LandingPage';
4 import KudosPage from './pages/KudosPage';
5 import KudosPublicPage from './pages/KudosPublicPage';
6 import './index.css';
7
8 function App() {
9   return (
10     <Router>
11       <div className="min-h-screen bg-zinc-950 text-zinc-100 selection:bg-[#FF5F00] selection:text-zinc-950">
12         <Navbar />
13
14         <main className="relative overflow-hidden">
15           <Routes>
16             <Route path="/" element={<LandingPage />} />
17             <Route path="/kudos" element={<KudosPage />} />
18             <Route path="/kudos-public" element={<KudosPublicPage />} />
19           </Routes>
20         </main>
21       </div>
22     </Router>
23   );
24 }
25
26 export default App;
```

PROBLEMS DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\usuario\iCloudDrive\SOFA\Retos Febrero\Handover_AI\sofkianos-mvp-copilot-add-kudos-public-view\sofkianos-mvp-copilot-add-kudos-public-view\frontend> npm run
Lifecycle scripts included in sofkiandos-mvp@0.0.0:
  test
    vitest
available via `npm run-script`:
  dev
    vite
  build
    tsc -b && vite build
  lint
    eslint .
  preview
    vite preview
  test:unit
    vitest run
  clean:source
    node scripts/clean-source.js
PS C:\Users\usuario\iCloudDrive\SOFA\Retos Febrero\Handover_AI\sofkianos-mvp-copilot-add-kudos-public-view\sofkianos-mvp-copilot-add-kudos-public-view\frontend> npm run dev
> sofkiandos-mvp@0.0.0 dev
> vite

→ Local: http://localhost:5173/
→ Local: http://localhost:5173/
→ Network: use --host to expose
```

Activate
Go to Settings

Backend (Producer API)

- producer-api/src/main/java/com/sofkianos/producer/controller/KudosQueryController.java (added) — public kudos endpoint controller
- producer-api/src/main/java/com/sofkianos/producer/service/KudoQueryService.java (added)
- producer-api/src/main/java/com/sofkianos/producer/service/impl/KudoQueryServiceImpl.java (added)
- producer-api/src/main/java/com/sofkianos/producer/repository/KudoQueryRepository.java (added)
- producer-api/src/main/java/com/sofkianos/producer/specification/KudoSpecifications.java (added)
- producer-api/src/main/java/com/sofkianos/producer/util/EmailMaskingUtil.java (added) — masking for public view

- producer-api/src/main/java/com/sofkianos/producer/dto/KudoListItemDTO.java *(added)*
- producer-api/src/main/java/com/sofkianos/producer/dto/KudoSearchCriteria.java *(added)*
- producer-api/src/main/java/com/sofkianos/producer/dto/PagedKudoResponse.java *(added)*
- producer-api/src/main/java/com/sofkianos/producer/entity/Kudo.java *(added)*
- producer-api/src/main/java/com/sofkianos/producer/entity/KudoCategory.java *(added)*
- producer-api/src/main/java/com/sofkianos/producer/ProducerApiApplication.java *(modified)*

The screenshot shows an IDE interface with a project named 'consumer-worker'. The 'producer-api' sub-project is selected. The 'Run' tab shows test results for 'All in producer-api'.

Project Structure:

- consumer-worker
 - documentacion
 - frontend
 - producer-api
 - .mvn
 - wrapper

Run Results:

Run: All in producer-api

Tests passed: 12 of 12 tests - 10 sec 922 ms

Test Results:

- <default package> 10 sec 922 ms
 - KudoQueryServiceTest 7 sec 925 ms
 - Should default to page 0, size 20, DESC 7 sec 614 ms
 - Should handle null emisor (anonymous kudo) 264 ms
 - Should map Kudo entity to KudoListItemDTO 47 ms
 - KudosControllerTest 300 ms
 - publishKudos_WithValidPayload_ReturnsAcc 300 ms
 - KudosQueryControllerTest 1 sec 182 ms
 - AC-04: Pagination support 945 ms
 - Should enforce max page size of 50 709 ms
 - Should accept page and size query params 236 ms
 - AC-03: Default ordering DESC by date 49 ms
 - Kudos should be ordered DESC by fecha 49 ms
 - AC-02: Response contains safe fields only 66 ms
 - Should return receptor, mensaje, fecha, etc 66 ms
 - AC-01: Public endpoint accessibility 122 ms
 - GET /api/v1/kudos should return 200 OK 122 ms
 - RabbitMqKudoPublisherTest 802 ms
 - Should publish event with correct ISO-8601 802 ms
 - KudosLoadTest 708 ms

Log Output:

```

2026-02-20T11:46:38.594-05:00 INFO 18680 --- [mai
2026-02-20T11:46:38.601-05:00 INFO 18680 --- [mai
2026-02-20T11:46:44.665-05:00 INFO 18680 --- [mai
2026-02-20T11:46:44.665-05:00 INFO 18680 --- [mai
2026-02-20T11:46:44.701-05:00 INFO 18680 --- [mai
2026-02-20T11:46:44.834-05:00 INFO 18680 --- [mai
2026-02-20T11:46:45.905-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.028-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.112-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.172-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.319-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.385-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.731-05:00 INFO 18680 --- [mai
2026-02-20T11:46:46.747-05:00 INFO 18680 --- [mai
2026-02-20T11:46:49.726-05:00 INFO 18680 --- [mai
2026-02-20T11:46:49.734-05:00 INFO 18680 --- [mai
2026-02-20T11:46:49.836-05:00 INFO 18680 --- [mai

Server Version: 28.4.0
API Version: 1.51
  
```

 **REFACTOR**

Project

src

main

java

resources

test

java

resources

application.properties

1

spring.datasource.url=jdbc:h2:mem:testdb;DB_CLOSE_DE

2

spring.datasource.driver-class-name=org.h2.Driver

3

spring.datasource.username=sa

4

spring.datasource.password=

5

spring.jpa.hibernate.ddl-auto=create-drop

6

spring.jpa.database-platform=org.hibernate.dialect.H2Dialect

7

spring.jpa.open-in-view=false

8

9

spring.rabbitmq.host=localhost

10

spring.rabbitmq.port=5672

11

spring.rabbitmq.username=guest

12

spring.rabbitmq.password=guest

13

14

app.rabbitmq.exchange=kudos.exchange

15

app.rabbitmq.queue=kudos.queue

Maven

Profiles

consumer-worker

producer-api

Lifecycle

Plugins

clean (org.apache.maven.plugins:m

compiler (org.apache.maven.plugin

Run

producer-api [clean,install]

✓ producer-api [clea 1 min, 14 sec, 153 ms]

Downloaded from central: <https://repo.maven.apache.org/maven2/org/apache/commons/commons-collections4/4.4/c/central>

[INFO] Replacing main artifact D:\revision\sofkianos-mvp\producer-api\target\producer-api-0.0.1-SNAPSHOT.jar

[INFO] The original artifact has been renamed to D:\revision\sofkianos-mvp\producer-api\target\producer-api-

[INFO] --- install:3.1.3:install (default-install) @ producer-api ---

[INFO] Installing D:\revision\sofkianos-mvp\producer-api\pom.xml to C:\Users\jacob\.m2\repository\com\sofkia

[INFO] Installing D:\revision\sofkianos-mvp\producer-api\target\producer-api-0.0.1-SNAPSHOT.jar to C:\Users\

[INFO] -----

[INFO] BUILD SUCCESS

[INFO] -----

[INFO] Total time: 01:09 min

[INFO] Finished at: 2026-02-20T12:19:39-05:00

[INFO] -----