

DHARMSINHDESAIUNIVERSITY



Department of MCA

Project-II

Termwork Documentation

GroupID: G28

Topic Name: Online Grocery Shopping

Name: Makadia Deep

RollNo: MCA058

StudentID: 25MAPOS036

Name: Mihir Parekh

RollNo: MCA067

StudentID: 25MAPOS048

AcademicYear: 2025-26

Date: 22/4/2026

Mr.YagnaBhatt

Asst.Prof.-MCADepartment.

Dr.NarayanJoshi

HeadandProf.-MCADepartment.

INDEX

Chapters	Particulars	Page No.
1	ProjectIntroduction	
1.1	Purpose	
1.2	ProjectDefinition	
1.3	Objectives	
1.4	Actors	
2	SystemOverview	
2.1	Modulesofthewebsite	
2.2	Functionalityofeach module	
3	WebsiteDesign	
3.1	Sitemap	
3.2	FlowoftheWebsite	
3.3	Userworkflowdiagram	
3.4	WireframeDiagram/Sketches	
4	EnvironmentalCharacteristics	
4.1	Hardware Requirements	
4.2	ToolsandTechnologiesused	
5	DataDesign	
5.1	DataDictionary	
6	CodeSnippets	
7	OutputScreenshots	
8	Bibliography	

1. Project Introduction

Purpose

- The purpose of this project is to develop an online grocery shopping website that allows users to conveniently browse, select, and purchase grocery items from their homes. The system aims to simplify the shopping process, reduce time consumption, and provide a user-friendly platform for both customers and administrators.
- The website allows users to browse a wide variety of grocery products, compare prices, and place orders from anywhere at any time. It ensures a smooth shopping experience by offering features like product search, categorized listings, secure login, and an interactive shopping cart.

Project Definition

- The Online Grocery Shopping is a full-stack web application developed using the MERN stack, consisting of MongoDB for database management, Express.js and Node.js for backend services, and React.js for the frontend interface.
- The platform supports three types of factors:
 - Admin
 - User (Customer)
- JWT (JSON Web Token) Authentication is used in this project to provide a secure and efficient way to manage user sessions and protect sensitive data. It ensures that only authorized users can access certain features of the website such as adding items to the cart, placing orders, and accessing the admin dashboard.

Objectives

- The major objectives of the system are:
 - To develop a user-friendly web application that allows customers to easily browse and purchase grocery products online.

- To implement a secure user authentication system to protect user data and ensure safe login and transactions.
- To enable efficient product management where the admin can add, update, or delete grocery items and categories.
- To ensure fast and reliable performance of the website.
- To improve customer satisfaction by providing better service and easy accessibility.

Actors

1. Admin

- Manage the entire system
- Manage Users
- Manage Customer Order

2. User (Student)

- Register/Login To the Website
- Browse Products and add items to the Shopping Cart
- Place Order and View Order History

2. System Overview

Modules of the Website

1. Admin Module

- Product Management
- Category Management
- Order Management

- Contact/FeedbackManagement

2. UserModule

- UserAuthentication(Login/Register)
- ProductSearch& View
- ProductFilteringbyCategory
- ShoppingCart
- OrderPlacement&DiscountSystem

FunctionalityOfEachModule

1. AdminModule

- **ProductManagementModule:**

->Admincanaddnewproducts,editexistingproducts,andremoveproductsfromthesystem.

- **CategoryManagementModule:**

->Admincancreateandmanagedifferentcategoriesofgroceryitems(e.g.,fruits,vegetables, dairy).

- **OrderManagementModule:**

->Admincanviewcustomerorders,updateorderstatus,andmanageorderprocessing.

- **Contact/FeedbackManagementModule:**

->Admincanviewmessagesorqueriesubmittedbyusersthroughthecontactform.

2. UserModule

- **UserAuthentication:**

->Userscanregisteranewaccountandloginsecurelytoaccessthewebsitefeatures.

- **ProductSearch:**

->Userscansearchforgroceryproductsusingkeywords.

- **ProductDescriptionView:**

->Userscanviewdetailedinformationaboutproductssuchasprice,image,anddescription.

- **ProductFiltering:**

->Userscanfilterproductsbasedoncategoriesforeasynavigation.

- **ShoppingCart:**

->Userscanaddselectedproductstothecartandmanagequantities.

- **DiscountFeature:**


->First-timeusersreceivea50%discountontheirfirstorder.

- **OrderPlacement:**


->Userscanplaceordersandpurchaseproducts online.


3. WebsiteDesign:


3.1-Sitemap(AdminSide):



->Sitemap(UserSide):



FlowOfTheWebsite:-

User Workflow Diagram:-

WireframeDiagram:

➤ AdminLogin:

Login	
USERNAME :	[]
PASSWORD :	[]
[LOGIN Button]	

➤ AdminDashboard:

Logo (FreshCart)		Dashboard [Admin User]	
Admin Panel		Platform Overview	
Dashboard Home Add New Product Manage Product Manage Categories Contact Message Checkout Records	[Box]		[User]
	Total Products		Register User
			Total Order

➤ **UserRegister:**

Create an Account

FULL NAME :

[]

EMAIL ADDRESS :

[]

PASSWORD :

[]

[REGISTER Button]

➤ **Home Page:**

	Logo	Home	About Us	Contact Us	Go to cart	Admin Login	Login / Sign UP
	Search for Fresh Groceries.....						
	Categories :	Bakery	Dairy Items	Fruits	Vegetable		
	Featured Products : [Products]						
	Offers / Banners						
Trending this Week							
Footer							

➤ **AboutUs:**

About Us		
Our Story [Text]	Our Mission [Text]	Our Promise [Text]
Why Choose Us?		
Lightning Fast [Text]	Always Fresh [Text]	Secure Shopping [Text]

➤ **Contact us:**

Contact Us	
Get In Touch	
Address [Text]	Name : [_____]
Contact [Text]	Email : [_____]
E-Mail [Text]	Message : [_____]
	[Send Message]

➤ **CheckoutRecords:**

CheckOut Records				
Order ID	Name	Date & Time	Delivery Address	Payment Method
[Data]	[Data]	[Data]	[Data]	[Data]

➤ **ContactMessages:**

Contact Messages			
Name	Date & Time	E-Mail	Message
[Data]	[Data]	[Data]	[Data]

➤ **ProductCard:**

← Back	
Product Img	Product Category
	Product Name
	Product Price
	Product Detail & Specification
	Add to Cart -- Price

➤ **Cart:**

Your Cart	
Product Img	: Product Name Price [-] Quantity [+] [Remove]
Total :	
[Checkout Button]	

➤ **CheckoutPage:**

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: center; padding: 5px;">Delivery Details</th> </tr> <tr> <td style="padding: 5px;"> Full Address </td> </tr> <tr> <td style="padding: 5px;"> Phone Number </td> </tr> <tr> <td style="padding: 5px;"> Payment Method ☐ Credit / Debit Card ☐ Cash on Delivery ☐ Upi / Net Banking Place Order </td> </tr> </table>	Delivery Details	Full Address 	Phone Number 	Payment Method ☐ Credit / Debit Card ☐ Cash on Delivery ☐ Upi / Net Banking Place Order	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center; padding: 5px;">Order Summary</th> </tr> <tr> <td style="padding: 5px;">Qty x Item</td> <td style="padding: 5px;">Price</td> </tr> <tr> <td style="padding: 5px;">Qty x Item</td> <td style="padding: 5px;">Price</td> </tr> <tr> <td style="padding: 5px;">Subtotal</td> <td style="padding: 5px;">Total Price</td> </tr> <tr> <td style="padding: 5px;">Shipping</td> <td style="padding: 5px;">Free</td> </tr> <tr> <td style="padding: 5px;">Total to Pay</td> <td style="padding: 5px;">Total Price</td> </tr> </table>	Order Summary		Qty x Item	Price	Qty x Item	Price	Subtotal	Total Price	Shipping	Free	Total to Pay	Total Price
Delivery Details																	
Full Address 																	
Phone Number 																	
Payment Method ☐ Credit / Debit Card ☐ Cash on Delivery ☐ Upi / Net Banking Place Order																	
Order Summary																	
Qty x Item	Price																
Qty x Item	Price																
Subtotal	Total Price																
Shipping	Free																
Total to Pay	Total Price																

➤ **Add/UpdateProduct:**

Add & Update Products
Product Name Price Category Description [Quantity & Ingredients] Product Image File Choose File
Upload & Publish Product

➤ **ManageProducts:**

Manage Products Catalog				
Image	Name	Category	Price	Action
Product Img	Product Name	Product Category	Price	Edit / Delete

➤ **ManageCategories:**

<table border="1"> <tr> <th>Manage Categories</th> </tr> <tr> <td>Add New Category</td> </tr> <tr> <td>Category Name []</td> </tr> <tr> <td>[Create Category]</td> </tr> </table>	Manage Categories	Add New Category	Category Name []	[Create Category]	<table border="1"> <tr> <th>Category Name</th> <th>Credit At</th> <th>Action</th> </tr> <tr> <th>Category Name</th> <th>Date</th> <th>Delete</th> </tr> <tr> <td colspan="3"></td> </tr> </table>	Category Name	Credit At	Action	Category Name	Date	Delete			
Manage Categories														
Add New Category														
Category Name []														
[Create Category]														
Category Name	Credit At	Action												
Category Name	Date	Delete												

➤ **ManageOrders:**

Manage Customer Orders						
Order ID	Customer Name	Date	Items	Amt	Status	Action
....9189ef	Customer Name	Date , Time [PM,AM]	Items in Number	Amount	Status [Pending, Delivered]	Mark as Delivered / Mark as Pending

4.EnvironmentalCharacteristics

HardwareRequirements

- MinimumRAM:4GB(Recommended:8GB)
- Processor:Inteli3orhigher
- Storage:500GBHDDorSSD
- Internetconnectionrequired

ToolsAnd TechnologiesUsed

➤ Frontend

- React.js
- HTML5,CSS3,JavaScript

➤ Backend

- Node.js

- Express.js
- Database
 - MongoDB
- Authentication
 - JSONWebToken(JWT)
- DevelopmentTools
 - VisualStudioCode
 - Postman(APItesting)

5. DataDesign

DataDictionary

- CategoryTable:

Field	Type	Description
_id	ObjectId	UniqueID
Name	String	Categoryname

- ContactsTable:

Field	Type	Description
_id	ObjectId	UniqueID
name	String	Name
email	String	Email
message	String	Message

➤ OrdersTable:

Field	Type	Description
_id	ObjectId	OrderID
Items	Array	ItemsName
Total	Int	TotalPayment
Address	String	Customer'sAddress
PaymentMethod	String	PaymentType
Status	Enum	Delivered/Pending

➤ ProductsTable:

Field	Type	Description
Id	ObjectId	UniqueID
Name	String	Product Name
Price	Int	Product Price
Image	Reference	Product Image
Category	String	ProductCategory

➤ UsersTable:

Field	Type	Description
UserId	ObjectId	UniqueUserID
Name	String	UserName
E-Mail	Varchar	User Email
Password	Varchar	Password

➤ AdminTable:

Field	Type	Description
Id	ObjectId	UniqueAdminID
Username	Varchar	AdminName
Password	Varchar	EncryptedPassword

6. Code Snippets:

➤ Client-Side(Components):

➤ Cartsidebar.jsx:

```
import { useContext } from "react";
import { CartContext } from "../context/CartContext";
import { AuthContext } from "../context/AuthContext";
import { useNavigate } from "react-router-dom";
import axios from "axios";

const CartSidebar = () => {
  const {
    cart,
    removeFromCart,
    updateQuantity,
    cartTotal,
    isSidebarOpen,
    toggleSidebar,
    clearCart
  } = useContext(CartContext);

  const { user } = useContext(AuthContext);
  const navigate = useNavigate();

  const handleCheckout = () => {
    if (!user) {
      toggleSidebar();
      navigate('/login');
      return;
    }
    toggleSidebar();
    navigate('/checkout');
  };

  return (
    <>
      <div
        className={`cart-overlay${isSidebarOpen ? 'open': ''}`}
        onClick={toggleSidebar}
      />
      <div className={`cart-sidebar${isSidebarOpen ? 'open': ''}`} >
```

```
<div className="cart-header">
```

```

<h2>YourCart</h2>
<buttonclassName="close-cart"onClick={toggleSidebar}>X</button>
</div>

<divclassName="cart-items">
  {cart.length===0?(
    <divclassName="empty-state">
      <h3>Cartis empty</h3>
      <p>Lookslikeyouhaven'taddedanythingyet.</p>
    </div>
  ) : (
    cart.map(item=>(
      <divkey={item._id}className="cart-item">
        <divclassName="cart-item-img">
          <imgsrc={item.image}alt={item.name}/>
        </div>
        <divclassName="cart-item-details">
          <divclassName="cart-item-title">{item.name}</div>
          <divclassName="cart-item-price">₹{item.price}</div>
          <divclassName="cart-item-actions">
            <button
              className="qty-btn"
              onClick={()=>updateQuantity(item._id,item.quantity-1)}
            >-</button>
            <span>{item.quantity}</span>
            <button
              className="qty-btn"
              onClick={()=>updateQuantity(item._id,item.quantity+1)}
            >+</button>
            <button
              className="remove-btn"
              onClick={()=>removeFromCart(item._id)}
            >
              Remove
            </button>
          </div>
        </div>
      </div>
    ))
  )}
</div>
{cart.length >0 &&(
  <divclassName="cart-footer">
    {user&&user.hasUsedFirstDiscount===false&&(

```



```

    <div className="cart-discount-badge" style={{background: '#ecfdf5', color:
'#059669', padding: '8px', borderRadius: '4px', marginBottom: '10px', fontSize: '14px',
textAlign: 'center', fontWeight: 'bold' }}>
      🍷 First-Time 50% Off Applied!
    </div>
  )}
  <div className="cart-total">
    <span>Total</span>
    <span>
      {user && user.hasUsedFirstDiscount === false ? (
        <span style={{ textDecoration: 'line-through', color: '#94a3b8', marginRight: '10px'
}}>₹ {cartTotal}</span>
        <span style={{ color: '#059669' }}>₹ {cartTotal * 0.5}</span>
      ) : (
        `₹$ {cartTotal}`
      )}
    </span>
  </div>
  <button className="btn btn-primary checkout-btn" onClick={handleCheckout}>Checkout
</button>
</div>
)}
</div>
</>
);
};

```

```
export default CartSidebar;
```

➤ Category.jsx:

```

export default function Category() {
  const categories = ["Fruits", "Vegetables", "Dairy", "Snacks"];
  return (
    <div className="category">
      {categories.map(c => (
        <div key={c} className="cat-card">{c}</div>
      ))}
    </div>
  );
}

```

</div>

```
);
}
```

➤ **Footer.jsx:**

```
import { Link } from "react-router-dom";
const Footer = () => {
  return(
    <footer className="footer">
      <div className="container footer-content">
        <div className="footer-section brand-section">
          <h2><span style={{ fontSize: '28px' }}> 🛒 </span> Freshmart </h2>
          <p>Your one-stop destination for fresh groceries, delivered right to your doorstep.</p>
        </div>

        <div className="footer-section links-section">
          <h3>Quick Links</h3>
          <ul>
            <li><Link to="/">Home</Link></li>
            <li><Link to="/about">About Us</Link></li>
            <li><Link to="/contact">Contact Us</Link></li>
          </ul>
        </div>

        <div className="footer-section cities-section">
          <h3>Available Cities in India</h3>
          <ul className="cities-grid">
            <li>Mumbai</li>
            <li>Delhi</li>
            <li>Bangalore</li>
            <li>Hyderabad</li>
            <li>Chennai</li>
            <li>Kolkata</li>
            <li>Pune</li>
            <li>Ahmedabad</li>
            <li>Jaipur</li>
            <li>Surat</li>
          </ul>
        </div>

        <div className="footer-bottom">
          <p>© {new Date().getFullYear()} Freshmart. All rights reserved.</p>
        </div>
      </div>
    </footer>
  );
}
```

```

    </div>
  </footer>
);
};

export default Footer;

```

➤ **Hero.jsx:**

```

export default function Hero() {
  return (
    <div className="hero">
      <div className="hero-content">
        <h1>Fresh Groceries Delivered 🛒 </h1>
        <p>Get farm fresh fruits & vegetables at your doorstep</p>

        <button className="shop-btn">Shop Now</button>
      </div>
    </div>
  );
}

```

➤ **Navbar.jsx:**

```

import { useContext } from "react";
import { Link } from "react-router-dom";
import { AuthContext } from "../context/AuthContext";
import { CartContext } from "../context/CartContext";

const Navbar = () => {
  const { user, logout } = useContext(AuthContext);
  const { cartCount, toggleSidebar } = useContext(CartContext);

  return (
    <nav className="navbar">
      <div className="container nav-content">
        <Link to="/" className="nav-brand">
          <span style={{ fontSize: '28px' }}> 🛒 </span> FreshCart
        </Link>

        <div className="nav-links">
          {(!user || !user.isAdmin) && (
            <>

```

```
<Link to="/" className="nav-link">Home</Link>
```

```

    <Linkto="/about"className="nav-link">AboutUs</Link>
    <Linkto="/contact"className="nav-link">ContactUs</Link>
  </>
)}
{user&&user.isAdmin&&(
  <Linkto="/admin"className="nav-link">Dashboard</Link>
)}

{(!user||!user.isAdmin)&&(
  <buttonclassName="cart-btn"onClick={toggleSidebar}>
    
    {cartCount>0&&<spanclassName="cart-badge">{cartCount}</span>}
  </button>
)}

{user?(
  <divclassName="user-menu">
    <divclassName="user-btn">
       {user.name}
    </div>
    <divclassName="user-dropdown">
      <Linkto="/profile"className="dropdown-item">MyProfile</Link>
      <div
        className="dropdown-
        itemdanger"onClick={logout}
        style={{cursor:'pointer'}}
      >
        Logout
      </div>
    </div>
  </div>
): (
  <divstyle={{display:'flex',gap:'10px'}}>
    <Linkto="/admin-login"className="btnbtn-secondary"style={{padding:'8px
16px', fontSize: '14px'}}>
      AdminLogin
    </Link>
    <Linkto="/login"className="btnbtn-primary"style={{padding:'8px16px',
fontSize: '14px'}}>
      Login/SignUp
    </Link>
  </div>
)}

```

</div>

```

    </div>
  </nav>
);
};

export default Navbar;

```

➤ **ProductCard.jsx:**

```

import { useContext } from "react";
import { CartContext } from "../context/CartContext"; import
{ useNavigate } from "react-router-dom";

const ProductCard = ({ product }) => {
  const { addToCart } = useContext(CartContext);
  const navigate = useNavigate();

  return (
    <div className="product-card">
      <div
        className="product-img-wrapper"
        onClick={() => navigate(`/product/${product._id}`)}
        style={{ cursor: 'pointer' }}
      >
        <span className="product-category">{product.category}</span>
        <img src={product.image} alt={product.name} />
      </div>
      <div className="product-info">
        <h3
          className="product-title"
          onClick={() => navigate(`/product/${product._id}`)}
          style={{ cursor: 'pointer' }}
        >
          {product.name}
        </h3>
        <div className="product-bottom">
          <span className="product-price">₹ {product.price}</span>
          <button
            className="add-to-
            cart" onClick={() => addToCart(produ
            ct)} title="Add to Cart"
          >
            +
          </button>

```



```

        </div>
      </div>
    </div>
  );
};

export default ProductCard;

```

➤ **ScrollToTop.jsx:**

```

import { useEffect } from "react";
import { useLocation } from "react-router-dom";

const ScrollToTop = () => {
  const { pathname } = useLocation();

  useEffect(() => {
    window.scrollTo(0, 0);
  }, [pathname]);

  return null;
};

export default ScrollToTop;

```

➤ **Client-Side(Context):**

➤ **AuthContext.jsx:**

```

import { createContext, useState, useEffect } from "react"; import
axios from "axios";

export const AuthContext = createContext();

export const AuthProvider = ({ children }) => {
  const [user, setUser] = useState(null);
  const [loading, setLoading] = useState(true);

  useEffect(() => {
    const checkLoggedInUser = async () => {
      const token = localStorage.getItem("token"); if

```

(token) {

```

    try{
      constres=awaitaxios.get("http://localhost:5000/api/auth/me",{
        headers: { token }
      });
      setUser({...res.data,token});
    } catch (err) {
      console.error("Tokenverificationfailed",err);
      localStorage.removeItem("token");
    }
  }
  setLoading(false);
};
checkLoggedUser();
},[]);

constlogin=async(email,password,isAdminLogin=false)=>{
  constres=awaitaxios.post("http://localhost:5000/api/auth/login",{email,password,
isAdminLogin });
  localStorage.setItem("token", res.data.token);
  setUser({...res.data.user,token:res.data.token});
};

constregister=async(name,email,password)=>{
  awaitaxios.post("http://localhost:5000/api/auth/register",{name,email,password});
  await login(email, password);
};

const logout = () => {
  localStorage.removeItem("token");
  setUser(null);
};

return(
  <AuthContext.Providervalue={{ user,loading,login,register,logout }}>
    {children}
  </AuthContext.Provider>
);
};

```

➤ **CartContext.jsx:**

```

import { createContext, useState, useEffect } from "react"; export
const CartContext = createContext();
exportconstCartProvider=({children})=>{

```

```

const[cart,setCart]=useState(()=>{
  constsaved=localStorage.getItem("cart");
  return saved ? JSON.parse(saved) : [];
});
const[isSidebarOpen,setIsSidebarOpen]=useState(false);

useEffect(()=>{
  localStorage.setItem("cart",JSON.stringify(cart));
},[cart]);

constaddToCart=(product,qty=1)=>{ setCart(prev
=> {
  constexisting=prev.find(item=>item._id===product._id); if
  (existing) {
    returnprev.map(item=>
      item._id===product._id?{...item,quantity:item.quantity+qty}:item
    );
  }
  return[...prev,{...product,quantity:qty }];
});
  setIsSidebarOpen(true);
};

constremoveFromCart=(id)=>{
  setCart(prev=>prev.filter(item=>item._id!==id));
};

constupdateQuantity=(id,quantity)=>{ if
  (quantity < 1) return;
  setCart(prev=>prev.map(item=>
    item._id===id?{...item,quantity}: item
  ));
};

constclearCart=()=> setCart([]);

consttoggleSidebar=()=>setIsSidebarOpen(!isSidebarOpen);

constcartTotal=cart.reduce((total,item)=>total+(item.price*item.quantity),0); const
cartCount = cart.reduce((count, item) => count + item.quantity, 0);

return(
  <CartContext.Providervalue={ {
    cart,

```

```

    addToCart,
    removeFromCart,
    updateQuantity,
    clearCart,
    cartTotal,
    cartCount,
    isSidebarOpen,
    toggleSidebar,
    setIsSidebarOpen
  }}>
  {children}
</CartContext.Provider>
);
};

```

➤ Store.jsx:-

```

import { createContext, useState } from "react"; export
const Store = createContext();
export const StoreProvider = ({ children }) => { const
  [cart, setCart] = useState([]);
  const [wishlist, setWishlist] = useState([]);
  const addToCart = (product) => {
    const exist = cart.find(item => item._id === product._id);

    if (exist) {
      setCart(cart.map(item =>
        item._id === product._id
          ? { ...item, qty: item.qty + 1 }
          : item
      ));
    } else {
      setCart([...cart, { ...product, qty: 1 }]);
    }
  };

  const updateQty = (id, qty) => { setCart(cart.map(item
    =>
      item._id === id ? { ...item, qty } : item
    ));
  };

  const removeItem = (id) => {
    setCart(cart.filter(item => item._id !== id));
  };

```

```

};

const addToWishlist=(product)=>{
  if(!wishlist.find(i=>i._id===product._id)){
    setWishlist([...wishlist, product]);
  }
};

return(
  <Store.Provider value={{
    cart,addToCart,updateQty,removeItem,
    wishlist, addToWishlist
  }}>
    {children}
  </Store.Provider>
);
};

```

➤ Client-side(Pages):

➤ About.jsx:-

```

import React from 'react';

const About=()=>{ return
(
  <div className="container" style={{padding:'40px0'}}>
    <h1 className="page-title" style={{textAlign:'center',marginBottom:'40px', fontSize:
'2.5rem' }}>About Us</h1>

    <div className="bento-grid" style={{gridTemplateColumns:'repeat(auto-fit,
minmax(300px, 1fr))', gridAutoRows: 'auto' }}>
      <div className="card" style={{padding:'40px'}}>
        <h2 style={{fontSize:'1.8rem',marginBottom:'20px',color:'var(--primary)'
}}>Our Story</h2>
        <p style={{lineHeight:'1.8',color:'var(--text-light)',fontSize:'1.1rem'}}>
          FreshCart began with a simple idea: bringing the freshest, highest-quality
          groceries directly to your doorstep. We believe that access to premium, healthy food
          should be convenient and reliable. Since our inception, we have partnered with local
          farmers and top-tier suppliers to ensure every item meets our strict standards of quality.
        </p>
      </div>
    </div>
  </div>
);
};

```

```
<div className="card" style={{padding:'40px'}}>
```

```
<h2style={{ fontSize:'1.8rem',marginBottom:'20px',color:'var(--primary)'
}}>OurMission</h2>
```

```
<pstyle={{ lineHeight:'1.8',color:'var(--text-light)',fontSize:'1.1rem'}}>
```

Torevolutionizethewayyoushopforgroceriesbyprovidingaseamless,fast,and secure online platform. We are committed to sustainability, reducing food waste, and supporting local communities. Our modern approach to grocery shopping is designed to give you back your most valuable asset: time.

```
</p>
```

```
</div>
```

```
<divclassName="card"style={{ padding:'40px'}}>
```

```
<h2style={{ fontSize:'1.8rem',marginBottom:'20px',color:'var(--primary)'
}}>OurPromise</h2>
```

<pstyle={{ lineHeight:'1.8',color:'var(--text-light)',fontSize:'1.1rem'}}> When you shop with us, you are guaranteed uncompromising freshness, transparent pricing, and unparalleled customer service. If it isn't good enough for our own family table, we simply won't deliver it to yours. Your 100% satisfaction is built into every single box we pack.

```
</p>
```

```
</div>
```

```
<divclassName="card"style={{ padding:'40px',gridColumn:'1/-1',textAlign: 'center'
}}>
```

```
<h2style={{ fontSize:'1.8rem',marginBottom:'20px',color:'var(--primary)'
}}>WhyChooseFreshCart?</h2>
```

```
<divstyle={{ display:'flex',justifyContent:'center',gap:'30px',flexWrap:'wrap',
marginTop: '30px' }}>
```

```
<divstyle={{ flex:'1',minWidth:'200px'}}>
```

```
<divstyle={{ fontSize:'3rem',marginBottom:'15px'}}>⚡ </div>
```

```
<h3style={{ marginBottom:'10px'}}>LightningFast</h3>
```

```
<pstyle={{ color:'var(--text-light)}}>Same-daydeliveryforallyouressential
needs.</p>
```

```
</div>
```

```
<divstyle={{ flex:'1',minWidth:'200px'}}>
```

```
<divstyle={{ fontSize:'3rem',marginBottom:'15px'}}>🌿 </div>
```

```
<h3style={{ marginBottom:'10px'}}>AlwaysFresh</h3>
```

```
<pstyle={{ color:'var(--text-light)}}>Hand-pickedquality,guaranteedfresh every
time.</p>
```

```
</div>
```

```
<divstyle={{ flex:'1',minWidth:'200px'}}>
```

```
<divstyle={{ fontSize:'3rem',marginBottom:'15px'}}>🔒 </div>
```

```
<h3style={{ marginBottom:'10px'}}>SecureShopping</h3>
```

```
<pstyle={{ color:'var(--text-light)}}>Yourdataisprotectedwithenterprise- grade
```


security.</p>

```

        </div>
      </div>
    </div>
  </div>
</div>
);
};

export default About;

```

➤ **Admin.jsx:-**

```

import { useState, useEffect, useContext } from "react";
import axios from "axios";
import { AuthContext } from "../context/AuthContext";

const Admin = () => {
  const { user } = useContext(AuthContext);
  const [products, setProducts] = useState([]);
  const [orders, setOrders] = useState([]);
  const [contacts, setContacts] = useState([]);
  const [categories, setCategories] = useState([]);
  const [usersInfo, setUsersInfo] = useState([]);
  const [checkouts, setCheckouts] = useState([]);

  const [view, setView] = useState("home");

  const [name, setName] = useState("");
  const [price, setPrice] = useState("");
  const [image, setImage] = useState("");
  const [category, setCategory] = useState("");
  const [description, setDescription] = useState("");

  const [newCatName, setNewCatName] = useState("");

  const [editingProductId, setEditingProductId] = useState(null);
  const [editName, setEditName] = useState("");
  const [editPrice, setEditPrice] = useState("");

  const fetchData = async () => { try {

```

```

const [resProd, resOrd, resCont, resCat, resUsr, resChk] = await Promise.all([
  axios.get("http://localhost:5000/api/products"),
  axios.get("http://localhost:5000/api/orders/all", { headers: { token: user.token } }),
  axios.get("http://localhost:5000/api/contact/all", { headers: { token: user.token } }),
  axios.get("http://localhost:5000/api/categories"),
  axios.get("http://localhost:5000/api/auth/all", { headers: { token: user.token } }),
  axios.get("http://localhost:5000/api/checkouts/all", { headers: { token: user.token } })
]);

setProducts(resProd.data);
setOrders(resOrd.data);
setContacts(resCont.data);
setCategories(resCat.data);
setUsersInfo(resUsr.data);
setCheckouts(resChk.data);

if(resCat.data.length>0&&!category){
  setCategory(resCat.data[0].name);
}
} catch (err) {
  console.error(err);
}
};

useEffect(()=>{
  fetchData();
},[]);

const handleAddProduct=async(e)=>{
  e.preventDefault();
  if(!image)return alert("Please select an image file first."); if
  (!category) return alert("Please select a category.");

  const formData = new FormData();
  formData.append("name", name);
  formData.append("price", price);
  formData.append("category", category);
  formData.append("description",description);
  formData.append("image", image);

  try{

```

```

    await axios.post(
      "http://localhost:5000/api/products",
      formData,
      {headers:{token:user.token}}
    );
    fetchData();
    setName("");setPrice("");setImage(null);setDescription("");
    alert("Product added securely to Cloundinary!");
    setView("manage-products");
  } catch(err) {
    alert("Failedtoaddproduct:"+(err.response?.data?.error||err.response?.data||
err.message));
  }
};

consthandleDeleteProduct=async(id)=>{
  if(!window.confirm("Areyousureyouwanttodeletethisproduct?"))return; try {
    awaitaxios.delete(`http://localhost:5000/api/products/${id}`, { headers:
      { token: user.token }
    });
    fetchData();
  } catch(err) {
    alert("Failedtodeleteproduct");
  }
};

conststartEditProduct=(product)=>{
  setEditingProductId(product._id);
  setEditName(product.name);
  setEditPrice(product.price);
};

consthandleSaveProductEdit=async(id)=>{ try
{
  awaitaxios.put(`http://localhost:5000/api/products/${id}`,
    { name:editName,price:Number(editPrice) },
    {headers:{token:user.token}}
  );
  setEditingProductId(null);
  fetchData();

```

```

    }catch(err) {
      alert("Failedtoupdateproduct");
    }
  };

```

```

consthandleAddCategory=async(e)=>{
  e.preventDefault();
  try{
    awaitaxios.post("http://localhost:5000/api/categories",
      {name:newCatName},
      {headers:{token:user.token}}
    );
    fetchData();
    setNewCatName("");
    alert("Categorycreated!");
  }catch(err) {
    alert("Failedtocretecategory");
  }
};

```

```

consthandleDeleteCategory=async(id)=>{
  if(!window.confirm("Areyousure?Removingthiswon'tchangeexistingproducts, just
the dropdown lists.")) return;
  try{
    awaitaxios.delete(`http://localhost:5000/api/categories/${id}`, {
      headers: { token: user.token }
    });
    fetchData();
  }catch(err) {
    alert("Failedtodeletecategory");
  }
};

```

```

consthandleUpdateOrderStatus=async(id,currentStatus)=>{
  constnewStatus=currentStatus==="Pending"? "Delivered": "Pending"; try {
    awaitaxios.put(`http://localhost:5000/api/orders/${id}/status`,
      {status:newStatus},
      {headers:{token:user.token}}
    );
    fetchData();
  }
};

```

```

    }catch(err) {
      alert("Failedtoupdatestatus");
    }
  };

  return(
    <divclassName="admin-layout"style={{margin:'0-20px'}}>
      <divclassName="admin-sidebar"style={{minHeight:'100%'}}>
        <h2style={{padding:'020px',color:'var(--primary)',marginBottom:'30px'
}}>AdminPanel</h2>

        <button
          className={`admin-nav-item${view==='home'?'active':''}`}
          onClick={() => setView('home')}
        >
          🏠 DashboardHome
        </button>
        <button
          className={`admin-nav-item${view==='add-product'?'active':''}`}
          onClick={() => setView('add-product')}
        >
          + AddNew Product
        </button>
        <button
          className={`admin-nav-item${view==='manage-products'?'active':''}`}
          onClick={() => setView('manage-products')}
        >
          📦 ManageProducts
        </button>
        <button
          className={`admin-nav-item${view==='manage-categories'?'active':''}`}
          onClick={() => setView('manage-categories')}
        >
          📁 Manage Categories
        </button>
        <button
          className={`admin-nav-item${view==='manage-orders'?'active':''}`}
          onClick={() => setView('manage-orders')}
        >
          🚚 ManageOrders

```

```

</button>
<button
  className={`admin-nav-item${view==='contacts'? 'active':''}`}
  onClick={() => setView('contacts')}
>
   Contact Messages
</button>
<button
  className={`admin-nav-item${view==='checkouts'? 'active':''}`}
  onClick={() => setView('checkouts')}
>
   CheckoutRecords
</button>
</div>

<div className="admin-content">
  <h2 className="section-title" style={{textAlign:'left',margin:0,marginBottom: '24px'
}}>
    {view==='home'&&'PlatformOverview'}
    {view==='add-product'&&'Add&UpdateProducts'}
    {view==='manage-products'&&'ManageProductsCatalog'}
    {view==='manage-categories'&&'ManageCategories'}
    {view==='manage-orders'&&'ManageCustomerOrders'}
    {view==='contacts'&&'UserContact Messages'}
    {view==='checkouts'&&'CheckoutRecords'}
  </h2>

  {view==='home'&&(
    <div style={{display:'flex',gap:'24px',flexWrap:'wrap'}}>
      <div className="product-card" style={{flex:1,minWidth:'250px',padding: '30px',
textAlign: 'center' }}>
        <div style={{fontSize:'48px',marginBottom:'10px'}}>  </div>
        <h3 style={{fontSize:'36px',color:'var(--primary)',margin:'0'
}}>{products.length}</h3>
        <p style={{color:'var(--gray-500)',fontWeight:'600',margin:'5px000'
}}>TotalProducts</p>
      </div>
      <div className="product-card" style={{flex:1,minWidth:'250px',padding: '30px',
textAlign: 'center' }}>
        <div style={{fontSize:'48px',marginBottom:'10px'}}>  </div>

```

```

    <h3style={{ fontSize:'36px',color:'#8b5cf6',margin:'0'
  }}>{usersInfo.length}</h3>
    <pstyle={{ color:'var(--gray-500)',fontWeight:'600',margin:'5px000'
  }}>RegisteredUsers</p>
  </div>
  <divclassName="product-card"style={{ flex:1,minWidth:'250px',padding: '30px',
  textAlign: 'center' }}>
    <divstyle={{ fontSize:'48px',marginBottom:'10px'}}><img alt="Shopping cart icon" data-bbox="688 241 718 258"/></div>
    <h3style={{ fontSize:'36px',color:'#f59e0b',margin:'0'
  }}>{orders.length}</h3>
    <pstyle={{ color:'var(--gray-500)',fontWeight:'600',margin:'5px000'
  }}>TotalOrders</p>
  </div>
</div>
)}

```

```

{view==='add-product'&&(
  <divclassName="product-card"style={{ padding:'30px',maxWidth:'600px'}}>
    <form onSubmit={handleAddProduct}>
      <divclassName="form-group">
        <label>ProductName</label>
        <inputclassName="form-input"value={ name}
onChange={e=>setName(e.target.value)} required />
      </div>
      <divclassName="form-group">
        <label>Price(₹)</label>
        <inputtype="number"className="form-input"value={ price}
onChange={e=>setPrice(e.target.value)} required />
      </div>
      <divclassName="form-group">
        <label>Category</label>
        <select
          className="form-input"
          value={ category}
          onChange={e=>setCategory(e.target.value)}
          required
        >
          <optionvalue=""disabled>Selectacategory</option>
          {categories.map(cat=>(
            <optionkey={cat._id}value={cat.name}>{cat.name}</option>

```


))}

```

        </select>
        {categories.length===0&&<smallstyle={{color:'red'}}>Nocategoriesexist.
Pleasecreateone first.</small>}
    </div>
    <divclassName="form-group">
        <label>Description(Quantity&Ingredients)</label>
        <textarea
            className="form-input"
            value={description}
            onChange={e=>setDescription(e.target.value)}
            rows="4"
            placeholder="e.g.500gPack.Containsfarm-freshorganicingredients."
        />
    </div>
    <divclassName="form-group">
        <label>ProductImageFile</label>
        <inputtype="file"className="form-input"accept="image/*"
onChange={e=>setImage(e.target.files[0])} required />
    </div>
    <buttontype="submit"className="btnbtn-primaryform-submit"style={{
fontSize: '18px', padding: '12px' }} disabled={categories.length === 0}>
        Upload&Publish Product
    </button>
</form>
</div>
)}

{view==='manage-products'&&(
    <divclassName="table-wrapper">
        <tableclassName="table">
            <thead>
                <tr>
                    <th>Image</th>
                    <th>Name</th>
                    <th>Category</th>
                    <th>Price</th>
                    <th>Action</th>
                </tr>
            </thead>
            <tbody>

```

```

{products.length===0&&<tr><tdcolSpan="5">Noproducts found.</td></tr>}
{products.map(p=>(
  <tr key={p._id}>
    <td><imgsrc={p.image}className="img-cell"alt={p.name}/></td>
    <tdstyle={{fontWeight:'500'}}>
      {editingProductId===p._id?(
        <input
          type="text"
          value={editName}
          onChange={(e)=>setEditName(e.target.value)}
          style={{padding: '6px', width: '100%' }}
        />
      ) : p.name}
    </td>
    <td><spanclassName="status-badgesuccess">{p.category}</span></td>
    <tdstyle={{fontWeight:'bold'}}>
      {editingProductId===p._id?(
        <input
          type="number"
          value={editPrice}
          onChange={(e)=>setEditPrice(e.target.value)}
          style={{padding: '6px', width: '80px' }}
        />
      ) : `₹${p.price}`}
    </td>
    <td>
      <divstyle={{display:'flex',gap:'8px'}}>
        {editingProductId===p._id?(
          <>
            <button
              className="btnbtn-primary"
              style={{padding:'6px12px',fontSize:'14px'}}
              onClick={() => handleSaveProductEdit(p._id)}
            >
              Save
            </button>
            <button
              className="btnbtn-secondary"
              style={{padding:'6px12px',fontSize:'14px'}}
              onClick={() => setEditingProductId(null)}

```

```

        >
        Cancel
      </button>
    </>
  ): (
    <>
    <button
      className="btnbtn-secondary"
      style={{padding:'6px12px',fontSize:'14px',color:'var(--primary)',
borderColor: 'var(--primary)' }}
      onClick={()=> startEditProduct(p)}
    >
      Edit
    </button>
    <button
      className="btnbtn-secondary"
      style={{padding:'6px12px',fontSize:'14px',color:'#ef4444',
borderColor: '#ef4444' }}
      onClick={()=> handleDeleteProduct(p._id)}
    >
      Delete
    </button>
  </>
  )}
</div>
</td>
</tr>
)}}
</tbody>
</table>
</div>
)}

{view==='manage-categories'&&(
  <divstyle={{display:'flex',gap:'30px',alignItems:'flex-start' }}>
    <divclassName="product-card"style={{padding:'30px',flex:1,position: 'sticky',
top: '100px' }}>
      <h3style={{marginBottom:'20px'}}>AddNewCategory</h3>
      <form onSubmit={handleAddCategory}>
        <divclassName="form-group">
          <label>CategoryName</label>

```

```

    <input
      type="text"
      className="form-
input"placeholder="e.g.ExoticFruits"va
lue={ newCatName}
onChange={e=>setNewCatName(e.target.value)}
required
    />
  </div>
  <buttontype="submit"className="btnbtn-primaryform-submit"> Create
    Category
  </button>
</form>
</div>

<divclassName="table-wrapper"style={{ flex:2}}>
  <tableclassName="table">
    <thead>
      <tr>
        <th>CategoryName</th>
        <th>CreatedAt</th>
        <th>Action</th>
      </tr>
    </thead>
    <tbody>
      {categories.length===0&&<tr><tdcolSpan="3">Nocategoriesdefined
yet.</td></tr>}
      {categories.map(c=>(
        <tr key={c._id}>
          <tdstyle={{ fontWeight:'600'}}>{c.name}</td>
          <td>{newDate(c.createdAt).toLocaleDateString()}</td>
          <td>
            <button
              className="btnbtn-secondary"
              style={{padding:'6px12px',fontSize:'12px',color:'#ef4444', borderColor:
'#ef4444' }}
              onClick={()=>handleDeleteCategory(c._id)}
            >
              Delete
            </button>
          </td>

```

```

        </tr>
      )}
    </tbody>
  </table>
</div>
</div>
)}

{view==='manage-orders'&&(
  <divclassName="table-wrapper">
    <tableclassName="table">
      <thead>
        <tr>
          <th>OrderID</th>
          <th>CustomerName</th>
          <th>Date</th>
          <th>Items</th>
          <th>Amount</th>
          <th>Status</th>
          <th>Action</th>
        </tr>
      </thead>
      <tbody>
        {orders.length===0&&<tr><tdcolSpan="6">Noordersfound.</td></tr>}
        {orders.map(o=>(
          <tr key={o._id}>
            <td>...{o._id.slice(-6)}</td>
            <tdstyle={{fontWeight:'500'}}>
              {usersInfo.find(u=>u._id===o.userId)?.name||'Unknown'}
            </td>
            <td>{newDate(o.createdAt).toLocaleString()}</td>
            <td>{o.items.length}</td>
            <tdstyle={{fontWeight:'bold'}}>₹{o.total}</td>
            <td>
              <spanclassName={`status-badge${o.status==='Delivered'?'success':
'warning'}}`>
                {o.status||'Pending'}
              </span>
            </td>
            <td>
              <button

```

```

        className="btn btn-secondary"
        style={{padding:'6px 12px',fontSize:'12px'}}
        onClick={()=>handleUpdateOrderStatus(o._id,o.status||'Pending')}
      >
        Markas {o.status==='Pending'?!o.status?'Delivered':'Pending'}
      </button>
    </td>
  </tr>
)}
</tbody>
</table>
</div>
)}

{view==='contacts'&&(
  <div className="table-wrapper">
    <table className="table">
      <thead>
        <tr>
          <th>Name</th>
          <th>Email</th>
          <th>Date</th>
          <th>Message</th>
        </tr>
      </thead>
      <tbody>
        {contacts.length===0&&<tr><td colspan="4">No messages found.</td></tr>}
        {contacts.map(c=>(
          <tr key={c._id}>
            <td style={{fontWeight:'500'}}>{c.name}</td>
            <td>{c.email}</td>
            <td>{new Date(c.createdAt).toLocaleString()}</td>
            <td style={{maxWidth:'300px',whiteSpace:'pre-wrap',lineHeight:'1.4'
}}>{c.message}</td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>
)}

```

```

{view==='checkouts'&&(
  <divclassName="table-wrapper">
    <tableclassName="table">
      <thead>
        <tr>
          <th>OrderID</th>
          <th>CustomerName</th>
          <th>Date&Time</th>
          <th>DeliveryAddress</th>
          <th>PaymentMethod</th>
        </tr>
      </thead>
      <tbody>
        {checkouts.length===0&&<tr><tdcolSpan="5">Nocheckoutrecords
found.</td></tr>}
        {checkouts.map(c=>(
          <tr key={c._id}>
            <tdstyle={{fontWeight:'500',color:'var(--primary)}}>#{c.orderId.slice(-
8).toUpperCase()}</td>
            <td>{c.customerName||'Unknown'}</td>
            <td>{newDate(c.createdAt).toLocaleString()}</td>
            <tdstyle={{maxWidth:'300px',whiteSpace:'pre-wrap',lineHeight:'1.4'
}}>{c.delivery}</td>
            <td><spanclassName="status-badge
success">{c.paymentMethod}</span></td>
          </tr>
        ))}
      </tbody>
    </table>
  </div>
)}
</div>
</div>
);
};

```

exportdefaultAdmin;

➤ **AdminLogin.jsx:**

```
import{useState,useContext}from"react";
```



```

import { AuthContext } from "../context/AuthContext";

const AdminLogin = () => {
  const [email, setEmail] = useState("");
  const [password, setPassword] = useState("");
  const { login } = useContext(AuthContext);
  const [error, setError] = useState(null);

  const handleSubmit = async (e) => {
    e.preventDefault();
    try {
      await login(email, password, true);
    } catch (err) {
      setError(err.response?.data || "Invalid credentials");
    }
  };

  return (
    <div className="auth-container">
      <div className="auth-box">
        <h2>AdminLogin</h2>
        <p>Login to your admin account</p>

        {error && <div style={{ color: 'red', marginBottom: '16px', textAlign: 'center' }}>{error}</div>}

        <form onSubmit={handleSubmit}>
          <div className="form-group">
            <label>Admin Email</label>
            <input
              type="text"
              className="form-input"
              value={email}
              onChange={e => setEmail(e.target.value)}
              required
            />
          </div>
          <div className="form-group">
            <label>Password</label>
            <input
              type="password"
              className="form-input"
              value={password}
              onChange={e => setPassword(e.target.value)}
            />
          </div>
        </form>
      </div>
    </div>
  );
};

```

```

        required
      />
    </div>
    <button type="submit" className="btn btn-primary form-submit">Loginas
Admin</button>
  </form>
</div>
</div>
);
};

export default AdminLogin;

```

➤ Cart.jsx:-

```

import { useContext } from "react";
import { Store } from "../context/Store";
import axios from "axios";

export default function Cart() {
  const { cart, updateQty, removeItem } = useContext(Store);

  const total = cart.reduce(
    (acc, item) => acc + item.price * item.qty, 0
  );

  const placeOrder = async () => {
    try {
      const token = localStorage.getItem("token");

      if (!token) {
        alert("Please login first");
        return;
      }

      await axios.post(
        "http://localhost:5000/api/orders",
        {
          items: cart,
          total: total
        },
        {
          headers: { token }
        }
      );
    }
  };
}

```

```

    }
  );

  alert("✅ OrderPlacedSuccessfully");

  window.location.reload();

} catch (err) {
  console.log(err);
  alert("❌ OrderFailed");
}
};

return(
  <div className="cart-page">
    <h2>🛒 YourCart</h2>

    {cart.length===0?(
      <h3 className="empty">Yourcartisempty 😞</h3>
    ) : (
      <>
        <div className="cart-container">
          {cart.map((item)=>(
            <div key={item._id} className="cart-item">

              <img src={item.image} alt={item.name}/>

              <div className="info">
                <h3>{item.name}</h3>
                <p>₹ {item.price}</p>

                <div className="qty">
                  <button
                    onClick={()=>
                      updateQty(item._id, Math.max(1, item.qty-1))
                    }
                  >
                    -
                  </button>

                  <span>{item.qty}</span>

                  <button

```

onClick={()=>

```

        updateQty(item._id,item.qty+1)
      }
    >
    +
  </button>
</div>

  <p className="subtotal">
    Subtotal:₹ {item.price*item.qty}
  </p>
</div>

  <button
    className="remove"
    onClick={()=>removeItem(item._id)}
  >
    ✕
  </button>

</div>
  )})
</div>

<div className="cart-summary">
  <h3>Total:₹ {total}</h3>

  <button className="checkout" onClick={placeOrder}>
    🛒 Checkout
  </button>
</div>
</>
  )}
</div>
);
}

```

➤ **Checkout.jsx:-**

```

import {useState,useContext,useEffect}from"react";
import { useNavigate } from "react-router-dom";import
{ CartContext } from "../context/CartContext"; import
{ AuthContext } from "../context/AuthContext"; import
axios from "axios";

constCheckout={()=>{
  const{ cart, cartTotal, clearCart }=useContext(CartContext);
  const { user } = useContext(AuthContext);
  constnavigate=useNavigate();

  const[address, setAddress]=useState("");
  const [phone, setPhone] = useState("");
  const[paymentMethod, setPaymentMethod]=useState("CreditCard");
  const [loading, setLoading] = useState(false);

  useEffect(()=>{
    if(cart.length===0){
      navigate("/");
    }
  },[cart,navigate]);

  constdiscountApplies=user&&user.hasUsedFirstDiscount===false;
  const finalTotal = discountApplies ? cartTotal * 0.5 : cartTotal;

  consthandlePlaceOrder=async(e)=>{
    e.preventDefault();
    if(!address||!phone)returnalert("Pleasefillinalldelivery details.");

    setLoading(true);
    try {
      const res = await axios.post(
        "http://localhost:5000/api/orders",
        {
          items: cart,
          total:finalTotal,
          address:`${address}(Phone:${phone})`,
          paymentMethod
        },
        {headers:{token:user.token}}
      );
    }

    if(res.data.hasUsedFirstDiscount){
      user.hasUsedFirstDiscount = true;
    }
  }
}

```

```

    }

    navigate("/success", { state: { orderId: res.data.order._id } });
  } catch (err) {
    console.error("CheckoutErrorPayload:", err);
    alert("Failed to place order: " + (err.response?.data?.message || err.response?.data ||
err.message || "Unknown error"));
    setLoading(false);
  }
};

return(
  <div style={{ padding: "40px 0" }}>
    <h2 className="section-title">Checkout</h2>

    <div className="checkout-container">
      <div className="checkout-form-wrapper">
        <form className="checkout-form" onSubmit={handlePlaceOrder}>
          <h3>Delivery Details</h3>

          <div className="form-group">
            <label>Full Address</label>
            <textarea
              className="form-input"
              rows="3"
              placeholder="123 Farm Lane, Apt 4B, City, Zip Code" value={address}
              onChange={e => setAddress(e.target.value)}
              required
            ></textarea>
          </div>

          <div className="form-group">
            <label>Phone Number</label>
            <input
              type="text"
              className="form-input"
              placeholder="+1 234 567 8900" value={phone}
              onChange={e => setPhone(e.target.value)}
              required
            />
          </div>

```

```

<h3style={{ marginTop:"30px",marginBottom:"16px"}}>Payment Method</h3>
<divclassName="payment-options">
  <labelclassName={ `payment-label${paymentMethod==="CreditCard"?
"selected" : ""}` }>
    <input
      type="radio"
      name="payment"
      value="Credit Card"
      checked={paymentMethod==="CreditCard"}
      onChange={e=>setPaymentMethod(e.target.value)}
    />
    <spanclassName="payment-text">Credit/DebitCard</span>
  </label>
  <labelclassName={ `payment-label${paymentMethod==="CashonDelivery"?
"selected": ""}` }>
    <input
      type="radio"
      name="payment"
      value="Cash on Delivery"
      checked={paymentMethod==="CashonDelivery"}
      onChange={e=>setPaymentMethod(e.target.value)}
    />
    <spanclassName="payment-text">CashonDelivery</span>
  </label>
  <labelclassName={ `payment-label${paymentMethod==="UPI"? "selected":
""}` }>
    <input
      type="radio"
      name="payment"
      value="UPI"
      checked={paymentMethod === "UPI"}
      onChange={e=>setPaymentMethod(e.target.value)}
    />
    <spanclassName="payment-text">UPI/NetBanking</span>
  </label>
</div>

  <buttontype="submit"className="btnbtn-primaryplace-order-btn"
disabled={loading || cart.length === 0}>
  {loading?"Processing...":`PlaceOrder(₹${finalTotal})`}
</button>
</form>
</div>

```



```

<div className="checkout-summary-wrapper">
  <div className="checkout-summary">
    <h3 style={{ marginBottom: "20px" }}>Order Summary</h3>

    <div className="summary-items">
      {cart.map(item => (
        <div key={item._id} className="summary-item">
          <div className="summary-item-info">
            <span className="summary-item-qty">{item.quantity}x</span>
            <span className="summary-item-name">{item.name}</span>
          </div>
          <span className="summary-item-price">₹ {item.price * item.quantity}</span>
        </div>
      ))}
    </div>

    <div className="summary-totals">
      <div className="summary-row">
        <span>Subtotal</span>
        <span>₹ {cartTotal}</span>
      </div>
      <div className="summary-row">
        <span>Shipping</span>
        <span style={{ color: "var(--primary)" }}>Free</span>
      </div>

      {discountApplies && (
        <div className="summary-row discount-row">
          <span>First-Time 50% Off 🎁</span>
          <span>-₹ {cartTotal * 0.5}</span>
        </div>
      )}

      <div className="summary-row final-total">
        <span>Total to Pay</span>
        <span>₹ {finalTotal}</span>
      </div>
    </div>
  </div>
</div>
</div>
</div>

```

```
);
};

export default Checkout;
```

➤ Contact.jsx:

```
import React, { useState } from 'react';
import axios from 'axios';

const Contact = () => {
  const [formData, setFormData] = useState({ name: "", email: "", message: "" });

  const handleSubmit = async (e) => {
    e.preventDefault();
    try {
      await axios.post("http://localhost:5000/api/contact", formData);
      alert("Message sent successfully!");
      setFormData({ name: "", email: "", message: "" });
    } catch (err) {
      alert("Failed to send message. Please try again later.");
    }
  };

  return (
    <div className="container" style={{ padding: '40px 0' }}>
      <h1 className="page-title" style={{ textAlign: 'center', marginBottom: '40px', fontSize: '2.5rem' }}>Contact Us</h1>

      <div className="bento-grid" style={{ gridTemplateColumns: 'repeat(auto-fit, minmax(350px, 1fr))', gridAutoRows: 'auto' }}>
        <div className="card" style={{ padding: '40px' }}>
          <h2 style={{ fontSize: '1.8rem', marginBottom: '30px', color: 'var(--primary)' }}>Get in Touch</h2>

          <div style={{ display: 'flex', flexDirection: 'column', gap: '25px' }}>
            <div style={{ display: 'flex', alignItems: 'flex-start', gap: '15px' }}>
              <div style={{ fontSize: '1.5rem' }}>📍</div>
            </div>
            <h3 style={{ marginBottom: '5px' }}>Our Office</h3>
            <p style={{ color: 'var(--text-light)', lineHeight: '1.5' }}>123 Fresh Avenue<br />Silicon Valley, CA 94025</p>
          </div>
        </div>
      </div>
    </div>
  );
};
```

</div>

```
</div>
```

```
<divstyle={{display:'flex',alignItems:'flex-start',gap:'15px'}}>
```

```
<divstyle={{fontSize:'1.5rem'}}>☎</div>
```

```
<div>
```

```
<h3style={{marginBottom:'5px'}}>PhoneSupport</h3>
```

```
<pstyle={{color:'var(--text-light)',lineHeight:'1.5'}}>
```

```
+1(800)123-4567<br />
```

```
Mon-Fri:8am -8pm
```

```
</p>
```

```
</div>
```

```
</div>
```

```
<divstyle={{display:'flex',alignItems:'flex-start',gap:'15px'}}>
```

```
<divstyle={{fontSize:'1.5rem'}}>✉</div>
```

```
<div>
```

```
<h3style={{marginBottom:'5px'}}>EmailUs</h3>
```

```
<pstyle={{color:'var(--text-
```

```
light)',lineHeight:'1.5'}}>support@freshcart.com<br />
```

```
hello@freshcart.com
```

```
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<divclassName="card"style={{padding:'40px'}}>
  <h2style={{fontSize:'1.8rem',marginBottom:'20px',color:'var(--primary)'
}}>Senda Message</h2>
  <formonSubmit={handleSubmit}style={{display:'flex',flexDirection:'column', gap:
'20px'}}>
    <divclassName="form-group">
      <label>Name</label>
      <inputtype="text"className="form-input"placeholder="YourName"required
value={formData.name} onChange={(e) => setFormData({...formData, name:
e.target.value}}) />
    </div>
    <divclassName="form-group">
      <label>Email</label>
      <input type="email" className="form-input" placeholder="Your Email"
requiredvalue={formData.email} onChange={(e) => setFormData({...formData,email:
e.target.value}}) />
    </div>
```

```
<divclassName="form-group">
```

```

        <label>Message</label>
        <textarea className="form-input" rows="4" placeholder="How can we help
you?"style={{resize:'vertical'}}requiredvalue={formData.message}onChange={(e)
=>setFormData({...formData,message:e.target.value})}></textarea>
    </div>
    <button type="submit" className="btn btn-primary" style={{marginTop:'10px'
}}>SendMessage</button>
  </form>
</div>
</div>
</div>
);
};

export default Contact;

```

➤ Home.jsx:

```

import { useState, useEffect } from "react";
import { useNavigate } from "react-router-dom";
import axios from "axios";
import ProductCard from "../components/ProductCard";

const Home = () => {
  const [products, setProducts] = useState([]);
  const [dbCategories, setDbCategories] = useState([]);
  const [category, setCategory] = useState("All");
  const [search, setSearch] = useState("");
  const navigate = useNavigate();

  useEffect(() => {
    const fetchData = async () => {
      try {
        const [resProd, resCat] = await Promise.all([
          axios.get("http://localhost:5000/api/products"),
          axios.get("http://localhost:5000/api/categories")
        ]);
        setProducts(resProd.data);
        setDbCategories(resCat.data);
      } catch (err) {
        console.error("Failed to fetch data", err);
      }
    };
    fetchData();
  });

```

```
},[]);
```

```
const backendCats = dbCategories.map(c => c.name);
const categories = ["All", ...new Set([...backendCats, ...products.map(p => p.category)])];
```

```
const filteredProducts = products.filter(p => {
  return category === "All" || p.category === category;
});
```

```
const handleSearchSubmit = (e) => {
  e.preventDefault();
  if (search.trim()) {
    navigate(`/search?q=${encodeURIComponent(search.trim())}`);
  }
};
```

```
const trendingProducts = products.slice(0, 5);
```

```
return (
  <div>
    <form className="search-glass" onSubmit={handleSearchSubmit}>
      <input
        type="text"
        placeholder="Search for fresh groceries..." value={search}
        onChange={(e) => setSearch(e.target.value)}
      />
      <button type="submit" className="search-glass-btn"> 🔍 </button>
    </form>
```

```

    <section className="bento-section">
      <div className="bento-grid">
        <div className="bento-card bento-large">
          
          <div className="bento-overlay"></div>
          <div className="bento-content">
            <span className="bento-tag"> Fresh Arrival </span>
            <h2 className="bento-title"> Organic Farm <br/> Fruits & Veggies </h2>
            <p className="bento-desc"> Direct from local farms to your kitchen. </p>
          </div>
        </div>
      </div>
    </section>
  )
```

```

    <div className="bento-cardbento-tall">
      
      <div className="bento-overlay"></div>
      <div className="bento-content">
        <span className="bento-tag" style={{ background:
'#f59e0b'}}>Trending</span>
        <h2 className="bento-title" style={{ fontSize:'22px'}}>Weekly
Essentials</h2>
      </div>
    </div>

    <div className="bento-card">
      
      <div className="bento-overlay"></div>
      <div className="bento-content">
        <span className="bento-tag" style={{ background:'#8b5cf6'}}>Bakery</span>
        <h2 className="bento-title" style={{ fontSize:'20px'}}>Freshly Baked</h2>
      </div>
    </div>

    <div className="bento-card">
      
      <div className="bento-overlay"></div>
      <div className="bento-content">
        <span className="bento-tag" style={{ background:'#3b82f6'}}>Dairy</span>
        <h2 className="bento-title" style={{ fontSize:'20px'}}>Milk&Cheese</h2>
      </div>
    </div>
  </div>

  <div className="category-bubbles">
    {categories.map(cat=>(
      <button
        key={cat}
        className={`cat-bubble${category===cat?'active':''}`}
        onClick={() => setCategory(cat)}
      >
        {category===cat&&<span>✓</span>}{cat}
      </button>
    )
  )}

```



```

    )))
  </div>

  <div className="grid">
    {filteredProducts.map(product=>(
      <ProductCard key={product._id} product={product}/>
    ))}
  </div>
  {filteredProducts.length===0&&(
    <div className="empty-state">
      <h3 style={{fontSize:'24px',color:'#94a3b8'}}>No products match your search.</h3>
    </div>
  )}

  <div className="promo-strip">
    <div>
      <h2>Get 50% Off First Deal</h2>
      <p>Sign up today and your 50% discount will be automatically applied at checkout on
your first order!</p>
      <button className="btn" onClick={()=>navigate('/register')}>Claim Offer</button>
    </div>

    <div className="trending-container">
      <h2 className="section-title">Trending This Week</h2>
      <div className="trending-scroll">
        {trendingProducts.map(product=>(
          <div key={product._id} style={{width:'280px',flexShrink:0}}>
            <ProductCard product={product}/>
          </div>
        ))}
      </div>
    </div>

  </div>
);
};

export default Home;

```

➤ **Login.jsx:-**

```

import { useState, useContext } from "react";
import { AuthContext } from "../context/AuthContext";
import { Link } from "react-router-dom";

const Login = () => {
  const [email, setEmail] = useState("");
  const [password, setPassword] = useState("");
  const { login } = useContext(AuthContext);
  const [error, setError] = useState(null);

  const handleSubmit = async (e) => {
    e.preventDefault();
    try {
      await login(email, password, false);
    } catch (err) {
      setError(err.response?.data || "Invalid credentials");
    }
  };

  return (
    <div className="auth-container">
      <div className="auth-box">
        <h2>Welcome Back</h2>
        <p>Log in to your account to continue shopping</p>

        {error && <div style={{ color: 'red', marginBottom: '16px', textAlign: 'center' }}>{error}</div>}

        <form onSubmit={handleSubmit}>
          <div className="form-group">
            <label>Email Address or Username</label>
            <input
              type="text"
              className="form-input"
              value={email}
              onChange={e => setEmail(e.target.value)}
              required
            />
          </div>
          <div className="form-group">
            <label>Password</label>
            <input
              type="password"
              className="form-input"

```

```

        value={password}
        onChange={e=>setPassword(e.target.value)}
        required
      />
    </div>
    <button type="submit" className="btn btn-primary form-submit">SignIn/
Login</button>
  </form>

  <div className="auth-redirect">
    Don't have an account? <Link to="/register">Signup</Link>
  </div>
</div>
);
};

export default Login;

```

➤ **ProductDetail.jsx:**

```

import { useState, useEffect, useContext } from "react";
import { useParams, useNavigate } from "react-router-dom";
import axios from "axios";
import { CartContext } from "../context/CartContext";

const ProductDetail = () => {
  const { id } = useParams();
  const navigate = useNavigate();
  const { addToCart } = useContext(CartContext);

  const [product, setProduct] = useState(null);
  const [loading, setLoading] = useState(true);
  const [qty, setQty] = useState(1);

  useEffect(() => {
    const fetchProduct = async () => {
      try {
        const res = await axios.get(`http://localhost:5000/api/products/find/${id}`);
        setProduct(res.data);
      } catch (err) {
        console.error("Failed to fetch product", err);
      } finally {
        setLoading(false);
      }
    };
    fetchProduct();
  }, [id]);

```

```

    }
  };
  fetchProduct();
},[id]);

if(loading)return<divstyle={{textAlign:"center",padding:"50px"}}>Loading
Product...</div>;
if(!product)return<divstyle={{textAlign:"center",padding:"50px"}}>Productnot found.
<button onClick={() => navigate("/")} className="btn btn-primary" style={{
marginTop: "20px" }}>Back Home</button></div>;

consthandleDecrease={()=>{ if
  (qty > 1) setQty(qty - 1);
  });

consthandleIncrease={()=>{
  setQty(qty + 1);
  });

consthandleAddToCart={()=>{ addToCart(product,
  qty);
  });

return(
  <divclassName="container"style={{padding:"40px0"}}>
    <button
      onClick={() => navigate(-1)}
      className="btn btn-secondary"
      style={{marginBottom:"20px"}}
    >
      ← Back
    </button>

    <divstyle={{display:"flex",flexWrap:"wrap",gap:"40px",backgroundColor:
"var(--white)", padding: "40px", borderRadius: "var(--radius)", boxShadow: "var(--
shadow)" }}>
      <divstyle={{flex:"11400px"}}>
        <img
          src={product.image}
          alt={product.name}
          style={{width:"100%",height:"400px",objectFit:"cover",borderRadius: "12px"
        }}
      />
    </div>

```

```

    <divstyle={{flex:"11400px",display:"flex",flexDirection:"column",justifyContent:
"center" }}>
      <spanclassName="status-badgesuccess"style={{alignSelf:"flex-start",
marginBottom: "10px" }}>
        {product.category}
      </span>
      <h1style={{fontSize:"2.5rem",margin:"0010px0",color:"var(--gray-900)"
}}>
        {product.name}
      </h1>
      <h2style={{fontSize:"2rem",color:"var(--primary)",margin:"0020px0"}}>
        ₹{product.price}
      </h2>

      <divstyle={{marginBottom:"30px",borderTop:"1pxsolidvar(--gray-200)",
borderBottom: "1px solid var(--gray-200)",padding: "20px 0" }}>
        <h3style={{margin:"0010px0",color:"var(--gray-
700)"}>ProductDetail&Specifications</h3>
        <pstyle={{color:"var(--gray-500)",lineHeight:"1.6",whiteSpace:"pre-wrap"
}}>
          {product.description||"Freshandhighqualityproductcarefullyselected for
you.Ordernowforfastdelivery!"}
        </p>
      </div>

      <divstyle={{display:"flex",alignItems:"center",gap:"20px",marginTop:"auto"
}}>
        <divstyle={{display:"flex",alignItems:"center",border:"1pxsolidvar(--gray-
200)",borderRadius:"var(--radius)",overflow:"hidden"}}>
          <button
            onClick={handleDecrease}
            style={{padding:"10px15px",background:"var(--gray-100)",border:"none",
cursor: "pointer",fontSize:"1.2rem",fontWeight: "bold" }}
          >
            -
          </button>
          <divstyle={{width:"50px",textAlign:"center",fontSize:"1.2rem",fontWeight:
"bold" }}>
            {qty}
          </div>
          <button
            onClick={handleIncrease}

```

```

        style={{padding:"10px15px",background:"var(--gray-100)",border:"none",
cursor: "pointer", fontSize: "1.2rem", fontWeight: "bold" }}
      >
        +
      </button>
    </div>

    <button
      onClick={handleAddToCart}
      className="btnbtn-primary"
      style={{ flex:1,padding:"15px",fontSize:"1.1rem"}}
    >
      Add{qty}toCart—₹ {product.price*qty}
    </button>
  </div>
</div>
</div>
</div>
);
};

exportdefaultProductDetail;

```

➤ **Profile.jsx:**

```

import {useState,useEffect,useContext}from"react";
import axios from "axios";
import { AuthContext } from "../context/AuthContext";

constProfile=()=>>{
  const {user}=useContext(AuthContext);
  const [orders, setOrders] = useState([]);

  useEffect(()=>{
    constfetchOrders=async()=>>{ try
    {
      constres=awaitaxios.get("http://localhost:5000/api/orders",{ headers:
        { token: user.token }
      });
      setOrders(res.data);
    } catch (err) {
      console.error(err);
    }
  }
}

```

```

    };
    if(user) fetchOrders();
  },[user]);

return(
  <divstyle={{padding:'40px0'}}>
    <h2className="section-title">MyProfile</h2>

    <divstyle={{display:'flex',gap:'30px',flexWrap:'wrap'}}>
      <divstyle={{flex:'1',minWidth:'300px'}}>
        <divclassName="product-card"style={{padding:'24px'}}>
          <h3style={{marginBottom:'16px'}}>AccountDetails</h3>
          <p><strong>Name:</strong>{user?.name}</p>
          <p><strong>Email:</strong>{user?.email}</p>
          <p><strong>Role:</strong>{user?.isAdmin?'Administrator':'Customer'}</p>
        </div>
      </div>

      <divstyle={{flex:'2',minWidth:'300px'}}>
        <h3style={{marginBottom:'20px'}}>OrderHistory</h3>
        {orders.length===0?(
          <divclassName="empty-state">Noordersfound.</div>
        ):(
          <divclassName="table-wrapper">
            <tableclassName="table">
              <thead>
                <tr>
                  <th>Order ID</th>
                  <th>Date</th>
                  <th>Items</th>
                  <th>Total</th>
                  <th>Status</th>
                  <th>Action</th>
                </tr>
              </thead>
              <tbody>
                {orders.map(o=>(
                  <tr key={o._id}>
                    <td>{o._id.substring(0,8)}...</td>
                    <td>{newDate(o.createdAt).toLocaleDateString()}</td>
                    <td>{o.items.length}items</td>
                    <tdstyle={{fontWeight:'bold'}}>>₹ {o.total}</td>
                    <td>

```

```

        <span className={ `status-badge${o.status=== 'Delivered'? 'success':
'warning'} ` } style={{
            padding: '4px 8px',
            borderRadius: '12px',
            fontSize: '12px',
            background: o.status=== 'Pending'? '#fef3c7': '#dcfce3',
            color: o.status === 'Pending' ? '#92400e' : '#166534'
        }} >
            {o.status}
        </span>
    </td>
    <td>
        {o.status=== "Pending" && (
            <button
                onClick={ async() => {
                    if(window.confirm('Are you sure you want to cancel this order?')) { try {
                        await axios.put(`http://localhost:5000/api/orders/${o._id}/cancel`,
{},{
                            headers: { token: user.token }
                        });
                        const res = await axios.get("http://localhost:5000/api/orders", {
                            headers: { token: user.token }
                        });
                        setOrders(res.data);
                    } catch (err) {
                        alert('Failed to cancel order: ' + (err.response?.data || err.message));
                    }
                }
            )}
        </button>
    )}
    </td>
</tr>
    )}
</tbody>
</table>
</div>
    )}
</div>

```



```

    </div>
  </div>
);
};

export default Profile;

```

➤ **Register.jsx:**

```

import { useState, useContext } from "react";
import { AuthContext } from "../context/AuthContext";
import { Link } from "react-router-dom";

const Register = () => {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const [password, setPassword] = useState("");
  const { register } = useContext(AuthContext);
  const [error, setError] = useState(null);

  const handleSubmit = async (e) => {
    e.preventDefault();
    try {
      await register(name, email, password);
    } catch (err) {
      setError("Registration failed, email might be in use.");
    }
  };

  return (
    <div className="auth-container">
      <div className="auth-box">
        <h2>Create an Account</h2>
        <p>Sign up to start shopping for fresh groceries</p>

        {error && <div style={{ color: 'red', marginBottom: '16px', textAlign: 'center' }}>{error}</div> }

        <form onSubmit={handleSubmit}>
          <div className="form-group">
            <label>Full Name</label>
            <input
              type="text"

```

```

        className="form-input"
        value={name}
        onChange={e=>setName(e.target.value)}
        required
      />
    </div>
    <div className="form-group">
      <label>EmailAddress</label>
      <input
        type="email"
        className="form-input"
        value={email}
        onChange={e=>setEmail(e.target.value)}
        required
      />
    </div>
    <div className="form-group">
      <label>Password</label>
      <input
        type="password"
        className="form-input"
        value={password}
        onChange={e=>setPassword(e.target.value)}
        required
      />
    </div>
    <button type="submit" className="btn btn-primary form-submit">Register</button>
  </form>

  <div className="auth-redirect">
    Already have an account? <Link to="/login">Login</Link>
  </div>
</div>
);
};

export default Register;

```

➤ **Search.jsx:**

```
import {useState,useEffect} from "react";
import axios from "axios";
import { useSearchParams } from "react-router-dom";
import ProductCard from "../components/ProductCard";

const Search = () => {
  const [searchParams] = useSearchParams();
  const query = searchParams.get("q") || "";
  const [products, setProducts] = useState([]);
  const [loading, setLoading] = useState(true);

  useEffect(() => {
    const fetchProducts = async () => { try
      {
        setLoading(true);
        const res = await axios.get("http://localhost:5000/api/products");
        const allProducts = res.data;
        const filtered = allProducts.filter(p
          => p.name.toLowerCase().includes(query.toLowerCase())
        );
        setProducts(filtered);
      } catch (err) {
        console.error("Failed to fetch products", err);
      } finally {
        setLoading(false);
      }
    };

    if (query) {
      fetchProducts();
    } else {
      setProducts([]);
      setLoading(false);
    }
  }, [query]);

  return (
    <div style={{padding: '40px 0'}}>
      <h2 className="section-title" style={{textAlign: 'left',marginBottom: '24px'}}>Search
        Results for "{query}"</h2>

      {loading ? (
```

```

    <divstyle={{textAlign:'center',padding:'40px'}}>Loading...</div>
  ): (
    <>
      <divclassName="grid">
        {products.map(product=>(
          <ProductCardkey={product._id}product={product}/>
        ))}
      </div>
      {products.length===0&&(
        <divclassName="empty-state">
          <h3style={{fontSize:'24px',color:'#94a3b8'}}>Noproductsmatchyour
search.</h3>
        </div>
      )}
    </>
  )}
</div>
);
};

exportdefaultSearch;

```

➤ **Success.jsx:**

```

import {useLocation,useNavigate}from"react-router-dom";
import { useEffect, useState, useContext } from "react";
import { CartContext } from "../context/CartContext";

constSuccess=()=>>{
  const location = useLocation();
  constnavigate=useNavigate();
  const{ clearCart}=useContext(CartContext); const
[orderId, setOrderId] = useState("");
  const[deliveryTime,setDeliveryTime]=useState("");

  useEffect(()=>{
    if(!location.state||!location.state.orderId){
      navigate("/");
    } else {
      setOrderId(location.state.orderId);

      constdate=newDate(Date.now()+10*60000);

```

```

    const formattedTime = date.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit'
    });
    setDeliveryTime(`Today by ${formattedTime}`);

    clearCart();
  }
}, [location, navigate, clearCart]);

return(
  <div style={{ display: "flex", justifyContent: "center", alignItems: "center", minHeight:
"75vh" }}>
    <div className="card" style={{ padding: "50px", textAlign: "center", maxWidth:
"500px", width: "100%", position: "relative", overflow: "hidden" }}>

      <div style={{
        width: "100px", height: "100px", borderRadius: "50%", background: "var(--
primary-light)",
        display: "flex", justifyContent: "center", alignItems: "center", margin: "0 auto 30px
auto",
        boxShadow: "0 0 20px rgba(16, 185, 129, 0.4)"
      }}>
        <span style={{ fontSize: "50px", color: "var(--white)", filter: "drop-shadow(0 2px 4px
rgba(0, 0, 0, 0.2))" }}>
          ✓
        </span>
      </div>

      <h1 style={{ fontSize: "36px", color: "var(--primary-dark)", marginBottom: "16px"
}}>Thank You!</h1>
      <h2 style={{ fontSize: "20px", color: "var(--secondary)", marginBottom: "20px"
}}>Order Placed Successfully</h2>

      <p style={{ fontSize: "16px", color: "var(--text-light)", lineHeight: "1.6", marginBottom:
"30px" }}>
        We have beautifully & securely packaged your items. Your order
        <strong style={{ color: "var(--primary)", display: "block", fontSize: "18px",
marginTop: "10px" }}>
          #{orderId.slice(-8).toUpperCase()}
        </strong>
        is currently being prepared!
      </p>

      <div style={{ background: "var(--bg-body)", padding: "16px", borderRadius: "8px",
marginBottom: "30px" }}>

```

```

    <pstyle={{margin:0,fontWeight:"600",color:"var(--gray-500)}}>
      ⚡ EstimatedDelivery: <spanstyle={{color:"var(--primary)"
}}>{deliveryTime}</span>
    </p>
  </div>

  <divstyle={{display:"flex",gap:"16px",justifyContent:"center",flexWrap: "wrap"
}}>
    <button
      className="btn btn-secondary"
      style={{flex:1,minWidth:"160px"}}
      onClick={() => navigate("/profile")}
    >
      TrackOrder
    </button>
    <button
      className="btn btn-primary"
      style={{flex:1,minWidth:"160px"}}
      onClick={() => navigate("/")}>
      ContinueShopping
    </button>
  </div>
</div>
);
};

```

```
export default Success;
```

➤ **App.jsx:**

```

import {BrowserRouter,Routes,Route,Navigate} from "react-router-dom"; import {
useContext } from "react";
import Home from "./pages/Home";
import Login from "./pages/Login";
import Register from "./pages/Register";
import Admin from "./pages/Admin";
import AdminLogin from "./pages/AdminLogin";
import Profile from "./pages/Profile";
import About from "./pages/About";
import Contact from "./pages/Contact";
import ProductDetail from "./pages/ProductDetail";
import Search from "./pages/Search";

```

```

import Checkout from "./pages/Checkout";
import Success from "./pages/Success";
importNavbarfrom"./components/Navbar";
importScrollToTopfrom"./components/ScrollToTop";
import Footer from "./components/Footer";
import CartSidebar from "./components/CartSidebar";
import { AuthContext } from "./context/AuthContext";

function App() {
  const { user, loading } = useContext(AuthContext); if
  (loading) return <div>Loading...</div>;
  return(
    <BrowserRouter>
      <ScrollToTop/>
      <Navbar/>
      <CartSidebar/>
      <div className="container" style={{ minHeight:'80vh',paddingBottom:'40px'}}>
        <Routes>
          <Route path="/" element={ <Home/> } />
          <Route path="/search" element={ <Search/> } />
          <Route path="/product/:id" element={ <ProductDetail/> } />
          <Route path="/checkout" element={ user?<Checkout/>:<Navigate to="/login"
/> } />
          <Route path="/success" element={ user?<Success/>:<Navigate to="/login" /> }
/>
          <Route path="/about" element={ <About/> } />
          <Route path="/contact" element={ <Contact/> } />
          <Route path="/login" element={ !user?<Login/>:<Navigate to={ user?.isAdmin
?"/admin":"/" } /> } />
          <Route path="/register" element={ !user?<Register/>:<Navigate to={ user?.isAdmin
? "/admin" : "/" } /> } />
          <Route path="/admin-login" element={ !user?<AdminLogin/>:<Navigate
to={ user?.isAdmin ? "/admin" : "/" } /> } />
          <Route path="/profile" element={ user?<Profile/>:<Navigate to="/login"/> } />
          <Route path="/admin" element={ user?.isAdmin?<Admin/>:<Navigate to="/"
/> } />
        </Routes>
      </div>
      <Footer/>
    </BrowserRouter>
  );
}

export default App;

```

➤ **Main.jsx:**

```
import React from "react";
import ReactDOM from "react-dom/client";
import App from "./App";
import { AuthProvider } from "../context/AuthContext";
import { CartProvider } from "../context/CartContext";
import "../index.css";

ReactDOM.createRoot(document.getElementById("root")).render(
  <AuthProvider>
    <CartProvider>
      <App/>
    </CartProvider>
  </AuthProvider>
);
```

➤ **App.css:**

```
.counter{
  font-size: 16px;
  padding: 5px 10px;
  border-radius: 5px;
  color: var(--accent);
  background: var(--accent-bg);
  border: 2px solid transparent;
  transition: border-color 0.3s;
  margin-bottom: 24px;

  &:hover{
    border-color: var(--accent-border);
  }
  &:focus-visible{
    outline: 2px solid var(--accent);
    outline-offset: 2px;
  }
}

.hero{
  position: relative;

  .base,
  .framework,
  .vite{
```



```

    inset-inline:0;
    margin:0auto;
}

.base{
    width: 170px;
    position:relative;
    z-index: 0;
}

.framework,
.vite{
    position:absolute;
}

.framework {
    z-index: 1;
    top: 34px;
    height:28px;
    transform:perspective(2000px)rotateZ(300deg)rotateX(44deg)rotateY(39deg)
        scale(1.4);
}

.vite{
    z-index: 0;
    top: 107px;
    height:26px;
    width: auto;
    transform:perspective(2000px)rotateZ(300deg)rotateX(40deg)rotateY(39deg)
        scale(0.8);
}

}

#center {
    display:flex;
    flex-direction:column;
    gap: 25px;
    place-content:center;
    place-items: center;
    flex-grow: 1;

    @media(max-width:1024px){
        padding: 32px 20px 24px;gap:
        18px;
    }
}

```

```

    }
  }

#next-steps {
  display: flex;
  border-top: 1px solid var(--border);
  text-align: left;

  &> div {
    flex: 1 1 0;
    padding: 32px;
    @media(max-width: 1024px){ padding:
      24px 20px;
    }
  }

  .icon {
    margin-bottom: 16px;
    width: 22px;
    height: 22px;
  }

  @media(max-width: 1024px){
    flex-direction: column;
    text-align: center;
  }
}

#docs{
  border-right: 1px solid var(--border);

  @media(max-width: 1024px){
    border-right: none;
    border-bottom: 1px solid var(--border);
  }
}

#next-steps ul {
  list-style: none;
  padding: 0;
  display: flex;
  gap: 8px;
  margin: 32px 0;

```

```

.logo {
  height:18px;
}

a{
  color:var(--text-h);
  font-size: 16px;
  border-radius:6px;
  background:var(--social-bg);
  display: flex;
  padding:6px12px;
  align-items:center;
  gap: 8px;
  text-decoration:      none;
  transition:box-shadow0.3s;

  &:hover{
    box-shadow:var(--shadow);
  }
  .button-icon {
    height:18px;
    width: 18px;
  }
}

@media(max-width:1024px){
  margin-top: 20px;
  flex-wrap: wrap;
  justify-content:center;

  li{
    flex:11calc(50%- 8px);
  }

  a{
    width:100%;
    justify-content: center;
    box-sizing:border-box;
  }
}

#spacer {
  height:88px;
}

```

```
border-top:1pxsolidvar(--border);
@media (max-width: 1024px) {
height: 48px;
}
}
```

```
.ticks{
position:relative;
width: 100%;
```

```
&::before,
&::after {
content: ";
position:absolute;
top: -4.5px;
border:5pxsolidtransparent;
}
```

```
&::before{
left: 0;
border-left-color:var(--border);
}
&::after{
right: 0;
border-right-color:var(--border);
}
}
```

➤ **Index.css:**

```
@import
url('https://fonts.googleapis.com/css2?family=Outfit:wght@300;400;500;600;700;800&display=swap');
```

```
:root{
--primary:#10b981;
--primary-dark:#059669;
--primary-light:#d1fae5;
--secondary:#0f172a;
--gray-100:#f1f5f9;
--gray-200:#e2e8f0;
--gray-500:#64748b;
--gray-800:#1e293b;
```

```

--bg-body:#f8fafc;
--white:#ffffff;
--radius-sm:8px;
--radius-md:12px;
--radius-lg:20px;
--shadow-sm:04px6px1pxrgb(000/ 0.1);
--shadow-md:010px15px-3pxrgb(000/0.1);
--shadow-lg:020px25px-5pxrgb(000/0.1);
--transition:all0.3scubic-bezier(0.4,0,0.2, 1);
}

```

```

* {
  margin:0;
  padding:0;
  box-sizing:border-box;
}

```

```

body{
  font-family: 'Outfit', sans-serif;
  background-color:var(--bg-body);
  color: var(--gray-800);
  -webkit-font-smoothing:antialiased;
}

```

```

a{
  text-decoration:none;
  color: inherit;
}

```

```

ul{
  list-style:none;
}

```

```

h1,h2,h3,h4,h5{
  font-weight: 700;
  color:var(--secondary);
}

```

```

.container{
  max-width:1280px;
  margin: 0 auto;
  padding:020px;
}

```

```
.navbar {
  position:sticky;
  top: 0;
  z-index:100;
  background:rgba(255,255,255,0.85);
  backdrop-filter: blur(12px);
  border-bottom:1pxsolidvar(--gray-200);
  padding: 16px 0;
  transition:var(--transition);
}
```

```
.nav-content{
  display:flex;
  align-items:center;
  justify-content:space-between;
}
```

```
.nav-brand {
  font-size:24px;
  font-weight: 800;
  color:var(--primary);
  display: flex;
  align-items:center;
  gap: 8px;
  letter-spacing:-0.5px;
}
```

```
.nav-links {
  display:flex;
  gap: 24px;
  align-items:center;
}
```

```
.nav-link{
  font-weight: 500;
  color:var(--gray-500);
  transition:var(--transition);
}
```

```
.nav-link:hover,.nav-link.active{
  color: var(--primary);
}
```

```
.cart-btn {
  position:relative;
```

```

background:none;
border: none;
font-size:20px;
cursor:pointer;
color: var(--secondary);
transition:var(--transition);
padding: 8px;
border-radius:50%;
}
.cart-btn:hover {
  background:var(--primary-light);
  color: var(--primary);
}
.cart-badge {
  position:absolute;
  top: 0;
  right: 0;
  background:var(--primary);
  color: var(--white);
  font-size: 12px;
  font-weight:700;
  height: 20px;
  min-width:20px;
  border-radius:10px;
  display: flex;
  align-items: center;
  justify-content:center;
  padding: 0 6px;
  transform:translate(20%,-20%);
}

.user-menu {
  position:relative;
}
.user-btn {
  display:flex;
  align-items:center;
  gap: 8px;
  background:var(--white);
  border:1pxsolidvar(--gray-200);
  padding: 8px 16px;
  border-radius:var(--radius-lg);
  font-weight: 600;
  cursor:pointer;

```

```

    transition:var(--transition);
}
.user-btn:hover{
    border-color:var(--primary);
    box-shadow:0003pxvar(--primary-light);
}
.user-dropdown {
    position:absolute;
    top: 120%;
    right: 0;
    background:var(--white);
    min-width: 200px;
    border-radius: var(--radius-md);
    box-shadow: var(--shadow-lg);
    border:1pxsolidvar(--gray-200);
    padding: 8px;
    display:flex;
    flex-direction:column;
    gap: 4px;
    opacity: 0;
    visibility:hidden;
    transform:translateY(-10px);
    transition: var(--transition);
}
.user-menu:hover.user-dropdown{
    opacity: 1;
    visibility: visible;
    transform:translateY(0);
}
.dropdown-item {
    padding:10px16px;
    border-radius:var(--radius-sm);
    font-weight: 500;
    color: var(--gray-800);
    transition:var(--transition);
    display: block;
}
.dropdown-item:hover {
    background:var(--gray-100);
}
.dropdown-item.danger{
    color: #ef4444;
}
.dropdown-item.danger:hover{

```



```

    background:#fef2f2;
}

.hero{
    margin:40pxauto;
    min-height:400px;
    border-radius:var(--radius-lg);
    background:linear-gradient(135deg,var(--primary-light)0%,rgba(209,250,229,0)100%),
var(--primary);
    display:flex;
    align-items: center;
    justify-content:center;
    position: relative;
    overflow: hidden;
    box-shadow:var(--shadow-md);
    padding: 40px;
}
.hero-content {
    text-align:center;
    color:var(--white);
    z-index: 2;
    max-width:600px;
}
.hero-contenth1{
    font-size: 48px;
    line-height: 1.1;
    margin-bottom:20px;
    color: var(--white);
    text-shadow:02px4px rgba(0,0,0,0.1);
}
.hero-contentp{
    font-size:18px;
    opacity: 0.9;
    margin-bottom:32px;
}

.btn {
    display: inline-flex;
    align-items: center;
    justify-content:center;
    gap: 8px;
    padding:12px24px;
    font-size: 16px;
    font-weight:600;

```

```

border-radius:var(--radius-sm);
border: none;
cursor:pointer;
transition:var(--transition);
}
.btn-primary{
background:var(--primary);
color: var(--white);
box-shadow:04px14px0rgba(16,185,129,0.39);
}
.btn-primary:hover {
background:var(--primary-dark);
transform: translateY(-2px);
box-shadow:06px20pxrgba(16,185,129,0.23);
}
.btn-secondary {
background:var(--white);
color: var(--primary);
}
.btn-secondary:hover {
background:var(--gray-100);
}

.section-title {
font-size:32px;
margin-bottom:32px;
text-align: center;
}
.grid {
display:grid;
grid-template-columns:repeat(auto-fill,minmax(260px,1fr));
gap: 30px;
padding:20px0;
}
.product-card {
background:var(--white);
border-radius:var(--radius-md);
overflow: hidden;
border:1pxsolidvar(--gray-200);
transition: var(--transition);
display: flex;
flex-direction:column;
}
.product-card:hover{

```

```

transform: translateY(-8px);
box-shadow: var(--shadow-lg);
border-color: var(--primary-light);
}
.product-img-wrapper{
  position: relative;
  height: 200px;
  background: var(--gray-100);
  padding: 20px;
  display: flex;
  justify-content: center;
  align-items: center;
}
.product-img-wrapperimg{
  max-width: 100%;
  max-height: 100%;
  object-fit: contain;
  transition: transform 0.3s ease;
}
.product-card:hover .product-img-wrapperimg{
  transform: scale(1.05);
}
.product-category{
  position: absolute;
  top: 12px;
  left: 12px;
  background: rgba(255,255,255,0.9);
  padding: 4px 12px;
  border-radius: var(--radius-lg);
  font-size: 12px;
  font-weight: 600;
  color: var(--primary-dark);
  backdrop-filter: blur(4px);
}
.product-info {
  padding: 20px;
  display: flex;
  flex-direction: column;
  flex: 1;
}
.product-title {
  font-size: 18px;
  margin-bottom: 8px;
  flex: 1;

```

```

}
.product-bottom{
  display: flex;
  align-items:center;
  justify-content:space-between;
  margin-top: 16px;
}
.product-price {
  font-size: 20px;
  font-weight:800;
  color:var(--secondary);
}
.add-to-cart {
  width: 40px;
  height:40px;
  border-radius:50%;
  background:var(--primary-light);
  color: var(--primary);
  display:flex;
  align-items: center;
  justify-content:center;
  border: none;
  cursor:pointer;
  transition:var(--transition);
  font-size: 20px;
}
.add-to-cart:hover {
  background:var(--primary);
  color: var(--white);
  transform: scale(1.1);
}

.cart-overlay {
  position:fixed;
  inset: 0;
  background:rgba(15,23,42,0.4);
  backdrop-filter: blur(4px);
  z-index:1000;
  opacity: 0;
  visibility:hidden;
  transition:var(--transition);
}
.cart-overlay.open{
  opacity: 1;

```

```

    visibility:visible;
}
.cart-sidebar {
    position:fixed;
    top: 0;
    right:-450px;
    width: 100%;
    max-width: 450px;
    height: 100vh;
    background:var(--white);
    z-index: 1001;
    box-shadow:-10px030pxrgba(0,0,0,0.1);
    display: flex;
    flex-direction:column;
    transition:right0.4scubic-bezier(0.4,0,0.2, 1);
}
.cart-sidebar.open{
    right: 0;
}
.cart-header {
    padding:24px;
    border-bottom:1pxsolidvar(--gray-200);
    display: flex;
    align-items:center;
    justify-content:space-between;
}
.close-cart {
    background:none;
    border: none;
    font-size:24px;
    color:var(--gray-500);
    cursor: pointer;
    transition:var(--transition);
}
.close-cart:hover{
    color: #ef4444;
    transform:rotate(90deg);
}
.cart-items{
    flex: 1;
    overflow-y:auto;
    padding: 24px;
    display: flex;
    flex-direction:column;

```

```

    gap:20px;
  }
  .cart-item {
    display:flex;
    gap: 16px;
    padding-bottom:20px;
    border-bottom:1pxdashedvar(--gray-200);
  }
  .cart-item-img{
    width: 80px;
    height: 80px;
    background: var(--gray-100);
    border-radius:var(--radius-sm);
    padding: 8px;
  }
  .cart-item-imgimg{ width:
    100%;
    height: 100%;
    object-fit:contain;
  }
  .cart-item-details{
    flex: 1;
  }
  .cart-item-title {
    font-size: 16px;
    font-weight:600;
    margin-bottom:4px;
  }
  .cart-item-price {
    color:var(--primary);
    font-weight: 700;
  }
  .cart-item-actions{
    display: flex;
    align-items:center;
    gap: 12px;
    margin-top:8px;
  }
  .qty-btn{
    background:var(--gray-200);
    border: none;
    width: 28px;
    height: 28px;
    border-radius:4px;

```

```

    cursor: pointer;
    font-weight:bold;
    display: flex;
    align-items: center;
    justify-content:center;
    transition:var(--transition);
}
.qty-btn:hover {
    background:var(--primary);
    color: var(--white);
}
.remove-btn {
    background:none;
    border: none;
    color: #ef4444;
    font-size: 14px;
    cursor: pointer;
    margin-left: auto;
    display: flex;
    align-items:center;
    gap: 4px;
}
.remove-btn:hover{
    text-decoration:underline;
}

.cart-footer {
    padding:24px;
    border-top:1pxsolidvar(--gray-200);
    background: var(--gray-100);
}
.cart-total {
    display:flex;
    justify-content:space-between;
    align-items: center;
    font-size: 20px;
    font-weight:800;
    margin-bottom:20px;
}
.checkout-btn{
    width: 100%;
}

.auth-container{

```

```

    min-height:calc(100vh-80px);
    display: flex;
    align-items: center;
    justify-content:center;
    padding: 40px 20px;
}
.auth-box{
    background:var(--white);
    padding: 40px;
    border-radius:var(--radius-lg);
    box-shadow:var(--shadow-lg);
    width: 100%;
    max-width:420px;
    border:1pxsolidvar(--gray-200);
}
.auth-box h2 {
    font-size:28px;
    margin-bottom:8px;
    text-align: center;
}
.auth-boxp{
    text-align: center;
    color:var(--gray-500);
    margin-bottom: 24px;
}
.form-group{
    margin-bottom:20px;
}
.form-grouplabel{
    display: block;
    font-weight: 500;
    margin-bottom: 8px;
    color:var(--secondary);
}
.form-input {
    width:100%;
    padding:12px 16px;
    border:1pxsolidvar(--gray-200);
    border-radius: var(--radius-sm);
    font-size: 16px;
    font-family: inherit;
    transition: var(--transition);
    background:var(--bg-body);
}

```



```

.form-input:focus{
  outline: none;
  border-color:var(--primary);
  box-shadow:0003pxvar(--primary-light);
  background: var(--white);
}
.form-submit {
  width: 100%;
  margin-top:10px;
}
.auth-redirect {
  margin-top:24px;
  text-align: center;
  color:var(--gray-500);
}
.auth-redirect a {
  color:var(--primary);
  font-weight: 600;
}
.auth-redirecta:hover{
  text-decoration:underline;
}

.admin-header{
  display: flex;
  justify-content:space-between;
  align-items: center;
  margin-bottom:24px;
}
.table-wrapper {
  background:var(--white);
  border-radius: var(--radius-lg);
  box-shadow:var(--shadow-md);
  overflow: hidden;
}
.table {
  width: 100%;
  border-collapse:collapse;
}
.table th, .table td {
  padding:16px20px;
  text-align: left;
  border-bottom:1pxsolidvar(--gray-200);
}

```

```

.tableth{
  background:var(--gray-100);
  font-weight: 600;
  color: var(--gray-500);
  text-transform:uppercase;
  font-size: 14px;
  letter-spacing:0.5px;
}
.table tr:last-child td {
  border-bottom:none;
}
.tabletr:hover{
  background:var(--bg-body);
}
.img-cell {
  width: 50px;
  height:50px;
  object-fit:cover;
  border-radius:var(--radius-sm);
}

.empty-state{
  text-align:center;
  padding: 40px;
  color:var(--gray-500);
}

.status-badge {
  padding: 4px 12px;
  border-radius:20px;
  font-size: 12px;
  font-weight: bold;
}
.status-badge.success{background:#dcfce7;color:#166534;}
.status-badge.warning{background:#fef9c3;color:#854d0e;}

.bento-section {
  padding:40px0;
}

.bento-grid {
  display:grid;
  grid-template-columns:repeat(4,1fr);
  grid-auto-rows: 250px;

```

```

    gap:20px;
}

.bento-card{
    border-radius:var(--radius-lg);
    overflow: hidden;
    position:relative;
    box-shadow:var(--shadow-sm);
    transition:transform0.4sease,box-shadow0.4sease;
    cursor: pointer;
    display:flex;
    flex-direction: column;
    justify-content:flex-end;
    padding: 30px;
}

.bento-card:hover{
    transform:translateY(-5px)scale(1.02);
    box-shadow: var(--shadow-lg);
    z-index: 10;
}

.bento-bg {
    position:absolute;
    top: 0;
    left:0;
    width: 100%;
    height: 100%;
    object-fit:cover;
    z-index: 1;
    transition:transform0.8scubic-bezier(0.4,0,0.2, 1);
}

.bento-card:hover.bento-bg{
    transform: scale(1.1);
}

.bento-overlay {
    position:absolute;
    top: 0;
    left:0;
    width: 100%;
    height:100%;
    background:linear-gradient(totop,rgba(0,0,0,0.8)0%,rgba(0,0,0,0.1)60%,rgba(0,0,0,0) 100%);
    z-index: 2;
}

```

```

}

.bento-content {
  position: relative;
  z-index: 3;
  color: var(--white);
}

.bento-tag{
  background: var(--primary);
  color: var(--white); padding:
  4px 10px;
  border-radius: 20px;
  font-size: 12px;
  font-weight: 800;
  text-transform: uppercase;
  margin-bottom: 12px;
  display: inline-block;
  letter-spacing: 1px;
}

.bento-title {
  font-size: 28px;
  font-weight: 800;
  margin-bottom: 8px;
  line-height: 1.2;
  color: var(--white);
}

.bento-desc {
  font-size: 16px;
  opacity: 0.9;
}

.bento-large{
  grid-column: span 2;
  grid-row: span 2;
}

.bento-tall{
  grid-column: span 1;
  grid-row: span 2;
}

.bento-wide{
  grid-column: span 2;

```

```

    grid-row:span1;
}

.search-glass {
    position:relative;
    margin:40pxauto40pxauto;
    width: 80%;
    max-width:600px;
    background:rgba(255,255,255,0.9);
    backdrop-filter: blur(16px);
    border:1pxsolidrgba(255,255,255,0.4);
    border-radius: 50px;
    padding:8px;
    display: flex;
    align-items:center;
    box-shadow:020px40px-10pxrgba(16,185,129,0.15);
    z-index: 20;
}

.search-glassinput{
    flex: 1;
    background:transparent;
    border: none;
    padding:16px24px;
    font-size: 18px;
    font-family: inherit;
    color:var(--secondary);
    outline: none;
}

.search-glassinput::placeholder{
    color: var(--gray-500);
}

.search-glass-btn {
    background:var(--primary);
    color: var(--white);
    border: none;
    width: 50px;height:
    50px; border-
    radius:50%;
    display: flex;
    justify-content:center;
    align-items: center;
    font-size: 20px;
    cursor: pointer;
    transition:var(--transition);

```

```

}
.search-glass-btn:hover{
  transform:rotate(90deg)scale(1.1);
  background: var(--primary-dark);
}

.category-bubbles{
  display: flex;
  justify-content:center;
  gap: 16px;
  margin-bottom:40px;
  flex-wrap: wrap;
}

.cat-bubble {
  padding:12px24px;
  background:var(--white);
  border:2pxsolidvar(--gray-200);
  border-radius: 30px;
  font-weight: 600;
  color:var(--gray-500);
  cursor: pointer;
  transition:all0.3scubic-bezier(0.4,0,0.2,1);
  display: flex;
  align-items:center;
  gap: 8px;
  box-shadow:var(--shadow-sm);
}

.cat-bubble:hover{
  border-color:var(--primary-light);
  color: var(--primary);
  transform: translateY(-3px);
  box-shadow:var(--shadow-md);
}

.cat-bubble.active {
  background: var(--primary);
  border-color:var(--primary);
  color: var(--white);
  box-shadow:010px20px-5pxrgba(16,185,129,0.4);
}

.trending-container{
  margin: 60px 0;
  padding: 40px;
  background:var(--gray-800);

```

```

border-radius:var(--radius-lg);
color: var(--white);
overflow:hidden;
position:relative;
}
.trending-container.section-title{
color: var(--white);
text-align: left;
margin-bottom:30px;
}
.trending-scroll {
display: flex;
gap: 24px;
overflow-x:auto;
padding-bottom: 20px;
scroll-behavior:smooth;
scrollbar-width: none;
}
.trending-scroll::-webkit-scrollbar{
display: none;
}
.trending-scroll.product-card{
min-width: 280px;
flex-shrink:0;
}

.promo-strip{
background:linear-gradient(90deg,#f59e0b,#ef4444);
border-radius: var(--radius-lg);
padding:40px;
display: flex;
justify-content:space-between;
align-items: center;
color: white;
margin:60px0;
box-shadow:020px40px-10pxrgba(239,68,68,0.3);
}
.promo-strip2{
font-size: 36px;
color: white;
margin-bottom:10px;
}
.promo-strip p {
font-size:18px;

```

```

    opacity:0.9;
}
.promo-strip .btn {
    background: white;
    color: #ef4444;
    padding:16px32px;
    font-size: 18px;
    border-radius:50px;
}
.promo-strip.btn:hover{
    background: #ffffbf;
    transform: scale(1.05);
}

.hero.legacy-hero{
    display: none;
}

@media(max-width:992px){
    .bento-grid{
        grid-template-columns:repeat(2,1fr);
    }
}
@media(max-width:600px){
    .bento-grid{
        grid-template-columns:1fr;
        grid-auto-rows: 200px;
    }
    .bento-large,.bento-tall,.bento-wide{
        grid-column: span 1;
        grid-row:span1;
    }
}
.card{
    background: var(--white);
    border-radius: var(--radius-lg);
    box-shadow:var(--shadow-sm);
    border:1pxsolidvar(--gray-200);
    transition: var(--transition);
}
.card:hover{
    box-shadow:var(--shadow-md);
    transform: translateY(-5px);
}

```



```

.footer{
  background:var(--gray-800);
  color: var(--white);
  padding:60px000;
  margin-top: 40px;
}

.footer-content {
  display: flex;
  flex-wrap:wrap;
  gap: 40px;
  justify-content:space-between;
  margin-bottom: 40px;
}

.footer-section{
  flex: 1;
  min-width:250px;
}

.brand-sectionh2{
  color:var(--primary-light);
  display: flex;
  align-items:center;
  gap: 10px;
  margin-bottom:15px;
}

.brand-section p {
  color:var(--gray-200);
  line-height: 1.6;
}

.footer-section h3 {
  color: var(--white);
  margin-bottom: 20px;
  font-size: 20px;
  position: relative;
  padding-bottom:10px;
}

.footer-sectionh3::after{
  content: ";

```

```

position: absolute;
left: 0;
bottom: 0;
width: 50px;
height: 3px;
background: var(--primary);
border-radius: 2px;
}

.links-section ul li {
margin-bottom: 12px;
}

.links-section ul li a {
color: var(--gray-200);
transition: var(--transition);
}

.links-section ul li a:hover {
color: var(--primary);
padding-left: 5px;
}

.cities-grid {
display: grid;
grid-template-columns: repeat(2, 1fr);
gap: 10px;
}

.cities-grid li {
color: var(--gray-200);
font-size: 15px;
position: relative;
padding-left: 15px;
}

.cities-grid li::before {
content: '•';
color: var(--primary);
position: absolute;
left: 0;
}

.footer-bottom {

```

```

background: #0f172a;
text-align: center;
padding: 20px 0;
color: var(--gray-200);
border-top: 1px solid rgba(255,255,255,0.1);
}

.admin-layout{
display: flex;
min-height: calc(100vh-80px);
background: var(--bg-body);
}
.admin-sidebar{
width: 250px;
background: var(--white);
border-right: 1px solid var(--gray-200); padding:
20px 0;
display: flex;
flex-direction: column;
}
.admin-nav-item {
width: 100%;
padding: 15px 20px;
text-align: left;
background: none;
border: none;
border-left: 4px solid transparent;
cursor: pointer;
font-size: 16px;
font-weight: 600;
color: var(--gray-500);
transition: var(--transition);
}
.admin-nav-item:hover {
background: var(--gray-100);
color: var(--primary);
}
.admin-nav-item.active{
border-left-color: var(--primary);
background: var(--primary-light);
color: var(--primary-dark);
}
.admin-content{
flex: 1;

```

```

padding:40px;
}

.checkout-container{
display: flex;
gap:40px;
flex-wrap: wrap;
align-items:flex-start;
margin-top: 20px;
}

.checkout-form-wrapper{
flex: 2;
min-width: 320px;
background:var(--white);
padding: 40px;
border-radius: var(--radius-lg);
box-shadow: var(--shadow-md);
border:1pxsolidvar(--gray-200);
}

.checkout-form-wrapperh3{
margin-bottom: 24px;color:
var(--secondary); font-size:
20px;
}

.checkout-summary-wrapper{
flex: 1.2;
min-width:350px;
position: sticky;
top: 100px;
}

.checkout-summary {
background:var(--secondary);
color: var(--white);
padding:40px;
border-radius:var(--radius-lg);
box-shadow:var(--shadow-lg);
}

.checkout-summaryh3{
color: var(--white);

```

```

margin-bottom:24px;
font-size: 22px;
}

.summary-items{
display: flex;
flex-direction:column;
gap: 16px;
margin-bottom:30px;
max-height: 350px;
overflow-y: auto;
padding-right: 12px;
}

.summary-items::-webkit-scrollbar{
width: 6px;
}
.summary-items::-webkit-scrollbar-track{
background: rgba(255,255,255,0.05);
border-radius: 4px;
}
.summary-items::-webkit-scrollbar-thumb{
background: rgba(255,255,255,0.2);
border-radius: 4px;
}

.summary-item{
display: flex;
justify-content:space-between;
padding-bottom: 16px;
border-bottom:1pxsolidrgba(255,255,255,0.1);
font-size: 16px;
}

.summary-item-info{
display: flex;
gap:14px;
color: rgba(255,255,255,0.9);
}

.summary-item-qty{
color:var(--primary-light);
font-weight: 700;
}

```

```
.summary-totals{
  border-top:2pxdashedrgba(255,255,255,0.2);
  padding-top: 24px;
  display:flex;
  flex-direction:column;
  gap: 16px;
}
```

```
.summary-row{
  display: flex;
  justify-content:space-between;
  font-size: 16px;
  color: rgba(255,255,255,0.8);
}
```

```
.discount-row{
  color:var(--primary-light);
  font-weight: 700;
  background:rgba(16,185,129,0.1);
  padding: 8px 12px;
  border-radius:6px;
  margin:4px-12px;
}
```

```
.final-total{
  font-size: 26px;
  font-weight: 800;
  color:var(--white);
  margin-top: 16px;
  padding-top:20px;
  border-top:1pxsolidrgba(255,255,255,0.2);
}
```

```
.place-order-btn {
  width: 100%;
  margin-top:32px;
  padding: 16px;
  font-size: 18px;
  border-radius:var(--radius-md);
  box-shadow:04px14px0rgba(16,185,129,0.4);
}
```

```
.payment-options{
```

```

display:flex;
flex-direction:column;
gap: 14px;
}

.payment-label{
display: flex;
align-items:center;
gap: 16px;
padding:18px 20px;
border:2pxsolidvar(--gray-200);
border-radius: var(--radius-md);
cursor: pointer;
transition: var(--transition);
background:var(--bg-body);
}

.payment-label:hover{
border-color:var(--primary-light);
transform: translateY(-2px);
}

.payment-label.selected {
border-color:var(--primary);
background:var(--primary-light);
box-shadow:04px12pxrgba(16,185,129,0.1);
}

.payment-text {
font-weight:600;
font-size: 16px;
color:var(--secondary);
}

```

➤ **Index.html:**

```

<!doctypehtml>
<htmllang="en">
<head>
  <metacharset="UTF-8"/>
  <linkrel="icon"type="image/svg+xml"href="/favicon.svg"/>
  <metaname="viewport"content="width=device-width,initial-scale=1.0"/>
  <title>FreshCart</title>

```

```

</head>
<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>
</html>

```

➤ **Server-Side(Models&Middleware):.**

➤ **Auth.js:**

```

const jwt = require("jsonwebtoken");

module.exports = (req, res, next) => {
  const token = req.headers.token;

  if(!token) return res.status(401).send("Access Denied");

  try {
    const verified = jwt.verify(token, process.env.JWT_SECRET || "secret123");
    req.user = verified;
    next();
  } catch {
    res.status(400).send("Invalid Token");
  }
};

```

➤ **Category.js:**

```

const mongoose = require("mongoose");

const CategorySchema = new mongoose.Schema({
  name: { type: String, required: true, unique: true },
  timestamps: true
});

module.exports = mongoose.model("Category", CategorySchema);

```

➤ **Checkout.js:**

```

const mongoose = require("mongoose");

```



```
const checkoutSchema = new mongoose.Schema({
  orderId: { type: String, required: true },
  customerName: { type: String, required: true },
  delivery: { type: String, required: true },
  paymentMethod: { type: String, required: true },
}, { timestamps: true });

module.exports = mongoose.model("Checkout", checkoutSchema);
```

➤ **Contact.js:**

```
const mongoose = require("mongoose");

const ContactSchema = new mongoose.Schema({
  name: { type: String, required: true },
  email: { type: String, required: true },
  message: { type: String, required: true }
}, { timestamps: true });

module.exports = mongoose.model("Contact", ContactSchema);
```

➤ **Order.js:**

```
const mongoose = require("mongoose");

const OrderSchema = new mongoose.Schema({
  userId: String,
  items: Array,
  total: Number,
  address: String,
  paymentMethod: String,
  status: { type: String, default: "Pending" }
}, { timestamps: true });

module.exports = mongoose.model("Order", OrderSchema);
```

➤ **Product.js:**

```
const mongoose = require("mongoose");

const ProductSchema = new mongoose.Schema({
  name: String,
```

```

    price: Number,
    image: String,
    category:String,
    description:{type:String,default:""}
  });

```

```

module.exports=mongoose.model("Product",productSchema);

```

➤ **User.js:**

```

constmongoose=require("mongoose");

constuserSchema=newmongoose.Schema({
  name: String,
  email: String,
  password:String,
  isAdmin: { type: Boolean, default: false },
  hasUsedFirstDiscount:{type:Boolean,default:false}
},{collection:'user'});

module.exports=mongoose.model("User",userSchema);

```

➤ **Server-Side(Routes):**

➤ **Auth.js:**

```

constrouter=require("express").Router();
const bcrypt = require("bcryptjs");
const jwt = require("jsonwebtoken");
constUser=require("../models/User");

router.post("/register",async(req,res)=>{
  consthash=awaitbcrypt.hash(req.body.password,10);

  constuser=awaitUser.create({
    name: req.body.name,
    email:req.body.email,
    password: hash
  });

  consttoken=jwt.sign(
    { id: user._id, isAdmin: user.isAdmin },
    process.env.JWT_SECRET||"secret123"
  );

```

```

);

res.json({token,user:{id:user._id,name:user.name,email:user.email,isAdmin:
user.isAdmin, hasUsedFirstDiscount: user.hasUsedFirstDiscount } });
});

router.post("/login",async(req,res)=>{
  const{email,password,isAdminLogin}=req.body;

  constuser=await User.findOne({
    $or:[{email:email},{name:email}]
  });

  if(!user)returnres.status(400).send("Usernotfound");

  constvalid=awaitbcrypt.compare(password,user.password); if

  (!valid) return res.status(400).send("Invalid password");

  if(isAdminLogin&&!user.isAdmin){
    returnres.status(403).send("Accessdenied.Adminonly.");
  }

  if(isAdminLogin===false&&user.isAdmin){
    returnres.status(403).send("Pleaseusetheadminloginpage.");
  }

  consttoken=jwt.sign(
    { id: user._id, isAdmin: user.isAdmin },
    process.env.JWT_SECRET||"secret123"
  );

  res.json({token,user:{id:user._id,name:user.name,email:user.email,isAdmin:
user.isAdmin, hasUsedFirstDiscount: user.hasUsedFirstDiscount } });
});

const auth = require("../middleware/auth");
router.get("/me",auth,async(req,res)=>{
  constuser=awaitUser.findById(req.user.id).select("-password"); if
  (!user) return res.status(404).json("User not found");
  res.json(user);
});

router.get("/all",auth,async(req,res)=>{

```

```

try{
  if(!req.user.isAdmin)return res.status(403).json("Adminaccessrequired"); const
  users = await User.find().select("-password");
  res.json(users);
} catch (err) {
  res.status(500).json(err);
}
});

```

```

module.exports=router;

```

➤ **cart.js:**

```

const router=require("express").Router(); let
cart = [];

router.post("/add",(req,res)=>{
  const item=cart.find(i=>i.id===req.body.id); if
  (item) item.qty++;
  else cart.push({...req.body,qty:1});

  res.json(cart);
});

router.get("/",(req,res)=>res.json(cart));

module.exports = router;

```

➤ **category.js:**

```

const router =
require("express").Router();const Category=req
uire("../models/Category"); const auth =
require("../middleware/auth");

router.get("/",async(req,res)=>{ try
{
  const categories=await Category.find().sort({name:1}); res.status(200).json(categories);
} catch (err) {
  res.status(500).json(err);
}
});

router.post("/",auth,async(req,res)=>{

```

```

try{
  if(!req.user.isAdmin)returnres.status(403).json("Adminaccessrequired"); const
  newCategory = new Category({ name: req.body.name });
  constsavedCategory=awaitnewCategory.save();
  res.status(201).json(savedCategory);
} catch (err) {
  res.status(500).json(err);
}
});

router.delete("/:id",auth,async(req,res)=>{ try
{
  if(!req.user.isAdmin)returnres.status(403).json("Adminaccessrequired"); await
  Category.findByIdAndDelete(req.params.id); res.status(200).json("Category
  deleted");
} catch (err) {
  res.status(500).json(err);
}
});

module.exports=router;

```

➤ **checkout.js:**

```

constrouter=require("express").Router();
constCheckout=require("../models/Checkout");
const auth = require("../middleware/auth");

router.get("/all",auth,async(req,res)=>{ try {
  if(!req.user.isAdmin)returnres.status(403).json("Adminaccessrequired"); const
  checkouts = await Checkout.find().sort({ createdAt: -1 }); res.json(checkouts);
} catch (err) {
  res.status(500).json(err);
}
});

module.exports=router;

```

➤ **contact.js:**

```
const router = require("express").Router();
const Contact = require("../models/Contact");
const auth = require("../middleware/auth");

router.post("/", async (req, res) => {
  try {
    const newContact = new Contact({
      name: req.body.name,
      email: req.body.email,
      message: req.body.message
    });
    const savedContact = await newContact.save();
    res.status(201).json(savedContact);
  } catch (err) {
    res.status(500).json({ error: "Failed to submit message" });
  }
});

router.get("/all", auth, async (req, res) => {
  try {
    if (!req.user.isAdmin) return res.status(403).json("Admin access required");
    const contacts = await Contact.find().sort({ createdAt: -1 });
    res.status(200).json(contacts);
  } catch (err) {
    res.status(500).json({ error: "Failed to fetch messages" });
  }
});

module.exports = router;
```

➤ **order.js:**

```
const router = require("express").Router();
const Order = require("../models/Order");
const Checkout = require("../models/Checkout");
const auth = require("../middleware/auth");

router.post("/", auth, async (req, res) => {
  try {
    const user = require("../models/User");
    const user = await User.findById(req.user.id);
```

```

let finalTotal=req.body.total;
if(user&&!user.hasUsedFirstDiscount){
  finalTotal = finalTotal * 0.5;
  user.hasUsedFirstDiscount = true;
  await user.save();
}

const order=await Order.create({ userId:
  req.user.id,
  items:req.body.items,
  total: finalTotal,
  address: req.body.address,
  paymentMethod: req.body.paymentMethod
});

await Checkout.create({
  orderId: order._id,
  customerName:user.name,
  delivery:req.body.address,
  paymentMethod:req.body.paymentMethod
});

res.json({ order,hasUsedFirstDiscount:true });
} catch (err) {
  res.status(500).json({ error:err.message,stack:err.stack});
}
});

router.get("/",auth,async(req,res)=>{
  const orders=await Order.find({ userId:req.user.id });
  res.json(orders);
});

router.put("/:id/cancel",auth,async(req,res)=>{ try {
  const order=await Order.findById(req.params.id);
  if(!order)return res.status(404).json("Order not found");

  if(order.userId!==req.user.id)return res.status(403).json("Not authorized");
  if(order.status!=="Pending")return res.status(400).json("Only pending orders can be cancelled");

  await Order.findByIdAndDelete(req.params.id);

```

```

const User = require("../models/User");
const otherValidOrders = await Order.find({
  userId: req.user.id,
  status: { $ne: "Cancelled" }
});
if (otherValidOrders.length === 0) {
  await User.findByIdAndUpdate(
    req.user.id, { hasUsedFirstDiscount: false }
  );

  res.json(order);
} catch (err) {
  res.status(500).json(err);
}
});

router.get("/all", auth, async (req, res) => {
  try {
    if (!req.user.isAdmin) return res.status(403).json("Admin access required");
    const orders = await Order.find().sort({ createdAt: -1 });
    res.json(orders);
  } catch (err) {
    res.status(500).json(err);
  }
});

router.put("/:id/status", auth, async (req, res) => {
  try {
    if (!req.user.isAdmin) return res.status(403).json("Admin access required");
    const updatedOrder = await Order.findByIdAndUpdate(
      req.params.id,
      { status: req.body.status },
      { new: true }
    );
    res.json(updatedOrder);
  } catch (err) {
    res.status(500).json(err);
  }
});

module.exports = router;

```


➤ **product.js:**

```

const router = require("express").Router();
const Product = require("../models/Product");

router.get("/", async (req, res) => {
  const products = await Product.find();
  res.json(products);
});

router.get("/find/:id", async (req, res) => { try
  {
    const product = await Product.findById(req.params.id);
    if (!product) return res.status(404).json("Product not found");
    res.json(product);
  } catch (err) {
    res.status(500).json(err);
  }
});

const auth = require("../middleware/auth");
const multer = require("multer");
const { CloudinaryStorage } = require("multer-storage-cloudinary"); const
cloudinary = require("cloudinary").v2;

cloudinary.config({
  cloud_name: process.env.CLOUDINARY_CLOUD_NAME,
  api_key: process.env.CLOUDINARY_API_KEY,
  api_secret: process.env.CLOUDINARY_API_SECRET
});

const storage = new CloudinaryStorage({ cloudinary:
  cloudinary,
  params: {
    folder: "onlinestore_products",
    allowed_formats: ["jpg", "png", "jpeg", "webp", "avif"]
  }
});

const upload = multer({ storage: storage });

router.post("/", auth, (req, res, next) => {
  upload.single("image")(req, res, function(err) { if
    (err) {
      console.error("UploadError:", err);
    }
  });
});

```

```

    return res.status(400).json("Imageuploadfailed:"+(err.message||"Invalidfile format"));
  }
  next();
});
}, async (req, res) => { try {
  if (!req.user.isAdmin) return res.status(403).json("Adminaccessrequired"); const

  imageUrl = req.file ? req.file.path : req.body.image;

  const product = new Product({
    name: req.body.name,
    price: req.body.price,
    category: req.body.category,
    description: req.body.description,
    image: imageUrl
  });

  await product.save();
  res.json(product);
} catch (err) {
  console.error("Database or Server Error in /api/products:", err);
  res.status(500).json({ error: err.message || err });
}
});

router.put("/:id", auth, async (req, res) => { try
{
  if (!req.user.isAdmin) return res.status(403).json("Adminaccessrequired"); const
  updatedProduct = await Product.findByIdAndUpdate(
    req.params.id,
    { $set: req.body },
    { new: true }
  );
  res.json(updatedProduct);
} catch (err) {
  res.status(500).json(err);
}
});

router.delete("/:id", auth, async (req, res) => { try
{
  if (!req.user.isAdmin) return res.status(403).json("Adminaccessrequired");

```

```

    awaitProduct.findByIdAndDelete(req.params.id);
    res.json("Product has been deleted...");
  } catch (err) {
    res.status(500).json(err);
  }
});

```

```
module.exports=router;
```

➤ **.env File:-**

```

MONGO_URI=mongodb://deep:deep@ac-b8dsyfm-shard-00-
00.me5uzce.mongodb.net:27017,ac-b8dsyfm-shard-00-
01.me5uzce.mongodb.net:27017,ac-b8dsyfm-shard-00-
02.me5uzce.mongodb.net:27017/onlinestore?ssl=true&replicaSet=atlas-ugzkvk-shard-
0&authSource=admin&appName=onlinestore
JWT_SECRET=secret123
PORT=5000

```

```

#CLOUDINARYCREDENTIALS
CLOUDINARY_CLOUD_NAME=dm7otwzxcg
CLOUDINARY_API_KEY=332996563792931
CLOUDINARY_API_SECRET=ihdbXX-s0cYL9uKWCqA6nwXQLj8

```

➤ **Backfill checkouts:**

```

constmongoose=require('mongoose');
require('dotenv').config();

constOrder= require('./models/Order');
constCheckout=require('./models/Checkout');
const User = require('./models/User');

mongoose.connect(process.env.MONGO_URI||"mongodb://127.0.0.1:27017/grocery")
.then(async()=>>{
  console.log("ConnectedtoDBtobackfillcheckouts...");

  const orders = await Order.find();
  console.log(`Found${orders.length}targetorders.`);

  let addedCount = 0;
  letupdatedCount=0;

  for(letorderoforders){

```

```

const user = await User.findById(order.userId);
const customerName = user ? user.name : "UnknownCustomer";

const existingCheckout = await Checkout.findOne({ orderId: order._id.toString() }); if
(existingCheckout) {
  if (!existingCheckout.customerName || existingCheckout.customerName ===
'UnknownCustomer') {
    existingCheckout.customerName = customerName;
    await existingCheckout.save();
    updatedCount++;
  }
} else {
  await Checkout.create({
    orderId: order._id.toString(),
    customerName: customerName,
    delivery: order.address || "Unknown Address",
    paymentMethod: order.paymentMethod || "CreditCard",
    createdAt: order.createdAt,
    updatedAt: order.updatedAt
  });
  addedCount++;
}
}

console.log(`Backfill complete: Added ${addedCount} missing checkout records, updated
${updatedCount} existing records.`);
mongoose.disconnect();
})
.catch(err => {
  console.error(err);
  mongoose.disconnect();
});

```

➤ **Index.js:**

```

require("dotenv").config();
const express =
require("express"); const mongoose = requ
ire("mongoose"); const cors =
require("cors");

const app = express();

```

```
app.use(cors());
```

```

app.use(express.json());

mongoose.connect(process.env.MONGO_URI||"mongodb://127.0.0.1:27017/grocery")
.then(async () => {
  console.log("MongoDBConnected");

  constUser=require("./models/User");
  const bcrypt = require("bcryptjs");
  constadminExists=awaitUser.findOne({ name:"admin"}); if
  (!adminExists) {
    consthash=awaitbcrypt.hash("admin",10); await
    User.create({
      name:"admin",
      email:"admin@store.com",
      password: hash,
      isAdmin:true
    });
    console.log("Adminuserseededsuccessfully!");
  }
})
.catch(err=> console.log(err));

constauthRoute=require("./routes/auth");
constproductRoute=require("./routes/product");
const orderRoute = require("./routes/order");
const contactRoute = require("./routes/contact");
const categoryRoute = require("./routes/category");
constcheckoutRoute=require("./routes/checkout");


app.use("/api/auth", authRoute);
app.use("/api/products", productRoute);
app.use("/api/orders", orderRoute);
app.use("/api/contact", contactRoute);
app.use("/api/categories",categoryRoute);
app.use("/api/checkouts",checkoutRoute);

constPORT=process.env.PORT||5000;
app.listen(PORT, () => {
  console.log(` Serverrunningonport${PORT}`);
});

```


7. OutputScreenshots:

➤ UserLogin:





The screenshot shows the 'User Login' page of the FreshCart website. The header features the FreshCart logo on the left and navigation links for Home, About Us, Contact Us, Admin Login, and a Login / Sign Up button on the right. The main content area is a light gray rectangle containing a white login card. The card has a title 'Welcome Back', a subtitle 'Login to your account to continue shopping', and two input fields for 'Email Address or Username' and 'Password'. Below the fields is a green 'Sign In / Login' button. At the bottom of the card, there is a link 'Don't have an account? Sign up'.

➤ UserRegistration:



The screenshot shows the 'User Registration' page of the FreshCart website. The header is identical to the login page, with the FreshCart logo and navigation links. The main content area is a light gray rectangle containing a white registration card. The card has a title 'Create an Account', a subtitle 'Sign up to start shopping for fresh groceries', and three input fields for 'Full Name', 'Email Address', and 'Password'. Below the fields is a green 'Register' button. At the bottom of the card, there is a link 'Already have an account? Login'.

➤ Home Page:



Get 50% Off First Deal

Sign up today and your 50% discount will be automatically applied at checkout on your first order!

[Claim Offer](#)

Trending This Week

Vegetables



Carrot

₹150



Dairy Items



Buttermilk

₹20



Dairy Items



Milk

₹200



Fruits



Apple

₹50



Freshmart

Your one-stop destination for fresh groceries, delivered right to your doorstep.

Quick Links

[Home](#)
[About Us](#)
[Contact Us](#)

Available Cities in India

[Mumbai](#) [Delhi](#)
[Bangalore](#) [Hyderabad](#)
[Chennai](#) [Kolkata](#)
[Pune](#) [Ahmedabad](#)
[Jaipur](#) [Surat](#)

© 2026 Freshmart. All rights reserved.

➤ AboutUs:

FreshCart

[Home](#) [About Us](#) [Contact Us](#)



Makadia Deep

About Us

Our Story

FreshCart began with a simple idea: bringing the freshest, highest-quality groceries directly to your doorstep. We believe that access to premium, healthy food should be convenient and reliable. Since our inception, we have partnered with local farmers and top-tier suppliers to ensure every item meets our strict standards of quality.

Our Mission

To revolutionize the way you shop for groceries by providing a seamless, fast, and secure online platform. We are committed to sustainability, reducing food waste, and supporting local communities. Our modern approach to grocery shopping is designed to give you back your most valuable asset: time.

Our Promise

When you shop with us, you are guaranteed uncompromising freshness, transparent pricing, and unparalleled customer service. If it isn't good enough for our own family table, we simply won't deliver it to yours. Your 100% satisfaction is built into every single box we pack.

Why Choose FreshCart?



Lightning Fast

Same-day delivery for all your essential needs.



Always Fresh

Hand-picked quality, guaranteed fresh every time.



Secure Shopping

Your data is protected with enterprise-grade security.

➤ ContactUs:


[Home](#)
[About Us](#)
[Contact Us](#)

Makadia Deep

Contact Us

Get in Touch

Our Office
123 Fresh Avenue
Silicon Valley, CA 94025

Phone Support
+1 (800) 123-4567
Mon-Fri: 8am - 8pm

Email Us
support@freshcart.com
hello@freshcart.com

Send a Message

Name

Email

Message

[Send Message](#)

➤ UserProfile:


[Home](#)
[About Us](#)
[Contact Us](#)

Makadia Deep

My Profile

Account Details

Name: Makadia Deep
Email: deep1@gmail.com
Role: Customer

Order History

ORDER ID	DATE	ITEMS	TOTAL	STATUS	ACTION
67e36817...	4/18/2026	1 Items	₹50	Delivered	
67e368fd...	4/18/2026	1 Items	₹200	Delivered	
67e36865...	4/18/2026	1 Items	₹150	Delivered	
67e4c1a0...	4/19/2026	1 Items	₹600	Pending	Cancel
67e4c689...	4/19/2026	1 Items	₹1000	Pending	Cancel
67e4c6e3...	4/19/2026	1 Items	₹100	Pending	Cancel
67e4d7b0...	4/19/2026	1 Items	₹300	Delivered	

➤ Cart:

Your Cart



Buttermilk
₹20

-

4

+

Remove

Total

₹80

Checkout

➤ Checkout:-

Checkout

Delivery Details

Full Address

123 Farm Lane, Apt 4B, City, Zip Code

Phone Number

+1 234 567 8900

Payment Method

☒ Credit / Debit Card

☐ Cash on Delivery

☐ UPI / Net Banking

Place Order (₹80)

Order Summary


4x Buttermilk ₹80

Subtotal ₹80


Shipping Free

Total to Pay ₹80


➤ OrderPlaced:



➤ AdminLogin:



➤ AdminDashboard:



➤ AddProduct:

The screenshot displays the FreshCart Admin Dashboard with the 'Add & Update Products' form open. The top navigation bar and sidebar are identical to the previous screenshot. The main content area is titled 'Add & Update Products' and contains a form with the following fields: 'Product Name' (text input), 'Price (₹)' (text input), 'Category' (dropdown menu with 'Bakery' selected), 'Description (Quantity & Ingredients)' (text area with placeholder text 'e.g. 500g Pack. Contains farm-fresh organic ingredients.'), and 'Product Image File' (file upload button labeled 'Choose File' and 'No file chosen'). A green 'Upload & Publish Product' button is located at the bottom of the form.

➤ ManageProduct:

Dashboard admin

Admin Panel

- Dashboard Home
- + Add New Product
- Manage Products**
- Manage Categories
- Manage Orders
- Contact Messages
- Checkout Records

Manage Products Catalog

IMAGE	NAME	CATEGORY	PRICE	ACTION	
	Carrot	Vegetables	₹150	Edit	Delete
	Buttermilk	Dairy Items	₹20	Edit	Delete
	Milk	Dairy Items	₹200	Edit	Delete
	Apple	Fruits	₹50	Edit	Delete
	Potato	Vegetables	₹60	Edit	Delete
	Cake	Bakery	₹500	Edit	Delete

➤ ManageCategory:

Dashboard admin

Admin Panel

- Dashboard Home
- + Add New Product
- Manage Products
- Manage Categories**
- Manage Orders
- Contact Messages
- Checkout Records

Manage Categories

Add New Category

Category Name

Create Category

CATEGORY NAME	CREATED AT	ACTION
Bakery	4/17/2026	Delete
Dairy Items	4/17/2026	Delete
Fruits	4/17/2026	Delete
Vegetables	4/17/2026	Delete

➤ ManageOrders:

Dashboard
admin

Admin Panel

- Dashboard Home
- + Add New Product
- Manage Products
- Manage Categories
- Manage Orders**
- Contact Messages
- Checkout Records

Manage Customer Orders

ORDER ID	CUSTOMER NAME	DATE	ITEMS	AMOUNT	STATUS	ACTION
...9189ea	Makadia Deep	4/20/2026, 9:44:42 PM	1	₹80	Pending	Mark as Delivered
...a66afc	SuryaKumar	4/20/2026, 11:38:14 AM	1	₹112.5	Pending	Mark as Delivered
...a89ce0	Makadia Deep	4/19/2026, 6:55:04 PM	1	₹300	Delivered	Mark as Pending
...a89cde	Makadia Deep	4/19/2026, 6:51:47 PM	1	₹100	Pending	Mark as Delivered
...260146	Makadia Deep	4/19/2026, 6:50:09 PM	1	₹1000	Pending	Mark as Delivered
...260145	Makadia Deep	4/19/2026, 6:29:12 PM	1	₹600	Pending	Mark as Delivered
...2560a6	Makadia Deep	4/18/2026, 4:47:55 PM	1	₹150	Delivered	Mark as Pending
...2560a5	Makadia Deep	4/18/2026, 4:47:33 PM	1	₹200	Delivered	Mark as Pending

➤ ContactMessages:

Dashboard
admin

Admin Panel

- Dashboard Home
- + Add New Product
- Manage Products
- Manage Categories
- Manage Orders
- Contact Messages**
- Checkout Records

User Contact Messages

NAME	EMAIL	DATE	MESSAGE
Pratik	pratik@gmail.com	4/18/2026, 5:01:05 PM	Hello Everyone
Mihir Joshi	mihirj@gmail.com	4/17/2026, 6:06:54 PM	Hello Admin
Deep	deep1@gmail.com	4/17/2026, 5:53:45 PM	Hello React

➤ CheckoutRecords:

FreshCart		Dashboard admin																																																									
Admin Panel - Dashboard Home - Add New Product - Manage Products - Manage Categories - Manage Orders - Contact Messages Checkout Records		Checkout Records <table> <tr> <th>ORDER ID</th><th>CUSTOMER NAME</th><th>DATE & TIME</th><th>DELIVERY ADDRESS</th><th>PAYMENT METHOD</th></tr> <tr> <td>#B79189EA</td><td>Mokadia Deep</td><td>4/20/2026, 9:44:42 PM</td><td>Dakor (Phone: 7894561230)</td><td>Cash on Delivery</td></tr> <tr> <td>#FBA66AFE</td><td>SuryaKumar</td><td>4/20/2026, 11:38:14 AM</td><td>smkddd (Phone: 1234567890)</td><td>UPI</td></tr> <tr> <td>#AOA89CE0</td><td>Mokadia Deep</td><td>4/19/2026, 6:55:04 PM</td><td>Nadiad (Phone: 7894561230)</td><td>Credit Card</td></tr> <tr> <td>#AOA89CDE</td><td>Mokadia Deep</td><td>4/19/2026, 6:51:47 PM</td><td>Rajkot (Phone: 1234567890)</td><td>UPI</td></tr> <tr> <td>#4C260146</td><td>Mokadia Deep</td><td>4/19/2026, 6:50:09 PM</td><td>rajkot (Phone: 1234567890)</td><td>Credit Card</td></tr> <tr> <td>#4C260145</td><td>Mokadia Deep</td><td>4/19/2026, 6:29:12 PM</td><td>Nadiad (Phone: 4567891230)</td><td>Cash on Delivery</td></tr> <tr> <td>#BB2560A6</td><td>Mokadia Deep</td><td>4/18/2026, 4:47:55 PM</td><td>wjtfwkd (Phone: 12345658790)</td><td>Cash on Delivery</td></tr> <tr> <td>#BB2560A5</td><td>Mokadia Deep</td><td>4/18/2026, 4:47:33 PM</td><td>Rajkot (Phone: 1234567890)</td><td>Credit Card</td></tr> <tr> <td>#BB2560A4</td><td>Mokadia Deep</td><td>4/18/2026, 4:46:39 PM</td><td>daddawd (Phone: 1234567890)</td><td>Credit Card</td></tr> <tr> <td>#54F38B8D</td><td>Rahul</td><td>4/18/2026, 1:55:06 PM</td><td>Unknown Address</td><td>Credit Card</td></tr> </table>			ORDER ID	CUSTOMER NAME	DATE & TIME	DELIVERY ADDRESS	PAYMENT METHOD	#B79189EA	Mokadia Deep	4/20/2026, 9:44:42 PM	Dakor (Phone: 7894561230)	Cash on Delivery	#FBA66AFE	SuryaKumar	4/20/2026, 11:38:14 AM	smkddd (Phone: 1234567890)	UPI	#AOA89CE0	Mokadia Deep	4/19/2026, 6:55:04 PM	Nadiad (Phone: 7894561230)	Credit Card	#AOA89CDE	Mokadia Deep	4/19/2026, 6:51:47 PM	Rajkot (Phone: 1234567890)	UPI	#4C260146	Mokadia Deep	4/19/2026, 6:50:09 PM	rajkot (Phone: 1234567890)	Credit Card	#4C260145	Mokadia Deep	4/19/2026, 6:29:12 PM	Nadiad (Phone: 4567891230)	Cash on Delivery	#BB2560A6	Mokadia Deep	4/18/2026, 4:47:55 PM	wjtfwkd (Phone: 12345658790)	Cash on Delivery	#BB2560A5	Mokadia Deep	4/18/2026, 4:47:33 PM	Rajkot (Phone: 1234567890)	Credit Card	#BB2560A4	Mokadia Deep	4/18/2026, 4:46:39 PM	daddawd (Phone: 1234567890)	Credit Card	#54F38B8D	Rahul	4/18/2026, 1:55:06 PM	Unknown Address	Credit Card
ORDER ID	CUSTOMER NAME	DATE & TIME	DELIVERY ADDRESS	PAYMENT METHOD																																																							
#B79189EA	Mokadia Deep	4/20/2026, 9:44:42 PM	Dakor (Phone: 7894561230)	Cash on Delivery																																																							
#FBA66AFE	SuryaKumar	4/20/2026, 11:38:14 AM	smkddd (Phone: 1234567890)	UPI																																																							
#AOA89CE0	Mokadia Deep	4/19/2026, 6:55:04 PM	Nadiad (Phone: 7894561230)	Credit Card																																																							
#AOA89CDE	Mokadia Deep	4/19/2026, 6:51:47 PM	Rajkot (Phone: 1234567890)	UPI																																																							
#4C260146	Mokadia Deep	4/19/2026, 6:50:09 PM	rajkot (Phone: 1234567890)	Credit Card																																																							
#4C260145	Mokadia Deep	4/19/2026, 6:29:12 PM	Nadiad (Phone: 4567891230)	Cash on Delivery																																																							
#BB2560A6	Mokadia Deep	4/18/2026, 4:47:55 PM	wjtfwkd (Phone: 12345658790)	Cash on Delivery																																																							
#BB2560A5	Mokadia Deep	4/18/2026, 4:47:33 PM	Rajkot (Phone: 1234567890)	Credit Card																																																							
#BB2560A4	Mokadia Deep	4/18/2026, 4:46:39 PM	daddawd (Phone: 1234567890)	Credit Card																																																							
#54F38B8D	Rahul	4/18/2026, 1:55:06 PM	Unknown Address	Credit Card																																																							

➤ AdminProfile:

FreshCart

Dashboard

admin

My Profile

Account Details

Name: admin
Email: admin@store.com
Role: Administrator

Order History

No orders found.

8. Bibliographhy

OnlineReferences:

- Github: <https://github.com/>
- StackOverflow: <https://stackoverflow.com/questions>
- W3Schools: <https://www.w3schools.com/>