2021 Spey line recommendations

RIO is pleased to be able to provide this line recommendation for a number of two handed rods on the market. You will notice two line ratings per line. The "A" rating is for more experienced casters, or for casters that like to cast off the tip of the rod. The "B" rating is for less experienced casters, and for casters that like to feel a deeper load in the rod. It is also a good choice for coping with tough winds, or using larger flies.

The "Skagit" column refers to either the Skagit Max Launch, Skagit Max Power, GameChanger or Skagit Trout Spey shooting heads. With any of the Skagit lines a front tip needs to be added, as well as a shooting line. When a tip is added, the overall weight of the line will increase by the weight of the tip. That weight increase has been allowed for in these recommendations. Do not subtract the weight of the tip you are putting on from these grain weights, unless you are only going to overhead cast it.

With the popularity of two handed rods growing for overhead casting in the surf, on a lake and even in a river, the column "OutBound" is listed and this applies to the correct weight of OutBound Shooting Head,OutBound or OutBound Short required to load the rod for overhead casting only - a weight that is less than what is needed for spey casting.

Finally, these recommendations are only guidelines as to the correct line weight to be used. RIO Products is not responsible for any rod breakages or if you find the line does not load as you would wish. How a rod loads is a personal feeling and these recommendations are only a guideline.

With the plethora of lines available it is impossible to have a column that separates Skagit Max Power from Skagit Max Launch and Skagit Max GameChangers, and OutBound Shorts from OutBound Short Shooting Heads. The simplest guideline is if the rod is less than 12' 6" long, choose the shorter version of these lines.

		Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound
Manufacturer	Model	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Beulah	Onyx 12' 4" #5	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	Onyx 13' 1" #6	425	475	400	435	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	-	-	-	-	-	WF9
	Onyx 12' 9" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Onyx 13' 7" #7	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Onyx 14' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Platinum 11' 7" 5	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Platinum 12' 6" 6	350	400	300	360	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	-	-	WF8
	Platinum 13' 2" 7	425	475	390	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	#7	#7	-	-	WF9
	Platinum 12' 4" 8	525	575	480	510	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	#8	#8	-	-	WF10
	Platinum 13' 8" 8	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#8	-	-	WF10
	Platinum Switch 10' 5	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF6
	Platinum Switch 10' 4" 6	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#6	#6	4/5	5/6	WF7
	Platinum Switch 10' 8" 7	375	425	360	420	#6	#7	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF8
	Platinum Switch 11' 8	425	475	390	435	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF9
	Opal Surf 11' 5/6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF8
	Opal Surf 11' 7/8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF10
	Opal Surf 11' 9/10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF12

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Bruce & Walker	Powerlite 11' 3" # 7-9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#9	7/8	8/9	WF10
	Powerlite 12' 4" # 8-9	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Powerlite 13' # 8-10	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Powerlite 14' # 9-10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite 14' # 7-10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite 15' # 7-9	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Powerlite 15' # 10	600	650	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 15' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 16' # 9-10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 16' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 18' # 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite 18' # 11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite Deluxe 13' #9	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite Deluxe 14' #9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Powerlite Deluxe 15' #10	625	675	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Powerlite Deluxe 16' #10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Kola 15' 3" 9-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Kola 16' 3" #10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 12' 7-9 - 3 piece	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Norway II 13' #9 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 14' #9 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 9-10 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 10-11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 16' 9-10 - 3 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 16' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 17' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 18' #11 - 3 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 12' 7-9 - 4 piece	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Norway II 13' #9 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 14' #9 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 9-10 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 15' 10-11 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 16' 9-10 - 4 piece	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Norway II 16' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 17' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 18' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Norway II 20' 11-12 - 4 piece	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Double Spey 13' #8-10	575	625	460	520	#8	#9	#9	#10	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Double Spey 14' #9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Double Spey 16' #10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Shooting Head 14' 37 grams	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Shooting Head 12' 4" 30 grams	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Walker 13' 6" #8	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Walker 14 6" 9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Walker 15' 6" 10-11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Walker 16' 6" 9-10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Bob Meiser	S2H1264S-4	250	275	240	270	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	S2H1265S-4	325	350	300	360	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	S2H1266S-4	375	425	360	390	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1267S-4	450	500	435	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1306S-4	375	425	360	390	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1307S-4	425	475	435	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1308S-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1367S-4	450	500	420	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1368S-4	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1407S-4	450	500	420	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1408S-4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1409S-4	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H1507S-4	450	500	420	460	-	-	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1508S-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H15011S-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H1608S-4	550	600	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H16011S-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H1396S-5	400	450	360	420	-	-	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H1397S-5	450	500	420	460	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H1398S-5	525	575	520	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H1399S-5	600	650	510	540	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H12656MKS-4	375	425	360	390	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	S2H12678MKS-4	500	550	480	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13067MKS-4	425	475	330	400	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H13078MKS-4	525	575	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13678MKS-4	525	575	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13689MKS-4	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H136910MKS-4	650	700	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H14067MKS-4	400	450	360	400	-	-	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H14078MKS-4	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H140910MKS-4	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H15089MKS-4	550	625	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H150910MKS-4	650	725	540	640	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	S2H11757C-4	425	475	390	420	#6	#7	-	#7	-	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF8
	S2H12635C-4	200	240	210	240	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF6
	S2H12646C-4	325	350	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	S2H12657C-4	425	475	400	435	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H12668C-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13057C-4	450	500	450	480	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	S2H13068C-4	525	575	510	540	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H13079C-4	550	600	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H136FES79-4	575	625	510	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H14068C-4	500	550	480	510	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	S2H140EVE79-4	550	600	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H140911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H15068C-4	500	550	480	510	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	(Short)
Bob Meiser	S2H15079C-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H150911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H15946C-4	275	325	270	300	-	-	-	#7	-	-	-	-	-	-	-	-	-	-	WF7
	S2H16079C-4	575	625	510	540	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	S2H160911C-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	S2H10635-4	250	300	240	270	#4	#5	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF6
	S2H11045-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#5	#5	-	4/5	WF6
	S2H11056-4	375	425	300	390	#5	#6	-	-	-	-	-	-	-	-	#6	#6	4/5	5/6	WF7
	S2H11067-4	425	475	420	435	#6	#7	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF8
	S2H11078-4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF9
	S2H11089-4	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#9	#9	7/8	8/9	WF10
	S2H110910-4	625	675	510	540	#9	-	-	-	-	-	-	-	-	-	-	-	8/9	-	WF11
	S2H90967-3	425	475	390	420	#6	#7	-	-	-	-	-	-	-	-	#7	#7	5/6	6/7	WF8
	S2H90978-3	525	575	510	540	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF9
	S2H909910-3	575	625	510	540	#9	-	-	-	-	-	-	-	-	-	-	-	-	-	WF11
Burkheimer	CF7125-3	425	475	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	CF7133-3	500	550	435	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	CF8133-3	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	CF8139-3	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	CF9143-3	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	CF9149-3	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	CF10130-3	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	CF10150-3	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	CF7115-4	450	500	435	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	#7	#7	6/7	7/8	WF8
	CF7127-4	450	500	435	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF7134-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF7141-4	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF8
	CF8115-4	475	525	450	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	#8	#8	7/8	8/9	WF9
	CF8128-4	500	550	450	510	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF8134-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF8142-4	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	CF9119-4	575	625	510	540	#9	-	-	-	8/9	9/10	8/9	9/10	8/9	9/10	#9	#9	7/8	8/9	WF10
	CF9129-4	575	625	510	540	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF9135-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF9145-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF10
	CF10129-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF10153-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF10155-4	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	CF11155-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Cabelas	Lsi 1065-4	275	325	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	Lsi 1136-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7
	Lsi 1107-4	425	475	420	435	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Lsi 1267-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Lsi 1168-4	475	525	450	480	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Lsi 1248-4	525	575	480	540	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Lsi 1308-4	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Lsi 1409-4	600	650	520	580	#9	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Traditional II 1308-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Traditional II 1409-4	575	625	520	580	#9	-	#9	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11

Manufacturer	Model	Skagit "A"	Skagit "B"	RIO Scandi "A"	RIO Scandi "B"	Scandi Short VT "A"	Scandi Short VT "B"	Scandi VersiTip "A"	Scandi VersiTip "B"	InTouch Short Head Spey "A"	InTouch Short Head Spey "B"	InTouch Mid Head Spey "A"	InTouch Mid Head Spey "B"	InTouch Long Head Spey "A"	InTouch Long Head Spey "B"	InTouch Switch Chucker "A"	InTouch Switch Chucker "B"	InTouch Switch "A"	InTouch Switch "B"	InTouch OutBound (Short)
Echo	TR 11' #3	275	325	240	270	#3	#4	-	-	-	-	-	-	-	-	#3	#4	-	4/5	WF6
	TR 11' 3" #4	325	375	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7
	TR 12' 6" #6	450	500	390	430	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	TR 13' #7	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	TR13' 6" #8	550	600	520	580	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	King 9130	650	700	510	540	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	King 10130	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Full Spey 6130	450	500	390	430	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Full Spey 7130	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF9
	Full Spey 8130	550	600	520	580	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Compact Spey 6120	425	450	360	390	#5	#6	-	-	-	-	-	-	-	-	#5	#6	4/5	5/6	WF8
	Compact Spey 7120	450	500	390	450	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#7	5/6	6/7	WF9
	Compact Spey 8120	525	575	480	510	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#8	6/7	7/8	WF10
	Trout Spey 2110	200	225	180	210	-	#3	-	-	-	-	-	-	-	-	#2	#3	-	-	WF5
	Trout Spey 3110	225	250	210	230	#3	#4	-	-	-	-	-	-	-	-	#3	#4	-	4/5	WF6
	Trout Spey 4110	275	325	230	265	#4	#5	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7
	SR 3106	225	250	210	230	-	#3	-	-	-	-	-	-	-	-	#3	#4	-	-	WF6
	SR 4106	275	325	230	265	#3	#4	-	-	-	-	-	-	-	-	#4	#5	-	4/5	WF7
	SR 5108	325	375	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF7
	SR 61010	375	400	330	390	#5	#6	-	-	-	-	-	-	-	-	#5	#6	5/6'	6/7	WF8
	SR 71010	450	500	390	430	#6	#7	-	-	-	-	-	-	-	-	-	-	-	-	WF9
	SR 81010	500	550	460	520	#7	#8	-	-	-	-	-	-	-	-	-	-	-	-	WF10
	Swing 6116	375	400	330	390	#5	#6	-	-	-	-	-	-	-	-	#5	#6	5/6'	6/7	WF8
	Swing 7117	450	500	390	430	#6	#7	-	-	-	-	-	-	-	-	-	-	-	-	WF9
	Swing 8118	500	550	460	520	#7	#8	-	-	-	-	-	-	-	-	-	-	-	-	WF10
	Swing 6126	450	500	390	430	#6	#7	-	-	-	-	-	-	-	-	-	-	-	-	WF9
	Swing 7130	500	550	460	520	#7	#8	-	-	-	-	-	-	-	-	-	-	-	-	WF10
	Swing 8136	550	600	520	580	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Gary Anderson	ACR Trout 1193-5	225	250	210	240	-	#4	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	ACR Trout 1194-4	250	300	240	270	-	#4	-	-	-	-	-	-	-	-	#4	#4	-	-	WF6
	ACR Trout 1214-4	250	300	240	270	-	#4	-	-	-	-	-	-	-	-	-	-	-	4/5	WF6
	ACR Trout 1195-5	300	350	270	300	#4	#5	-	-	-	-	-	-	-	-	#5	#5	4/5	4/5	WF7
	ACR Trout 1255-4	300	350	270	300	#4	#5	-	-	-	-	-	-	-	-	-	-	4/5	5/6	WF7
	ACR Switch 11' #5	300	350	270	300	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	ACR Switch 11' #6	350	400	300	360	#5	#6	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	ACR Switch 11' #7	425	475	360	390	#6	#7	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	ACR Switch 11' #8	475	525	420	435	#7	#8	-	-	-	-	-	-	-	-	#8	#8	6/7	7/8	WF10
	ACR Switch 11' #9	525	575	460	520	#8	#9	-	-	-	-	-	-	-	-	#9	#9	7/8	8/9	WF11
	Explorer 1266-4	375	425	360	390	#5	#6	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Explorer 1317-4	475	525	420	435	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Explorer 1368-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR 1255-4	325	375	270	300	#4	#5	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	ACR 1555-4	325	375	270	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	ACR 1296-4	375	425	300	360	#5	#6	-	-	-	6/7	-	-	-	-	-	-	-	-	WF8
	ACR 1386-4	500	550	480	510	-	-	-	#7	-	6/7	-	-	-	-	-	-	-	-	WF8
	ACR 1297-4	450	500	420	435	#6	#7	-	-	6/7	7/8	-	6/7	-	-	-	-	-	-	WF9
	ACR 1237-5	475	525	420	435	#6	#7	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ACR 1337-4	450	500	420	435	-	-	-	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	ACR1338-4	525	575	510	540	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1398-4	500	550	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1418-4	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACR1449-4	575	625	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11

Manufacturer	Model	Skagit "A"	Skagit "B"	RIO Scandi "A"	RIO Scandi "B"	Scandi Short VT "A"	Scandi Short VT "B"	Scandi VersiTip "A"	Scandi VersiTip "B"	InTouch Short Head Spey "A"	InTouch Short Head Spey "B"	InTouch Mid Head Spey "A"	InTouch Mid Head Spey "B"	InTouch Long Head Spey "A"	InTouch Long Head Spey "B"	InTouch Switch Chucker "A"	InTouch Switch Chucker "B"	InTouch Switch "A"	InTouch Switch "B"	InTouch OutBound (Short)
Greys	XF2 12' #7	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	-	-	-	-	WF9
	XF2 12' #9	600	650	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XF2 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XF2 T 12' #7	475	525	450	480	#7	#8	-	-	6/7	7/8	-	-	-	-	-	-	-	-	WF9
	XF2 T 13' #8	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	XF2 T 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	XF2 T 15' #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	XF2 T 16' #11	700	750	640	640	-	-	#10	#11	10/11	10/11	10/11	10/11	10/11	10/11					
	GR50 13' 8/9	525	575	460	520	#7	#8	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	GR50 14' 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GR50 15' 10/11	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Guideline	LPXe Switch 11' 6/7	275	325	270	300	#3	#4	-	-	-	-	-	-	-	-	#3	#4	-	4/5	WF6
	LPXe Switch 11' 7/8	325	350	300	330	#4	#5	-	-	-	-	-	-	-	-	#4	#5	-	5/6	WF7
	LPXe Switch 11' 8/9	350	400	330	390	#5	#6	-	-	-	-	-	-	-	-	#5	#6	-	6/7	WF8
	ACT 4 12' 6" 8/9	525	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	ACT 4 13' 7" 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	ACT 4 14' 8" 10/11	650	700	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	LPXe 12' 6" 7/8	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	LPXe 12' 6" 8/9	550	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	LPXe 13' 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	LPXe 14' 9/10	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	LPXe 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Le Cie 12' 6" 6/7 - 7/8	675	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Le Cie 12' 6" 8/9 - 9/10	525	575	460	520	#8	#9	-	-	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Le Cie 13' 2" 9/10	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Le Cie 13' 7" 7/8	500	550	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Le Cie 13' 7" 8/9	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Le Cie 13' 7" 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Le Cie 13' 7" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Le Cie 14' 8" 8/9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Le Cie 14' 8" 9/10	650	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Le Cie 14' 8" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Hardy	Zephrus DH 11' 6" #6/7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Zephrus DH 12' 6" #6/7	450	500	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Zephrus DH 12' 6"' #7/8	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9					
	Zephrus DH 13' 6" #7/8	525	575	460	520	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9					
	Zephrus DH 13' 6" #8/9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Zephrus DH 14' 6"#9/10	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Zephrus DH 15' 1" #10/11	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Demon Smuggler 14' 6" #10	650	700	580	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Jet Switch 10' 6" #4/5	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#4	#5	4/5	5/6	WF6
	Jet Switch 10' 6" #5/6	375	425	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	#5	#6	5/6	6/7	WF7
	Jet Switch 10' 6" #6/7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#6	#7	6/7	7/8	WF8
	Jet Switch 11' #6/7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#6	#7	6/7	7/8	WF8
	Jet Switch 11' #7/8	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#7	#8	7/8	8/9	WF9
	Jet Switch 11' #8/9	600	650	510	540	#9	-	-	-	8/9	9/10	-	-	-	-	#8	#9	8/9	-	WF10
	Jet 13 #8/9	550	600	520	580	-	-	#8	#9	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Jet 14' #9/10	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Jet 15' #10/11	600	650	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Loomis	Asquith Spey 12' 9" #6	475	500	400	450	-	-	-	#7	6/7	7/8	-	6/7	-	-	-	-	-	-	WF8
	Asquith Spey 13" #7	525	575	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Asquith Spey 13' 6" #8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Asquith Spey 14" #9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Asquith Spey 15' #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	NRX+ Spey 12' 6" #6	475	500	400	450	-	-	-	#7	6/7	7/8	-	6/7	-	-	-	-	-	-	WF8
	NRX+ Spey 13' 3" #7	525	575	435	450	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	NRX+ Spey 13' 3" #8	500	550	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	NRX+ Spey 13' 3" #9	575	625	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	NRX+ Switch 11' #6	450	475	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	NRX+ Switch 11' #7	500	550	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	NRX+ Switch 11' #8	550	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#9	-	-	WF10
	IMX Pro 11' 1" #3	250	275	240	270	#3	#4	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	IMX Pro 11' 1" #4	300	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF6
	IMX Pro 11' 1" #5	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	IMX Pro 11' 1" #6	375	425	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF8
	IMX Pro 11' 1" #7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF9
Loop	Cross S1 6107-4	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Cross S1 7107-4	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Cross S1 7120-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8			6/7	7/8	WF9
	Cross S1 8130-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cross S1 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cross S1 10150-6	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Cross ST 6122-6	425	450	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	5/6	6/7	WF8
	Cross ST 7122-6	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	6/7	7/8	WF9
	Cross ST 8132-6	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cross ST 9136-6	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cross ST 6110-5	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Cross ST 7110-5	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Cross SX 7124-4	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cross SX 8132-4	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cross SX 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cast 6120-4M	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	-	-	-	-	WF8
	Cast 7122-4M	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cast 5110-4MF	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Cast 6110-4MF	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Cast 7110-4MF	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Cast 6120-4MF	425	450	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	5/6	6/7	WF8
	Cast 7122-4MF	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cast 8132-4MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cast 9140-4MF	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cast 9140-4F	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cast 10150-4F	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Opti NXT 6120-4MF	425	450	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Opti NXT 7124-4MF	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Opti NXT 8130-4MF	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Opti NXT 9132-4MF	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Opti NXT 9140-4MF	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Opti NXT 10150-4MF	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Opti NXT 5110-4MF	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	Opti NXT 7110-4MF	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid Head Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Orvis	Clearwater Switch 11' #6	425	450	390	420	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	Clearwater Switch 11' #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Clearwater Switch 11' 9" #7	475	525	450	480	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF9
	Clearwater Switch 11' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Clearwater 12' #5	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	Clearwater 12' 6" #6	400	450	360	400	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Clearwater 13' #7	475	525	400	460	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Clearwater 12' #8	525	575	480	510	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF10
	Clearwater 13' 6" #8	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Clearwater 14' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
Redington	Claymore 6116-4	325	375	300	360	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7
	Claymore 7116-4	450	500	390	435	#7	#8	-	-	-	-	-	-	-	-	#7	#7	6/7	7/8	WF8
	Claymore 8116-4	475	525	435	450	#8	#9	-	-	-	-	-	-	-	-	#8	#8	7/8	8/9	WF9
	Claymore 5123-4	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	Claymore 6126-4	425	475	360	390	#5	#6	#5	#6	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Claymore 7126-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Claymore 7136-4	475	525	400	460	#7	#8	#6	#7	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Claymore 8126-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Claymore 8136-4	525	575	460	520	#8	#9	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Claymore Trout Spey 2110-4	200	250	180	210	-	-	-	-	-	-	-	-	-	-	#2	#2	-	-	-
	Claymore Trout Spey 3113-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Claymore Trout Spey 4116-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5
	Dually 3106-4	250	275	240	270	#3	#4	-	-	-	-	-	-	-	-	#3	#4	-	-	WF4
	Dually 4106-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5
	Dually 5110-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	Dually 6110-4	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF7
	Dually 7116-4	450	500	390	435	#7	#8	-	-	-	6/7	-	6/7	-	-	#7	#7	6/7	7/8	WF8
	Dually 8116-4	500	550	450	480	#8	#9	-	-	6/7	7/8	6/7	7/8	-	-	#8	#8	7/8	8/9	WF9
	Dually 6126-4	400	450	360	400	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Dually 7126-4	475	525	460	520	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Dually 7136-4	475	525	460	520	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	Dually 8136-4	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Sage	Igniter 6126-4	425	475	390	450	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Igniter 7126-4	500	550	450	510	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Igniter 8136-4	550	600	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Igniter 9140-4	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Igniter 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	IGNITER Switch 6119-4																			
	IGNITER Switch 7119-4																			
	IGNITER Switch 8119-4																			
	IGNITER Switch 9119-4																			
	SONIC Switch 7116-4																			
	SONIC Switch 8116-4																			
	SONIC SPEY 7136-4																			
	SONIC SPEY 7136-6																			
	SONIC SPEY 8136-4																			
	SONIC SPEY 9140-6																			
	PULSE Spey 6126-4																			
	PULSE Spey 7130-4																			
	PULSE Spey 8136-4																			
	PULSE Switch 3110-4																			
	PULSE Switch 7114-4																			
	PULSE Switch 8114-4																			
	Trout Spey HD 1109-3	175	200	180	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Trout Spey HD 2109-4	200	225	210	230	-	#3	-	-	-	-	-	-	-	-	#2	#2	-	-	-
	Trout Spey HD 3103-4	250	275	240	270	#3	#4	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Trout Spey HD 3110-4	250	275	240	270	#3	#4	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Trout Spey HD 4113-4	300	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF6
	X Switch 5110-4	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	X Switch 6110-4	375	425	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF8
	X Switch 7110-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF9

Manufacturer	Model	Skagit		RIO Scandi		Scandi Short VT		Scandi VersiTip		InTouch Short Head Spey		InTouch Mid ead Spey		InTouch Long Head Spey		InTouch Switch Chucker		InTouch Switch		InTouch OutBound (Short)
		"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	"A"	"B"	
Sage	X Switch 8110-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF10
	X 5120-4	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	X 6120-4	400	450	360	400	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	X 6139-4	400	450	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	X 7120-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	X 7130-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	X 7140-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	X 8120-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	X 8130-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	X 8140-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	X 9120-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	X 9140-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	X 10150-4	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Pulse Switch 3110-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	Pulse Switch 7114-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8
	Pulse Switch 8114-4	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9
	Pulse Spey 6126-4	425	475	390	450	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Pulse Spey 7130-4	500	550	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Pulse Spey 8136-4	575	625	480	540	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Scierra	Switch 10' 8" 6/7	400	450	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF9
	Switch 11' 2" 7/8	475	525	435	480	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF10
	Double Handed 11' 8" 7/8	475	525	450	480	#7	#8	-	-	6/7	7/8	6/7	7/8	-	7/8	#7	#8	6/7	7/8	WF10
	Double Handed 13' 1" 8/9	550	600	7/8	8/9	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Double Handed 13' 9" 9/10	625	675	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Double Handed 14' 6" 9/10	625	675	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Double Handed 15' 6" 10/11	700	750	9/10	10/11	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Ferox 13' 9" 9/10	650	700	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Ferox 15' 9" 10/11	700	750	9/10	10/11	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Matuka 12' 9" 8/9	575	625	7/8	8/9	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Matuka 14' 1" 9/10	650	700	8/9	9/10	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
Scott	T3H 1064	275	325	240	270	#5	#6	-	-	-	-	-	-	-	-	#4	#4	4/5	5/6	WF7
	T3H 1106	425	475	360	390	#8	#9	-	-	-	-	-	-	-	-	#5	#5	5/6	7/8	WF9
	T3H 1286	400	450	360	390	#6	#7	-	-	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	T3H 1356	400	450	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	T3H 1287	450	500	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	T3H 1357	450	500	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	T3H 1108	525	575	480	510	#7	#8	-	-	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	T3H 1288	500	550	480	510	-	-	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	T3H 1358	525	575	510	540	-	-	#7	#8	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	T3H 1409	625	675	520	580	-	-	#8	#9	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	T3H 1509	600	650	520	580	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF11
	T3H 1510	675	725	280	640	-	-	#9	#10	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	T3H 1610	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	L2H 1105	350	400	300	330	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
	L2H 1106	375	425	360	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	L2H 1256	375	425	360	390	#6	#7	-	-	-	6/7	5/6	6/7	5/6	-	-	-	-	-	WF8
	L2H 1157	450	500	420	450	#7	#8	#7	#8	-	-	-	-	-	-	#5	#5	5/6	6/7	WF9
	L2H 1257	425	475	420	450	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	L2H 1158	525	575	450	480	#8	#9	#8	#9	-	-	-	-	-	-	#7	#7	7/8	8/9	WF10
	L2H 1308	525	575	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	L2H 1409	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	L2H 1510	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
Snowbee	Diamond Spey 12' 6" 7/8	500	550	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF10
	Diamond Spey 13' 8/9	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Diamond Spey 14' 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Diamond Spey 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Diamond Switch 10' 6" #7	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8
	Diamond Switch 10' 6" #8	500	550	450	480	#8	#9	-	-	7/8	8/9	7/8	8/9	-	-	#8	#8	7/8	8/9	WF9

Manufacturer	Model	Skagit "A"	Skagit "B"	RIO Scandi "A"	RIO Scandi "B"	Scandi Short VT "A"	Scandi Short VT "B"	Scandi VersiTip "A"	Scandi VersiTip "B"	InTouch Short Head Spey "A"	InTouch Short Head Spey "B"	InTouch Mid Head Spey "A"	InTouch Mid Head Spey "B"	InTouch Long Head Spey "A"	InTouch Long Head Spey "B"	InTouch Switch Chucker "A"	InTouch Switch Chucker "B"	InTouch Switch "A"	InTouch Switch "B"	InTouch OutBound (Short)
Temple Fork	Axiom II Switch 6110-4	350	450	435	480	#6	#7	-	-	-	-	-	-	-	-	#6	#7	5/6	6/7	WF8
	Axiom II Switch 7110-4	400	500	460	500	#7	#8	-	-	-	-	-	-	-	-	#7	#8	6/7	7/8	WF9
	Axiom II Switch 8110-4	500	575	480	525	#8	#9	-	-	-	-	-	-	-	-	#8	#9	7/8	8/9	WF10
	BVK TH 5116-4	275	325	240	300	#4	#5	-	-	-	-	-	-	-	-			4/5	5/6	WF8
	BVK TH 6128-4	480	510	450	500	#6	#7	-	#7	-	6/7	-	-	-	7/8	#6	#7	-	-	WF9
	BVK TH 7130-4	525	575	510	540	-	-	#7	#8	6/7	7/8	6/7	7/8	6/7	7/8	-	-	-	-	WF10
	BVK TH 8134-4	575	650	540	600	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Pro II TH 23110-4	200	250	180	225	-	#3	-	-	-	-	-	-	-	-	#2	#3	-	-	WF5
	Pro II TH 67110-4	350	450	390	450	#5	#6	-	-	-	-	-	-	-	-	#5	#6	6/7	-	WF9
	Pro II TH 67126-4	400	500	435	480	#7	#8	-	#7	-	6/7	6/7	-	-	-	-	-	6/7	7/8	WF9
	Pro II TH 78116-4	500	600	480	525	#8	#9	-	-	6/7	7/8	-	-	-	-	#8	#9	7/8	8/9	WF10
	Pro II TH 78130-4	500	600	480	525	-	-	#7	#8	6/7	7/8	7/8	-	7/8	8/9	-	-	7/8	8/9	WF10
Thomas & Thomas	DNA Switch 1005-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	DNA Switch 1006-6	375	425	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7
	DNA Switch 1007-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8
	DNA Switch 1105-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	DNA Switch 1106-4	375	425	390	420	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF7
	DNA Switch 1107-4	450	500	420	450	#7	#8	-	-	6/7	7/8	6/7	7/8	-	-	#7	#7	6/7	7/8	WF8
	DNA Trout Spey 1163-4	250	300	240	270	-	-	-	-	-	-	-	-	-	-	#3	#3	-	-	WF5
	DNA Trout Spey 1164-4	275	325	270	300	#4	#5	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF5
	DNA Trout Spey 1195-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	DNA 1195-4	325	375	300	360	#5	#6	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF6
	DNA 1295-4	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	WF7
	DNA 1266-4	400	450	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	DNA 1307-4	475	525	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	DNA 1356-4	375	425	300	330	#5	#6	-	-	-	-	-	-	-	-	-	-	-	-	
	DNA 1368-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	DNA 1477-4	475	525	400	460	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	DNA 1498-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	DNA 1409-5	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	DNA 1510-5	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	DNA XF 1177-4	400	450	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	DNA XF 1267-4	500	550	480	540	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	DNA XF 1298-4	550	600	480	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	DNA XF 1339-4	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	DNA XD 1167-4	475	525	400	460	#7	#8	#7	#8	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF9
	DNA XD 1208-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	DNA XD 1338-4	525	575	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
Vision	Cult 12' 6" #6	400	450	360	400	#6	#7	-	#7	-	6/7	-	6/7	-	-	-	-	-	-	WF8
	Cult 12' 6" #7	475	525	400	460	#7	#8	-	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cult 13' 4" #7	450	500	400	460	#7	#8	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	Cult 13' 2" #8	500	550	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Cult 13' 8" #9	550	600	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Cult 14' 7" #9	575	625	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GT4 Catapult 11' 6" #7	475	525	435	480	#7	#8	#7	#8	-	6/7	-	-	-	-	#6	#7	6/7	7/8	WF9
	GT4 Catapult 13" #9	550	600	520	580	#9	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GT4 Catapult 14' #10	550	625	520	580	-	-	#10	#11	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	GT4 Catapult 15" #11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Nite 12' 2" 8/9	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Nite 13' 7" 9/10	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Nite 14' 9" 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Nite 16' 9" 11/12	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Attack 13' 8/9	575	625	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF11
	Attack 14' 9/10	650	700	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF12
	Attack 15' 10/11	700	750	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

Manufacturer	Model	Skagit "A"	Skagit "B"	RIO Scandi "A"	RIO Scandi "B"	Scandi Short VT "A"	Scandi Short VT "B"	Scandi VersiTip "A"	Scandi VersiTip "B"	InTouch Short Head Spey "A"	InTouch Short Head Spey "B"	InTouch Mid Head Spey "A"	InTouch Mid Head Spey "B"	InTouch Long Head Spey "A"	InTouch Long Head Spey "B"	InTouch Switch Chucker "A"	InTouch Switch Chucker "B"	InTouch Switch "A"	InTouch Switch "B"	InTouch OutBound (Short)
Winston	BIII TH 11' #6	400	450	330	390	#6	#7	-	-	-	-	-	-	-	-	#6	#6	5/6	6/7	WF8
	BIII TH 11' 6" #6	425	475	360	390	#6	#7	-	-	-	6/7	-	6/7	-	-	#6	#6	5/6	6/7	WF8
	BIII TH 12' 6" #6	400	450	360	400	#6	#7	-	-	-	-	-	-	-	-	-	-	-	-	WF8
	BIII TH 12' 9" #7	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	BIII TH 13' 3" #7	475	525	400	460	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	BIII TH 13' 6" #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	BIII TH 14' #8	550	600	460	520	-	-	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	5/6	6/7	WF10
	BIII TH 15' #9	600	650	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	BIII TH-MS 3106-4	250	275	210	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WF5
	BIII TH-MS 4110-4	275	325	240	270	-	#4	-	-	-	-	-	-	-	-	#4	#4	-	4/5	WF6
	BIII TH-MS 5116-4	350	400	300	330	#4	#5	-	-	-	-	-	-	-	-	#5	#5	4/5	5/6	WF7
Zpey	HM Signature 12' #7	475	525	460	520	-	-	#7	#8	6/7	7/8	6/7	7/8	-	7/8	-	-	-	-	WF9
	HM Signature 12' 1" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	HM Signature 13' 1"#9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	HM Signature 13' 3' #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	HM Signature 13' 9" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Inspire 12' 6" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Inspire 13' 6" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Inspire 14' #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12
	Inspire Classic 12' 6" #8	550	600	460	520	#8	#9	#8	#9	7/8	8/9	7/8	8/9	7/8	8/9	-	-	-	-	WF10
	Inspire Classic 13' 6" #9	625	675	520	580	-	-	#9	#10	8/9	9/10	8/9	9/10	8/9	9/10	-	-	-	-	WF11
	Inspire Classic 14' 3" #10	675	725	580	640	-	-	#10	#11	9/10	10/11	9/10	10/11	9/10	10/11	-	-	-	-	WF12

If you have an older model rod that is not shown here, check out the other PDF file "Older rods Spey line recs."