

SINGLE CAB



DOUBLE CAB




WILDTRAK



Wildtrak derivative. See specification sheets.







Active Park Assist with Parallel Parking²

Not everyone loves to parallel park. But what if we designed a truck that not only helps you find the right size parking space, but also automatically steers itself in for a perfect park? The new **RANGER** offers semi-auto Active Park Assist to make city driving even easier.



Smart Keyless Entry and Push-Button Start³

Get in and out without taking your keys out of your pocket, coat, or bag. When the intelligent access system detects your key, you can get going at the push of a button.



Rear-view Camera⁴

Bollards, bicycles, low walls — the rear-view camera shows what's behind you on a screen built into the centre console. As well as revealing objects, you might miss, the system displays virtual lines to help you park into the smallest of spaces. The camera activates automatically when you select reverse gear.



Adaptive Cruise Control⁵

Forget having to turn your cruise control on and off as traffic conditions change. If traffic slows down in front of you, Adaptive Cruise Control can automatically slow down to maintain a preset distance. Once traffic clears, it returns to your cruising speed.

5

4

¹Pre-collision Assist with pedestrian detection available on Wildtrak derivatives only. ²Active Park Assist with parallel parking available on Wildtrak derivatives only. ³Smart keyless entry and push-button start available on XLT, and Wildtrak derivatives only.

⁴Rear-view camera available on XLS, XLT, and Wildtrak derivatives only. ⁵Adaptive Cruise Control available on Wildtrak derivatives only. See specification sheets.







230V/150W Power Converter*

All new **RANGER** features a 230V/150W power inverter in the back of the centre console, powering your electrical equipment wherever the job finds you.

*230V/150W power converter is available on Wildtrak derivatives only.

FORM MEETS FUNCTION





EASY LIFT TAILGATE*

You've got enough heavy lifting to do. Load your new **RANGER** with greater ease, thanks to the tailgate with lift assistance that now requires 70% less effort to close.

LANE-DEPARTURE WARNING*

By monitoring road markings, it detects if you appear to unintentionally move out of your lane. If you do, your steering wheel will vibrate to warn you. If lane-departure warning continues it will also direct you back into your lane by applying steering torque, unless your indicator is on.

|8

^{*}Easy lift tailgate with lift assistance is available on XLT, and Wildtrak derivatives only.

^{*}Lane-departure warning available on Wildtrak derivatives only.





LOADBOX LIGHTING*

A light installed in the back of the new **RANGER** pick-up gives you all the light you need to get on with the job, no matter what time of the day or night.

TYRE PRESSURE MONITORING SYSTEM*

When your tyre pressure isn't right it can compromise safety and fuel economy. The Tyre Pressure Monitoring System (TPMS) alerts you when one or more of your tyres has lost pressure.

|10

^{*}Loadbox lighting available on XLS, XLT, and Wildtrak derivatives only.

^{*}Tyre Pressure Monitoring System available on Wildtrak derivatives only.











Towing capacity

With up to 3 500kg* towing capacity, you can confidently take on the biggest jobs. Trailer Sway Control® provides stability and greater control when towing a trailer.

*Towing capacity figures will vary according to specific derivative. See specification sheets. *Only available on Ford **APPROVED** towbar.

Electronic Diff-Lock

Take back control on steep inclines and loose surfaces with electronic locking rear differential. This helps you gain the best possible control over challenging and uneven terrains where it can be difficult to keep both rear wheels on the ground.

*Electronic locking rear differential not available on Base derivatives.

Hill Descent Control*

The new **RANGER** 4x4's Hill Descent Control is designed to automatically apply braking, as needed, to slow the vehicle to a set speed in off-road downhill conditions. Speed can be adjusted through the accelerator and the cruise control buttons.

*Hill Descent Control available on 4x4 derivatives only.

Electronic Shift-on-the-Fly 4x4*

Choose 4x2 for regular driving, 4x4 High Range for poor road surfaces and dirt tracks and 4x4 Low Range for exceptionally challenging terrain. Using Electronic Shift-on-the-Fly you can also switch between 4x2 and 4x4 High Range, whilst on the move.

13

*Electronic Shift-on-the-Fly available on 4x4 derivatives only.

12

NEW IMPROVED DIESEL ENGINES.

BIG POWER, SMALL APPETITES.

The heart of the new **RANGER's** superior durability and strength just got an upgrade. The new **RANGER's** diesel engines deliver more than just big power numbers – they're more fuel-efficient than ever. So you can spend more time on the move and less time at the fuel pump.

BI-TURBO DIESEL

157kW / 500Nm

4-Cylinder Diesel Engine

The innovative Bi-Turbo diesel engine's two turbos work sequentially to deliver huge power and torque, combined with a state-of-the-art 10-speed auto transmission.



SINGLE-TURBO

132kW / 420Nm

4-Cylinder Diesel Engine

Not only does the Single-Turbo diesel engine deliver strong performance lower down the rev range, the 10-speed automatic transmission also helps improve fuel efficiency.

3.2L TDCI

147kW / 470Nm

5-Cylinder Diesel Engine

The tried, tested and trusty workhorse that has capably delivered seamless torque to thousands of **RANGERs.**

2.2L TDCI

118kW / 385Nm

4-Cylinder Diesel Engine

The economic choice, this engine will provide thrifty service for years.

Computer-generated image. Features differ per derivative. See specification sheets.

MAKE IT YOURS.

Complementing the new RANGER's stylish design, and satisfying your personal taste, is a range of attractive colours.

Colours - RANGER







Colorado Red



Moondust Silver



Sea Grey (Metallic*)



Copper Red (Metallic*)





Absolute Black (Metallic*)

Colours - WILDTRAK



Moondust Silver





Sea Grey (Metallic*)





Absolute Black



Saber (Metallic*)

*Metallic body colours are options at extra cost.

Note: The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.

Wheels



16" Steel wheel



16" Alloy wheel (Optional on XL derivatives, at an additional cost)



17" Silver Alloy wheel (Standard on XLS and XLT derivatives) Available in black as an option at an additional cost for XLS, XLT, and XL (Super and Double Cab only)



18" Alloy wheel (Available on Wildtrak derivatives only)



FORD **CREDIT**

As part of the Ford family, Ford CREDIT can offer a number of unique finance options to make owning a new or used vehicle affordable and simple. For more information regarding Ford CREDIT, speak to your Ford Dealer or go to www.ford.co.za/buying/ford-credit/home.



FORD PROTECT

Genuine parts. Genuine service.

Enjoy years of trouble-free motoring and preserve the value of your new Ford by fitting only genuine Ford parts and accessories. Servicing your new Ford at a Ford Dealer will also protect you and your vehicle warranty.



Business and Commercial Fleet Customers.

The Ford portfolio of products is growing rapidly to meet your business needs.

Please contact your local Ford Dealer for more information or visit our website at www.ford.co.za/fleet or alternatively email us at fleetsa@ford.com.

Ford **PROTECT**

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new **RANGER** in perfect working condition.

New Vehicle Warranty - Every new RANGER comes with a 4-yr/120 000km Comprehensive Warranty.

Service Plan¹ – Every new RANGER comes standard with a 6-yr/90 000km Service Plan, which covers all scheduled servicing except friction materials, i.e. brake pads and wiper blades.

Corrosion Warranty - Cover lasts for 5-yr/unlimited km.

Roadside Assistance – Cover lasts for 3-yr/unlimited km for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

New Vehicle Extended Warranty — An Extended Warranty may be purchased prior to the expiry of the 4-yr/120 000km New Vehicle Warranty, please contact your dealerships for additional options on the extended warranty.

Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products.

¹All new **RANGER** derivatives purchased after 1 April 2018 will have service intervals as 12 months/15 000km, whichever comes first. **RANGER** derivatives purchased prior will have service intervals of 12 months/ 20 000km, whichever comes first.

The declared fuel consumption and CO₂ emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO₂ emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully too.



Green

Using advanced Ford technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safo

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to protect you.



Smart

Vehicles with smart intuitive technologies designed to connect your world, and many clever solutions from Ford that make life a little easier.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. Printed August 2020.









New grille with red detail

- Black exterior detailing
- 3D Thunder nomenclature
- New black Alloy wheel
- New leather seats with interior red stitching
- Black mountain top roller shutter
- Bed-devider in load box
- Sports hoop with red inserts

www.ford.co.za





RANGER THUNDER IS ONLY AVAILABLE IN THE FOLLOWING COLOURS:

- Moondust Silver (Metallic*)
- Absolute Black (Metallic*)
- Sea Grey (Metallic*)
- Frozen White (Solid)



NEW **RANGER THUNDER**

	DOUBLE CAB				
	3.2 TDCi 4x2 Thunder Hi-Rider	2.0 BiT 4x2 Thunder Hi-Rider	2.0 BiT 4x4 Thunder Hi-Rider		
Engine					
Power: kW @ rpm	147 @ 3 000	157 @ 3 750	157 @ 3 750		
Torque: Nm @ rpm	470 @ 1500 –2750	500 @ 1500 –2 000	500 @ 1500 -2 000		
Transmission	1300 2730	1500 2000	1500 2000		
	6-speed	10-speed	10-speed		
Туре	Automatic	Automatic	Automatic		
Electronic locking rear differential	Std	Std	Std		
Electronic Shift-on-the-Fly (ESOF)	-	-	Std		
Vehicle Capabilities					
Electronic Stability Programme (ESP)	Std	Std	Std		
Hill Descent Control	-	-	Std		
Hill Launch Assist	Std	Std	Std		
Rollover Mitigation	Std Std	Std Std	Std Std		
Adaptive Load Control	Std	Std	Std		
Trailer Sway Control Traction control	Std	Std	Std		
ESP brake system	Std	Std	Std		
Anti-lock Braking System (ABS) with					
Electronic Brakeforce Distribution (EBD)	Std	Std	Std		
Active Park Assist – parallel parking	Std	Std	Std		
Towbar	Std	Std	Std		
Exterior					
Plastic Side Step with Inserts	Std	Std	Std		
Tailgate lock	Power	Power	Power		
Tailgate with lift assistance	Std	Std	Std		
Body & Box Elements					
Wildtrak cargo area management system with side rails	Std	Std	Std		
Drop-in bedliner with 12V power point	Std	Std	Std		
Inner tie-downs	Std	Std	Std		
Windows & Mirrors	Sta	5.0	510		
Rain-sensing wipers	Std	Std	Std		
Window Operation					
Front power and rear windows with driver one- touch up/down function (with anti-pinch)	Std	Std	Std		
Exterior – Mirrors (Driver & Front Passenger)	1				
Exterior mirrors – power-adjustable, power-fold,	C+J	Ctd	C+ I		
heated, puddle lamp, turn indicator	Std	Std	Std		
Exterior Lighting					
Auto-on/off headlamps	Std	Std	Std		
LED Headlamps [®]	Std	Std	Std		
Front fog lamps	Std	Std	Std		
Manual front headlamp levelling	Std	Std	Std		
Daytime running lights	Std	Std	Std		
Rear fog lamp	Std	Std	Std		
High-mounted stop lamp with loadbox lighting	Std	Std	Std		
Interior					
Climate Control Dual-zone Electronic Automatic					
Temperature Control Audio/Media	Std	Std	Std		
Ford SYNC®3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	Std	Std	Std		
Instrument Panel, Cockpit & Controls					
4-spoke leather steering wheel with	Std	Std	Std		
multi- functional buttons					
Cruise control Adaptive Cruise Control: – Heads-up display	Std	Std	Std		
– Forward Collision Warning					
– Distance alert – Autonomous emergency braking – Lane-keeping Aid	Std	Std	Std		

		DOUBLE CAB	
	3.2 TDCi 4x2 Thunder Hi-Rider	2.0 BiT 4x2 Thunder Hi-Rider	2.0 BiT 4x4 Thunder Hi-Rider
Instrument Panel, Cockpit & Controls			
12V power point plug – front & rear console	Std	Std	Std
12V power point plug – loadbox	Std	Std	Std
230V/150W power converter	Std	Std	Std
Cooled centre console	Std	Std	Std
Roof Trim			
Sun visor – driver and passenger with ticket holder and illuminated vanity mirror, sliding rod	Std	Std	Std
Floor Trim Wildtrak front & rear carpet mats	Std	Std	Std
Seats	Stu	Stu	Siu
Driver's seat – 4-way manually adjustable with			
lumbar support adjustment	-	-	-
Driver's seat — 8-way power-adjustable with	Std	Std	Std
lumbar support adjustment Heated seats – driver & passenger	Std	Std	Std
Seat material – leather*	Std	Std	Std
Mirrors			
Electrochromatic rear-view mirror	Std	Std	Std
Rear-view mirror mounted USB port	Std	Std	Std
Stowage			
Rear underseat storage	Std	Std	Std
Safety & Security			
Keyless entry & push-button start	Std	Std	Std
Childproof rear door locks	Std	Std	Std
ISOFIX seats	Std	Std	Std
Driver and passenger airbag	Std	Std	Std
Side airbags (thorax only) Curtain airbags	Std Std	Std Std	Std Std
Inflatable knee airbag	Std	Std	Std
Front parking sensors	Std	Std	Std
Rear parking sensors	Std	Std	Std
Rear-view parking camera	Std	Std	Std
Volumetric burglar alarm system	Std	Std	Std
Mechanical			
General			
Tyre Pressure Monitoring System (TPMS)	Std	Std	Std
Wheels & Tyres			
18" Alloy wheel	Std	Std	Std
Dimensions & Weights	2.500	2500	2.500
Towing mass (braked) (kg)	3 500	3 500	3 500
Fuel tank capacity (L) Gross Vehicle Mass (GVM) (kg)	80 3 200	80 3200	80 3 200
Gross Combination Mass (GCM) (kg)	6 000	6 000	6 000
Tare mass (kg)	2 131	2 098	2 195
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	924	957	860
Overall length (mm)	5 354	5 354	5 354
Overall height (mm)	1851	1851	1851
Overall width (incl. outer mirror)	2163	2163	2163
Overall width (excl. outer mirror)	1860	1860	1860
Wheelbase	3 220	3 220	3 220
Cargo floor length (mm)	1549	1549	1549
Cargo floor width (mm)	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139
Cargo depth (mm)	511	511	511
Ground clearance (mm) (fully loaded)	237	237 800	237 800
Wading depth (mm) Appearance Packs	800	000	000
Thunder Pack®			
New grille with red detail	Std	Std	Std
Black exterior detailing	Std	Std	Std
3D Thunder nomenclature	Std	Std	Std
New black alloy wheel	Std	Std	Std
New leather seats with interior red stiching	Std	Std	Std
Black mountain top roller shutter	Std	Std	Std
Bed-devider in load box	Std	Std	Std
Sports hoop with red inserts	Std	Std	Std



^{*}Leather seats are a combination of leather and high-quality, durable materials.

°Features are available from MY2020 derivatives only. Please contact your nearest dealer for more info.

				SINGLE CAB			
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XL Hi-Rider
Engine							
Power: kW @ rpm	88 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3 700	147 @ 3 000
Torque: Nm @ rpm	285 @ 1500 - 2300	385 @ 1500 - 2500	385 @ 1500 – 2 500	470 @ 1500 – 2750			
Transmission	2 300	2 300	2300	2300	2300	2 300	2730
Туре	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manual	6-speed Automati
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	-	-	Std	Std	-	Std
Vehicle Capabilities							
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std
Hill Descent Control		_	-	Std	Std	_	Std
Hill Launch Assist	_	Std	Std	Std	Std	Std	Std
Rollover Mitigation	_	Std	Std	Std	Std	Std	Std
Adaptive Load Control	_	Std	Std	Std	Std	Std	Std
Trailer Sway Control	_	Std	Std	Std	Std	Std	Std
Traction control	-	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution	Std	Std	Std	Std	Std	Std	Std
(EBD) Exterior	3.0	J. C.	J.C.		Sta	3.0	Sta
ailgate lock	Manual	Manual	Manual	Manual	Manual	Manual	Manual
nner tie-downs	Std	Std	Std	Std	Std	Std	Std
	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Stu	Stu -	Stu -	Stu -			
Rain-sensing wipers	-				Std	Std	Std
Power windows with driver one-touch up/down function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable, manual fold		Std	Std	Std	Std	Std	Std
KLS Appearance Pack*	-	-	-	-	Std	Std	Std
Exterior Lighting							
Auto-on/off headlamps	-	-	-	-	Std	Std	Std
Front fog lamps	-	-	-	-	Std	Std	Std
Rear fog lamp	-	-	-	-	Std	Std	Std
Interior		ı					
Manual air conditioning	Opt	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	Std	Std	Std	-	-	-
Ford 8" touchscreen with Android Auto and Apple Car Play with 6 speakers, CD, USB, Aux, MP3, Bluetooth®	-	Opt	Opt	Opt	Std	Std	Std
Cruise control	-	-	-	-	Std	Std	Std
2V power point plug – front console	Std	Std	Std	Std	Std	Std	Std
Sun visor – driver with ticket holder & passenger with vanity mirror	-	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std
/inyl floor covering	Opt	-	-	-	-	-	-
Seats		'					
Bench seat – 60:40	Opt	-	-	-	-		-
2 separate bucket seats – driver & passenger	Opt	Std	Std	Std	Std	Std	Std
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std
aujustinent							



^{*}XLS Appearance Pack comes standard with: steel rear bumper – chrome; grille – chrome; outer door handles – chrome; tailgate handle – chrome; sports bar with box illumination and brake lamp; exterior mirror finish – chrome; and 17" Alloy wheel. The features cannot be bought separately.

 $^{{}^{\}scriptscriptstyle{0}}\text{Features are available for MY2020 derivatives only. Please contact your nearest dealer for more info.}$

				SINGLE CAB			
	2.2 TDCi 4x2 Base Low-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	3.2 TDCi 4x4 XLS Hi-Rider
Safety & Security							
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std
Remote control entry with 2-stage unlocking and flip key	-	Std	Std	Std	Std	Std	Std
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger	Driver & Passenger	Driver & Passenger
Rear parking distance sensors	-	-	-	-	Std	Std	Std
Rear-view parking camera	_	-	-	-	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std
Mechanical							
Wheels & Tyres							
16x7" Steel wheel	Std	Std	Std	Std	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	-	-	-
17x8" Alloy wheel	-	-	-	-	Std	Std	Std
17x8" Cast Alloy wheel – Panther Black	-	-	-	-	Opt	Opt	Opt
Towing							
Towbar	-	Std	Std	Std	Std	Std	Std
Dimensions & Weights							
Towing mass (braked) (kg)	1500	3 500	3500	3 500	3 500	3 500	3 500
Fuel tank capacity (L)	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	2 925	3 200	3 200	3 200	3 200	3 200	3 200
Gross Combination Mass (GCM) (kg)	4 425	6 000	6 000	6 000	6 000	6 000	6 000
Tare mass (kg)	1728	1939	1920	2 019	2 041	1924	2 045
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1052	1116	1135	1036	1 014	1131	1010
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354
Overall height (mm)	1703	1806	1806	1806	1806	1806	1806
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3220
Cargo floor length (mm)	2 317	2 317	2 317	2 317	2 317	2 317	2 317
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	135	237	237	237	237	237	237
Wading depth (mm)	600	800	800	800	800	800	800



				SUPER CAB			
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider
Engine							
Power: kW @ rpm	88@3700	118 @ 3700	118 @ 3700	118 @ 3 700	118 @ 3700	118 @ 3 700	147@3000
Torque: Nm @ rpm	285 @ 1500 – 2 300	385@1500 – 2500	385@1500 – 2500	385 @1500 – 2500	385@1500 – 2500	385@1500 – 2500	470 @ 1500 – 2750
Transmission							
Туре	5-speed Manual	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Automati
Electronic locking rear differential	-	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	_	-	Std	-	-	Std	Std
Vehicle Capabilities							
Electronic Stability Programme (ESP)	-	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	-	Std	_	-	Std	Std
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std
Rollover Mitigation	_	Std	Std	Std	Std	Std	Std
Adaptive Load Control	_	Std	Std	Std	Std	Std	Std
Trailer Sway Control		Std	Std	Std	Std	Std	Std
Traction control	_	Std	Std	Std	Std	Std	Std
ESP brake system		Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with	_	Stu	Stu	Stu	Stu	Stu	Stu
Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std
Exterior							
Exterior Trim							
Plastic side steps®	-	Opt	Opt	Opt	Std	Std	Std
Tailgate lock	Manual	Manual	Manual	Manual	Manual	Manual	Power
Tailgate with lift assistance	-	_	-	-	_	-	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	-
Rain-sensing wipers	-	-	-	-	Std	Std	Std
Front power windows with driver one-touch up/down (with anti-pinch)	_	Std	Std	Std	Std	Std	Std
Exterior mirrors – power-adjustable,		Stu			Stu		Sta
manual fold Exterior mirrors – power-adjustable,	-	Std	Std	Std	Std	Std	-
power-fold, turn indicator	-	-	-	-	-	-	Std
Exterior Lighting							
Auto-on/off headlamps	-	-	-	-	Std	Std	Std
LED Headlamps [®]	-	-	-	-	-	-	Std
Front fog lamps	-	-	-	-	Std	Std	Std
Daytime running lights	-	Std	Std	Std	Std	Std	Std
High-mounted brake lamp with loadbox lighting	-	-	_	-	Std	Std	Std
XLS Appearance Pack*	_	_	_	_	Std	Std	_
Interior						314	
Manual air conditioning	Ont	C+d	C+d	Ctol	Std	Ctd	
	Opt -	Std	Std	Std	Stu	Std	-
Dual-zone Electronic Automatic Temperature Control (DEATC)		-	-	-	-	-	Std
Radio with 2 speakers, Bluetooth®, USB	Std	C. I	51.1	C. I	-	-	-
Radio with 4 speakers, Bluetooth®, USB Ford 8 ** Fouchscreen with Android Auto and Apple Car Plaly with 6 speakers, CD, USB,	-	Std	Std Opt	Std Opt	Std	Std	-
Aux, MP3, Bluetooth® Ford SYNC® 3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen	-	-		<u> </u>	_	_	Std
& 2x 4.2"TFT screens in cluster & Navigation 4-spoke leather steering wheel with		-		_	-	-	Std
multifunctional buttons Cruise control				_	C+4	C+4	Std
	C+d	C+d			Std	Std	
12V power point plug – front console	Std	Std	Std	Std	Std	Std	Std
12V power point plug – rear console	-	Std	Std	Std	Std	Std	Std
Cooled centre console Sun visor – driver with ticket holder	-	- Std	- Std	- Std	- Std	- Std	Std -
& passenger with vanity mirror Sun visor – driver & passenger with ticket holder & illuminated vanity mirror, sliding rod	-	-	- -	- -	- -	-	Std
Electrochromatic rear-view mirror	-	-	-	-	Std	Std	Std



^{*}XLS Appearance Pack comes standard with: steel rear bumper – chrome; grille – chrome; outer door handles – chrome; tailgate handle – chrome; sports bar with box illumination and brake lamp; exterior mirror finish – chrome; and 17" Alloy wheel. The features cannot be bought separately.

 $^{{}^{\}scriptscriptstyle{0}}\text{Features are available for MY2020 derivatives only. Please contact your nearest dealer for more info.}$

				SUPER CAB			
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	3.2 TDCi 4x4 XLT Hi-Ride
Interior (cont.)							
Seats							
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	-	-	-
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	-
Seat material – leather*	-	-	-	-	-	-	Std
Rear floor storage	Std	Std	Std	Std	Std	Std	Std
Safety & Security							
Power door locks (central locking/unlocking)	Std	Std	Std	Std	Std	Std	Std
Keyless entry & push-button start	-	-	-	-	-	-	Std
Driver & passenger airbag	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	Std	Std	Std
Curtain airbags	-	-	-	-	Std	Std	Std
Inflatable knee airbag	-	-	-	-	-	-	Std
Belt-minder	Driver	Driver	Driver	Driver	Driver & Passenger	Driver & Passenger	Driver & Passen
Rear parking distance sensors	-	-	_	-	Std	Std	Std
Front parking distance sensors	-	-	-	-	-	-	Std
Rear-view parking camera	-	-	-	-	Std	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std
Mechanical							
Wheels & Tyres							
16x7" Steel wheel	Std	Std	Std	Std	-	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	-	-	-
17x8" Alloy wheel	-	-	-	-	Std	Std	Std
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt
Steering							
Electric Power-Assisted Steering (EPAS)	-	Std	Std	Std	Std	Std	Std
Towbar	-	Std	Std	Std	Std	Std	Std
Dimensions & Weights							
Towing mass (braked) (kg)	1500	3 500	3500	3500	3500	3500	3 500
Fuel tank capacity (L)	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 0 2 5	3200	3200	3 2 0 0	3200	3200	3200
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6 0 0 0	6 000	6 000	6000
Tare mass (kg)	1835	1984	2 0 6 2	1962	1984	2105	2200
Payload (kg) (passenger weight (65kg) and fuel weight (80L) removed)	1045	1 071	993	1093	1071	950	855
Overall length (mm)	5 354	5354	5 354	5354	5 354	5 354	5354
Overall height (mm)	1810	1810	1810	1810	1810	1810	1810
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860
		3 220	3 220	3220	3220	3 220	3220
	3 2 2 0				1		
Wheelbase	3220 1847		1847	1847	1847	1847	1847
Wheelbase Cargo floor length (mm)	1847	1847	1847 1560	1847 1560	1847 1560	1847 1560	1847 1560
Wheelbase Cargo floor length (mm) Cargo floor width (mm)	1847 1560	1847 1560	1560	1560	1560	1560	1560
Wheelbase Cargo floor length (mm) Cargo floor width (mm) Cargo width (mm) (between wheel arches)	1847 1560 1139	1847 1560 1139	1560 1139	1560 1139	1560 1139	1560 1139	1560 1139
Wheelbase Cargo floor length (mm) Cargo floor width (mm)	1847 1560	1847 1560	1560	1560	1560	1560	1560

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specification either temporarily or permanently without incurring any liability to any prospective purchaser or purchasers. Printed August 2020.



^{*}Leather seats are a combination of leather and high-quality, durable materials

				DOUBLE CAB			
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Ride
Engine							
Power: kW @ rpm	88@3700	118 @ 3 700	118 @ 3 700	118 @ 3 700	118 @ 3700	118 @ 3 700	118 @ 3 700
Torque: Nm @ rpm	285@	385@	385@	385@	385@	385@	385@
Transmission	1500 – 2300	1500-2500	1500 – 2500	1500 – 2500	1500-2500	1500-2500	1500-2500
Туре	5-speed Manual	6-speed Automatic	6-speed Automatic	6-speed Manual	6-speed Manual	6-speed Automatic	6-speed Manua
Electronic locking rear differential	- speed Mariout	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	_	-	Std	-	Std	Std	- Stu
Vehicle Capabilities			Stu		310	Std	
·		Std	Std	Std	Std	Std	Std
Electronic Stability Programme (ESP) Hill Descent Control	-	-	Std	stu -	Std	Std	- -
Hill Launch Assist	-	Std	Std	Std	Std	Std	Std
Rollover Mitigation	-	Std	Std	Std Std	Std Std	Std	Std Std
Adaptive Load Control Trailer Sway Control		Std	Std Std	Std Std	Sta Std	Std Std	Std
Fraction control	-	Std	Std	Std	Std	Std	Std
ESP brake system		Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std
Exterior							
lastic Side Steps®	-	Opt	Opt	Opt	Opt	Std	Std
ailgate lock	Manual	Manual	Manual	Manual	Manual	Manual	Manual
nner tie-downs	Std	Std	Std	Std	Std	Std	Std
Outer tie-downs (along sides)	Std	Std	Std	Std	Std	Std	Std
pray-in bedliner	Opt	Opt	Opt	Opt	Opt	Opt	Opt
Rain-sensing wipers	-	-	-	-	-	Std	Std
ront power and rear windows with driver one-touch up/ lown function (with anti-pinch)	-	Std	Std	Std	Std	Std	Std
Exterior mirrors – manually adjustable	Std	-	-	-	-	-	-
exterior mirrors – power-adjustable, manual fold	-	Std	Std	Std	Std	Std	Std
Auto-on/off headlamps	-	Opt	Opt	Opt	Opt	Std	Std
Front fog lamps	-	-	-	-	-	Std	Std
Manual front headlamp levelling	-	Std	Std	Std	Std	Std	Std
Daytime running lights	-	Std	Std	Std	Std	Std	Std
Rear fog lamp	-	-	-	-	-	Std	Std
XLS Appearance Pack*	-	-	-	-	-	Std	Std
Interior							
Manual air conditioning	Opt	Std	Std	Std	Std	Std	Std
Radio with 2 speakers, Bluetooth®, USB	Std	-	-	-	-	-	-
Radio with 4 speakers, Bluetooth®, USB	-	Std	Std	Std	Std	-	-
ord 8" touchscreen with Android Auto and Apple Car Plaly with 6 speakers, CD, USB, Aux, MP3, Bluetooth®	-	Opt	Opt	Opt	Opt	Std	Std
ruise control	-	-	-		-	Std	Std
2V power point plug – front console	Std	Std	Std	Std	Std	Std	Std
2V power point plug – rear console	-	Std	Std	Std	Std	Std	Std
oun visor – driver with ticket holder and passenger with ranity mirror	-	Std	Std	Std	Std	Std	Std
Electrochromatic rear-view mirror	-	-	-	-	-	Std	Std
ēeats							
2 separate bucket seats – driver and passenger	Std	Std	Std	Std	Std	Std	Std
2-way manually adjustable – driver bucket seat	Std	Std	Std	Std	Std	_	



^{*}XLS Appearance Pack comes standard with: steel rear bumper – chrome; grille – chrome; outer door handles – chrome; tailgate handle – chrome; sports bar with box illumination and brake lamp; exterior mirror finish – chrome; and 17" Alloy wheel. The features cannot be bought separately.

 $^{{}^{\}circ}\text{Features are available for MY2020 derivatives only.} \ Please \ contact \ your \ nearest \ dealer \ for \ more \ info.$

				DOUBLE CAB			
	2.2 TDCi 4x2 Base Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x2 XL Hi-Rider	2.2 TDCi 4x4 XL Hi-Rider	2.2 TDCi 4x4 XLS Hi-Rider	2.2 TDCi 4x2 XLS Hi-Rider
Interior (cont.)							
Driver's seat – 4-way manually adjustable with lumbar support adjustment	-	-	-	-	-	Std	Std
Seat material – fabric	Std	Std	Std	Std	Std	Std	Std
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std
Safety & Security							
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	-	-	-	-	-	Std	Std
Curtain airbags	_	_	_	-	_	Std	Std
Rear parking distance sensors	-	Opt	Opt	Opt	Opt	Std	Std
Rear-view parking camera	-	_	_	_	_	Std	Std
Volumetric burglar alarm system	-	Std	Std	Std	Std	Std	Std
Mechanical							
Wheels & Tyres							
16x7" Steel wheel	Std	Std	Std	Std	Std	-	-
16x7" Alloy wheel	-	Opt	Opt	Opt	Opt	_	-
17x8" Alloy wheel	-	-	-	-	-	Std	Std
17x8" Cast Alloy wheel – Panther Black	-	Opt	Opt	Opt	Opt	Opt	Opt
Towing							
Towbar	-	Std	Std	Std	Std	Std	Std
Dimensions & Weights							
Towing mass (braked) (kg)	1500	3 500	3500	3500	3500	3500	3500
Fuel tank capacity (L)	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 025	3200	3200	3200	3200	3200	3200
Gross Combination Mass (GCM) (kg)	4 525	6 000	6 000	6 000	6 0 0 0	6 000	6 000
Tare mass (kg)	1849	2 031	2130	2 012	2 012	2155	2 200
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	1031	1024	925	1043	1043	900	855
Overall length (mm)	5 354	5 354	5 354	5 354	5 3 5 4	5354	5 354
Overall height (mm)	1851	1851	1851	1851	1851	1851	1851
Overall width (incl. outer mirror)	2163	2163	2163	2163	2163	2163	2163
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860
Wheelbase	3 220	3 220	3 220	3 220	3 220	3220	3 220
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237
Wading depth (mm)	800	800	800	800	800	800	800



				DOUBLE C	AB			
	2.0 Turbo 4x2 XLT Hi-Rider	2.0 Turbo 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x2 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x4 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x4 RAPTOR Hi-Rider
Engine								
Power: kW @ rpm	132 @ 3 500	132 @ 3 500	147 @ 3 000	147 @ 3 000	147 @ 3 000	157 @ 3 750	157 @ 3 750	157 @ 3 750
Torque: Nm @ rpm	420 @ 1750 – 2 500	420 @ 1750 –2 500	470 @ 1500 –2 750	470 @ 1500 –2 750	470 @ 1500 –2 750	500 @ 1500 –2 000	500 @ 1500 –2 000	500 @ 1500 –2 000
Transmission	1750 2500	1750 2500	1500 2750	1500 2750	1500 2750	1300 2000	1300 2300	1303 2300
	10-speed	10-speed	6-speed	6-speed	6-speed	10-speed Auto-	10-speed Auto-	10-speed Auto-
Туре	Automatic	Automatic	Automatic	Automatic	Automatic	matic	matic	matic
Electronic locking rear differential	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Shift-on-the-Fly (ESOF)	-	Std	-	Std	-	-	Std	-
Vehicle Capabilities								
Electronic Stability Programme (ESP)	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control	-	Std	-	Std	-	-	Std	Std
Hill Launch Assist	Std	Std	Std	Std	Std	Std	Std	Std
Rollover Mitigation	Std	Std	Std	Std	Std	Std	Std	Std
Adaptive Load Control	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	Std	Std	Std	Std	Std	Std	Std	Std
Traction control	Std	Std	Std	Std	Std	Std	Std	Std
ESP brake system	Std	Std	Std	Std	Std	Std	Std	Std
Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std
Active Park Assist – parallel parking	-	-	-	-	Std	Std	Std	-
Towbar	Std	Std	Std	Std	Std	Std	Std	Std
Exterior								
Plastic Side Steps [®]	Std	Std	Std	Std	-	-	-	-
Plastic Side Step with Inserts	-	-	-	-	Std	Std	Std	-
Side Steps-Black	-	-	-	-	-	-	-	Std
Tailgate lock	Power	Power	Power	Power	Power	Power	Power	Power
Tailgate with lift assistance	Std	Std	Std	Std	Std	Std	Std	Std
Body & Box Elements								
Wildtrak cargo area management system with side rails	-	-	-	-	Std	Std	Std	-
Drop-in bedliner with 12V power point					Std	Std	Std	Std
Inner tie-downs	Std	Std	Std	Std	Std	Std	Std	Std
Spray-in bedliner	Opt	Opt	Opt	Opt	-	-	-	-
Windows & Mirrors								
Rain-sensing wipers	Std	Std	Std	Std	Std	Std	Std	Std
Window Operation								
Front power and rear windows with driver one-touch up/down function (with anti-pinch)	Std	Std	Std	Std	Std	Std	Std	Std
Exterior – Mirrors (Driver & Front Passenger)								
Exterior mirrors – power-adjustable, power-fold, turn indicator	Std	Std	Std	Std	-	-	-	-
Exterior mirrors – power-adjustable, power-fold, heated, puddle lamp, turn indicator	-	-	_	-	Std	Std	Std	Std
Exterior Lighting								
Auto-on/off headlamps	Std	Std	Std	Std	Std	Std	Std	Std
LED Headlamps [®]	Std	Std	Std	Std	Std	Std	Std	Std
Front fog lamps – LED®	-	-	-	-	Std	Std	Std	Std
Front fog lamps	Std	Std	Std	Std	-	-	-	-
Manual front headlamp levelling	Std	Std	Std	Std	Std	Std	Std	-
Daytime running lights	Std	Std	Std	Std	Std	Std	Std	Std
Rear fog lamp	Std	Std	Std	Std	Std	Std	Std	Std
High-mounted stop lamp with loadbox lighting	Std	Std	Std	Std	Std	Std	Std	Std



 $^{^{\}circ}\text{Features}$ are available for MY2020 derivatives only. Please contact your nearest dealer for more info.

				DOUBLE C	АВ			
	2.0 Turbo 4x2 XLT Hi-Rider	2.0 Turbo 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x2 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x4 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x RAPTOR Hi-Rider
Interior								
Climate Control								
Dual-zone Electronic Automatic Temperature Control	Std	Std	Std	Std	Std	Std	Std	Std
Audio/Media								
Ford SYNC®3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 2x 4.2" TFT screens in cluster & Navigation	Std	Std	Std	Std	Std	Std	Std	-
Ford SYNC®3 with 6 speakers, CD, 2x USB ports, MP3, Bluetooth®, 8" colour TFT screen & 1x 4.2" TFT screens in cluster & Navigation	-	-	-	-	-	-	-	Std
Instrument Panel, Cockpit & Controls								
4-spoke leather steering wheel with multi-functional buttons	Std	Std	Std	Std	Std	Std	Std	Std
Cruise control	Std	Std	Std	Std	Std	Std	Std	-
Adaptive Cruise Control: - Forward Collision Warning - Distance alert - Autonomous emergency braking - Lane-keeping Aid	_	_	-		Std	Std	Std	-
Driver Alert SystemAuto high-beam control								
12V power point plug – front & rear console	Std	Std	Std	Std	Std	Std	Std	Std
12V power point plug – loadbox	-	-	-	-	Std	Std	Std	Std
230V/150W power converter	-	-	-	-	Std	Std	Std	Std
Cooled centre console	Std	Std	Std	Std	Std	Std	Std	Std
Roof Trim								
Sun visor – driver and passenger with ticket holder and illuminated vanity mirror, sliding rod	Std	Std	Std	Std	Std	Std	Std	Std
Floor Trim								
Wildtrak front & rear carpet mats	-	-	-	-	Std	Std	Std	-
Seats								
$\label{lem:continuous} \mbox{Driver's seat} - \mbox{4-way manually adjustable with lumbar support adjustment}$	Std	Std	Std	Std	-	-	-	-
Driver's seat – 8-way power-adjustable with lumbar support adjustment	-	-	-	-	Std	Std	Std	Std
Heated seats – driver & passenger	-	-	-	-	Std	Std	Std	Std
Seat material – leather*	Std	Std	Std	Std	Std	Std	Std	Std
Mirrors								
Electrochromatic rear-view mirror	Std	Std	Std	Std	Std	Std	Std	Std
Rear-view mirror mounted USB port®	-	-	-	-	Std	Std	Std	Std
Stowage								
Rear underseat storage	Std	Std	Std	Std	Std	Std	Std	Std



^{*}Leather seats are a combination of leather and high-quality, durable materials.

°Features are available for MY2020 derivatives only. Please contact your nearest dealer for more info.

				DOUBLE C	АВ			
	2.0 Turbo 4x2 XLT Hi-Rider	2.0 Turbo 4x4 XLT Hi-Rider	3.2 TDCi 4x2 XLT Hi-Rider	3.2 TDCi 4x4 XLT Hi-Rider	3.2 TDCi 4x2 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x2 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x4 Wildtrak Hi-Rider	2.0 Bi-Turbo 4x RAPTOR Hi-Rider
Safety & Security								
Keyless entry & push-button start	Std	Std	Std	Std	Std	Std	Std	Std
Childproof rear door locks	Std	Std	Std	Std	Std	Std	Std	Std
ISOFIX seats	Std	Std	Std	Std	Std	Std	Std	Std
Driver and passenger airbag	Std	Std	Std	Std	Std	Std	Std	Std
Side airbags (thorax only)	Std	Std	Std	Std	Std	Std	Std	Std
Curtain airbags	Std	Std	Std	Std	Std	Std	Std	Std
Inflatable knee airbag	Std	Std	Std	Std	Std	Std	Std	Std
Front parking sensors	Std	Std	Std	Std	Std	Std	Std	-
Rear parking sensors	Std	Std	Std	Std	Std	Std	Std	Std
Rear-view parking camera	Std	Std	Std	Std	Std	Std	Std	Std
Volumetric burglar alarm system	Std	Std	Std	Std	Std	Std	Std	Std
Mechanical								
General								
Tyre Pressure Monitoring System (TPMS)	-	-	-	-	Std	Std	Std	-
Wheels & Tyres								
17x8" Alloy wheel	Std	Std	Std	Std	-	-	-	Std
17x8" Cast Alloy wheel – Panther Black	Opt	Opt	Opt	Opt	-	-	-	-
18" Alloy wheel	-	-	-	-	Std	Std	Std	-
18" Alloy Wheel (Alternative Wildtrak wheel)	-	-	-	-	Opt	Opt	Opt	-
Dimensions & Weights								
Towing mass (braked) (kg)	3 500	3 500	3 500	3 500	3 500	3500	3500	2500
Fuel tank capacity (L)	80	80	80	80	80	80	80	80
Gross Vehicle Mass (GVM) (kg)	3 200	3 200	3 200	3 200	3 200	3 200	3 200	3 090
Gross Combination Mass (GCM) (kg)	6 000	6 000	6 000	6 000	6 000	6 000	6 000	5 350
Tare mass (kg)	2142	2 044	2116	2 214	2 131	2 098	2 195	2 338
Payload (kg) [passenger weight (65kg) and fuel weight (80L) removed]	913	1 011	939	841	924	957	860	758
Overall length (mm)	5 354	5 354	5 354	5 354	5 354	5 354	5 354	5 398
Overall height (mm)	1851	1 851	1851	1 851	1851	1851	1851	1873
Overall width (incl. outer mirror)	2163	2163	2163	2 163	2 163	2163	2163	2180
Overall width (excl. outer mirror)	1860	1860	1860	1860	1860	1860	1860	2 028
Wheelbase	3 220	3 220	3 220	3 220	3 220	3 220	3 220	3 220
Cargo floor length (mm)	1549	1549	1549	1549	1549	1549	1549	1743
Cargo floor width (mm)	1560	1560	1560	1560	1560	1560	1560	1560
Cargo width (mm) (between wheel arches)	1139	1139	1139	1139	1139	1139	1139	1139
Cargo depth (mm)	511	511	511	511	511	511	511	561
Ground clearance (mm) (fully loaded)	237	237	237	237	237	237	237	283
Wading depth (mm)	800	800	800	800	800	800	800	850

 $^{^{\}circ}\textsc{Features}$ are available for MY2020 derivatives only. Please contact your nearest dealer for more info.

