

MODEL	KB 250 HO	KB 300	KB 300	KB 300	KB 300				
TRIM	X-RIDER	X-RIDER	HI-RIDER	HI-RIDER	LE	LX	LX AUTO	LX	LX AUTO
DRIVE CONFIGURATION	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x4	4x4
Engine									
Power (kW) @ r/min	100 @ 3600	100 @ 3600	100 @ 3600	100 @ 3600	100 @ 3600	130 @ 3600	130 @ 3600	130 @ 3600	130 @ 3600
Torque (Nm) @ r/min	320 @ 1800 - 2800	320 @ 1800 - 2800	320 @ 1800 - 2800	320 @ 1800 - 2800	320 @ 1800 - 2800	380 @ 1800 - 2800	380 @ 1800 - 2800	380 @ 1800 - 2800	380 @ 1800 - 2800
Fuel Consumption (#1)									
Combined cycle (I/100km)	7.7	7.9	7.7	7.9	7.7	7.8	7.7	7.9	7.9
Combined CO <sub>2</sub> emissions (g/km)	203	208	203	208	203	204	204	209	208
Transmission									
Transmission type	5-Speed Manual	5-Speed Manual	5-Speed Automatic	5-Speed Manual	5-Speed Automatic				
Front Differential									
Shift on the fly up to 100 km/h	-	Std	-	Std	-	-	-	Std	Std
Axle ratio: final drive	-	4.1	-	4.1	-	-	-	3.727	3.727
Wheel / Tyres									
Tyre size	255/60R18	255/60R18	245/70R16	245/70R16	245/70R16	255/60R18	255/60R18	255/60R18	255/60R18
Wheel type / size	Alloy 18" x 7.5J	Alloy 18" x 7.5J	Steel 6.5J x 16	Steel 6.5J x 16	Alloy 7J x 16	Alloy 18" x 7.5J	Alloy 18" x 7.5J	Alloy 18" x 7.5J	Alloy 18" x 7.5J
Full size spare wheel / size	Alloy 18" x 7.5J	Alloy 18" x 7.5J	Steel 6.5J x 16	Steel 6.5J x 16	Steel 6.5J x 16	Alloy 18" x 7.5J	Alloy 18" x 7.5J	Alloy 18" x 7.5J	Alloy 18" x 7.5J
Mass / Capacity									
Tare mass (kg)	1925	2035	1850	1930	1840	1925	1935	2080	2090
Payload (kg)	1020	1020	1092	1001	1100	1141	1123	1043	1021
Towing capacity (kg): unbraked trailer (#2)	750	750	750	750	750	750	750	750	750
Towing capacity / Rating (kg): braked trailer (#2)	2100	2100	2100	2100	2100	3500	3500	3500	3500
Fuel tank capacity (I)	80	80	80	80	80	80	80	80	80
Safety Features									
Anti-Lock Brakes (ABS)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Brake-Force Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Brake Assist System (BAS)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Stability Control (ESC) with traction control	Std	Std	Std	Std	Std	Std	Std	Std	Std
Hill Start Assist (HSA)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control (HDC)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Driver and front passenger airbags	Std	Std	Std	Std	Std	Std	Std	Std	Std
Front seat side airbags	-	-	-	-	-	Std	Std	Std	Std
Curtain airbags	-	-	-	-	-	Std	Std	Std	Std
ISOFIX child seat attachment	Std	Std	Std	Std	Std	Std	Std	Std	Std
Park Distance Control (PDC)	-	-	-	-	-	Std	Std	Std	Std
Security Features									Std
Lockable chrome loadbox handle with integrated rearview camera	-	-	-	-	-	Std	Std	Std	Std
Remote controlled central locking	-	-	-	-	Std	Std	Std	Std	Std
Remote keyless entry	Std	Std	Std	Std	-	-	-	-	-
Passive Entry Start System (PESS)	-	-	-	-		Std	Std	Std	Std
Anti-theft alarm system	Door activated only	Door activated only	Door activated only	Door activated only	Std	Std	Std	Std	Std
Transponder immobiliser system	Std	Std	Std	Std	Std	Std	Std	Std	Std
Interior / Exterior Lighting									
Front reading lights	-	-	-	-	Std	Std	Std	Std	Std
Front fog lights	Std	Std	-	-	Std	Std	Std	Std	Std
Headlight cluster with integrated LED Daytime Running Lights (DRL)	Std	Std	-	-	-	Std	Std	Std	Std
Halogen headlights	Projector	Projector	Multi-Reflector	Multi-Reflector	Multi-Reflector	Projector	Projector	Projector	Projector
Exterior Features									
Front bumper colour	Body colour	Body colour	Body colour	Body colour	Body colour	Body colour	Body colour	Body colour	Body colour
Rear bumper colour	Black	Black	Black	Black	Black	Chrome	Chrome	Chrome	Chrome
Exterior door handle colour	Black	Black	Black	Black	Body colour	Chrome	Chrome	Chrome	Chrome
Exterior mirror colour	Black	Black	Black	Black	Body colour with side indicator		Chrome with side indicator	Chrome with side indicator	Chrome with side indicator
Exterior mirrors	Electrically adjustable	retractable	retractable	retractable	Electrically adjustable, heated & retractable				
Side steps	-	-	Std	Std	Std	Std	Std	Std	Std
Black tubular side steps	Std	Std	-	-	-	-	-	-	-
Mudflaps	Std	Std	Std	Std	Std	Std	Std	Std	Std

MODEL	KB 250 HO	KB 250 HO	KB 250 HO	KB 250 HO	KB 250 HO	KB 300	KB 300	KB 300	KB 300
TRIM	X-RIDER	X-RIDER	HI-RIDER	HI-RIDER	LE	LX	LX AUTO	LX	LX AUTO
DRIVE CONFIGURATION	4x2	4x4	4x2	4x4	4x2	4x2	4x2	4x4	4x4
3.5t Towbar	-	-	-	-	-	-	-	Std	Std
Stainless steel sports bar	-	-	-	-	-	-	-	Std	Std
Black steel sports bar	Std	Std	-	-	-	-	-	-	-
Roof rails	-	-	-	-	-	-	-	Std	Std
B-Pillar Blackout	Std	Std	-	-	-	Std	Std	Std	Std
Interior Features									
Power Assisted Steering (PAS)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Leather steering wheel with multifunction controls	Std	Std	-	-	Std	Std	Std	Std	Std
Seat triffi	Leather trim with X-RIDER logo on headrest	Leather trim with X-RIDER logo on headrest	Cloth	Cloth	Cloth	Cloth - manual adjust	Cloth - manual adjust	Leather trim, power adjust	Leather trim, power adjust
Rear seat centre armrest	-	-	-	-	-	Std	Std	Std	Std
Air conditioner	Manual	Manual	Manual	Manual	Manual	Auto (Climate Control)	Auto (Climate Control)	Auto (Climate Control)	Auto (Climate Control)
Cruise control	-	-	-	-	Std	Std	Std	Std	Std
Multi Information Display (MID)	Std	Std	Std	Std	Std	Std	Std	Std	Std
Electrically operated windows featuring "Express Up and Down" for driver with jam protection	Std	Std	Std	Std	Std	Std	Std	Std	Std
12-V auxiliary power supply	2	2	2	2	2	2	2	2	2
Centre console storage box with lid	Std	Std	Std	Std	Std	Std	Std	Std	Std
Fixed rear window with defogger	-	-	-	-	Std	Std	Std	Std	Std
Infotainment									
Radio tuner with RDS, front loading CD player, MP3 functionality and Bluetooth audio streaming with integrated mobile hands-free	Std	Std	Std	Std	Std	-	-	-	-
Touch screen radio tuner with RDS, front- loading DVD player, MP3 functionality, Bluetooth audio streaming with integrated mobile hands-free, satellite navigation and rearview camera	-	-	-	-	-	Std	Std	Std	Std
Audio input terminal: auxiliary, iPod	Std	Std	Std	Std	Std	Std	Std	Std	Std
Front - Single USB port	-	-	-	-	-	Std	Std	Std	Std
Front - Single USB charge port	Std	Std	Std	Std	Std	Std	Std	Std	Std
No. of speakers	2	2	2	2	6	8	8	8	8
Steering wheel audio controls	Std	Std	-	-	Std	Std	Std	Std	Std
Steering wheel with red stitching and radio controls	Std	Std	-	-	-	-	-	-	-
Options									
Differential lock	Available	-	Available	-	-	-	-	-	-
16" Alloy wheels & 245/70R16C tyre (All Terrain)	-	-	Available	Available	-	-	-	-	-
17" Alloy wheels & 255/65R17 tyre (All Terrain)	-	-	Available	Available	Available	Available	Available	Available	Available
17" Alloy wheels & 255/65R17 tyre (Highway Pattern) <sup>(#3)</sup>	-	-	Available	Available	Available	Available	Available	Available	Available
18" Alloy wheels & 255/60R18 tyre (All Terrain)	-	-	Available	Available	Available	-	-	-	-
Sliding rear window (Cab slider)	Available	Available	Available	Available	Available	Available	Available	Available	Available
Seat trim - black leather trim power adjustable driver seat  Seat trim - black leather trim manual	-	-	-	-	-	Available	Available	-	-
adjustable driver seat	-	-	Available	Available	Available	-	-	-	-
Metallic paint	-	-	Available	Available	Available	Available	Available	Available	Available
Warranty / Service Intervals									
Warranty and roadside assistance	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km
Anti-corrosion warranty	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km
Service plan	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km
Service intervals	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km

### Notes:

(") Fuel economy & CO<sub>2</sub> data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use.


("2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle, including trailer towball load, must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 & GA2) must not be exceeded (e.g.: if a 3.0L Diesel is towing 3,500 kg, its maximum Vehicle Mass is 2,500 kg in order to be within GCM).


(#3) Low rolling resistance tyres with improved fuel efficiency.

Disclaimer: Specifications correct at time of printing and may subsequently change. Please contact your nearest dealer to confirm any specification changes. Date of print January 2018.


# **ACTIVE SAFETY FEATURES**

The best accident is no accident at all. Isuzu is packed with features that will keep you out of trouble.









## **Emergency Brake Assist**

In emergency situations, drivers can often panic when hitting the brakes. EBA detects emergency braking and takes over for you, applying maximum pressure to dramatically reduce stopping distance.

## **Electronic Brake-Force Distribution**

EBD spreads braking power to wheels that need it most, at the front or the rear, based on what you are carrying. When fully loaded, this dramatically reduces your stopping distance.

### **Traction Control System**

If the KB detects any wheel spin, the TCS applies brake pressure to the over-spinning wheels and gives you better control.

## **Daytime Running Lights**

Daytime Running Lights help improve the visibility of your KB to others on the road, even when your headlights are not turned on.

Disclaimer: These features are only available on selected Isuzu models.

#### **Rearview Camera**

You'll have eyes in the back of your head with a reversing camera and rear parking sensors available across the range – perfect for tricky parking situations, or reversing out of a narrow driveway.

## Hill Descent Control

Hill Descent Control electronically applies brakes to ensure a smooth, controlled descent and will give you the confidence to tackle tricky downhill terrain.

#### Hill Start Assist

For added driver control and safety, the Electronic Brake Control will automatically engage the Hill Start Assist to prevent vehicle roll-back when starting on steep gradients (above 5.7 degrees).

## **Electronic Stability Control**

The ultimate in active safety. Through a network of sensors throughout the vehicle, ESC can detect if you are over or understeering. It then commands ABS, TCS and the engine management computer to make sure you stay in control. It's like a third hand on the steering wheel, keeping you safe.

