

What is NumPy?

NumPy is a Python library used for working with arrays.

It also has functions for working in domain of linear algebra, fourier transform, and matrices.

NumPy was created in 2005 by Travis Oliphant. It is an open source project and you can use it freely.

NumPy stands for Numerical Python.

Why Use NumPy?

In Python we have lists that serve the purpose of arrays, but they are slow to process.

NumPy aims to provide an array object that is up to 50x faster than traditional Python lists.

The array object in NumPy is called `ndarray`, it provides a lot of supporting functions that make working with `ndarray` very easy.

Arrays are very frequently used in data science, where speed and resources are very important.

Data Science: is a branch of computer science where we study how to store, use and analyze data for deriving information from it.

Why is NumPy Faster Than Lists?

NumPy arrays are stored at one continuous place in memory unlike lists, so processes can access and manipulate them very efficiently.

This behavior is called locality of reference in computer science.

This is the main reason why NumPy is faster than lists. Also it is optimized to work with latest CPU architectures.

Which Language is NumPy written in?

NumPy is a Python library and is written partially in Python, but most of the parts that require fast computation are written in C or C++.

Installation of NumPy

If you have [Python](#) and [PIP](#) already installed on a system, then installation of NumPy is very easy.

Install it using this command:

```
C:\Users\Your Name>pip install numpy
```

If this command fails, then use a python distribution that already has NumPy installed like, Anaconda, Spyder etc.

Import NumPy

Once NumPy is installed, import it in your applications by adding the `import` keyword:

```
import numpy
```

Now NumPy is imported and ready to use.

Example

```
import numpy
```

```
arr = numpy.array([1, 2, 3, 4, 5])
```

```
print(arr)
```

NumPy as np

NumPy is usually imported under the `np` alias.

alias: In Python alias are an alternate name for referring to the same thing.

Create an alias with the `as` keyword while importing:

```
import numpy as np
```

Now the NumPy package can be referred to as `np` instead of `numpy`.

Example

```
import numpy as np
```

```
arr = np.array([1, 2, 3, 4, 5])
```

```
print(arr)
```

Checking NumPy Version

The version string is stored under `__version__` attribute.

Example

```
import numpy as np

print(np.__version__)
```

NumPy Creating Arrays

Create a NumPy ndarray Object

NumPy is used to work with arrays. The array object in NumPy is called `ndarray`.

We can create a NumPy `ndarray` object by using the `array()` function.

Example

```
import numpy as np

arr = np.array([1, 2, 3, 4, 5])

print(arr)

print(type(arr))
```

type(): This built-in Python function tells us the type of the object passed to it. Like in above code it shows that `arr` is `numpy.ndarray` type.

To create an `ndarray`, we can pass a list, tuple or any array-like object into the `array()` method, and it will be converted into an `ndarray`:

Example

Use a tuple to create a NumPy array:

```
import numpy as np

arr = np.array((1, 2, 3, 4, 5))

print(arr)
```

Dimensions in Arrays

A dimension in arrays is one level of array depth (nested arrays).

nested array: are arrays that have arrays as their elements.

0-D Arrays

0-D arrays, or Scalars, are the elements in an array. Each value in an array is a 0-D array.

Example

Create a 0-D array with value 42

```
import numpy as np

arr = np.array(42)

print(arr)
```

1-D Arrays

An array that has 0-D arrays as its elements is called uni-dimensional or 1-D array.

These are the most common and basic arrays.

Example

Create a 1-D array containing the values 1,2,3,4,5:

```
import numpy as np

arr = np.array([1, 2, 3, 4, 5])

print(arr)
```

2-D Arrays

An array that has 1-D arrays as its elements is called a 2-D array.

These are often used to represent matrix or 2nd order tensors.

NumPy has a whole sub module dedicated towards matrix operations called `numpy.mat`

Example

Create a 2-D array containing two arrays with the values 1,2,3 and 4,5,6:

```
import numpy as np

arr = np.array([[1, 2, 3], [4, 5, 6]])

print(arr)
```

3-D arrays

An array that has 2-D arrays (matrices) as its elements is called 3-D array.

These are often used to represent a 3rd order tensor.

Example

Create a 3-D array with two 2-D arrays, both containing two arrays with the values 1,2,3 and 4,5,6:

```
import numpy as np

arr = np.array([[[1, 2, 3], [4, 5, 6]], [[1, 2, 3], [4, 5, 6]]])

print(arr)
```

Check Number of Dimensions?

NumPy Arrays provides the `ndim` attribute that returns an integer that tells us how many dimensions the array have.

Example

Check how many dimensions the arrays have:

```
import numpy as np

a = np.array(42)
b = np.array([1, 2, 3, 4, 5])
c = np.array([[1, 2, 3], [4, 5, 6]])
```

```
d = np.array([[[1, 2, 3], [4, 5, 6]], [[1, 2, 3], [4, 5, 6]]])
```

```
print(a.ndim)
```

```
print(b.ndim)
```

```
print(c.ndim)
```

```
print(d.ndim)
```

