



Svea Payments

Payment Gateway Manual
for
WooCommerce platform

version 2.1.17

Table of Contents

1	Changes	3
2	Service requirements	5
3	System requirements	6
4	Package contents	7
5	Installation.....	8
5.1	Installing the Plugin	8
5.2	Upgrading an existing plugin	10
6	Configuration	11
6.1	Enable / Disable	12
6.2	Title	12
6.3	Customer message.....	12
6.4	Payment handling fees	12
6.5	Payment handling fee tax class	13
6.6	Seller id	13
6.7	Secret Key and Secret key version.....	13
6.8	Gateway URL	13
6.9	Svea Payments Payment Prefix.....	13
6.10	Sandbox mode.....	13
6.11	Svea Payments encoding.....	14
7	Language customization	16
8	Testing the installation	17
8.1	Testing in Svea Payments test environment.....	17
9	Svea Payments checkout and payment	18
10	Administration	20
10.1	Payment verification	20
10.2	Refunds	20

1 Changes

date	version	description
03/06/2015	1.0.0	Initial release.
03/11/2016	2.0.0	<p>Changed:</p> <ul style="list-style-type: none"> - Complete refactoring of the plugin source code to follow WordPress and WooCommerce standards and best practices. <p>Fixed:</p> <ul style="list-style-type: none"> - Issue #1: on_uninstall, do_background_checks is too generic global functions. The plugin now uses classes, and the function names have been renamed. <p>Removed:</p> <ul style="list-style-type: none"> - Removed the eMaksut option from plugin administration, and always send "Y" as value for the "escrow" field. Svea Payments handles this mode internally, and the setting in the plugin does not affect it. <p>Added:</p> <ul style="list-style-type: none"> - The Plugin now creates a separate row for additional fees (e.g., invoicing fee) added to orders in the Svea Payments service. The fee is shown as an extra row in the order both on the receipt and the administration interface.
03/17/2016	2.0.1	<p>Fixed:</p> <ul style="list-style-type: none"> - Fix JavaScript redirect to the payment gateway on the receipt page - Fix payment table update on plugin re-activation - Fix issue with paying an already pending order
04/28/2016	2.0.2	<p>Fixed:</p> <ul style="list-style-type: none"> - Fix order status after successful payment status query to Svea Payments <p>Changed:</p> <ul style="list-style-type: none"> - Improve order processing to allow for double-submissions from the gateway <p>Added:</p> <ul style="list-style-type: none"> - Add cron script to check for payment status periodically
04/28/2016	2.0.3	<p>Fixed:</p> <ul style="list-style-type: none"> - Fix DB update between plugin versions
07/04/2017	2.0.4	<p>Fixed:</p> <ul style="list-style-type: none"> - Fix order total discount issue by forcing the order total discount value to be a float. - Fix issue when no-fee payment rows are added to the order. Re-calculate totals to match fees.
07/04/2017	2.0.5	<p>Fixed:</p> <ul style="list-style-type: none"> - Fix issue when payment status query log table size grows too large. <p>NOTE: The status query log table will be truncated for versions before 2.0.5, so if you want to keep the history, please make sure you back up the database table.</p>
06/06/2018	2.0.6	<p>Tested for:</p> <ul style="list-style-type: none"> - WordPress 5.1.1

		<ul style="list-style-type: none"> - WooCommerce 3.6.4 - Php 7.0, 7.1, 7.2, and 7.3 Fixed: <ul style="list-style-type: none"> - Not using deprecated magic properties on orders and products if WooCommerce major version is three or higher - No notifications on successful and unsuccessful payments on WooCommerce 3.0 and higher (implicit notification printing removed in WooCommerce 3.0 and no right way around exists).
06/12/2019	2.0.7	Fixed: Compatibility class not loading in Linux environment
06/13/2019	2.0.8	Fixed: Removed usage of deprecated class WC_Order_Item_Meta if WooCommerce is version 3 or higher
04/02/2020	2.0.9	Added: <ul style="list-style-type: none"> - Information about refunds
1.12.2020	2.1.3	Tested for: WordPress 5.3.3, WooCommerce 4.7.1 Fixed: VAT handling New: A new feature to add handling costs for specific payment methods
14.1.2021	2.1.5	Tested for: WordPress 5.3.3, WooCommerce 4.8.0 New: Special functionality for Estonian payment methods
		Tested for: WordPress 5.9 and WooCommerce 6.1.1 Check readme.md for release information 2.1.6 and above

2 Service requirements

The plugin requires an activated Svea Payments payment service to work in production.

For testing purposes, you can order test credentials to Svea Payments test environment. For more details, see the Testing section at <http://docs.sveapayments.fi>.

Without an active Svea Payments (test environment or production environment) account, you can test the plugin using the Sandbox test mode. See more about testing in section 8.

3 System requirements

The Svea Payments Payment Gateway plugin for WooCommerce was tested on and required the following set of applications to work fully:

Requirement	Supported versions
WooCommerce	<ul style="list-style-type: none">• 5.x, 6.x
WordPress	<ul style="list-style-type: none">• 5.x
PHP	<ul style="list-style-type: none">• 7.x
PHP cURL Module	<ul style="list-style-type: none">• Any
PHP mbstring module	<ul style="list-style-type: none">• Any

There is no guarantee that the plugin is fully functional in any other environment.

4 Package contents

This guide assumes that the user correctly downloaded all the package files. Folder structure:


File	Description
docs/*	Plugin documentation
includes/*	Class files included by the main plugin class to separate business logic into logical containers
languages/*	Plugin translations
templates/*	Template files used by the module both in the back-end and front-end
LICENSE	Plugin license file
Svea _logo.png	Svea Payments logo used by WooCommerce
README.md	Readme file and Change Log
readme.txt	Plugin readme file required by WordPress
wc-maksuturva.php	Main plugin class.

5 Installation


Before any change in your environment, we strongly recommend that you back up the entire existing WordPress and WooCommerce installation.

5.1 Installing the Plugin

- 1) Go to Github page https://github.com/maksuturva/woocommerce_payment_module
- 2) Download the latest ZIP (Source code zip) by pressing green Code-button and Download ZIP



- 3) On the WordPress plugins page, select *Lisää uusi* (Add New) and then *Lataa Lisäosa* (Upload Plugin). Choose the zip-archive file you downloaded and select *Asenna Nyt* (Install Now). Choose *Aktivoi* (Activate) the plugin.




Note! If you receive this error when uploading the zip package, you need to change your

server php.ini settings to allow 6M file size at least.

Siirretty tiedosto on suurempi kuin mitä on määritelty muuttujalle upload_max_filesize tiedostossa php.ini.

- 4) Select Settings and configure the plugin as described in Configuration 6 -section in this guide.
- 5) Go to WooCommerce / Settings / Payments and enable Svea payment methods you want to use



Payment methods

Installed payment methods are listed below and can be sorted to control their display order on the frontend.

Method	Enabled	Description	
Direct bank transfer	<input type="checkbox"/>	Take payments in person via BACS. More commonly known as direct bank/wire transfer	Set up
Check payments	<input type="checkbox"/>	Take payments in person via checks. This offline gateway can also be useful to test purchases.	Set up
Cash on delivery	<input type="checkbox"/>	Have your customers pay with cash (or by other means) upon delivery.	Set up
PayPal Standard – PayPal	<input type="checkbox"/>	PayPal Standard redirects customers to PayPal to enter their payment information.	Set up
Svea – Svea Payments	<input checked="" type="checkbox"/>	Take payments via Svea.	Manage
Svea Credit Card and Mobile – Credit Card and Mobile	<input checked="" type="checkbox"/>	General Svea settings are managed here .	Manage
Svea Invoice and Hire Purchase – Invoice and Hire Purchase	<input checked="" type="checkbox"/>	General Svea settings are managed here .	Manage
Svea Online Bank Payments – Online Bank Payments	<input checked="" type="checkbox"/>	General Svea settings are managed here .	Manage
Svea Other Payments – Other Payments	<input checked="" type="checkbox"/>	General Svea settings are managed here .	Manage

[Save changes](#)

- 6) Once more, go to Plugins listing and check that you have only one Svea Payment Gateway installed. Then, continue with the chapter *6 Installation*.

5.2 Upgrading the existing plugin

It's wise to take back up of your database and files.

To upgrade the plugin, use Installation process described in the Chapter 5.1. WooCommerce will notice that you have the plugin installed already and upgrade the current version.

- 1) Select *Replace current with uploaded*.

Note! If you don't get the Replace current with uploaded view, stop and don't click Activate Plugin. In this case the directory in the zip file does not match the current plugin directory. Go to the chapter 5.3 *Reinstalling the plugin*

- 2) Go to Plugins listing and check that the version of Svea Payment Plugins matches the newest release version.

Installing plugin from uploaded file: woocommerce_payment_module-master.zip

Unpacking the package...

Installing the plugin...

Destination folder already exists. /var/www/html/wp-content/plugins/woocommerce_payment_module-master/

This plugin is already installed.

	Current	Uploaded
Plugin name	Svea Payment Gateway	Svea Payment Gateway
Version	2.1.17	2.1.17
Author	Svea Development Oy	Svea Development Oy
Required WordPress version	5.0	5.0
Required PHP version	-	-

You are updating a plugin. Be sure to [back up your database and files](#) first.

Replace current with uploaded

Cancel and go back

5.3 Reinstalling the plugin

It's wise to take back up of your database and files.


Use this method to upgrade the plugin when the zip file directory does not match the current installation and you're not able to use the normal upgrade described in the chapter 5.2.

- 1) Go to Plugins listing and Deactivate Svea Payments Gateway
- 2) Delete Svea Payments Gateway (don't worry, this deletes only the plugin. All orders and settings are in safe)
- 3) Go and proceed the installation as described in the chapter 5.1 *Installing the plugin*

6 Configuration

Before you can use the Svea Payments in your WooCommerce store, you need to do some configurations on the plugin's Settings page.

You can access the settings through WordPress plugins list. Remember to *Save changes*.



The screenshot shows the WordPress 'Plugins' page. At the top, there's a 'Plugins' header with an 'Add New' button. Below it, a filter bar shows 'All (2) | Active (1) | Inactive (1) | Auto-updates Disabled (2)'. A 'Bulk actions' dropdown menu is set to 'Bulk actions' with an 'Apply' button. The main table lists installed plugins. The first plugin is 'Svea Payment Gateway', which is active. It has a description: 'A plugin for Svea Payments, which provides intelligent online features in the Finnish market'. Below the description, it says 'Version 2.1.3 | By Svea Development Oy | Visit plugin site'. There are links for 'Settings' and 'Deactivate' next to the plugin name.

Check your WooCommerce settings, for example:

- Settings / General / Enable taxes: enable tax calculation
- Settings / General / Currency options: only euro is supported
- Settings / Tax / Prices entered with tax: Yes
- Settings / Tax / Display prices in the shop: Including tax
- Settings / Tax / Display prices during cart and checkout: Including tax

Svea

Take payments via Svea.

Enable/Disable ☒ Enable Svea Payments Gateway

Title

Customer Message

Payment handling fees

Payment method code	Handling cost amount

Payment handling fees tax class

Account settings

Seller id

Secret Key

Secret Key Version

Advanced settings

Gateway URL

Payment Prefix

Send delivery information on status change to status

Sandbox mode ☐ Sandbox mode
Svea sandbox can be used to test payments. None of the payments will be real.

Svea encoding ☒ UTF-8 ☐ ISO-8859-1

6.1 Enable / Disable

Checking this checkbox activates Svea Payments as a payment option for your customers in the checkout process.

6.2 Title

Title for the payment gateway, shown on the checkout page. Defaults to Svea Payments.

6.3 Customer message

Description of the payment gateway. This message is shown below the payment gateway.

6.4 Payment handling fees

Optionally, you can specify extra fees per payment method or set multiple payment methods comma-separated using the same extra fee in this table.

You can remove payment fees by selecting the table row and select *Remove selected rows*.

6.5 Payment handling fee tax class

If you have specified handling extra fees, select the fee tax class here.

6.6 Seller id

With a Svea Payments service, you'll get a unique seller id.

This id is ignored when using the Sandbox mode.

6.7 Secret Key and Secret key version

Svea Payments services use your seller id and a secret key combination to authenticate your webstore.

The secret key is used to sign all payments from your store to Svea Payments, so it is essential to keep the secret key secret. Never send the secret key (or a screenshot picture of it) in an unencrypted email or place it somewhere where an outsider could have access to it.

Your initial secret key's version number is *001*. If your secret key has been compromised, you can order a new secret key from Svea Payments. In that case, you need to update the version number to refer to the new secret key you have taken in to use.

Your Seller id and Secret Key are ignored when using the Sandbox mode.

6.8 Gateway URL

Svea Payments production environment (where the customers can make actual payments) uses an SSL-secured connection in a URL <https://www.maksuturva.fi>.

If you are testing the service using Svea Payments test environment (where you can walk through the whole payment process without using actual money), the connection uses URL <https://test1.maksuturva.fi>. Remember to change the URL to refer back to production mode before opening your store to real customers.

Both service environments are separate and have specific service accounts, so you must order the credentials separately.

6.9 Svea Payments Payment Prefix

Svea Payments service requires unique ids for each payment. Orders with payment id that has already been used are not accepted.

As the payment id is calculated from the order numbers, if you move your Svea Payments account to a new software installation and order numbering starts from the beginning, a conflict in payment id numbers can occur. Adding a unique prefix for payment ids after re-installation of the web store can prevent the collision of the payment id numbers.

By default, the prefix is empty.

6.10 Sandbox mode

When the Sandbox mode is activated, the plugin uses Svea Payments general test credentials, directing all payment attempts to Svea Payments' Sandbox test page. On the test page, one can validate the order data, e.g., money amounts, product descriptions, etc. One can also test how the orders will look to the customer or on the admin page when one has returned from Svea Payments with successful payment, error, or cancel the payment in the Sandbox test page.

As the WooCommerce won't know the difference between payments made in sandbox mode or

Svea Payments' test or production environment, remember to deactivate sandbox-mode after you've opened the store for live customers.

If you are uncertain whether an order has an actual payment or has been made in a test environment, you can check all the payments in Svea Payments Kauppias Extranet -services.

6.11 Svea Payments encoding

Svea Payments accept two possible character encodings. Even if you are using a different encoding, the plugin will attempt to convert the data from your WordPress encoding to the encoding set on this configuration. You might need to test which of them works better for your encoding by using the sandbox-mode. The possible values are 'ISO-8859-1' and 'UTF-8', and they are selected from radio button options.

The default and preferred value for this setting are 'UTF-8'.

Wrong encoding might cause the hash verification to fail in the Svea Payments service. If you get errors in the Svea Payments service page informing you that the hash value is invalid, you should check if changing the encoding value fixes the problem.

6.12 Part Payment widget

Part Payment widget can be added on the *single product page* using this setting.

Part Payment widget on Product page

☒ Part Payment widget on Product page

Enable the Part Payment widget on the product page.

Testi-tuote



124,44 €

Alkaen

4,62 €/kk



36 kk

24 kk

12 kk

6 kk

3 kk

Aloituskoko	5,00 €
Korko	19,95 %
Käsittelykulu/kk	0,00 €
Todellinen vuosikorko	25,48 %
Luottokustannukset yht.	46,93 €
Kokonaiskustannukset	171,37 €



Mechelininkatu 1a, 00180 Helsinki

1



Add to cart

7 Language customization

Payment Gateway Module can be translated into different languages, and individual texts can be altered by editing .po -files in the languages directory and compiling them as corresponding .mo -files.

One standard tool for this in Windows- and Mac-environments is Poedit (poedit.net). Remember to add the new and altered files to the plugin zip-archive and reinstall the Plugin to WordPress (See section 10).

8 Testing the installation

It is strongly encouraged that the Svea Payments payment gateway plugin is thoroughly tested before taking it into use in on production web store. It is essential to verify that customer, product information, prices, taxes, and discount and payment message hash calculation is transmitted correctly to Svea Payments.

8.1 Testing in Svea Payments test environment

When Sandbox mode is disabled, the module acts as a production mode, and order confirmation directs the buyer to the Svea Payments payment page. If actual Svea Payments credentials are used, real money transactions will occur.

If Gateway URL is set to refer to Svea Payments test environment (<https://test1.maksuturva.fi>) it is possible to try the full online bank payment and invoice payment process without using actual money. Test environment uses different credentials than Svea Payments production environment, and test environment service needs to be ordered separately from the existing Svea Payments service. More information about testing is available at <http://docs.maksuturva.fi>.

9 Svea Payments checkout and payment

At the checkout page, select Svea Payments as the payment method during the checkout. This list can vary related to enabled payment methods in section 5.1, step 5.

If needed, you can reorder the payment methods on the Payment / Payment Methods WooCommerce admin page by using up and down icons.

Billing details

First name * Last name *

Company name (optional)

Country / Region *

Street address *

Postcode / ZIP *

Town / City *

Phone *

Email address *






Your order

Test x 1 €213,21


Subtotal €213,21

Total €213,21 (includes €41,27 ALV)

☒ Credit Card and Mobile [SVEA](#)

☐ ☐ ☐ ☐



☐

By using Svea Payments payment service you agree to the terms of service ([PDF](#))

☐ Invoice and Hire Purchase [SVEA](#)

☐ Online Bank Payments [SVEA](#)

☐ Other Payments [SVEA](#)

Your personal data will be used to process your order, support your experience throughout this website, and for other purposes described in our [privacy policy](#).

PLACE ORDER

When you fill in your information, select the payment method, and select Place order, you will be redirected to the payments service.

After payment is completed, you will be redirected to the webstore site and see the order confirmation page.

Order received

Thank you. Your order has been received.

- Order number: **14**
- Date: **December 13, 2020**
- Total: **€430,64**
- Payment method: **Online Bank Payments**

Order details

Product	Total
Test x 2	€426,42
Subtotal:	€426,42
Payment handling fee:	€4,22
Payment method:	Online Bank Payments
Total:	€430,64 (includes €83,35 ALV)

10 Administration

When a customer chooses to place an order and is redirected to Svea Payments service, the order's status is "pending".

After the payment is completed and the customer returns to the shop from Svea Payments, the status is changed to "processing".

If an error occurs or the customer cancels the payment, customer is returned to the store, and the order status is changed to error or canceled.

10.1 Payment verification

The Svea Payments Payment Gateway Plugin automatically verifies payments from Svea Payments and displays the status on the order page.

If the order is still pending after a certain amount of time, it's most likely because the customer has left the payment gateway or closed the browser window in the middle of the payment process. In this case, it's OK for the admin to cancel the order manually.

Payments are not verified while in Sandbox-mode, and the verification does not work for bank payments when using Svea Payments test environment.

10.2 Refunds

The Svea Payment Gateway Plugin supports refunding the order.

After pressing the order page's refund button, there is an option for making the refund through Svea.

If the payment is not already settled to the shop, the refund is done automatically after pressing the button.

If the payment is already settled, a message will appear to the order comments with payment details so that the shop can pay the refund back to Svea. Svea can then pay it back to the customer.

If the order has been paid through online banking, the plugin will notify that the refund has to be done directly in Svea Extranet. It is possible to add additional information, such as IBAN, required for refund of online banking payments.