



Svea Payments

Payment Gateway Manual  
for  
WooCommerce platform

*version 2.1.3*

## Table of Contents

|      |   |    |
|------|---|----|
| 1    | Changes .....                                   | 3  |
| 2    | Service requirements .....                      | 5  |
| 3    | System requirements .....                       | 6  |
| 4    | Package contents .....                          | 7  |
| 5    | Installation .....                              | 8  |
| 5.1  | Installing the Plugin .....                     | 8  |
| 5.2  | Upgrading an existing plugin .....              | 10 |
| 6    | Configuration .....                             | 11 |
| 6.1  | Enable / Disable .....                          | 12 |
| 6.2  | Title .....                                     | 12 |
| 6.3  | Customer message .....                          | 12 |
| 6.4  | Payment handling fees .....                     | 12 |
| 6.5  | Payment handling fee tax class .....            | 13 |
| 6.6  | Seller id .....                                 | 13 |
| 6.7  | Secret Key and Secret key version .....         | 13 |
| 6.8  | Gateway URL .....                               | 13 |
| 6.9  | Svea Payments Payment Prefix .....              | 13 |
| 6.10 | Sandbox mode .....                              | 13 |
| 6.11 | Svea Payments encoding .....                    | 14 |
| 7    | Language customization .....                    | 15 |
| 8    | Testing the installation .....                  | 16 |
| 8.1  | Testing in Svea Payments test environment ..... | 16 |
| 9    | Svea Payments checkout and payment .....        | 17 |
| 10   | Administration .....                            | 19 |
| 10.1 | Payment verification .....                      | 19 |
| 10.2 | Refunds .....                                   | 19 |

## 1 Changes

| date       | version | description   |
|------------|---------|---|
| 03/06/2015 | 1.0.0   | Initial release.  |
| 03/11/2016 | 2.0.0   | <p>Changed:</p> <ul style="list-style-type: none"> <li>- Complete refactoring of the plugin source code to follow WordPress and WooCommerce standards and best practices.</li> </ul> <p>Fixed:</p> <ul style="list-style-type: none"> <li>- Issue #1: on_uninstall, do_background_checks is too generic global functions. The plugin now uses classes, and the function names have been renamed.</li> </ul> <p>Removed:</p> <ul style="list-style-type: none"> <li>- Removed the eMaksut option from plugin administration, and always send "Y" as value for the "escrow" field. Svea Payments handles this mode internally, and the setting in the plugin does not affect it.</li> </ul> <p>Added:</p> <ul style="list-style-type: none"> <li>- The Plugin now creates a separate row for additional fees (e.g., invoicing fee) added to orders in the Svea Payments service. The fee is shown as an extra row in the order both on the receipt and the administration interface.</li> </ul> |
| 03/17/2016 | 2.0.1   | <p>Fixed:</p> <ul style="list-style-type: none"> <li>- Fix JavaScript redirect to the payment gateway on the receipt page</li> <li>- Fix payment table update on plugin re-activation</li> <li>- Fix issue with paying an already pending order</li> </ul>  |
| 04/28/2016 | 2.0.2   | <p>Fixed:</p> <ul style="list-style-type: none"> <li>- Fix order status after successful payment status query to Svea Payments</li> </ul> <p>Changed:</p> <ul style="list-style-type: none"> <li>- Improve order processing to allow for double-submissions from the gateway</li> </ul> <p>Added:</p> <ul style="list-style-type: none"> <li>- Add cron script to check for payment status periodically</li> </ul>  |
| 04/28/2016 | 2.0.3   | <p>Fixed:</p> <ul style="list-style-type: none"> <li>- Fix DB update between plugin versions</li> </ul>   |
| 07/04/2017 | 2.0.4   | <p>Fixed:</p> <ul style="list-style-type: none"> <li>- Fix order total discount issue by forcing the order total discount value to be a float.</li> <li>- Fix issue when no-fee payment rows are added to the order. Re-calculate totals to match fees.</li> </ul>  |
| 07/04/2017 | 2.0.5   | <p>Fixed:</p> <ul style="list-style-type: none"> <li>- Fix issue when payment status query log table size grows too large.</li> </ul> <p><b>NOTE:</b> The status query log table will be truncated for versions before 2.0.5, so if you want to keep the history, please make sure you back up the database table.</p>  |
| 06/06/2018 | 2.0.6   | <p>Tested for:</p> <ul style="list-style-type: none"> <li>- WordPress 5.1.1</li> </ul>  |

|            |       |   |
|------------|-------|---|
|            |       | <ul style="list-style-type: none"> <li>- WooCommerce 3.6.4</li> <li>- Php 7.0, 7.1, 7.2, and 7.3</li> </ul> Fixed: <ul style="list-style-type: none"> <li>- Not using deprecated magic properties on orders and products if WooCommerce major version is three or higher</li> <li>- No notifications on successful and unsuccessful payments on WooCommerce 3.0 and higher (implicit notification printing removed in WooCommerce 3.0 and no right way around exists).</li> </ul> |
| 06/12/2019 | 2.0.7 | Fixed: Compatibility class not loading in Linux environment   |
| 06/13/2019 | 2.0.8 | Fixed: Removed usage of deprecated class WC_Order_Item_Meta if WooCommerce is version 3 or higher   |
| 04/02/2020 | 2.0.9 | Added: <ul style="list-style-type: none"> <li>- Information about refunds</li> </ul>  |
| 1.12.2020  | 2.1.3 | Tested for: WordPress 5.3.3, WooCommerce 4.7.1<br>Fixed: VAT handling<br>New: A new feature to add handling costs for specific payment methods  |

## 2 Service requirements

The plugin requires an activated Svea Payments payment service to work in production.

For testing purposes, you can order test credentials to Svea Payments test environment. For more details, see the Testing section at <http://docs.sveapayments.fi>.

Without an active Svea Payments (test environment or production environment) account, you can test the plugin using the Sandbox test mode. See more about testing in section 8.

### 3 System requirements

The Svea Payments Payment Gateway plugin for WooCommerce was tested on and required the following set of applications to work fully:

| Requirement         | Supported versions   |
|---------------------|--|
| WooCommerce         | <ul style="list-style-type: none"><li>• 3.8.x, 4.x</li></ul>                                       |
| WordPress           | <ul style="list-style-type: none"><li>• 4.0, 5.x</li></ul>   |
| PHP                 | <ul style="list-style-type: none"><li>• 5.x (may work, not tested anymore)</li><li>• 7.x</li></ul> |
| PHP cURL Module     | <ul style="list-style-type: none"><li>• Any</li></ul>  |
| PHP mbstring module | <ul style="list-style-type: none"><li>• Any</li></ul>  |

There is no guarantee that the plugin is fully functional in any other environment.

## 4 Package contents

This guide assumes that the user correctly downloaded all the package files. Folder structure:


| File              | Description  |
|-------------------|--|
| docs/*            | Plugin documentation   |
| includes/*        | Class files included by the main plugin class to separate business logic into logical containers |
| languages/*       | Plugin translations  |
| templates/*       | Template files used by the module both in the back-end and front-end                             |
| LICENSE           | Plugin license file  |
| Svea _logo.png    | Svea Payments logo used by WooCommerce   |
| README.md         | Readme file  |
| readme.txt        | Plugin readme file required by WordPress   |
| wc-maksuturva.php | Main plugin class.   |

## 5 Installation


Before any change in your environment, we strongly recommend that you back up the entire existing WordPress and WooCommerce installation.

### 5.1 Installing the Plugin

- 1) Go to Github page [https://github.com/maksuturva/woocommerce\\_payment\\_module](https://github.com/maksuturva/woocommerce_payment_module)
- 2) Download ZIP



- 3) On the WordPress plugins page, select *Add New* and then *Upload Plugin*. Choose the zip-archive file you downloaded and select *Install Now*. Choose then *Activate the plugin*.





- 4) Select Settings and configure the plugin as described in Configuration 6 -section in this guide.
- 5) Go to WooCommerce / Settings / Payments and enable Svea payment methods you want to use

General Products Tax Shipping **Payments** Accounts & Privacy Emails Integration Advanced

### Payment methods

Installed payment methods are listed below and can be sorted to control their display order on the frontend.

| Method   | Enabled                             | Description  |                        |
|--|-------------------------------------|--|------------------------|
| ☰ ^ ▾ Direct bank transfer                                       | <input type="checkbox"/>            | Take payments in person via BACS. More commonly known as direct bank/wire transfer             | <a href="#">Set up</a> |
| ☰ ^ ▾ Check payments   | <input type="checkbox"/>            | Take payments in person via checks. This offline gateway can also be useful to test purchases. | <a href="#">Set up</a> |
| ☰ ^ ▾ Cash on delivery   | <input type="checkbox"/>            | Have your customers pay with cash (or by other means) upon delivery.                           | <a href="#">Set up</a> |
| ☰ ^ ▾ PayPal Standard – PayPal                                   | <input type="checkbox"/>            | PayPal Standard redirects customers to PayPal to enter their payment information.              | <a href="#">Set up</a> |
| ☰ ^ ▾ Svea – Svea Payments                                       | <input checked="" type="checkbox"/> | Take payments via Svea.  | <a href="#">Manage</a> |
| ☰ ^ ▾ Svea Credit Card and Mobile – Credit Card and Mobile       | <input checked="" type="checkbox"/> | General Svea settings are managed <a href="#">here</a> .                                       | <a href="#">Manage</a> |
| ☰ ^ ▾ Svea Invoice and Hire Purchase – Invoice and Hire Purchase | <input checked="" type="checkbox"/> | General Svea settings are managed <a href="#">here</a> .                                       | <a href="#">Manage</a> |
| ☰ ^ ▾ Svea Online Bank Payments – Online Bank Payments           | <input checked="" type="checkbox"/> | General Svea settings are managed <a href="#">here</a> .                                       | <a href="#">Manage</a> |
| ☰ ^ ▾ Svea Other Payments – Other Payments                       | <input checked="" type="checkbox"/> | General Svea settings are managed <a href="#">here</a> .                                       | <a href="#">Manage</a> |

[Save changes](#)

## 5.2 Upgrading an existing plugin

Upgrade existing plugin following the first time installation in section 5.1. It's wise to take back up of your database and files.

Select *Replace current with uploaded*.

Installing plugin from uploaded file:

woocommerce\_payment\_module-master.zip

Unpacking the package...

Installing the plugin...

Destination folder already exists. /var/www/html/wp-content/plugins/woocommerce\_payment\_module-master/

**This plugin is already installed.**

|                            | Current              | Uploaded             |
|----------------------------|----------------------|----------------------|
| Plugin name                | Svea Payment Gateway | Svea Payment Gateway |
| Version                    | 2.1.3                | 2.1.3                |
| Author                     | Svea Development Oy  | Svea Development Oy  |
| Required WordPress version | 4.0                  | 4.0                  |
| Required PHP version       | -                    | -                    |

You are updating a plugin. Be sure to [back up your database and files](#) first.


Replace current with uploaded

Cancel and go back

## 6 Configuration

Before you can use the Svea Payments in your WooCommerce store, you need to do some configurations on the plugin's Settings page.


You can access the settings through WordPress plugins list. Remember to *Save changes*.



The screenshot shows the WordPress 'Plugins' page. At the top, there's a header with 'Plugins' and an 'Add New' button. Below it, a filter bar shows 'All (2) | Active (1) | Inactive (1) | Auto-updates Disabled (2)'. A 'Bulk actions' dropdown menu is set to 'Bulk actions' with an 'Apply' button. The main table lists installed plugins. The first plugin is 'Svea Payment Gateway', which is active. It has a checkbox, a 'Settings' link, and a 'Deactivate' link. The description reads: 'A plugin for Svea Payments, which provides intelligent online features in the Finnish market'. At the bottom of the plugin entry, it says 'Version 2.1.3 | By Svea Development Oy | Visit plugin site'.


Check your WooCommerce settings, for example:


- Settings / General / Enable taxes: enable tax calculation
- Settings / General / Currency options: only euro is supported
- Settings / Tax / Prices entered with tax: Yes
- Settings / Tax / Display prices in the shop: Including tax
- Settings / Tax / Display prices during cart and checkout: Including tax


**Svea** 

Take payments via Svea.

**Enable/Disable** ☒ Enable Svea Payments Gateway


**Title**  Svea Payments

**Customer Message**  Make payment using Svea Payments card, mobile, invoice and bank payment methods


**Payment handling fees** 


| Payment method code | Handling cost amount |
|---------------------|----------------------|
|                     |                      |


[Add new](#) [Remove selected rows](#)

**Payment handling fees tax class**  Standard


**Account settings**


**Seller id** 


**Secret Key** 

**Secret Key Version**  001


**Advanced settings**

**Gateway URL**  https://www.maksuturva.fi

**Payment Prefix** 

**Send delivery information on status change to status**  -

**Sandbox mode** ☐ Sandbox mode  
Svea sandbox can be used to test payments. None of the payments will be real.

**Svea encoding**  ☒ UTF-8 ☐ ISO-8859-1

[Save changes](#)

## 6.1 Enable / Disable

Checking this checkbox activates Svea Payments as a payment option for your customers in the checkout process.

## 6.2 Title

Title for the payment gateway, shown on the checkout page. Defaults to Svea Payments.

## 6.3 Customer message

Description of the payment gateway. This message is shown below the payment gateway.

## 6.4 Payment handling fees

Optionally, you can specify extra fees per payment method or set multiple payment methods comma-separated using the same extra fee in this table.

You can remove payment fees by selecting the table row and select *Remove selected rows*.

## 6.5 Payment handling fee tax class

If you have specified handling extra fees, select the fee tax class here.

## 6.6 Seller id

With a Svea Payments service, you'll get a unique seller id.

This id is ignored when using the Sandbox mode.

## 6.7 Secret Key and Secret key version

Svea Payments services use your seller id and a secret key combination to authenticate your webstore.

The secret key is used to sign all payments from your store to Svea Payments, so it is essential to keep the secret key secret. Never send the secret key (or a screenshot picture of it) in an unencrypted email or place it somewhere where an outsider could have access to it.

Your initial secret key's version number is *001*. If your secret key has been compromised, you can order a new secret key from Svea Payments. In that case, you need to update the version number to refer to the new secret key you have taken in to use.

Your Seller id and Secret Key are ignored when using the Sandbox mode.

## 6.8 Gateway URL

Svea Payments production environment (where the customers can make actual payments) uses an SSL-secured connection in a URL <https://www.maksuturva.fi>.

If you are testing the service using Svea Payments test environment (where you can walk through the whole payment process without using actual money), the connection uses URL <https://test1.maksuturva.fi>. Remember to change the URL to refer back to production mode before opening your store to real customers.

Both service environments are separate and have specific service accounts, so you must order the credentials separately.

## 6.9 Svea Payments Payment Prefix

Svea Payments service requires unique ids for each payment. Orders with payment id that has already been used are not accepted.

As the payment id is calculated from the order numbers, if you move your Svea Payments account to a new software installation and order numbering starts from the beginning, a conflict in payment id numbers can occur. Adding a unique prefix for payment ids after re-installation of the web store can prevent the collision of the payment id numbers.

By default, the prefix is empty.

## 6.10 Sandbox mode

When the Sandbox mode is activated, the plugin uses Svea Payments general test credentials, directing all payment attempts to Svea Payments' Sandbox test page. On the test page, one can validate the order data, e.g., money amounts, product descriptions, etc. One can also test how the orders will look to the customer or on the admin page when one has returned from Svea Payments with successful payment, error, or cancel the payment in the Sandbox test page.

As the WooCommerce won't know the difference between payments made in sandbox mode or

Svea Payments' test or production environment, remember to deactivate sandbox-mode after you've opened the store for live customers.

If you are uncertain whether an order has an actual payment or has been made in a test environment, you can check all the payments in Svea Payments Kauppias Extranet -services.

## **6.11 Svea Payments encoding**

Svea Payments accept two possible character encodings. Even if you are using a different encoding, the plugin will attempt to convert the data from your WordPress encoding to the encoding set on this configuration. You might need to test which of them works better for your encoding by using the sandbox-mode. The possible values are 'ISO-8859-1' and 'UTF-8', and they are selected from radio button options.

The default and preferred value for this setting are 'UTF-8'.

Wrong encoding might cause the hash verification to fail in the Svea Payments service. If you get errors in the Svea Payments service page informing you that the hash value is invalid, you should check if changing the encoding value fixes the problem.

## 7 Language customization

Payment Gateway Module can be translated into different languages, and individual texts can be altered by editing .po -files in the languages directory and compiling them as corresponding .mo -files.

One standard tool for this in Windows- and Mac-environments is Poedit ([poedit.net](http://poedit.net)). Remember to add the new and altered files to the plugin zip-archive and reinstall the Plugin to WordPress (See section 10).

## 8 Testing the installation

It is strongly encouraged that the Svea Payments payment gateway plugin is thoroughly tested before taking it into use in on production web store. It is essential to verify that customer, product information, prices, taxes, and discount and payment message hash calculation is transmitted correctly to Svea Payments.

### 8.1 Testing in Svea Payments test environment

When Sandbox mode is disabled, the module acts as a production mode, and order confirmation directs the buyer to the Svea Payments payment page. If actual Svea Payments credentials are used, real money transactions will occur.

If Gateway URL is set to refer to Svea Payments test environment (<https://test1.maksuturva.fi>) it is possible to try the full online bank payment and invoice payment process without using actual money. Test environment uses different credentials than Svea Payments production environment, and test environment service needs to be ordered separately from the existing Svea Payments service. More information about testing is available at <http://docs.maksuturva.fi>.



## 9 Svea Payments checkout and payment

At the checkout page, select Svea Payments as the payment method during the checkout. This list can vary related to enabled payment methods in section 5.1, step 5.

### Billing details

First name \*

Last name \*

Company name (optional)

Country / Region \*

Street address \*

Postcode / ZIP \*

Town / City \*

Phone \*

Email address \*

### Your order

Test x 1 €213,21






---


**Subtotal** €213,21

---

**Total** €213,21 (includes €41,27 ALV)

☒ Credit Card and Mobile [SVEA](#)

☐ 

By using Svea Payments payment service you agree to the terms of service ([PDF](#))

☐ Invoice and Hire Purchase [SVEA](#)  
☐ Online Bank Payments [SVEA](#)  
☐ Other Payments [SVEA](#)

Your personal data will be used to process your order, support your experience throughout this website, and for other purposes described in our [privacy policy](#).

**PLACE ORDER**

When you fill in your information, select the payment method, and select Place order, you will be redirected to the payments service.

After payment is completed, you will be redirected to the webstore site and see the order confirmation page.

# Order received

Thank you. Your order has been received.

- Order number: **14**
- Date: **December 13, 2020**
- Total: **€430,64**
- Payment method: **Online Bank Payments**

## Order details

| Product                      | Total                                |
|------------------------------|--------------------------------------|
| <b>Test</b> x 2              | €426,42                              |
| <b>Subtotal:</b>             | €426,42                              |
| <b>Payment handling fee:</b> | €4,22                                |
| <b>Payment method:</b>       | Online Bank Payments                 |
| <b>Total:</b>                | <b>€430,64</b> (includes €83,35 ALV) |

## 10 Administration

When a customer chooses to place an order and is redirected to Svea Payments service, the order's status is "pending".

After the payment is completed and the customer returns to the shop from Svea Payments, the status is changed to "processing".

If an error occurs or the customer cancels the payment, customer is returned to the store, and the order status is changed to error or canceled.

### 10.1 Payment verification

The Svea Payments Payment Gateway Plugin automatically verifies payments from Svea Payments and displays the status on the order page.

If the order is still pending after a certain amount of time, it's most likely because the customer has left the payment gateway or closed the browser window in the middle of the payment process. In this case, it's OK for the admin to cancel the order manually.

Payments are not verified while in Sandbox-mode, and the verification does not work for bank payments when using Svea Payments test environment.

### 10.2 Refunds

The Svea Payment Gateway Plugin supports refunding the order.

After pressing the order page's refund button, there is an option for making the refund through Svea.

If the payment is not already settled to the shop, the refund is done automatically after pressing the button.

If the payment is already settled, a message will appear to the order comments with payment details so that the shop can pay the refund back to Svea. Svea can then pay it back to the customer.

If the order has been paid through online banking, the plugin will notify that the refund has to be done directly in Svea Extranet. It is possible to add additional information, such as IBAN, required for refund of online banking payments.