softserve

ARCHITECTURE VISION

eDiscovery and Litigation Document Review Platform

Version 0.3

For

International Law Firm

11/05/2026

Contents

1 Introduction **4**
1.1 Purpose 4
1.2 Scope 4
1.3 Definitions 5
1.4 References 6
1.5 Documentation Roadmap 6
2 Executive Summary **8**
2.1 Key Decisions 8
2.2 Key Risks and Open Issues 9
3 Architectural Drivers **10**
3.1 Business Case 10
3.1.1 Business Goals 11
3.1.2 Major Features 12
3.2 Use Case Model 13
3.2.1 Use Case View eDiscovery Lifecycle 13
3.3 Design Constraints 20
3.4 Quality Attribute Scenarios 22
4 Solution Architecture **24**
4.1 Big Picture 24
4.1.1 Solution Context 24
4.1.2 Solution Decomposition 25
4.2 Design Concerns 27
4.3 Development Technology Stack 27
4.3.1 Development Languages, Frameworks, and Libraries 27
4.3.2 Development Tools 28
4.3.3 External Integration Points 28
5 Implementation Roadmap **30**
5.1 Implementation Deliverables 30
5.2 Implementation Milestones 30
5.3 Estimate 31
5.3.1 Assumptions and Limitations 31
5.3.2 Estimate 31
5.4 Team 32
5.4.1 Team Skillset 32
5.4.2 Team Structure 33

Revision History

Date	Version	Description	Author
10/09/2026	0.1	Initial draft	Maksym Halych
10/09/2026	0.2	Added key decisions, key risks and the business case	Maksym Halych
11/05/2026	0.3	Added the use case model and the design constraints	Maksym Halych

1 Introduction

1.1 Purpose

This Architecture Vision elicits the significant architecture drivers such as business, functional, nonfunctional requirements and constraints, defines architecture, and develops a roadmap for the eDiscovery and Litigation Document Review Platform implementation. The document is intended as a primary technical guidance into solution implementation for the development team.

The document answers the Client's request for proposal, listed in References. The Client is an international law firm with 1,400 lawyers in 14 offices, whose litigation, arbitration and regulatory-investigation practices process roughly 220 million documents per year across 300 active matters. Document review is outsourced today to three external hosting vendors at a cost of EUR 18.5 million per year, and the Client intends to replace them with a firm-operated eDiscovery platform hosted under its own security controls.

The solution architecture is designed following the guiding principles outlined in Appendix A — Architecture Design Methodology.

1.2 Scope

The document describes the proposed architecture of the eDiscovery and Litigation Document Review Platform towards development of the solution that will satisfy business, functional, non-functional requirements and constraints provided by the Client. This Architecture Vision covers the following information:

- Significant architectural drivers for the Solution
- Proposed software architecture of the solution based on these drivers
- Technology stack and environment definitions
- Operations specific perspectives
- Development road map and high level estimates for effort, team size and skill sets.

The solution covers the eDiscovery lifecycle from legal hold to production, in the three delivery phases the Client requested:

- Phase 1: legal hold, collection connectors, processing and early case assessment
- Phase 2: the review workspace with continuous active learning, privilege analytics, redaction and production
- Phase 3: client reporting portals and advanced analytics such as communication mapping

The scope also includes the migration of ten historical matters from the external hosting

vendors, and the hosting of each matter in the region its client approves: the EU, the UK or the US.

1.3 Definitions

The Definitions section lists the acronyms and terms used in this document which might possess lesser familiarity or double meaning to the reader.

#	Term	Definition
1.	Coding	The decisions that a reviewer records on a document, such as relevance and privilege.
2.	Continuous active learning	A machine-learning review method that retrains the model on every reviewer decision and keeps the likely relevant documents first in the queue.
3.	Custodian	A person who keeps data that is related to a matter, for example an employee with a related mailbox.
4.	Early case assessment	Analysis of collected data before review to estimate its volume, cost and key facts and to cull irrelevant data.
5.	eDiscovery	Electronic discovery: the identification, preservation, collection, processing, review and production of electronically stored information for litigation or investigations.
6.	Ethical wall	An access barrier. It keeps persons with a conflict of interest away from the data of a matter.
7.	Go-live	The first production release of the platform with real client matters. Some objectives start their time frame at go-live.
8.	Legal hold	A notice that instructs the persons who hold data relevant to a matter to preserve it, and suspends its routine deletion.
9.	Linear review	A review method in which reviewers read all documents of a set in a fixed order, without a machine-learning model.
10.	Matter	A single litigation, arbitration or regulatory investigation the firm handles for a client; the unit of data, access and billing.
11.	Precision	The percentage of the documents that the model marks as relevant and that are really relevant.
12.	Privilege	Legal professional privilege: protection that allows a document, such as lawyer-client advice, to be withheld from production.

#	Term	Definition
13.	Production	Delivery of relevant, non-privileged documents to the opposing party or the court in an agreed format; distinct from the production environment the platform runs in.
14.	Recall	The percentage of all relevant documents in a matter that the model finds.
15.	Redaction	Masking privileged or sensitive content in a document before production.
16.	Static production	A fixed set of documents from an earlier production. It does not include the coding history.
17.	TAR	Technology-assisted review: a review method in which a machine-learning model learns from reviewer decisions and sorts documents by relevance.

1.4 References

The References section provides a complete list of all the documents referenced elsewhere in this document.

#	Version	Date	Document Name	Published by
1.	1.0	—	Request for Proposal: eDiscovery and Litigation Document Review Platform	International Law Firm (the Client)

1.5 Documentation Roadmap

This section guides into the Architecture Vision document structure to help find the information of interest.

- Executive Summary speaks about the proposed architecture on the highest level and covers:
  - Key Decisions about the architectural and operational choices made for the solution
  - Key Risks and Open Issues detected with the analysis of the available context, requirements, and proposed decisions
- Architectural Drivers elicits the known essential requirements and constraints for the solution to design which play key role in forming architectural decisions and overall architecture.

    - Business Case describes the solution from the business standpoint including business goals and objectives, and major features
    - Service Level Agreement defines the important technical constraints and guarantees under which the solution will be serviced to its clients
    - Use Case Model lists the key Use Cases for the designed solution
    - Domain Model shows the key business entities with attributes and relationships between them.
    - Design Constraints include business, resource, technical and other constraints accounted for in the architecture of the solution.
    - Quality Attribute Scenarios are a set of the testable scenarios clarifying non-functional requirements for the system quality attributes such as performance, maintainability, and others.
- Solution Architecture defines the proposed architecture as a set of architectural views in the format defined in Appendix C — How View is Documented.
    - Big Picture shows the solution architectural context, high level decomposition into components, and followed reference architecture.
    - Development Technology Stack selects the tools, frameworks, libraries, external services and other technologies the solution implementation will rely on.
- Implementation Roadmap proposes the plan for solution implementation including:
    - Implementation Deliverables expected to be implemented and delivered at the implementation phase.
    - Implementation Milestones tied to the project timeline
    - Estimate of complexity/size, effort, schedules for the implementation
    - Team skillset and structure based on the technology, competence, and schedule requirements

2 Executive Summary

The section Executive Summary highlights key architectural decisions made for the solution described in Business Case. These decisions are defined and discussed in depth in Solution Architecture while Implementation Roadmap lays out the proposed milestones, estimates, and team to implement the provided architecture vision.

This section also summarizes the key business and technical risks related to the solution implementation. These risks are uncovered in depth in the rest of the document.

2.1 Key Decisions

The section outlines key design decisions about the solution including the architecture big picture and most essential technologies and external services to rely on.

The solution will be a firm-operated eDiscovery platform on Amazon Web Services (AWS). The key decisions are:

- **Cloud provider.** The platform uses AWS, because the delivery team has strong AWS experience. This decreases the delivery risk in the 16-month program. The platform connects to Microsoft 365 and Purview through the Microsoft Graph API. The Client's Microsoft Entra ID gives single sign-on (SSO) with multi-factor authentication (MFA).
- **Data residency.** Each region (EU, UK and US) has an independent platform instance in its own AWS accounts. Service control policies block all other regions. Thus, the data of a matter stays in the region that its client approves. A separate AWS KMS key encrypts the data of each client.
- **Build approach.** The team develops the eDiscovery workflow. AWS managed services and open-source libraries do the generic functions: Apache Tika extracts text and metadata, Amazon Textract does optical character recognition (OCR), and Amazon OpenSearch Service does the full-text search. Thus, there are no license costs and no new vendor dependency. Sources without a standard connector, such as mobile devices, come in as exports from forensic tools.
- **Processing and storage.** Amazon SQS, AWS Step Functions and Amazon ECS with AWS Fargate process the collected data. The number of workers increases to process 2 TB of raw data each day. Amazon S3 keeps the documents, and Amazon Aurora PostgreSQL keeps the matter data.
- **Review.** Technology-assisted review (TAR) uses continuous active learning and statistical validation on samples. Courts in the UK, the US and some EU jurisdictions accept this method. Large language models in Amazon Bedrock help with privilege detection, through endpoints in the same region only. A reviewer always makes the final privilege decision.
- **Audit.** An append-only, hash-chained ledger records all user and system actions. Copies

of its digests go to S3 Object Lock storage. Thus, any change to the audit trail is visible.

2.2 Key Risks and Open Issues

The section lists the key risks related to the solution design and implementation. It also lists key open issues where architectural decisions have not been made yet or are likely to change.

#	Risk Description	Mitigation Strategy
R-1	Custodian data is usually in the Microsoft 365 tenants of the clients, not in the firm's tenant.	Confirm the data sources in Phase 1. Design connectors for many client tenants.
R-2	Open-source libraries possibly cannot read some rare formats, such as Lotus Notes archives and phone images.	Import these sources as exports from forensic tools. Record the hash value and metadata of each item.
R-3	TAR can miss its recall and precision targets. Court acceptance of TAR is different in each jurisdiction.	Keep linear review available. Agree on the validation protocol with the court.
R-4	Privilege detection can miss privileged documents. These documents then go to the opposing party.	A reviewer makes the final decision. Review a sample of the unflagged documents before production.
R-5	The limits of 16 months, EUR 6 million and 12 people are tight for 3 phases and 3 regions.	Deploy all regions from one infrastructure-as-code template. Give priority to Phases 1 and 2.
R-6	Model validation is possible only with real matters from 3 large clients in the first year.	Get the agreement of these clients in Phase 1. Use the migrated matters as more validation data.
R-7	Client data cannot go on the platform before the security assessment passes. A late failure moves go-live.	Design the security controls from the start. Do a pre-assessment before the formal assessment.
R-8	If go-live is late, the vendor contracts end before the platform is ready.	Align go-live with the 2027 contract renewals. Negotiate short extensions as a fallback.

3 Architectural Drivers

The section captures significant requirements driving the solution architecture and road map. The requirements which are not influencing the solution architecture in major ways and low level requirement details and scenarios are typically excluded from this section and can be found in the requirement specification or the product backlogs.

3.1 Business Case

The section lays out the business case for the eDiscovery and Litigation Document Review Platform.




Figure 3.1. Business level view of the eDiscovery and Litigation Document Review Platform

Figure 3.1 shows the users of the platform, its external systems, and the data flows between them.

For its matters, the Client must preserve, collect, review and produce electronically stored information. Today, three external vendors do this work with different workflows, and contract reviewers read every document. This costs EUR 18.5 million each year. For 68 percent of matters, the review cost is more than the budget. Partners cannot compare cost and progress across matters.

The platform puts the full eDiscovery lifecycle into one firm-operated system:

- The matter-intake and conflicts system sends each new matter and its ethical walls to the platform.

- eDiscovery analysts send legal holds to custodians. Custodians acknowledge the holds on the platform.
- The platform preserves and collects custodian data from corporate and cloud sources, such as Microsoft 365 and Purview.
- The platform processes the data and removes duplicates. Continuous active learning shows the most relevant documents first to review managers and contract reviewers.
- Privilege analytics find privileged content for redaction. Then the platform produces the documents to opposing parties and courts.
- Partners monitor the cost and progress of each matter in a browser or on a tablet. Cost data goes to the practice-management and billing system.
- The platform exchanges documents with the iManage Work document management system. Security administrators manage access and ethical walls.
- In Phase 3, client counsel monitor their matters in a client reporting portal.

Each matter stays in the region that its client approves: the EU, the UK or the US. Per-client keys encrypt the data, and an audit trail records all actions. Thus, the firm can show clients and courts a secure, defensible and auditable review process. The firm can also offer fixed fees, because it controls its review costs.

3.1.1 Business Goals

The section enumerates essential business goals for the solution.

#	Description
BG-1	Decrease the document review cost and keep the review margin in the firm
BG-2	Offer fixed-fee litigation services, to keep and win panel appointments
BG-3	Make the review process defensible in court, from legal hold to production
BG-4	Keep client data secure and in the jurisdictions that the clients approve
BG-5	Stop the dependence on external hosting vendors

A business goal is not measurable. Thus, the table below gives measurable objectives for the goals. One goal can have many objectives, and one objective can help many goals. Each time frame starts at program start or at go-live.

#	Description	Business Goals
BO-1	Decrease the review cost per collected document by 45 percent, from approximately EUR 0.084, in 24 months after go-live. At today's volume, this is approximately EUR 8.3 million each year	BG-1, BG-2
BO-2	Decrease human review from 100 to 40 percent of documents on matters above 500,000 documents, in 24 months after go-live	BG-1, BG-2
BO-3	Get a TAR recall of 75 percent or more at a precision of 65 percent or more on validation samples. Use a statistical method that courts accept	BG-3
BO-4	Decrease the time to issue a legal hold from 5 business days to less than 4 hours. Track 100 percent of custodian acknowledgements. Do both in 18 months from program start	BG-3
BO-5	Find 95 percent or more of the privileged documents in sample sets. Thus, no privileged document goes to the opposing party	BG-3, BG-4
BO-6	Pass an independent ISO 27001-aligned security assessment and the security questionnaires of the 10 largest clients. Do this before the platform keeps client data	BG-4
BO-7	Put 90 percent of new matters on the platform by month 20 from program start	BG-5

3.1.2 Major Features

The section enumerates solution major features.

#	Description
F-1	Legal hold: send hold notices to custodians, track acknowledgements, and preserve data in Microsoft 365 and Purview (Phase 1)
F-2	Collection: standard connectors for corporate and cloud sources, and a bulk import API for other sources (Phase 1)

#	Description
F-3	Processing and early case assessment: text and metadata extraction, OCR, de-duplication, and volume and cost estimates (Phase 1)
F-4	Review workspace with TAR and continuous active learning, in a browser and on a tablet (Phase 2)
F-5	Privilege detection and redaction (Phase 2)
F-6	Production of documents to opposing parties and courts in court-ready formats (Phase 2)
F-7	Matter security: SSO with MFA, matter-level ethical walls, per-client keys, regional hosting, audit trail and defensible deletion (all phases)
F-8	Dashboards for cost, progress, capacity and review throughput, and cost export to the billing system (Phases 1 and 2)
F-9	Client reporting portal, and communication maps between custodians (Phase 3)
F-10	Migration of 10 historical matters from the external vendors (Phase 2)

3.2 Use Case Model

The section lists the key Use Cases for the designed solution as one or more Use Case views.

3.2.1 Use Case View eDiscovery Lifecycle

3.2.1.1 View Context

The interactions in this view happen between the users of the platform, its external systems and the platform. They cover the lifecycle of a matter, from its registration to its deletion, and the features F-1 to F-10.

3.2.1.2 Representation




Figure 3.2. Legal hold, collection and processing use cases

Figure 3.2 shows the features F-1, F-2 and F-3 of Phase 1. It also shows the registration of a matter, which is part of F-7. The eDiscovery analyst preserves, collects and processes the data of the matter.




Figure 3.3. Review and production use cases

Figure 3.3 shows the features F-4, F-5, F-6 and F-10 of Phase 2. The review manager and the contract reviewers examine the documents. The eDiscovery analyst produces the result and migrates the historical matters.




Figure 3.4. Matter security use cases

Figure 3.4 shows the feature F-7, which applies to all phases. All users sign in through one identity provider. The security administrator controls each matter until its deletion.




Figure 3.5. Monitoring and reporting use cases

Figure 3.5 shows the feature F-8 of Phases 1 and 2, and the feature F-9 of Phase 3.

This view defines primary Use Cases for the features F-1 to F-10, corresponding to the types of interaction between the users, the external systems and the solution.

3.2.1.3 Element Catalog

#	Name	Description
ACT-1	Litigation partner	Leads a matter. Monitors its cost and progress.
ACT-2	Review manager	Sets up the review of a matter and controls its quality.
ACT-3	Contract reviewer	Reads documents and records their coding.
ACT-4	eDiscovery analyst	Operates the platform. Does legal holds, collection, processing and production.
ACT-5	Security administrator	Controls access, ethical walls, encryption keys and the audit trail.
ACT-6	Client counsel	A lawyer of the client. Monitors the matters of this client.
ACT-7	Platform user	Any person in the roles ACT-1 to ACT-6.

#	Name	Description
ACT-8	Custodian	Gets hold notices and acknowledges them.
ACT-9	Opposing party or court	Gets the documents that the firm produces.
ACT-10	External hosting vendor	Keeps historical matters today. Gives their data for migration.
ACT-11	Matter-intake and conflicts system	External system. Sends new matters and their ethical walls.
ACT-12	Microsoft 365 and Purview	External system. Preserves custodian data and gives it for collection.
ACT-13	iManage Work	External system. The document management system of the firm. Gives documents for collection and keeps copies of productions.
ACT-14	Practice-management and billing system	External system. Gets the cost data of each matter.
ACT-15	Microsoft Entra ID	External system. Gives SSO with MFA.
UC-1	Register a matter	The matter-intake and conflicts system sends a new matter and its ethical walls. The platform makes a workspace for the matter in the region that the client approves. (F-7)
UC-2	Issue a legal hold	The eDiscovery analyst selects the custodians and sends the hold notices. The platform preserves their data in Microsoft 365 and Purview. (F-1)
UC-3	Acknowledge a legal hold	The custodian opens the hold notice and acknowledges it. The platform records this action. (F-1)
UC-4	Track acknowledgements	The eDiscovery analyst monitors the status of each custodian and sends reminders. (F-1)
UC-5	Collect custodian data	The eDiscovery analyst starts a collection through a standard connector. The data comes from Microsoft 365, Purview or iManage Work. (F-2)
UC-6	Import data in bulk	The eDiscovery analyst sends data from other sources, such as exports from forensic tools, to the bulk import API. The platform records the hash value and metadata of each item. (F-2)

#	Name	Description
UC-7	Process collected data	The eDiscovery analyst starts the processing. The platform extracts text and metadata, does OCR and removes duplicates. (F-3)
UC-8	Assess a matter early	The eDiscovery analyst and the review manager examine the volume and cost estimates. They remove irrelevant data before review. (F-3)
UC-9	Set up a review	The review manager selects TAR or linear review, and gives batches of documents to the contract reviewers. (F-4)
UC-10	Review documents	The contract reviewer reads each document and records its coding. With TAR, the platform retrains its model on each decision and shows the most relevant documents first. (F-4)
UC-11	Validate TAR results	The review manager selects a validation sample. The platform calculates recall and precision with a statistical method that courts accept. (F-4)
UC-12	Decide on privilege	The platform flags documents that are possibly privileged. The contract reviewer makes the final decision. The review manager examines a sample of the unflagged documents. (F-5)
UC-13	Redact documents	The contract reviewer masks privileged or sensitive content in a document. (F-5)
UC-14	Produce documents	The eDiscovery analyst selects the relevant, non-privileged documents and converts them to a court-ready format. The platform sends them to the opposing party or the court, and keeps a copy in iManage Work. (F-6)
UC-15	Migrate a historical matter	The eDiscovery analyst imports a historical matter from an external hosting vendor. A matter in a proprietary format comes in as a static production, without its coding history. (F-10)
UC-16	Sign in	A platform user signs in through Microsoft Entra ID with SSO and MFA. (F-7)
UC-17	Manage access and ethical walls	The security administrator gives roles to users and changes the ethical walls of a matter. (F-7)

#	Name	Description
UC-18	Manage client keys	The security administrator makes, replaces and disables the encryption key of each client. (F-7)
UC-19	Examine the audit trail	The security administrator searches the audit trail and makes a report for a client or a court. The platform shows if a record changed. (F-7)
UC-20	Delete a closed matter	The security administrator starts the deletion at matter close. The platform deletes all data of the matter and records proof of the deletion. It does not delete a matter with an active legal hold. (F-7)
UC-21	Monitor matter cost and progress	The litigation partner monitors the cost and progress of a matter in a browser or on a tablet, and compares matters. (F-8)
UC-22	Export cost data	The platform sends the cost data of each matter to the practice-management and billing system. (F-8)
UC-23	Monitor capacity and throughput	The eDiscovery analyst monitors the capacity of the platform. The review manager monitors the review throughput. (F-8)
UC-24	View client reports	The client counsel monitors the cost and progress of the matters of this client in the client reporting portal (Phase 3). (F-9)
UC-25	Examine communication maps	The eDiscovery analyst or the litigation partner examines a map of the communications between custodians (Phase 3). (F-9)

3.3 Design Constraints

The section lists the constraints accounted for in the designed solution. These can be of business, technical, resource, and other types.

#	Description
CONST-1	**Business.** The program must take no more than 16 months.
CONST-2	**Business.** The program must cost no more than EUR 6 million, with the migration of 10 historical matters included.

#	Description
CONST-3	**Business.** The platform must be ready for the end of the vendor contracts at their 2027 renewal points.
CONST-4	**Resource.** The core delivery team must have no more than 12 persons.
CONST-5	**Resource.** The 8 analysts of the litigation support team must operate the platform, after retraining.
CONST-6	**Legal.** The data of a matter must stay in the region that its client approves: the EU, the UK or the US. Thus, regional instances are necessary from the start.
CONST-7	**Legal.** Linear review must stay available on request, because court acceptance of TAR is different in each jurisdiction.
CONST-8	**Security.** The platform must pass an independent ISO 27001-aligned security assessment and the security questionnaires of the 10 largest clients before it keeps client data.
CONST-9	**Security.** A separate encryption key must protect the data of each client.
CONST-10	**Security.** Users must sign in through SSO with MFA.
CONST-11	**Technical.** The platform must integrate with the existing systems of the Client: Microsoft 365 and Purview, iManage Work, the practice-management and billing system, and the matter-intake and conflicts system.
CONST-12	**Technical.** The platform must use AWS, because the delivery team has strong AWS experience.
CONST-13	**Technical.** Some historical matters are in proprietary vendor formats. These matters can come to the platform only as static productions, without their coding history.

CONST-3 and CONST-12 are soft constraints. The Client can negotiate short extensions with the vendors (R-8). AWS is a decision of the delivery team, not a requirement of the Client. All

other constraints are hard.

3.4 Quality Attribute Scenarios

A Quality Attribute Scenario is an unambiguous and testable requirement for one or more Solution Quality Attributes such as Performance, Usability, Maintainability and others. The scenario consists of six parts: Source of Stimulus, Stimulus, Environment, Artifact, Response, testable and accurate Response Measure.

This section lists and prioritizes the scenarios pertinent to the designed solution.

(List your quality attributes in the table below (at least 5))

#	Quality Attribute	Scenario	Business Priority	Related To
QA-1	Security (credentials transport security)	At all times the credentials entered by the user during log-in are transferred to the server over encrypted, secure channel without the chance of sniffing by third party.	High	UC-1
QA-2	Usability (easiness of payment)	When logged in and navigated to the payment page it takes the user up to 3 clicks to pay with the preregistered valid credit card	Medium	UC-2
<scenario id>	<attribute name (scenario meaning)>	<quality attribute scenario description>	<priority level: High, Medium, Low>	<use case, feature, constraint ids>

(At least one QA from the table above should be documented in the graphic format as below)

Scenario: QA-1

Quality Attributes: Security

Business Priority: High

Related To: UC-1

Description: At all times the credentials entered by the user during log-in are transferred to the server over encrypted, secure channel without the chance of sniffing by third party.

Environment: Normal operation conditions




Figure 3.6. Quality attribute scenario QA-1 in graphic form

4 Solution Architecture

The section Solution Architecture is primary for the Architecture Vision document. It defines and reasons about the solution architecture design based on requirements and constraints identified in the section Architectural Drivers.

4.1 Big Picture

The section includes a list of architectural views covering the designed solution along with the context it runs in on the high level.

4.1.1 Solution Context

4.1.1.1 Intent

The view defines the primary solution components collaborating with the external systems and services. It is driven by the Business Case.

4.1.1.2 Representation

(add your C4 context diagram below)




Figure 4.1. Solution Context diagram

(explain your context diagram)

4.1.1.3 Element Catalog

Table of annotated elements.

(annotate elements from your diagram in the table below)

Name	Description
Cloud Based Solution	Responsible for implementing the REST API to serve data on request from the mobile and web clients
Element2	Responsible for a, b, c
Element3	Responsible for a, b, c
<element name>	<element description and responsibilities>

4.1.2 Solution Decomposition

4.1.2.1 Intent

The view defines the runtime decomposition of the server-side part of the solution. It is driven by the Business Case and the architecture best practices applicable to the cloud-based applications.

4.1.2.2 Context

The view context is defined by the view Solution Context where this section represents the decomposition of the system using the Containers view.

4.1.2.3 Representation

(add your container diagram below)




Figure 4.2. Cloud Solution Container view

(explain your container diagram)

The cloud based part of the solution is decomposed into several parts documented below combining several standard architectural patterns applicable to the highly loaded cloud based SaaS applications: Load Balancer, Data Cache, Background Process, Shared Storage, and Static Content Provider. The subsection resoning provides detailed discussion of these choices.

4.1.2.4 Element Catalog

Table of annotated elements.

(annotate elements from the container diagram here)

#	Description
Element1	Responsible for a, b, c
Element2	Responsible for a, b, c
Element3	Responsible for a, b, c

#	Description
<element name>	<element description and responsibilities>

4.2 Design Concerns

The section lists the concerns defined for the solution.

(list your design concerns/ architecturally significant requirements in the table below)

#	Description
CONC-1	<concern description>
CONC-2	<concern description>
CONC-3	<concern description>
CONC-4	<concern description>
<concern id>	<concern description>

4.3 Development Technology Stack

The section includes a list of decisions on tech stack, frameworks, libs, tools, external services, etc.

4.3.1 Development Languages, Frameworks, and Libraries

4.3.1.1 Intent

The view lists the set of programming languages, frameworks, and libraries the solution implementation will depend on.

4.3.1.2 Context

The context is provided by the view Solution Context.

4.3.1.3 Element Catalog

Table of annotated elements.

(list all technologies, frameworks, libraries that have to be used in the solution in the table below)

Name	Version	Description
Framework1	x.x	Responsible for a, b, c

Name	Version	Description
Library2	3.0-RC1	Responsible for a, b, c
Library3	x.x.x.x	Responsible for a, b, c
<name>	<version>	<description and responsibilities>

4.3.2 Development Tools

4.3.2.1 Intent

The view lists the set of tools the development team will rely upon in solution implementation.

4.3.2.2 Context

The context is provided by the view Solution Context.

4.3.2.3 Element Catalog

Table of annotated elements.

(list all the tools, like IDEs, SAAS, plugins, etc that will be used during the development)

Name	Version	Description
Framework1	x.x	Responsible for a, b, c
Library2	3.0-RC1	Responsible for a, b, c
Library3	x.x.x.x	Responsible for a, b, c
<name>	<version>	<description and responsibilities>

4.3.3 External Integration Points

4.3.3.1 Intent

The view lists the external systems and services the solution implementation will integrate with.

4.3.3.2 Context

The context is provided by the view Solution Context.

4.3.3.3 Element Catalog

(list all the integration points if you have any 3-rd party integration in the table below)

Name	Version	Description
Framework1	x.x	Responsible for a, b, c
Library2	3.0-RC1	Responsible for a, b, c
Library3	x.x.x.x	Responsible for a, b, c
<name>	<version>	<description and responsibilities>

5 Implementation Roadmap

Implementation Roadmap defines the solution implementation road map including list of implementation deliverables, major milestones, effort estimates, and recommended team skillset, structure, and size.

5.1 Implementation Deliverables

The implemented solution will include the following parts as deliverables:

(list your deliverables in the table below)

Name	Refer to Requirements	Refer to Design
Application 1		
Service 2		
Mobile Client 3		
Production Deployment 4		

5.2 Implementation Milestones

The section proposes the major milestones to guide the solution implementation.

(decide and list main milestones for your project in the table below)

Milestone	Description	Outcomes
M0	Project bootstrap	• Dev Team ramped up • Dev and Testing Environment set up • Project Skeleton built
M1	Main application with web front-end development	• Alpha version of the web application • Deployment to the staging

Milestone	Description	Outcomes
M2	Development and stabilization of the web application, development of the deployment and monitoring procedures, release	• Release 1.0 of the application prepared and stable • DevOps framework functional • Release 1.0 goes to production

5.3 Estimate

The Estimate section provides the estimates for the solution implementation based on the proposed architecture and selected estimation methodology.

5.3.1 Assumptions and Limitations

This section describes the known limitations imposed by selected platform, technology, hardware, operating system, third party components, etc. which might affect implementation effort and schedule estimates.

(Describe assumptions and possible limitations that could affect delivery timelines in the table below)

#	Description	Responsible
A1	Assumption 1	<Client Name>
A2	Assumption 2	SoftServe Team
L1	Limitation 1	<Third Party Name>

5.3.2 Estimate

The Estimate section provides effort and, optionally, schedule estimates for the implementation based on the architecture proposed in this Vision document using the WBS approach.

(list delivery items and estimation for these items to be ready)

#	Item	Complexity	Min Effort	Max Effort
1.				

#	Item	Complexity	Min Effort	Max Effort
2.				
3.				
4.				
5.				
Total:				

5.4 Team

The Team section outlines the proposed team skillset and structure based on the proposed technology stack and estimates.

5.4.1 Team Skillset

The section defines skills required from the different team member roles to implement the solution.

(describe team roles and required skillsets for these roles)

Role	Skillset
Business Analyst	• Business domain 1 • Business domain 2
Backend Developer	• Programming Language 1 • Technology 2 • Framework 3 • Tool 4 • Standard 5
UI Developer	• Programming Language 1 • Technology 2 • Framework 3 • Tool 4 • Standard 5

Role	Skillset
DevOps Engineer	• Programming Language 1 • Technology 2 • Framework 3 • Tool 4 • Standard 5

5.4.2 Team Structure

The section proposes a team/sub-team structure and work allocation for the implementation phase.

(describe teams and their responsibilities)

5.4.2.1 Core Team

The core team is responsible for:

- Development of <Component 1>
- Development of <Component 2>
- Support of <Application 1>

Role	Responsibility	Count	FTE
Project Manager	• Project management (coordinate the team, status reporting, communications with the Client team) • Gap analysis	1	0.5
Business Analyst	• Business analysis • Business requirements specification • Software requirements specification	1	1.0
Solutions Architect	• System analysis and design • System requirements specification	1	0.2

Role	Responsibility	Count	FTE
Technical Leader	• Technical leadership and communication • SCRUM Master • Code Reviews • Backend implementation	1	1.0
Sr. Backend Developer	• Technical communication • Code reviews • Backend implementation	2	1.0
Jr. Backend Developer	• Backend implementation	3	1.0
Int. UI Developer	• Web frontend design and implementation • UX prototyping	3	1.0

5.4.2.2 DevOps Team

The DevOps team is responsible for:

- Configuration of <Environment 1>
- Configuration of <Environment 2>
- Deployment and runtime monitoring of <Application 1>

Role	Responsibility	Count	FTE
DevOps Architect	• Operations analysis and design	1	0.2
Int. DevOps Engineer	• System deployment • Environment setup • Production operations support	3	1.0