ELECTRICAL A/C LEGEND


 SYMBOL
 DESCRIPTION
 TOTAL

 Aircon Ceiling Outlet
 10


 Aircon Controller
 1

 Aircon Return Air Inlet
 1

AIR CONDITIONING NOTE:
TO BE INSTALLED BY BUILDER DURING
CONSTRUCTION BY AMBIENCE AIR
CONTACT ADAM DENNY: 9301 5457.
BUILDER TO CO-ORDINATE.



REFER TO SEPARATE BRENDAN SHEEHAN ELECTRICAL PLANS



ELECTRICAL NOTE

-GPO & LIGHT POINT LOCATIONS ARE APPROX.
UNLESS OTHERWISE NOTED OR DIMENSIONED
-GPO HEIGHTS NOMINATED TO MIDDLE OF PLATE AFL
-LIGHT SWITCHES ARE AT 1250 AFL
-LIGHT SWITCHES ARE AT 1250 AFL
UNLESS OTHERWISE NOTED.
-EXHAUST FAN LOCATIONS ARE APPROXIMATE ONLY,
POSITIONED TO SUIT ROOF/CEILING MEMBERS
-SMOKE ALARM TO BE MIN 300 FROM WALL
-SMOKE ALARM USING SCATTERED LIGHT, TRANSMITTED
LIGHT OR IONISATION, INTERCONNECTED & HARDWIRED S
AS PER BCA VOL 2 CL.3.7.2.2 & AS 3786:2014

BROADWAY LO G 14 LUISINI ROAD WANGARA 6065 PH: 6200 2071

FRAKOLAKIS & McGREGOR
PROPOSED RESIDENCE
LOT 131 (#4) STIPA COURT,
GWELUP

HOUSE TYPE:

INDIVIDUAL

DATE......

OWNER.....

BUILDER.

THESE ARE THE PLANS REFERRED

DRAWN / AMENDMENTS

04/02/20 PLANNING AS
30/03/20 WORKING AS
21/05/20 PPA VO AS
19/06/20 PST VO41312 AGM
02/07/20 VO41392 AGM
9/07/20 ENGINEERS AS
28/07/20 VO41532 AGM
29/07/20 VO41532 AGM

SHEET: 11 of 11

Dimensions take preference over scaling & to be checked on site prior to

commencing construction