Mode/. \$user > post() >> save Mony() Drovit user product user\_product. has through user > product > country

has one.

belong to (xxx, userd, deserted)

Product :: pagenate(3); request-> input(m); 直的自己 Pagehate. 多岛 Static 同共 function. Model Attaction.

Model Attaction.

Model Attaction.

Model Attact of Model Attaction.

Model Attact of Model Attaction.

Model Attact of Model Attaction. 1- count. tradat = links per page.

From request-> validator ([]); 题證失敗倒到. XXX (index 推善 Validator: make. acsrf. \*Validator->fail() From Smooted 5.0 被類類 HTML Q. From Helpor. Redirect.() > with
with Errors
with Input
one. Vew: 33010(1xxx1) \$ 2. action="arl.( )"
create., edit.接網2個Vew

Che To Ohe. Eloquent. ()Ser Phone. userid omneht. hasMany Comment belong To.

Eloquent. arave One Laravel Many To Many function name? Ser mulia 1 bolong To Many 中間走 (pivot) 形心 (Many Pthis -> belong To Many (user) -> using (Pokler) mer 20-> With First (col 1,00) Model Pivot telony To May

(bolong le) images morph (6 imageable). morphillany name limage morphone Public function imageables return. \$this->morphio(); public function images () 3 return. Othis > morph Many Image: class, imageode!) morph一)漸變

多對多的多型 obelong (o. 1-1)
obelong Many 1-3. privot ?f. tage() § Taggabi attach. morphToMany/Tagidas,
SYNC. 3 Mabheggymah detan. t. overts.03 return stas=morpheaty Many (Evant::class, traggardo) ···从此類推

Gate. 题意义小部 Est Gete: define (xxx-occ, callback) Callback 第一個參數可多的參數 何和斯斯里利因記得是對Wer變數 Gate: denis (1xxx-coc/staxoas) Gate: allows. (1xxx occ); To the day Eate: for Vser (theor) = allans (tex-acc) Ewer & albu-sals denis -) true Delegan 1 endan

## Policy NiEZ

php artisan make: policy XXXPolicy -- model=XXX

Auth Service Pivoler > & Policy
update (fuser, tipot)

\* & user->con ('update', \$post)

Controller
ofthis > authorize ('update', \$post);
this > authorize ('update', \$post);
the the throw Exeption