

Node JS Tutorial in Hindi #49 Make POST Method REST API with Node.js & MongoDB

Node JS Tutorial in Hindi #49 Make POST Method REST API with Node.js ...



Post API for save data in MongoDB

Make Route for Post request

Send Data from thunder client

Get data from post request

Save data in mongodb

Apply basic validation

Test Flow and DB

Interview Questions

Notes, Code and playlist.

Git link for code <https://github.com/anil-sidhu/node-express-mongodb/tree/add-data-in-mongodb>

index.js code

```
import express from 'express'
import { MongoClient } from 'mongodb';

const dbName="school"
const url ="mongodb://localhost:27017"
const client= new MongoClient(url)

const app = express();
app.use(express.urlencoded({extended:true}))
app.use(express.json());

app.set("view engine",'ejs')
client.connect().then((connection)=>{
const db =connection.db(dbName);

app.get("/api",async (req,resp)=>{
const collection =db.collection("students")
const students= await collection.find().toArray();
resp.send(students)
})

app.get("/ui",async (req,resp)=>{
const collection =db.collection("students")
const students= await collection.find().toArray();
resp.render('students',{students})
})

app.get('/add', (req,resp)=>{
resp.render('add-student')
})
```

```
app.post("/add-student", async (req, resp) =>{
  // console.log(req.body);

  const collection = db.collection("students")
  const result = await collection.insertOne(req.body)
  console.log(result);

  // const students = await collection.find().toArray();
  resp.send("data saved")
})
```

```
app.post("/add-student-api", async (req, resp) =>{
  console.log(req.body);
  const {name, age, email} = req.body;
  if(!name || !age || !email){
    resp.send({message:"operation failed", success:false})
    return false
  }
  const collection = db.collection("students");
  const result = await collection.insertOne(req.body)
  resp.send({message:"data stored", success:true, result:result})
})
```

```
} )
```

```
// app.set("view engine", 'ejs')
```

```
app.listen(3200)
```

views/students.ejs

```
<!DOCTYPE html>
```

```

<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
<body>
<h1>Data will be here</h1>

<table border="1">
<tr>
<td>Name</td>
<td>Age</td>
<td>Email</td>
</tr>

<% students.forEach(student=>{ %>
<tr>
<td><%= student.name %></td>
<td><%= student.age %></td>
<td><%= student.email %></td>
</tr>
<% } ) %>

</table>
</body>
</html>

```

views/add-student.ejs

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">

```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Add Students</title>
</head>
<body>
<form method="post" action="add-student">
<input type="text" name="name" placeholder="enter student name" />
<br/><br/>
<input type="text" name="email" placeholder="enter student email" />
<br/><br/>
<input type="text" name="age" placeholder="enter student age" />
<br/><br/>
<button>Add new Student</button>
</form>
</body>
</html>
```

© 2025 All Rights Reserved by **thecodingskills.com** and **Code step by step YouTube Channel**

[Home](#) [About](#) [Contact](#)