

Built-In Middleware with Code Examples

Node JS Tutorial in Hindi #33 Built-In Middleware with Code Examples



Built-in middleware is already provided by Express. You **don't need to create** it — you just **use it directly**.

Common Built-In Middleware

`express.static()`

- Serves static files like CSS, JS, images.
- Example: Serves files from a folder (`public`).

`express.urlencoded()`

- Parses incoming form data (`application/x-www-form-urlencoded`).

- Helps you access form data via `req.body`.

Basic Code

```
import express from "express";  
const app = express();
```

Form Data Undefined

```
app.post("/submit", (req, resp) => {  
  console.log("user login details are :", req.body); // undefined  
  without middleware  
  resp.send("Submit Page");  
});
```

Use built-in middleware before routes:

```
app.use(express.urlencoded({ extended: false }));
```

This allows Express to read data from the form (like email & password).

Use `express.static()`

To serve static CSS file:

Create folder: public

Add file: public/style.css

In HTML:

```
<link rel="stylesheet" href="/style.css" />
```

In index.js:

```
app.use(express.static("public"));
```

Now Express will automatically serve CSS and other static files from `public/`.

Folder Structure:

```
project/  
├─ public/  
│   └─ style.css  
├─ view/  
│   └─ home.html  
└─ server.js
```

© 2025 All Rights Reserved by **thecodingskills.com** and **Code step by step YouTube Channel**

[Home](#) [About](#) [Contact](#)