


PRODUCT DESIGN SPECIFICATION

IMSSA Media Evaluation Platform

Complete UI feature, content, interaction and UX requirements



Purpose

A build-ready reference for a role-based media-production workspace covering planning, assignment, creation, review, approval, communication, reporting and administration.

Version 1.1 • Desktop, tablet and mobile web • August 2026

Design principle: show the next meaningful action clearly, preserve context across roles, and never make status depend on color alone.

1. Product vision and UX outcomes

The platform should replace fragmented spreadsheets, chats and file handovers with one traceable workflow. The interface must help every user answer four questions immediately: What needs attention? Who owns it? When is it due? What happens next?

1.1 Success outcomes

Outcome	UX requirement	How to measure
Fast orientation	A role-specific home screen with urgent work, due dates and primary action above the fold.	User identifies next task in under 10 seconds.
Clear ownership	Every task and plan item shows assignee, creator, event and status.	No unlabelled or ambiguous ownership.
Safe handovers	Uploads, revisions, review decisions and comments remain attached to the task.	Users do not need external chat to reconstruct history.
Low training burden	Consistent labels, controls, status language and action placement.	New users complete core flows without assistance.
Mobile viability	Core view, update, upload, review and message actions work at 360 px.	No clipped controls or horizontal page scrolling.
Trustworthy feedback	Every save, error, permission block and background sync has a visible state.	No silent failures.

1.2 Experience principles

- Role first: each dashboard prioritizes the job that role performs most often.
- Progressive disclosure: cards show essential status; dialogs and detail pages reveal full context.
- Action proximity: place decisions beside the content they affect.
- Recognition over recall: show event, owner, status definitions and previous actions instead of relying on memory.
- Recoverability: confirm destructive actions, preserve drafts and provide retry paths.
- Evidence-based status: “approved,” “posted” and “completed” must link to the supporting version or activity.

2. Users, roles and permissions

Role	Primary goal	Default landing	Key actions
Marketing Coordinator	Plan campaigns and create/assign work.	Marketing Workspace	Create tasks; manage plans; import sheet data; view team capacity.
Designer / Video Editor	Complete assigned creative work.	My Work	Acknowledge task; upload draft; submit revision; message; use checklists.
Media Director	Review work and issue decisions.	Review Inbox	Inspect version; annotate; approve; request revision; provide feedback.
Chief Coordinator	Monitor delivery and workload.	Analytics	Review KPIs, bottlenecks, overdue work and team capacity.
Administrator	Manage access and platform configuration.	Administration	Approve requests; add/deactivate users; manage roles; inspect system health.
Multi-role user	Switch between authorized work contexts.	Last-used role or role chooser	Change role context without signing out.

Permission rule

Hide actions users cannot perform, but show a clear Access Denied explanation when they follow a saved or shared link. Never expose restricted data briefly during loading.

3. Information architecture and global shell

3.1 Primary navigation

Navigation item	Audience	Contents / behavior
Home / Marketing	Marketing coordinators	Priority summary, task board, capacity and recent activity.
Marketing Plan	Marketing coordinators	Campaign tabs, filters, plan table/cards, edit and import actions.
My Work	Designers and editors	Assigned task queue, active task, upload and revision workflow.
Review Inbox	Media directors	Submitted versions requiring review and decision.
Analytics	Chief coordinators and admins	Delivery KPIs, capacity, status and event performance.
Calendar	All authenticated roles	Deadlines and publishing dates, filterable by event/person/status.
Administration	Admins	Users, requests, roles, configuration and health.
Profile	All users	Identity, roles, preferences, security and session controls.

3.2 Persistent shell requirements

- Desktop: collapsible left sidebar, top bar, page title, optional contextual actions and content area.
- Mobile: compact top bar with menu button; navigation opens as a labelled drawer and returns focus when closed.

- Global search: search tasks and plan items by title, event, assignee and status; group results by content type.
- Notification center: unread count, filter by type, mark read and deep-link to the affected task/version.
- Team chat: floating launcher on desktop; bottom-sheet or full-screen view on mobile; unread badge and timestamps.
- Role switcher: appear only for multi-role users and preserve their last context.
- System status: show sync degradation or service outage without blocking unrelated work.

3.3 Global feedback states

State	Required UI
Loading	Use skeletons matching final layout; preserve page title and navigation.
Empty	Explain why it is empty and offer the next valid action, e.g. “No tasks assigned yet.”
Error	Plain-language message, retry action, reference code and safe path back.
Offline / degraded	Persistent non-modal banner; queue safe drafts where supported.
Saved	Short confirmation near the action; avoid disruptive success dialogs.
Unsaved changes	Visible dirty state and leave-page confirmation.
Permission denied	State required role and offer navigation to an allowed workspace.

4. Authentication, registration and profile

4.1 Login

UI area	Required details
Role portal cards	Marketing Coordinator, Chief Coordinator, Designers & Editors, Media Directors; show icon and one-line purpose.
Credential input	Label “4-digit passkey”; numeric keypad on mobile; masked value; show/hide control; no placeholder-only label.
Primary action	“Sign in”; disabled only while empty or submitting; loading text “Signing in...”.
Errors	Invalid passkey, inactive account, network failure and unavailable role; do not reveal whether a passkey belongs to another person.
Support	Link to request access and contact administrator.

4.2 Registration / access request

Field	Validation and UX
Full name	Required; trim whitespace; 2–100 characters.
Email	Required; format validation; explain it is used for account communication.
Requested role	Use canonical role names: Designer, Video Editor, Marketing Coordinator, Media Director, Chief Coordinator.

Field	Validation and UX
Reason for access	Required short explanation; character counter; 20–500 characters.
Submission state	Confirmation with request status and expected next step; prevent duplicate submissions.

4.3 Profile and preferences

- Name, avatar, email, status, timezone and all assigned roles.
- Notification preferences: in-app alerts, email alerts and deadline reminders.
- Security area: change/reset passkey, active session and sign-out action.
- Accessibility preference: reduced motion and optional high-contrast mode.
- Do not display passkeys or secrets in profile, admin tables, exports or logs.

5. Marketing Coordinator UI

5.1 Marketing Workspace dashboard

Section	Content	Primary interactions
Priority strip	Overdue, due today, waiting assignment, in review.	Select metric to filter task board.
Task board	To Do, In Progress, In Review, Done; task count per column.	Open task; create task; filter by event/assignee/priority.
Capacity panel	Eligible designers/editors, active task count, capacity indicator.	Select a person to filter or prefill assignee.
Recent activity	Task creation, uploads, reviews, approvals and status changes.	Open referenced item; filter by event.
Quick actions	Create task, import sheet, open plan, open calendar.	Actions remain visible on desktop; overflow menu on mobile.

5.2 Create Task dialog

Field / control	Content requirement	UX behavior
Title	Clear deliverable name; example: “Opening Ceremony Banner”.	Required, 3–255 characters; live validation.
Description / brief	Purpose, audience, format, mandatory content and references.	Required recommendation; multiline; character count.
Event	HackX 11.0, HackX Jr 9.0 or Exposition 2026.	Required; searchable selection.
Work type	Poster, social post, video, animation, photo, copy or other configured type.	Required; influences upload guidance.
Priority	Low, Medium, High.	Default Medium; always pair color with text.
Assignee	Eligible designer or video editor with capacity.	Required; show active workload and capacity warning.
Deadline	Date and time in Asia/Colombo.	Required; prevent past dates; show relative time.

Field / control	Content requirement	UX behavior
References	Links or files supporting the brief.	Optional; show allowed formats and upload progress.
Submit	Create and assign.	Review summary, prevent duplicate submission, show success link.

5.3 Marketing Plan screen

- Campaign selector for HackX 11.0, HackX Jr 9.0 and Exposition 2026, with record counts.
- Search and filters for type, designer, design status, caption status, final status, platform and share date.
- Desktop table columns: post title/description, type, designer, writer, design status, caption status, final status, handover date, due/share dates and platform.
- Mobile card layout: title and urgent status first; secondary details in expandable sections.
- Row actions: view, edit, convert to task, generate caption draft, open calendar item and view sync state.
- Bulk/import: assign or update selected rows, export/sync, map CSV headers, resolve duplicates and preview normalized dates before confirmation.

6. Designer and Video Editor UI



Video-editing reference frame: branded event footage, safe logo placement and publication-focused storytelling.

6.1 My Work landing

Area	Required content
Work summary	Assigned, due soon, in progress, revision requested and waiting review counts.
Task queue	Title, event, priority, deadline, current status and next required action.
Active task	Full brief, references, workflow stepper, assignee and creator.
Capacity	Personal active count and limit; explain why new work may be blocked.
Checklist	Designer pack items relevant to quality and brand compliance.

6.2 Task lifecycle interactions

1. Open an assigned task and acknowledge ownership.
2. Review the brief, required dimensions, references and deadline.
3. Start work; status becomes In Progress and the change is logged.
4. Upload a draft with a short version note and file preview.
5. Run the revision/quality checklist before submission.
6. Submit for review; lock the submitted version while allowing a new revision to be created later.
7. If revision is requested, show director feedback beside the affected version and start the next revision round.
8. When approved, show the approved version, approval timestamp and any performance feedback.

6.3 Upload Draft panel

Element	Required behavior
Drop zone / file picker	Keyboard accessible; supported formats and maximum size shown before selection.
Upload queue	Filename, type, size, progress, cancel/retry and failure reason.
Preview	Image/video preview where supported; fallback icon and safe download link.
Version note	Required concise description of changes.
Submit action	Disabled until upload completes and checklist requirements are met.
Confirmation	Show version number, review status and link back to task.

7. Media Director Review UI

7.1 Review Inbox

Area	Details
Queue list	Thumbnail, task title, event, creator, submitted time, deadline and revision round.
Filters	Event, work type, assignee, priority, age and revision round.
Sort	Oldest waiting, nearest deadline, highest priority or newest submission.
Preview canvas	Fit, zoom, pan, full screen and file metadata; preserve task context.
Context panel	Brief, previous versions, checklist result, discussion and status history.
Decision bar	Approve or Request Revision; sticky on desktop and mobile.

7.2 Review and annotation behavior

- Annotations must be anchored to a coordinate or timestamp and show author, time, status and replies.
- Use numbered markers on the canvas and a synchronized comment list; selecting either highlights both.
- Allow resolve/reopen; preserve resolved comments in history.
- Autosave comment drafts and show saving/saved/error state.
- For video, support timestamped comments and frame capture when technically available.

7.3 Approval decision

Decision	Required inputs	Result
Approve	Optional positive note; confirm selected version.	Version becomes Approved; task progresses to Completed/Approved; notify relevant users.
Request Revision	Required actionable feedback; optional annotated points; severity/priority.	Version becomes Revision Requested; increment revision workflow; notify assignee.
Performance Feedback	Strengths, improvements and general suggestions.	Saved separately from production decision and visible to authorized roles.

Decision safety

The approval action must name the exact version and task. Do not use a generic “Yes/No” confirmation. Revision feedback should be specific enough for the designer to act without requesting clarification.

8. Chief Coordinator Analytics UI

8.1 Executive overview

Metric	Definition	Interaction
Active work	Tasks not completed or cancelled.	Open filtered task list.
Completed / approved	Tasks with approved evidence in the selected period.	Drill into event/person details.
In review	Submitted versions awaiting director action.	Sort by wait time.
In progress	Acknowledged or actively worked tasks.	Filter by event and assignee.
Overdue	Open tasks whose deadlines have passed.	Show owner and escalation path.
On-time rate	Completed before deadline divided by completed tasks.	Show calculation definition and sample size.

8.2 Visualizations

- Designer workload: horizontal bars with active count, capacity limit and overdue segment.
- Status distribution: labelled stacked bar preferred over a color-only pie.
- Event delivery trend: tasks created, completed and overdue by week.
- Review turnaround: median time from submission to decision, with outliers visible.
- Plan readiness: design, caption and final-status completion by campaign.
- Every chart requires a text summary, legend, tooltip, filter state and downloadable data table.

9. Administrator UI

Screen / module	Required features
User management	Search, role/status filters, user detail, role assignment, activate/deactivate and audit context.
Add user	Name, email, one or more roles, timezone and generated onboarding/reset flow. Never reveal stored passkeys.
Access requests	Request details, duplicate indicator, approve/reject with reason and confirmation.
Role management	Canonical role definitions and permissions; protect removal when assigned users exist.
System health	Appwrite connection, function status, Sheet/Calendar sync, queue failures and last successful backup.
Audit log	Actor, action, target, timestamp and outcome; filters and export for authorized admins.
Data tools	Safe import preview, export, duplicate detection and non-destructive migration status.

10. Calendar, search, notifications and communication

10.1 Calendar

- Month, week, agenda and mobile list views.
- Combine task deadlines and marketing publishing dates with distinct icons and labels.
- Filters: event, assignee, content type, status and source; provide “Clear all”.
- Event detail shows source record, owner, date, status and direct navigation.
- Conflict indicators for overloaded assignees or multiple high-priority deadlines.
- Visible sync status: synced, pending, failed or not connected; manual retry when allowed.
- Use Asia/Colombo consistently while preserving explicit timezone metadata.

10.2 Global search

Result type	Preview details	Actions
Task	Title, event, assignee, status and deadline.	Open task; copy link.
Marketing plan item	Campaign, post title, platform, owner and share date.	Open/edit item; convert to task.
User	Name, roles and status.	Open profile when permitted.
File/version	Task, version number, status and uploader.	Open review/version view.

10.3 Notifications

- Group by Today, Earlier and Read.
- Types include assignment, deadline reminder, draft submission, revision request, approval, mention and sync failure.
- Each notification names the actor, object and time and deep-links to the exact context.
- Provide mark read, mark all read and preference link; avoid relying on browser notifications alone.

10.4 Task discussion and team chat

- Task discussion is task-scoped and should be used for decisions and clarifications.
- Global team chat is general communication and must not replace task history.
- Show sender name/avatar, timestamp, delivery state and unread marker.
- Support keyboard submission, multiline text, links and safe attachment references.
- Provide empty, loading, failed-send and retry states.

11. Design system

Token / component	Specification
Color	Navy for structure, blue/teal for actions and status accents, neutral surfaces; meet WCAG contrast.
Typography	Aptos/Inter/system sans; body 16 px desktop and mobile; minimum supporting text 14 px.

Token / component	Specification
Spacing	4 px base grid; common gaps 8, 12, 16, 24 and 32 px.
Touch targets	Minimum 44×44 CSS px; 48×48 preferred for primary mobile actions.
Buttons	Primary, secondary, tertiary and destructive; include hover, focus, disabled and loading states.
Forms	Persistent labels, help text, inline errors and summary on submit when multiple fields fail.
Status chips	Text + icon + color; canonical labels shared across screens.
Cards	Use for compact records; avoid nested cards and excessive elevation.
Tables	Sticky header, responsive columns, row actions, empty state and accessible header associations.
Dialogs	Use only for focused tasks; full-screen on narrow mobile for complex forms.

11.1 Canonical task statuses

Status	Meaning	Recommended treatment
Draft	Not yet assigned.	Neutral gray, document icon.
Assigned / To Do	Owner assigned; work not started.	Blue, assignment icon.
In Progress	Work actively underway.	Cyan, progress icon.
Ready for Review / In Review	Submitted and awaiting decision.	Purple, eye icon.
Revision Requested	Changes required.	Amber, revision icon.
Approved / Completed	Accepted final version.	Green, check icon.
Cancelled	No further work.	Gray/red outline, cancelled icon.

12. Responsive UX requirements

Breakpoint	Layout expectations
Mobile: 320–639 px	Single column; drawer navigation; full-width forms; bottom action bar; card alternatives to wide tables.
Tablet: 640–1023 px	Two-column where useful; collapsible sidebar; review panels stack or resize.
Desktop: 1024–1439 px	Persistent sidebar; multi-panel workspaces; sticky filters/actions.
Large: 1440 px+	Constrain reading width; use extra space for context panels, not stretched text.

12.1 Mobile acceptance rules

- No page-level horizontal scrolling at 320 px.
- Primary action is reachable with one hand and remains visible during long forms/reviews.
- Tables transform to cards or controlled horizontal regions with clear affordance.
- Dialogs become full-screen when content exceeds a simple confirmation.
- File upload supports camera/gallery/file chooser as available.
- Keyboard opening must not cover the active input or submit action.
- Charts provide a readable summary and data list; tooltips cannot be hover-only.

13. Accessibility and inclusive design

- Meet WCAG 2.2 AA for contrast, keyboard access, focus visibility, labels and error identification.
- Use one H1 per page and logical heading order; landmarks for header, navigation, main and complementary regions.
- All controls require accessible names; icon-only controls require tooltips and programmatic labels.
- Do not encode status or priority using color alone.
- Maintain visible focus with at least a 2 px contrasting outline.
- Announce asynchronous success/error updates through an ARIA live region without stealing focus.
- Provide captions/transcripts or text alternatives for review media where applicable.
- Respect reduced-motion settings; avoid flashing and unnecessary animation.
- Allow browser zoom to 200% without loss of content or function.

14. Validation, privacy and security UX

Area	Requirement
Passkeys	Mask input; rate-limit attempts; never display or export stored passkeys; provide admin reset flow.
Role enforcement	Validate on server and client; UI hiding is not authorization.
Uploads	Validate type/size, scan where available, prevent executable content and use expiring access links.
Destructive actions	Confirm target and consequence; prefer deactivate/archive over permanent deletion.
Auditability	Record actor, action, target, timestamp and result for privileged changes.
Personal data	Show only data needed for the user's role; avoid email/passkey exposure in broad team views.
Errors	Do not expose API keys, stack traces, database IDs or internal configuration to users.

15. Screen-level content checklist

Every record/detail screen should show	Every interactive screen should include
Clear title and content type Event/campaign context Owner and creator Canonical status Deadline/date and timezone Last updated / relevant history Evidence or linked version	Primary action Secondary/back action Loading state Empty state Validation state Permission state Error + retry state Save/success feedback Mobile behavior

16. MVP, next phase and future scope

Priority	Include
MVP / required	Role-based shell; login/request access; marketing task board; task creation; My Work; upload/version submission; Review Inbox; approval/revision; plans; calendar; notifications; profile; admin users; complete loading/error/empty/mobile states.
Phase 2	Persistent annotations/replies; robust task/global chat; Google Sheet and Calendar sync dashboard; audit log UI; advanced search; data exports; richer analytics.
Future	AI pre-check with human override; automated caption suggestions; video timestamp review; configurable workflows; advanced workload forecasting; offline draft support.

Scope rule

A feature should not be shown as complete unless its data is persisted, permission-checked, recoverable after refresh and represented in activity/history where appropriate.

17. End-to-end acceptance scenarios

9. A marketing coordinator creates a high-priority task for Exposition, sees an assignee capacity warning, assigns it and receives confirmation.
10. The designer sees the task immediately, opens the brief on mobile, acknowledges it and begins work.
11. The designer uploads a valid draft, completes the checklist and submits version 1 for review.
12. The media director receives a notification, opens the exact version, leaves anchored feedback and requests revision.
13. The designer sees the revision reason in context, uploads version 2 and resubmits.
14. The director approves version 2; the approved evidence and timestamps appear in the task history.
15. The chief coordinator sees updated completion and review-turnaround metrics with a drill-down to the task.
16. An administrator can verify the relevant audit activity without viewing passkeys or unrelated sensitive data.

18. Designer handoff checklist

- Create desktop and mobile frames for every primary route and critical dialog.
- Provide component variants for hover, focus, pressed, disabled, loading, error and success.
- Document design tokens, spacing, breakpoints, status colors/icons and chart palette.
- Include realistic data density using the three campaigns and role structure.
- Prototype the create-task, upload-review-revision and access-request flows.
- Annotate permissions and conditional visibility in the design file.
- Run keyboard, contrast, 200% zoom and 360 px layout checks before development handoff.
- Confirm all field names and status labels match the database/API contract.

Appendix A. Route inventory

Route	Screen	Authorized roles
/login	Sign in	Public
/register	Request access	Public
/	Marketing Workspace	Marketing Coordinator
/marketing-plan	Marketing Plan	Marketing Coordinator
/designer	My Work	Designer, Video Editor
/director	Review Inbox	Media Director
/analytics	Analytics	Chief Coordinator, Admin
/calendar	Calendar	All authenticated roles
/admin	Administration	Admin
/admin/users	User Requests / Users	Admin
/profile	Profile	All authenticated roles

Appendix B. Data-backed UI entities

Entity	UI representation
Users / roles	Identity, role switcher, assignee controls, capacity and permissions.
Events	Campaign selector, filters, colors and event context.
Marketing plan items	Plan table/cards, publishing calendar and progress.
Tasks / assignments	Boards, queues, owner and deadlines.
Status history	Timeline and analytics evidence.
Versions / files	Upload queue, previews and approved evidence.
Reviews / annotations	Decision history and anchored feedback.
Messages / notifications	Task discussion, team chat and attention center.
Preferences	Notification and accessibility controls.