



Architectural Aluminium Systems

## Product Catalogue

Atlantis Aluminium LLP is in the field of manufacturing Aluminium extruded profiles for a wide variety of applications.

Atlantis who bring unparalleled expertise of over 30 years and a large sales network to our enterprise. Atlantis well equipped with latest plant machinery and employs automated methodologies for implementing customized jobs. It is located in a key industrial area of Gujarat, in Mehsana

To ensure that finished products conform to industry standards and are of international quality, the company uses high quality raw materials, imported quality check machinery and qualified, experienced and trained work force.

Atlantis has been formed to meet the challenges of this highly competitive and esteem Indian and International markets and is well known to supply extruded profiles of very high quality for a wide range of applications such as Architectural, Hardware Textiles, Transport, Luggage, Modular furniture, Air conditioning, Electronics and solar indifferent alloys and temper. Atlantis committed to become the most trusted and preferred brand by ensuring total customer satisfaction through innovative, custom-engineered solutions for all technical challenges, engineering excellence, quality and on-time

Atlantis have joint ventures Facilities Of Automatic Conveyors Powder Coating, Imported Wooden finish & Anodise which Help to Increase Quality And less Time To complete Export Projects.


---

# Index


No	Series Name	Page No.
01	16 X 45 Slim Partition Series	04
02	20mm Mini Domel Series	06
03	22mm Mini Domel Series	07
04	23mm Ventana Series	08
05	25 X 45 Slim Partition Series	09
06	25mm Ventana Series	11
07	27mm Domel Series	15
08	27mm Ventana Series	18
09	28mm Casement Series	20
10	29mm Slim Series	21
11	29mm Ventana Series	24
12	31mm Euro Series	29
13	32mm Minimal Series	31
14	32mm Gulf Series	33
15	40mm Openable Casement Series	35
16	50mm Openable Window Series	38
17	50mm Sliding Folding Series	41
18	Railing Series	43
19	Safety Grill & Mosquito Section	45




## 16 X 45 Slim Partition Series




**Section : AA 16-1**  
Weight (Kg./12') : 2.200



**Section : AA 16-2**  
Weight (Kg./12') : 3.000




**Section : AA 16-3**  
Weight (Kg./12') : 2.700




**Section : AA 16-4**  
Weight (Kg./12') : 1.050

## 16 X 45 Slim Partition Series Profiles



**Section : AA 16-5**  
Weight (Kg./12') : 2.900




**Section : AA 16-6**  
Weight (Kg./12') : 1.150




## 20mm Mini Domel Series

### FEATURES


Shutter Depth	: 20mm
Locking Type	: Single Point Lock
Comer Details	: 45 degree cut with corner connector
Sealling Overlap	: Sealing with wool pile
G Glass Range	: 4mm to 6mm
Sightline with Shutter	: 74mm
2 Track Depth	: 56mm
3 Track Depth	: 86mm
Window Height (Max.)	: 1530mm
Finishes	: Powder/Wood/Anodizing
hardware & Woolpile	: Standard Hardware




**Section : AA-20001**  
20mm Two Track  
Weight (Kg./12') : 2.200



**Section : AA-20002**  
20mm Three Track  
Weight (Kg./12') : 3.000



**Section : AA-20003**  
20mm Shutter  
Weight (Kg./12') : 2.100




**Section : AA-20004**  
20mm Clip  
Weight (Kg./12') : 0.850




## 22mm Mini Domel Series

### FEATURES


Shutter Depth	: 22mm
Locking Type	: Single Point Lock
Comer Details	: 45 degree cut with corner connector
Sealling Overlap	: Sealing with wool pile
S Glass Range	: 4mm to 6mm
Sightline with Shutter	: 75mm
2 Track Depth	: 38mm
3 Track Depth	: 69mm
Window Height (Max.)	: 1530mm
Finishes	: Powder/Wood/Anodizing
hardware & Woolpile	: Standard Hardware




**Section : AA-22001**  
22mm Two Track  
Weight (Kg./12') : 2.320



**Section : AA-22002**  
22mm Three Track  
Weight (Kg./12') : 3.600



**Section : AA-22003**  
23mm Shutter  
Weight (Kg./12') : 2.360




**Section : AA-22004**  
22mm Clip  
Weight (Kg./12') : 0.940




## 23mm Ventana Series

### FEATURES


Shutter Depth	: 23mm
Locking Type	: Single Point Lock
Comer Details	: 45 degree cut with corner connector
Sealling Overlap	: Sealing with wool pile
S Glass Range	: 4mm to 6mm
Sightline with Shutter	: 84mm
2 Track Depth	: 40mm
3 Track Depth	: 105mm
Window Height (Max.)	: 1530mm
Finishes	: Powder/Wood/Anodizing
hardware & Woolpile	: Standard Hardware




**Section : AA-23001**  
23mm Two Track  
Weight (Kg./12') : 2.100



**Section : AA-23002**  
23mm Three Track  
Weight (Kg./12') : 3.550




**Section : AA-23003**  
23mm Shutter  
Weight (Kg./12') : 2.750




**Section : AA-23004**  
23mm Inter Lock  
Weight (Kg./12') : 0.780




## 25 X 45 Slim Partition Series




**Section : AA 45-1**  
Weight (Kg./12') : 2.000



**Section : AA 45-2**  
Weight (Kg./12') : 1.640




**Section : AA 45-3**  
Weight (Kg./12') : 2.660




**Section : AA 45-4**  
Weight (Kg./12') : 0.550


## 25 X 45 Slim Partition Series Profiles




**Section : AA 45-5**  
Weight (Kg./12') : 0.600




**Section : AA 45-6**  
Weight (Kg./12') : 3.000




**Section : AA 45-7**  
Weight (Kg./12') : 4.160



**Section : AA 45-8**  
Weight (Kg./12') : 1.490




**Section : AA 45-9**  
Weight (Kg./12') : 0.720




## 25mm Ventana Series

### FEATURES


<b>Shutter Depth</b>	: 25mm
<b>Locking Type</b>	: Single Point Lock
<b>Comer Details</b>	: 45 degree cut with corner connector
<b>Sealling Overlap</b>	: Sealing with wool pile
<b>G Glass Range</b>	: 4mm to 6mm
<b>Sightline with Shutter</b>	: 95mm
<b>2 Track Depth</b>	: 50mm
<b>3 Track Depth</b>	: 88mm
<b>Window Height (Max.)</b>	: 2100mm
<b>Finishes</b>	: Powder/Wood/Anodizing
<b>hardware &amp; Woolpile</b>	: Standard Hardware




**Section : AA-25001**  
( Two Track )  
Weight (Kg./12') : 2.850



**Section : AA-25002**  
( Two Track With Leg )  
Weight (Kg./12') : 3.850




**Section : AA-25003**  
( Three Track )  
Weight (Kg./12') : 4.500




**Section : AA-25004**  
( Three Track With Leg )  
Weight (Kg./12') : 5.420


## 25mm Ventana Series Profiles




**Section : AA-25005**  
( SGU Shutter )  
Weight (Kg./12') : 2.700




**Section : AA-25006**  
( DGU Shutter )  
Weight (Kg./12') : 2.400




**Section : AA-25007**  
( Mosquito Shutter )  
Weight (Kg./12') : 2.550




**Section : AA-25008**  
( Reinforcement DGU Slim Interlock )  
Weight (Kg./12') : 2.200




**Section : AA-25009**  
( Reinforcement SGU Slim Interlock )  
Weight (Kg./12') : 2.400




**Section : AA-25010**  
( Reinforcement SGU Slim Box Interlock )  
Weight (Kg./12') : 3.825




**Section : AA-25011**  
( Reinforcement DGU Slim Box Interlock )  
Weight (Kg./12') : 3.540




**Section : AA-25012**  
( DGU Slim Interlock )  
Weight (Kg./12') : 1.500




**Section : AA-25013**  
( SGU Slim Interlock )  
Weight (Kg./12') : 1.650




**Section : AA-25014**  
( Interlock Clip )  
Weight (Kg./12') : 1.200




**Section : AA-25015**  
( Mosquito Shutter Clip )  
Weight (Kg./12') : 0.480




**Section : AA-25016**  
( Additional Track )  
Weight (Kg./12') : 1.300




**Section : AA-25017**  
( Mosquito Clip )  
Weight (Kg./12') : 0.272




**Section : AA-25018**  
( Reducer Clip )  
Weight (Kg./12') : 0.520




**Section : AA-25019**  
( Mosquito Slim Interlock Shutter )  
Weight (Kg./12') : 1.900




**Section : AA-25020**  
( Track Rail Cap )  
Weight (Kg./12') : 0.630




**Section : AA-25021**  
( Track Rail Cap )  
Weight (Kg./12') : 0.450



**Section : AA-25022**  
( Locking Rod )  
Weight (Kg./12') : 0.450




**Section : AA-25023**  
( Middle Section )  
Weight (Kg./12') : 2.230




**Section : AA-25024**  
( Georgian Bar )  
Weight (Kg./12') : 0.266


## 25mm Ventana Series Typology

### 25mm Ventana Series Two Track Four Shutter Assembly



### 25mm Ventana Series Three Track Four Shutter Assembly







## 27mm Domel Series

### FEATURES


<b>Shutter Depth</b>	: 27mm
<b>Locking Type</b>	: Single & Multi Point Lock with Champion Plus
<b>Comer Details</b>	: 45 degree cut with corner connector
<b>Sealing Overlap</b>	: 11mm (Sealing with wool pile)
<b>Single Glass Range</b>	: 4 / 5 / 6 mm
<b>Double Glass Range</b>	: 18mm
<b>Laminated Glass</b>	: NA
<b>Sightline with Shutter</b>	: 99mm
<b>2 Track Depth</b>	: 45mm
<b>3 Track Depth</b>	: 80mm
<b>Window Height (Max.)</b>	: 2135mm
<b>Finishes</b>	: Powder/Wood/Anodizing
<b>Hardware &amp; WoolPile</b>	: Standard Hardware




**Section : AA 27015**  
Two Track  
Weight (Kg./12') : 2.850



**Section : AA 27016**  
Three Track  
Weight (Kg./12') : 4.200




**Section : AA 27017**  
Round Two Track With Leg  
Weight (Kg./12') : 4.350




**Section : AA 27018**  
Round Three Track With Leg  
Weight (Kg./12') : 6.600


## 27mm Domel Series Profiles




**Section : AA 27019**  
Additional Track  
Weight (Kg./12') : 2.049




**Section : AA 27020**  
Euro Two Track With Leg  
Weight (Kg./12') : 3.930




**Section : AA 27021**  
Euro Three Track With Leg  
Weight (Kg./12') : 6.450




**Section : AA 27022**  
Two Track With Grill  
Weight (Kg./12') : 3.820




**Section : AA 27023**  
Three Track With Grill  
Weight (Kg./12') : 5.620




**Section : AA 27024**  
SGU Shutter  
Weight (Kg./12') : 2.850




**Section : AA 27025**  
DGU Shutter  
Weight (Kg./12') : 2.650




**Section : AA 27026**  
SGU Shutter  
Weight (Kg./12') : 2.750




**Section : AA 27027**  
Inter Clip  
Weight (Kg./12') : 1.120



**Section : AA 27028**  
Double Inter Lock  
Weight (Kg./12') : 1.700




**Section : AA 27029**  
Mosquito Clip  
Weight (Kg./12') : 0.260




**Section : AA 27030**  
27mm Mosquito U Channel  
Weight (Kg./12') : 0.460


## 27mm Domel Series Profiles




**Section : AA 27011**  
 27mm Meeting Section  
 Weight (Kg./12') : 0.750




**Section : AA 27031**  
 Capsule Pipe  
 Weight (Kg./12') : 1.300




**Section : AA 27032**  
 38 X 38 mm Box Pipe  
 Weight (Kg./12') : 1.550




**Section : AA 27033**  
 Round Pipe  
 Weight (Kg./12') : 0.750




**Section : AA 27034**  
 35 X 18 mm Pipe  
 Weight (Kg./12') : 1.800




**Section : AA 27035**  
 Capsule Pipe  
 Weight (Kg./12') : 0.800



**Section : AA 27036**  
 38mm X 38mm Angle  
 Weight (Kg./12') : 2.038



**Section : AA-25024**  
 Georgian Bar  
 Weight (Kg./12') : 0.266




# 27mm


## Ventana Series

### FEATURES


<b>Shutter Depth</b>	: 27mm
<b>Locking Type</b>	: Single & Multi Point Lock
<b>Comer Details</b>	: 45 degree cut with corner connector
<b>Sealing Overlap</b>	: 11mm (Sealing with wool pile)
<b>Single Glass Range</b>	: 4 / 5 / 6 mm
<b>Double Glass Range</b>	: 18mm
<b>Laminated Glass</b>	: NA
<b>Sightline with Shutter</b>	: 97mm
<b>2 Track Depth</b>	: 50mm
<b>3 Track Depth</b>	: 88mm
<b>Window Height (Max.)</b>	: 2135mm
<b>Finishes</b>	: Powder/Wood/Anodizing
<b>Hardware &amp; WoolPile</b>	: Standard Hardware




**Section : AA 27001**  
Ventana Two Track  
Weight (Kg./12') : 3.100



**Section : AA 27002**  
Ventana Three Track  
Weight (Kg./12') : 5.100




**Section : AA 27003**  
SGU Shutter  
Weight (Kg./12') : 3.000




**Section : AA 27004**  
DGU Shutter  
Weight (Kg./12') : 2.800


## 27mm Ventana Series Profiles




**Section : AA 27005**  
SGU Slim Interlock  
Weight (Kg./12') : 2.000




**Section : AA 27006**  
DGU Slim Interlock  
Weight (Kg./12') : 2.000




**Section : AA 27007**  
DGU Slim Reinforcement Interlock  
Weight (Kg./12') : 3.950




**Section : AA 27008**  
Reducer Cap  
Weight (Kg./12') : 0.750z




**Section : AA 27009**  
27mm L Connector  
Weight (Kg./12') : 4.300




**Section : AA 27010**  
Track Rail Cap  
Weight (Kg./12') : 0.630



**Section : AA 27011**  
27mm Meeting Section  
Weight (Kg./12') : 0.750




**Section : AA-25024**  
Georgian Bar  
Weight (Kg./12') : 0.266




## 28mm Casement Series

### FEATURES


Shutter Depth	: 28mm
Locking Type	: Single & Multi Point Lock with Handle
Glass Range	: 4mm to 6mm
Openable Sight Line	: 73.1 mm
Fix Sight Line	: 44.1 mm
Corner Details	: 45 degree cut with corner connector
Sealing Overlap	: 6 mm ( Sealing with Gasket )
Window Height (Max.)	: 1530 mm
Hardware	: Standard Hardware




**Section : AA-28001**  
Casement Shutter  
Weight (Kg./12') : 1.750




**Section : AA-28002**  
Casement Mullion  
Weight (Kg./12') : 1.800



**Section : AA-28003**  
Casement Frame  
Weight (Kg./12') : 1.500




**Section : AA-28004**  
Casement Clip  
Weight (Kg./12') : 0.820




## 29mm Slim Series

### FEATURES


<b>Shutter Depth</b>	: 29mm
<b>Locking Type</b>	: Single & Multi Point Lock with Handle
<b>Corner Details</b>	: 45 Degree cut with corner connector
<b>Sealing Overlap</b>	: 8mm (Sealing with wool pile)
<b>Glass Range</b>	: 5mm to 20mm
<b>Sightline With Shutter</b>	: 104 mm
<b>2 Track Depth</b>	: 50 mm
<b>3 track Depth</b>	: 87 mm
<b>Window Height (Max.)</b>	: 2440 mm
<b>Finishes</b>	: Powder / Wood / Anodizing
<b>Hardware</b>	: Standard Hardware




**Section : AA 29021**  
29mm Slim Two Track  
Weight (Kg./12') : 2.700



**Section : AA 29022**  
29mm Slim Three Track  
Weight (Kg./12') : 4.050




**Section : AA 29005**  
29mm SGU Shutter  
Weight (Kg./12') : 3.432




**Section : AA 29006**  
29mm DGU Shutter  
Weight (Kg./12') : 3.000


## 29mm Slim Series Profiles




**Section : AA 29007**  
29mm Mosquito Shutter  
Weight (Kg./12') : 3.591




**Section : AA 29008**  
29mm Mosquito Clip  
Weight (Kg./12') : 0.493




**Section : AA 29009**  
29mm Inter Clip  
Weight (Kg./12') : 1.356




**Section : AA-29010**  
29mm Slim SGU Inter Lock  
Weight (Kg./12') : 1.860




**Section : AA-29011**  
29mm Slim DGU Inter Lock  
Weight (Kg./12') : 1.450




**Section : AA-29012**  
29mm SGU Rainforcement Inter Lock  
Weight (Kg./12') : 3.500




**Section : AA-29013**  
29mm DGU Rainforcement Inter Lock  
Weight (Kg./12') : 3.400




**Section : AA-29014**  
29mm Double Inter Lock  
Weight (Kg./12') : 2.280




**Section : AA 29015**  
Reducer Cap  
Weight (Kg./12') : 0.800



**Section : AA-29016**  
29mm Middle Section  
Weight (Kg./12') : 2.460




**Section : AA-29017**  
29mm Meeting Section  
Weight (Kg./12') : 1.550




**Section : AA 29018**  
29mm Rail Track (V Type)  
Weight (Kg./12') : 0.600


## 29mm Slim Series Profiles



**Section : AA 29019**  
29mm Round Track Cap  
Weight (Kg./12') : 0.620




**Section : AA-25024**  
Georgian Bar  
Weight (Kg./12') : 0.266




## 29mm Ventana Series

### FEATURES


<b>Shutter Depth</b>	: 29mm
<b>Locking Type</b>	: Single & Multi Point Lock with Handle
<b>Corner Details</b>	: 45 Degree cut with corner connector
<b>Sealing Overlap</b>	: 8mm (Sealing with wool pile)
<b>Glass Range</b>	: 5mm to 20mm
<b>Sightline With Shutter</b>	: 104 mm
<b>2 Track Depth</b>	: 50 mm
<b>3 track Depth</b>	: 86 mm
<b>Window Height (Max.)</b>	: 2440 mm
<b>Finishes</b>	: Powder / Wood / Anodizing
<b>Hardware</b>	: Standard Hardware




**Section : AA 29001**  
29mm Ventana Two Track  
Weight (Kg./12') : 4.500



**Section : AA 29002**  
29mm Two Track with Leg  
Weight (Kg./12') : 4.700




**Section : AA 29003**  
29mm Three Track  
Weight (Kg./12') : 6.400




**Section : AA 29004**  
29mm Three Track With Leg  
Weight (Kg./12') : 6.500


## 29mm Ventana Series Profiles




**Section : AA 29005**  
29mm SGU Shutter  
Weight (Kg./12') : 3.432




**Section : AA 29006**  
29mm DGU Shutter  
Weight (Kg./12') : 3.000




**Section : AA 29007**  
29mm Mosquito Shutter  
Weight (Kg./12') : 3.591




**Section : AA 29008**  
29mm Mosquito Clip  
Weight (Kg./12') : 0.493




**Section : AA 29009**  
29mm Inter Clip  
Weight (Kg./12') : 1.356




**Section : AA-29010**  
29mm Slim SGU Inter Lock  
Weight (Kg./12') : 1.860




**Section : AA-29011**  
29mm Slim DGU Inter Lock  
Weight (Kg./12') : 1.450




**Section : AA-29012**  
29mm SGU Reinforcement Inter Lock  
Weight (Kg./12') : 3.500




**Section : AA-29013**  
29mm DGU Reinforcement Inter Lock  
Weight (Kg./12') : 3.400



**Section : AA-29014**  
29mm Double Inter Lock  
Weight (Kg./12') : 2.280




**Section : AA 29015**  
Reducer Cap  
Weight (Kg./12') : 0.800




**Section : AA-29016**  
29mm Middle Section  
Weight (Kg./12') : 2.460


## 29mm Ventana Series Profiles




**Section : AA-29017**  
29mm Meeting Section  
Weight (Kg./12') : 1.550



**Section : AA 29018**  
29mm Rail Track (V Type)  
Weight (Kg./12') : 0.600







**Section : AA 29019**  
29mm Round Track Cap  
Weight (Kg./12') : 0.620








**Section : AA-25024**  
Georgian Bar  
Weight (Kg./12') : 0.266

## 29mm Ventana Three Track Three Shutter Assembly



29mm THREE TRACK  
WITH MOSQUITO

## 29mm Ventana Sliding with Mosquito Assembly







## 31mm Euro Series

### FEATURES


Frame Depth	: 31mm
Locking Type	: Single & Multi Point Lock with Handle
Glass Range	: 4mm to 6mm
Openable Sight Line	: 93 mm
2 Track Depth	: 65.4mm
3 Track Depth	: 104.2mm
Corner Details	: 45 Degree cut with corner connector
Sealing Overlap	: 6mm (Sealing with Gasket)
Window Height (Max.)	: 2400mm
Hardware	: Standard Hardware




**Section : AA 31001**  
31mm Two Track  
Weight (Kg./12') : 4.500



**Section : AA 31002**  
31mm Three Track  
Weight (Kg./12') : 7.429




**Section : AA 31003**  
31mm SGU Shutter  
Weight (Kg./12') : 3.480




**Section : AA 31004**  
31mm SGU Interlock  
Weight (Kg./12') : 2.417


## 31mm Euro Series Profiles




**Section : AA 31005**  
31mm Rain Forcement Interlock  
Weight (Kg./12') : 4.141



**Section : AA-31006**  
Inter Lock Clip  
Weight (Kg./12') : 1.000



**Section : AA 31007**  
Track Cap  
Weight (Kg./12') : 0.350




**Section : AA-25024**  
Georgian Bar  
Weight (Kg./12') : 0.266




## 32mm Minimal Series

### FEATURES


Frame Depth	: 32mm
Locking Type	: Single & Multipoint Lock With Handle
Glass Range	: Up to 20 mm
Openable Sight Line	: 53 mm
2 Track Depth	: 71 mm
3 Track Depth	: 103 mm
Corner Details	: 45 degree cut with corner connector
Sealing Overlap	: 6 mm (Sealing With Gasket)
Window Height (Max.)	: 2140 mm
Hardware	: Standard Hardware




**Section : AA-32016**  
32mm Minimal Two Track  
Weight (Kg./12') : 3.790



**Section : AA-32017**  
32mm Minimal Three Track  
Weight (Kg./12') : 5.500




**Section : AA-32018**  
32mm Shutter  
Weight (Kg./12') : 6.416




**Section : AA-32019**  
32mm Rainforcement Shutter  
Weight (Kg./12') : 4.450


## 32mm Minimal Series Profiles




**Section : AA-32020**  
32mm Top / Bottom  
Weight (Kg./12') : 9.550




**Section : AA-32021**  
32mm Slim Interlock  
Weight (Kg./12') : 1.850




**Section : AA-32022**  
32mm Slim Rainforcement Interlock  
Weight (Kg./12') : 3.750




**Section : AA-32023**  
32mm Meeting Section  
Weight (Kg./12') : 1.360



**Section : AA-32024**  
32mm Reducer Cap  
Weight (Kg./12') : 0.650



**Section : AA-32025**  
Track Cap  
Weight (Kg./12') : 0.350




**Section : AA-25024**  
Georgian Bar  
Weight (Kg./12') : 0.266




## 32mm Gulf Series

### FEATURES


Frame Depth	: 32mm
Locking Type	: Single & Multipoint Lock With Handle
Glass Range	: Up to 20 mm
Openable Sight Line	: 84 mm
2 Track Depth	: 87 mm
2 Track Depth	: 125 mm
Corner Details	: 45 degree cut with corner connector
Sealing Overlap	: 6 mm (Sealing With Gasket)
Window Height (Max.)	: 2740 mm
Hardware	: Standard Hardware




**Section : AA-32001**  
32mm Two Track Bottom  
Weight (Kg./12') : 6.650



**Section : AA-32002**  
32mm Two Track Side  
Weight (Kg./12') : 4.870




**Section : AA-32003**  
32mm Three Track Bottom  
Weight (Kg./12') : 9.550




**Section : AA-32004**  
32mm Three Track Side  
Weight (Kg./12') : 6.416


## 32mm Gulf Series Profiles




**Section : AA-32005**  
32mm DGU Shutter  
Weight (Kg./12') : 3.940




**Section : AA-32006**  
32mm DGU Top / Bottom  
Weight (Kg./12') : 5.630




**Section : AA-32007**  
32mm DGU Slim Interlock  
Weight (Kg./12') : 3.037




**Section : AA-32008**  
32mm DGU Rain Forcement Interlock  
Weight (Kg./12') : 4.543




**Section : AA-32009**  
32mm Reducer Cap  
Weight (Kg./12') : 0.870



**Section : AA-32010**  
32mm Rail Track  
Weight (Kg./12') : 0.590




**Section : AA-25024**  
Georgian Bar  
Weight (Kg./12') : 0.266




## 40mm Openable Casement Series

### FEATURES


Frame Depth	: 40 mm
Locking Type	: Single & Multipoint Lock With Handle
Glass Range	: 5 mm to 28 mm
Openable Sight Line	: 76.4 mm
Fix Sight Line	: 40 mm
Corner Details	: 45 degree cut with corner connector
Sealing Overlap	: 6 mm (Sealing With Gasket)
Window Height (Max.)	: 1650 mm
Hardware	: Standard Hardware




**Section : AA-40001**  
40mm Frame  
Weight (Kg./12') : 1.800



**Section : AA-40002**  
40mm Mullion  
Weight (Kg./12') : 2.320




**Section : AA-40003**  
40mm Big Mullion  
Weight (Kg./12') : 2.900




**Section : AA-40004**  
40mm Groove Mullion  
Weight (Kg./12') : 3.000


## 40mm Openable Casement Series Profiles




**Section : AA-40005**  
51 X 40 mm Shutter  
Weight (Kg./12') : 2.850




**Section : AA-40006**  
65 X 40 mm Shutter  
Weight (Kg./12') : 2.850




**Section : AA-40007**  
40mm Big Shutter  
Weight (Kg./12') : 3.000




**Section : AA-40008**  
40mm 2 in 1 Frame With Grill  
Weight (Kg./12') : 4.100




**Section : AA-40009**  
80mm 2 in 1 Mullion  
Weight (Kg./12') : 4.800




**Section : AA-40010**  
40mm 3 in 1 Frame With Grill  
Weight (Kg./12') : 4.950




**Section : AA-40011**  
92mm 3 in 1 Mullion  
Weight (Kg./12') : 5.210




**Section : AA-40012**  
40mm Door Bottom  
Weight (Kg./12') : 3.850




**Section : AA-40013**  
Fly Mullion  
Weight (Kg./12') : 2.450



**Section : AA-40014**  
SGU Clip  
Weight (Kg./12') : 0.800






**Section : AA-40015**  
DGU Clip  
Weight (Kg./12') : 0.700



**Section : AA-40016**  
40mm Reverse Clip / Adapter  
Weight (Kg./12') : 1.500




## 40mm Openable Casement Series Profiles



**Section : AA-40017**  
40mm Bottom Clip  
Weight (Kg./12') : 1.100

**Section : AA 27030**  
Capsule Pipe  
Weight (Kg./12') : 1.300


**Section : AA 27031**  
38 X 38 mm Box Pipe  
Weight (Kg./12') : 1.550




**Section : AA-25032**  
Round Pipe  
Weight (Kg./12') : 0.750

**Section : AA-25033**  
35 X 18 mm Pipe  
Weight (Kg./12') : 1.800

**Section : AA 27034**  
Capsule Pipe  
Weight (Kg./12') : 0.800




**Section : AA 27035**  
38mm X 38mm Angle  
Weight (Kg./12') : 2.038




## 50mm Openable Window Series

### FEATURES


Frame Depth	: 50 mm
Locking Type	: Single & Multipoint Lock With Handle
Glass Range	: 5 mm to 38 mm
Openable Sight Line	: 97.5 mm
Fix Sight Line	: 46 mm
Corner Details	: 45 degree cut with corner connector
Sealing Overlap	: 6 mm (Sealing With Gasket)
Window Height (Max.)	: 2100 mm
Hardware	: Standard Hardware




**Section : AA-50007**  
50mm Outer Frame  
Weight (Kg./12') : 3.150



**Section : AA-50008**  
50mm Door Frame  
Weight (Kg./12') : 3.920




**Section : AA-50009**  
50mm X 65mm Mullion  
Weight (Kg./12') : 3.700




**Section : AA-50010**  
50mm X 90mm Mullion  
Weight (Kg./12') : 4.460


## 50mm Openable Window Series Profiles




**Section : AA-50011**  
50mm Shutter  
Weight (Kg./12') : 4.300




**Section : AA-50012**  
50mm Outside Opening Door Shutter  
Weight (Kg./12') : 6.320




**Section : AA-50013**  
50mm Inside Opening Door Shutter  
Weight (Kg./12') : 5.200




**Section : AA-50014**  
50mm Door Bottom  
Weight (Kg./12') : 6.300




**Section : AA-50015**  
85mm Mullion  
Weight (Kg./12') : 4.800




**Section : AA-50016**  
86mm Frame  
Weight (Kg./12') : 6.000




**Section : AA-50017**  
50mm SGU Clip ( 4mm - 10mm )  
Weight (Kg./12') : 0.990




**Section : AA-50018**  
50mm DGU Clip ( 18mm - 24mm )  
Weight (Kg./12') : 0.750




**Section : AA-50019**  
Door Bottom Adaptor  
Weight (Kg./12') : 1.950



**Section : AA-50020**  
Fly Mullion  
Weight (Kg./12') : 2.670




**Section : AA-50021**  
Reverse Clip / Adaptor  
Weight (Kg./12') : 1.850




**Section : AA 27030**  
Capsule Pipe  
Weight (Kg./12') : 1.300


## 50mm Openable Window Series Profiles




**Section : AA 27031**  
38 X 38 mm Box Pipe  
Weight (Kg./12') : 1.550




**Section : AA-25032**  
Round Pipe  
Weight (Kg./12') : 0.750



**Section : AA-25033**  
35 X 18 mm Pipe  
Weight (Kg./12') : 1.800




**Section : AA 27034**  
Capsule Pipe  
Weight (Kg./12') : 0.800




**Section : AA 27035**  
38mm X 38mm Angle  
Weight (Kg./12') : 2.038

# 50mm Sliding Folding Series


**ATLANTIS**  
Atlantis Aluminium LLP




**Section : AA-50001**  
Top Guide  
Weight (Kg./12') : 9.300



**Section : AA-50002**  
Shutter  
Weight (Kg./12') : 4.900




**Section : AA-50003**  
Bottom  
Weight (Kg./12') : 3.300




**Section : AA-50004**  
Frame  
Weight (Kg./12') : 4.500

## 50mm Sliding Folding Series Profiles




**Section : AA-50005**  
SGU Glass Clip  
Weight (Kg./12') : 1.100




**Section : AA-50006**  
DGU Glass Clip  
Weight (Kg./12') : 0.970




## Railing Series




**Section : AA-R-0001**  
25mm Top Rail  
Weight (Kg./12') : 2.000



**Section : AA-R-0002**  
40mm Square Top Rail  
Weight (Kg./12') : 2.900




**Section : AA-R-0003**  
50mm Square Top  
Weight (Kg./12') : 3.750




**Section : AA-R-0004**  
50mm Square Top  
Weight (Kg./12') : 3.500


## Railing Series Profiles




**Section : AA-R-005**  
50mm Round Top  
Weight (Kg./12') : 3.330




**Section : AA-R-006**  
78 X 50 mm Bottom Rail  
Weight (Kg./12') : 13.300




**Section : AA-R-007**  
Incline Railing Pipe  
Weight (Kg./12') : 4.700




**Section : AA-R-008**  
38mm Top Railing  
Weight (Kg./12') : 1.700




**Section : AA-R-009**  
80mm X 40mm Bottom Section  
Weight (Kg./12') : 9.800




**Section : AA-R-010**  
100 X 45 mm Bottom Section  
Weight (Kg./12') : 14.600




**Section : AA-R-011**  
55mm X 55mm Bottom Section  
Weight (Kg./12') : 7.300




**Section : AA-R-012**  
66mm X 60mm Bottom Section  
Weight (Kg./12') : 9.450




**Section : AA-R-013**  
T Bracket  
Weight (Kg./12') : 21.100



**Section : AA-R-014**  
Bottom Bracket  
Weight (Kg./12') : 13.600




**Section : AA-R-015**  
88mm Cover Plate Rail  
Weight (Kg./12') : 1.850




**Section : AA-R-016**  
71mm X 56mm Bottom Section  
Weight (Kg./12') : 9.450

# Safety Grill & Mosquito Section


**ATLANTIS**  
Atlantis Aluminium LLP




**Section : AA-I-001**  
Invisible Male Section  
Weight (Kg./12') : 2.550



**Section : AA-I-002**  
Invisible Female Section  
Weight (Kg./12') : 0.400






**Section : AA-I-003**  
Arebian Channel  
Weight (Kg./12') : 0.646



**Section : AA-I-004**  
M - Track Channel  
Weight (Kg./12') : 0.650

## Safety Grill & Mosquito Section



**Section : AA-I-005**

Mosquito Top

Weight (Kg./12') : 1.200

**Section : AA-I-006**

Mosquito Side

Weight (Kg./12') : 1.00

**Section : AA-I-007**

Mosquito Handle

Weight (Kg./12') : 1.800



#### ATLANTIS ALUMINIUM LLP

- ⌚ Survey No. 590, Village - Devda, Nr. Dabhla Cross Road,  
Mehsana - Himatnagar Highway, Tal. : Vijapur, Dist.: Mehsana,  
Gujarat - 382830, India.
- 📞 Call : +91 94260 83005, +91 94274 18365
- ✉ Email : [atlantisaluminium@gmail.com](mailto:atlantisaluminium@gmail.com)
- 🌐 [www.atlantisalluminium.com](http://www.atlantisalluminium.com)