Summary in Graph


Exam Summary (GO Classes DA Test Series 2026 | Python Programming | Topic Wise Test 2)

Qs. Attempted:	**14** (10 + 4)	**Correct Marks:**	**5** (3 + 2)
Correct Attempts:	**4** (3 + 1)	**Penalty Marks:**	**3.33** (2 + 1.33)
Incorrect Attempts:	**10** (7 + 3)	**Resultant Marks:**	**1.67** (1 + 0.67)

Total Questions:	**15** (10 + 5)
Total Marks:	**20** (10 + 10)
Exam Duration:	**45 Minutes**
Time Taken:	**45 Minutes**

Individual Question Statistics

Select Metric: Marks Obtained



* Average Stats based on first-attempt stats of Top 10% (48) out of 480 users

EXAM RESPONSE | EXAM STATS | FEEDBACK

Technical

Q #1 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

Consider the following Python code:

```
b = [[9,6],[4,5],[7,7]]

x = b[:2]

x[1].append(10)
```

What will be the contents of the list b after executing the code?

A.
```
[[9,6],[4,5],[7,7]]
```

B.
```
[[9,6],[4,5,10]]
```

C.
```
[[9,6],[4,5,10],[7,7]]
```

D.
```
[[9,6],[4,10],[7,7]]
```

Your Answer: B | Correct Answer: C | Incorrect | Time taken: 00min 14sec | Discuss

Q #2 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

Given the list:

```
l = ['a', 'b', 'c', 'd', 'e', 'f']
```

What will be the output for the below expression ?

```
l[::2]
```

A.
```
['a', 'c', 'e']
```

B.
```
['b', 'd', 'f']
```

C.
```
['a', 'b', 'c', 'd', 'e', 'f']
```

D.
```
['c', 'e', 'f']
```

Your Answer: A | Correct Answer: A | Correct | Time taken: 00min 04sec | Discuss

Q #3 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

Consider the following Python code:

```
number = 8


def adder(integer):
    print(number)
    number = 10
    print(number + integer)
adder(5)
```

What will be the output of the code when the function $adder(5)$ is called?

A. 8 15
B. 8 13
C. UnboundLocalError: local variable 'number' referenced before assignment
D. 10 15

Your Answer: C | Correct Answer: C | Correct | Time taken: 00min 04sec | Discuss

Q #4 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

Consider the following Python code:

```
silly_tuple = (["one", "two"], ["three"])
silly_tuple[1] += ["four"]

print(silly_tuple)
```

What will be the result of running this code?

A. `(['one', 'two'], ['four'])`

B. `(['one', 'two', 'three'], ['four'])`

C. `(['one', 'two'], ['three', 'four'])`

D. An error will occur.

Your Answer: C | Correct Answer: D | Incorrect | Time taken: 00min 07sec | Discuss

Q #5 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

Consider the following Python code:

```
my_tuple = ("Python", "cobra")
my_tuple += ("boa", "anaconda")

print(my_tuple)
```

What will be the output of running this code?

A. An error will occur.

B. `('Python', 'cobra', 'boa', 'anaconda')`

C. SyntaxError

D. `('Python', 'cobraboa', 'anaconda')`

Your Answer: C | Correct Answer: B | Incorrect | Time taken: 01min 04sec | Discuss

Q #6 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

What will be the output of the following Python code?

```
numbers = [1, 2, 3]
integers = numbers
numbers = numbers + [4, 5, 6]
print(integers)
```

A. `[1, 2, 3]`

B. `[4, 5, 6]`

C. `[1, 2, 3, 4, 5, 6]`

D.
```
[ ]
```

Your Answer: A | Correct Answer: A | Correct | Time taken: 07min 58sec | Discuss

Q #7 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

What will be the output of the following Python code?

```
numbers = [1, 2, 3]
integers = numbers
numbers[:] = numbers + [4, 5, 6]
print(integers)
```

A.
```
[1, 2, 3]
```

B.
```
[4, 5, 6]
```

C.
```
[1, 2, 3, 4, 5, 6]
```

D.
```
[ ]
```

Your Answer: A | Correct Answer: C | Incorrect | Time taken: 00min 24sec | Discuss

Q #8 | Multiple Select Type | Award: 1 | Penalty: 0 | Programming in Python

Which of the following list comprehensions in Python will produce a list of numbers from 11 to 49 ?

A.
```
[i for i in range(100) if i > 10 if i < 50]
```

B.
```
[i if i > 11 for i in range(0, 100) if i < 50]
```

C.
```
[i for i in range(100) if i > 10 and i < 50]
```

D.
```
[i if i > 10 else 0 for i in range(100)]
```

Your Answer: A;C;D | Correct Answer: A;C | Incorrect | Time taken: 04min 43sec | Discuss

Q #9 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

What will be the output of the following Python code?

```
lst1 = [[1, 5], [5, 10]]
lst2 = [[1, 5], [999, 999]]
print(lst1 > lst2)
```

A. True
B. False
C. It will print a random boolean value since the comparison of lists is not deterministic
D. SyntaxError, because list comparison with nested lists is not syntactically valid in Python.

Your Answer: D | Correct Answer: B | Incorrect | Time taken: 04min 53sec | Discuss

Q #10 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Programming in Python

Consider the expression $x >= 0$ or $y < 10$. If we assume x is equal to 10 , and y is equal to 5 , then... (hint: think of short-circuit evaluation)

A. Python will evaluate both conditions in left-right order to determine whether the expression is True.
B. Python will evaluate both conditions in right-left order to determine whether the expression is True.
C. Python will evaluate only the second condition, $y < 10$.
D. Python will evaluate only the first condition, $x >= 0$.

Your Answer: A | Correct Answer: D | Incorrect | Time taken: 00min 36sec | Discuss

Q #11 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Programming in Python

Consider the list:

```
l = ['a', 'b', 'c', 'd', 'e', 'f']
```

What will be the output of the following expression?

```
l[-2:-6:-1]
```

A.
```
['e', 'd', 'c', 'b']
```

B.
```
['e', 'd', 'c']
```

C.
```
['f', 'e', 'd']
```

D.
```
['e', 'd']
```

Your Answer: A | Correct Answer: A | Correct | Time taken: 00min 57sec | Discuss

Q #12 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Programming in Python

Consider the function:

```
def foo(X="a", Y=[]):
    X = X + X
    Y.append(X)
    print(X, Y)
```

When called in a loop:

```
for i in range(4): foo()
```

Output is:

```
aa ['aa']
aa ['aa', 'aa']
aa ['aa', 'aa', 'aa']
aa ['aa', 'aa', 'aa', 'aa']
```

Why is the list ' Y ' growing with each call?

A. The string ' X ' is immutable, but the list ' Y ' is mutable and retains its state between function calls.
B. Both ' X ' and ' Y ` are mutable, causing the function to append values repeatedly.
C. The list ' Y ' is reset to an empty list with each function call, causing the unexpected output.
D. The function is using recursion, which causes the repeated output.

Your Answer: B | Correct Answer: A | Incorrect | Time taken: 05min 57sec | Discuss

Q #13 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Programming in Python

Consider the following Python code:

```
my_list = []
my_list += "Python"
print(my_list)
```

5. What will be the output of running this code?

A.
```
['Python']
```

B.
```
['P', 'y', 't', 'h', 'o', 'n']
```

C.
```
['P', 'y', 't', 'h', 'o', 'n', 'Python']
```

D. An error will ocuur.

Your Answer: A | Correct Answer: B | Incorrect | Time taken: 01min 10sec | Discuss

Q #14 | Multiple Select Type | Award: 2 | Penalty: 0 | Programming in Python

Which of the following code snippets will print the output $(20, 30, 40)$?

A.
```
a, b, c = [20, 30, 40]
print((a, b, c))
```

B.
```
a, *rest = [20, 30, 40]
print(rest)
```

C.
```
def fun(*numbers):
    print(numbers)
fun(20, 30, 40)
```

D.
```
def fun(a, *numbers):
    print(numbers)
fun(10, 20, 30, 40)
```

Your Answer: A;B;C;D | Correct Answer: A;C;D | Incorrect | Time taken: 08min 53sec | Discuss

Q #15 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Programming in Python

```
    inputNums = [13, 17, 25, 28, 10, 30, 21]
    myLst = [[0, 0, 0], [0, 0, 0], [0, 0, 0]]


5.  for num in inputNums:
        result1 = num % 3
        result2 = (num // 10) % 3
        myLst[result1][result2] += 1
    print(myLst)
```

What will be the output of running this code?

A. `[[0, 0, 0], [0, 0, 0], [0, 0, 0]]`

B. `[[1, 1, 1], [1, 1, 1], [1, 1, 1]]`

C. `[[1, 0, 1], [0, 2, 2], [0, 1, 0]]`

D. `[[2, 2, 2], [0, 0, 0], [1, 1, 1]]`

Your Answer: | **Correct Answer: C** | Not Attempted | Time taken: 08min 15sec | Discuss

Copyright & Stuff