

# **#ReviseWithArsh #6Companies30Days Challenge!**

**P.S This can be started anytime in the month of  
January.**

**For complete details , go through the video :**

**<https://linktw.in/FCGPbm>**

**Benefits (For the ones who complete the Challenge) :**

1. Top **90-100 recent questions** by most big tech companies will be done (who knows you get the same question). - (We all have been trusting previous year questions XD)
2. The ones who complete this challenge will be **given referrals** for top tech companies and startups.
3. A **special surprise gift** for you.
4. **Special 1 on 1 mentoring session** on how to plan the things after this challenge - related to projects , revision , CS Fundamentals, Interview Tips , etc.

**Rules :**

1. You should be completing 1 company (15 Questions) in 5 days and try maintaining a github repository to store all the codes .You can name the repository as #6Companies30days.
2. The questions provided will be on a gap of 5 days for a new company i.e from 1-5th Jan , 6th-10th Jan and so on.
3. You can complete 15 questions as per your time , either 3 questions a day or as per your convenience.
4. You need to start the challenge by putting in a post on LinkedIn , Instagram, Twitter with hashtag **#6Companies30days** and **#ReviseWithArsh** and tag **"Arsh Goyal"** so that your entry can be tracked and you are eligible for referrals and other benefits.

5. Than after every 5 days once a company is done , you can make a post announcing your milestones - Milestone -1 (When company 1 is completed) , Milestone -2 (When company 2 is completed).
6. Let's get started!

## Day 1-5 :

**Company Name : Goldman Sachs**

Questions :

1. [Given an array of strings, return all groups of strings that are anagrams.](#)
2. [Overlapping rectangles](#)
3. [Count the subarrays having product less than k](#)
4. [Given a string, Your task is to complete the function encode that returns the run length encoded string for the given string.  
eg if the input string is "wwwaaadexxxxx", then the function should return "w4a3d1e1x6".\(Modified version of question named Cute Monkeys\)](#)
5. [Program to find Nth Ugly Number.](#)
6. [Given two strings str1 and str2. We say that str2 divides str1 if it's possible to concatenate multiple str2 to get str1. For example, ab divides abab.  
if str2 does not divide str1, return -1. Otherwise, return the smallest string str3 such that str3 divides both str1 and str2.](#)
7. [Find the kid which gets the damaged toy](#)
8. [Total Decoding Messages](#)
9. [Given a pattern containing only I's and D's. I for increasing and D for decreasing. Devise an algorithm to print the minimum number following that pattern.](#)
10. Find max 10 numbers in a list having 10M entries.
11. [Given an unsorted array Arr of size N of positive integers. One number 'A' from set {1, 2, ...N} is missing and one number 'B'](#)

[occurs twice in array. Find these two numbers.](#)

12. Find total number of Squares in a  $N \times N$  chessboard

13.[Decode the string](#)

14.[Minimum Size Subarray Sum](#)

15.[Array Pair Sum Divisibility Problem](#)

All the best , Start today!!!!