

SUBMITTED BY :


MALAYKA IBRAR

REGISTRATION NO:

058

Lab 6: Set Up Nexus Repository and Configure User Access

```
Try: sudo apt install <deb name>
malayka-ibrar@Ubuntu:~/DevOps$ docker logs -f nexus
2026-11-09 14:41:38,596+0000 INFO  [main] *SYSTEM com.sonatype.nexus.bootstrap.entrypoint.pro.SonatypeNexusRepositoryApplication - Starting SonatypeNexusRepositoryApplication v3.98.1-01 using Java 21.0.13.0.3 with PID 1 (/opt/sonatype/nexus/bin/sonatype-nexus-repository-3.98.1-01.jar started by nexus in /opt/sonatype/nexus)
2026-11-09 14:41:38,603+0000 INFO  [main] *SYSTEM com.sonatype.nexus.bootstrap.entrypoint.pro.SonatypeNexusRepositoryApplication - No active profile set, falling back to 1 default profile: "default"
2026-11-09 14:41:44,064+0000 INFO  [main] *SYSTEM java.util.prefs - Created user preferences directory.
2026-11-09 14:41:44,248+0000 INFO  [main] *SYSTEM org.sonatype.nexus.bootstrap.entrypoint.ApplicationLauncher - Starting nexus with edition COMMUNITY
2026-11-09 14:41:44,547+0000 INFO  [main] *SYSTEM org.sonatype.nexus.bootstrap.entrypoint.SpringComponentScan - Scanning for components in packages: [org.sonatype.nexus, com.sonatype.nexus]
```




```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ sudo docker build -t lab5:1.0 .
[+] Building 4.8s (1/2)                                                  docker:default
 => [internal] load metadata for docker.io/library/node:13-alpine                 3.8s
```


```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ sudo docker images
                                                  i Info →   U  In Use
IMAGE                                     ID             DISK USAGE   CONTENT SIZE   EXTRA
intellij-idea-docker-intellij:latest      bbcac1f94027         15GB          4.68GB    U
lab5:1.0                                  331df1c5580a        417MB          85.2MB
linuxserver/webtop:ubuntu-xfce            432475b977d9        5.15GB          1.32GB
lscr.io/linuxserver/webtop:ubuntu-xfce    432475b977d9        5.15GB          1.32GB
sonatype/nexus3:latest                    91a9af44af77        1.81GB           809MB    U
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ docker --version
Docker version 29.9.2, build a82e528
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/react-nodejs-example/api$ cd ~/IdeaProjects/node-project
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ ls -l Dockerfile
-rw-r--r-- 1 abc abc 119 Nov 11 20:45 Dockerfile
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$ cd ~/IdeaProjects
malayka-ibrar@ubuntu:~/IdeaProjects$ git clone https://gitlab.com/nanuchi/java-app.git
Cloning into 'java-app'...
remote: Enumerating objects: 222, done.
remote: Counting objects: 100% (112/112), done.
remote: Compressing objects: 100% (59/59), done.
remote: Total 222 (delta 33), reused 86 (delta 17), pack-reused 110 (from 1)
Receiving objects: 100% (222/222), 15.55 MiB | 301.00 KiB/s, done.
Resolving deltas: 100% (53/53), done.
malayka-ibrar@ubuntu:~/IdeaProjects$
```


Welcome to IntelliJ IDEA
IntelliJ IDEA
2026.2.3
Projects
Customize
Plugins
9
Learn
Welcome to IntelliJ IDEA
Create a new project to start from scratch.
Open existing project from disk or version control.
New Project
Open
Clone Repository
IntelliJ IDEA 2026.2.4 available
Update...
Take a quick onboarding tour
New to IntelliJ IDEA? Get the most out of your IDE. Become acquainted with its tools and basic workflows.
Start Tour in Java


Start
Next Up
Problems
Output
Debug Console
Terminal
Ports 7
malayka-ibrar@Ubuntu:~/DevOps$ cd ~/Intellij-Idea-docker
docker compose up -d
[+] up 2/2
✓ Network intellij-idea-docker_default Created 0.4s
✓ Container intellij-idea-docker-intellij-1 Started 2.2s
malayka-ibrar@Ubuntu:~/Intellij-Idea-docker$
tail
bash



[INFO] --
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$ ls -lh target/
total 17M
drwxr-xr-x 4 abc abc 4.0K Nov 10 17:40 classes
drwxr-xr-x 3 abc abc 4.0K Nov 10 17:40 generated-sources
-rw-r--r-- 1 abc abc 17M Nov 10 17:48 java-maven-app-1.1.0-SNAPSHOT.jar
-rw-r--r-- 1 abc abc 3.0K Nov 10 17:48 java-maven-app-1.1.0-SNAPSHOT.jar.original
drwxr-xr-x 2 abc abc 4.0K Nov 10 17:41 maven-archiver
drwxr-xr-x 3 abc abc 4.0K Nov 10 17:40 maven-status
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$

```
) in auto mode
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$ mvn --version
Apache Maven 3.9.12
Maven home: /usr/share/maven
Java version: 21.0.13.0.3, vendor: Ubuntu, runtime: /usr/lib/jvm/java-21-openjdk
-amd64
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "7.0.0-38-generic", arch: "amd64", family: "unix"
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$
```

```
[INFO] ------------------------------------------------------------------------
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$ ls -lh target/
total 17M
drwxr-xr-x 4 abc abc 4.0K Nov 10 17:40 classes
drwxr-xr-x 3 abc abc 4.0K Nov 10 17:40 generated-sources
-rw-r--r-- 1 abc abc  17M Nov 10 17:48 java-maven-app-1.1.0-SNAPSHOT.jar
-rw-r--r-- 1 abc abc 3.0K Nov 10 17:48 java-maven-app-1.1.0-SNAPSHOT.jar.original
drwxr-xr-x 2 abc abc 4.0K Nov 10 17:41 maven-archiver
drwxr-xr-x 3 abc abc 4.0K Nov 10 17:40 maven-status
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$
```

```
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/sisu/org.eclipse.sisu.inject/0.3.4/o
.sisu.inject-0.3.4.jar (379 kB at 70 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/3.2.1/plexus-ut
jar (262 kB at 47 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/net/java/dev/jna/jna-platform/5.5.0/jna-platform
 (2.7 MB at 221 kB/s)
[INFO] Replacing main artifact with repackaged archive
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  02:08 min
[INFO] Finished at: 2026-11-12T14:41:33+05:00
[INFO] ------------------------------------------------------------------------
root@ubuntu:~/IdeaProjects/java-maven-app#
```









```
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$ java -jar target/java-maven-app-1.1.0-SNAPSHOT.j
ar


  .   ____          _            __ _ _
 /\\ / ___'_ __ _ _(_)_ __  __ _ \ \ \ \
( ( )\___ | '_ | '_| | '_ \/ _` | \ \ \ \
 \\/  ___)| |_)| | | | | || (_| |  ) ) ) )
  '  |____| .__|_| |_|_| |_\__, | / / / /
 =========|_|==============|___/=/_/_/_/
 :: Spring Boot ::        (v2.3.4.RELEASE)


2026-11-10 17:52:08.381  INFO 2943 --- [           main] com.example.Application                  :
Starting Application on ubuntu with PID 2943 (/config/IdeaProjects/java-maven-app/target/java-maven-
app-1.1.0-SNAPSHOT.jar started by abc in /config/IdeaProjects/java-maven-app)
2026-11-10 17:52:08.396  INFO 2943 --- [           main] com.example.Application                  :
No active profile set, falling back to default profiles: default
2026-11-10 17:52:11.133  INFO 2943 --- [           main] o.s.b.w.embedded.tomcat.TomcatWebServer  :
Tomcat initialized with port(s): 8080 (http)
2026-11-10 17:52:11.210  INFO 2943 --- [           main] o.apache.catalina.core.StandardService   :
Starting service [Tomcat]
2026-11-10 17:52:11.212  INFO 2943 --- [           main] org.apache.catalina.core.StandardEngine  :
Starting Servlet engine: [Apache Tomcat/9.0.38]
2026-11-10 17:52:11.368  INFO 2943 --- [           main] o.a.c.c.C.[Tomcat].[localhost].[/]       :
Initializing Spring embedded WebApplicationContext
2026-11-10 17:52:11.370  INFO 2943 --- [           main] w.s.c.ServletWebServerApplicationContext :
Root WebApplicationContext: initialization completed in 2704 ms
2026-11-10 17:52:11.523  INFO 2943 --- [           main] com.example.Application                  :
Java app started
```



2026-11-10 17:52:12.729 INFO 2943 --- [main] com.example.Application :
Started Application in 6.631 seconds (JVM running for 8.412)
^C2026-11-10 17:52:46.053 INFO 2943 --- [extShutdownHook] o.s.s.concurrent.ThreadPoolTaskExecutor
: Shutting down ExecutorService 'applicationTaskExecutor'
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$


/opt/sonatype/sonatype-work/nexus3/blobs $ ls mystore
metadata.properties
/opt/sonatype/sonatype-work/nexus3/blobs $


sonatype nexus repository
Community Edition
Search
Switch to Classic UI
Settings > Blob Stores
Blob Stores
Configure local and cloud blob storage
+ Create Blob Store
Filter by name...
Name ↑ Path Type State Blob Count Total Size Available Space
default default File Started 52 18.01 MB 11.21 GB
mystore mystore File Started 0 0.00 Bytes 11.21 GB
What is a blob store?
The binary assets you download via proxy repositories, or publish to hosted repositories, are stored in the blob store attached to those repositories. In traditional, single node NXRM deployments, blob stores are typically associated with a local filesystem directory, usually within the sonatype-work directory.
View Documentation



Delete
Cancel
Save Changes
Apply cleanup policies to automatically remove components from this repository. Manage Cleanup Policies
Cleanup Policies
Available Policies
0 items
Filter...
No items available
Applied Policies
1 item
Filter...
maven
Select cleanup policies to apply to this repository
Settings
Cleanup Policies
Cleanup Policies
Manage component removal configuration
Create Cleanup Policy
Filter by name, format, or description...
Name
Format
Description
maven
maven2
—
What is a cleanup policy?
Cleanup policies can be used to remove content from your repositories. These policies will execute at the configured frequency. Once created, a cleanup policy must be assigned to a repository from the repository configuration screen.
Learn more


Edit
Delete
Run Now
Back
Save
compact-store
Admin - Compact blob store
WAITING
Enabled
Summary
Settings
Schedule
History
ID:
00eda51e-21a5-4fed-a915-c24af54edd2b
STATUS:
WAITING
LAST RESULT:
OK
SCHEDULE:
daily
NEXT RUN:
11/12/2026, 6:30:00 PM
LAST RUN:
11/12/2026, 4:14:13 PM
ALERT EMAIL:
Not configured
DESCRIPTION:
Compacting [default]


sonatype nexus repository
Community Edition
Search
Switch to Classic UI
Category
Admin
Cleanup
Docker
Health Check
Repository
Cleanup service
repositories using their associated policies
Run repository cleanup
Waiting
Daily
Cleanup unused docker blobs from nexus
Admin - Cleanup unused asset blobs
Cleanup unused docker blobs from ...
Waiting
Cron
Cleanup unused maven2 blobs from nexus
Admin - Cleanup unused asset blobs
Cleanup unused maven2 blobs fro...
Waiting
Cron
compact-store
Admin - Compact blob store
-
Waiting
Daily
ECR Token
Docker -

```
malayka-ibrar@Ubuntu: $ curl -u nexus -X GET "http://10.0.2.15:8006/service/rest/v1/components?repository=maven-snapshot
s"
Enter host password for user 'nexus':
{
  "items" : [ {
    "id" : "bWF2ZW4tc25hcHNob3RzOjRmMWJiY2Rk",
    "repository" : "maven-snapshots",
    "format" : "maven2",
    "group" : "com.example",
    "name" : "java-maven-app",
    "version" : "1.1.0-20261112.094938-1",
    "assets" : [ {
      "downloadUrl" : "http://10.0.2.15:8006/repository/maven-snapshots/com/example/java-maven-app/1.1.0-SNAPSHOT/java-m
aven-app-1.1.0-20261112.094938-1.jar",
      "path" : "/com/example/java-maven-app/1.1.0-SNAPSHOT/java-maven-app-1.1.0-20261112.094938-1.jar",
      "id" : "bWF2ZW4tc25hcHNob3RzOjRmMWJiY2Rk",
      "repository" : "maven-snapshots",
      "format" : "maven2",
      "checksum" : {
        "sha1" : "c5d69d30991e53b357f58f4d38dead8c635ab427",
        "md5" : "a9a173482beb87cdb89a9a4ed51d29ae",
        "sha256" : "0b478ea9e578ff03b82841ed66b76bca136afcd5adaf6ee8d41d0a2ed195f707",
        "sha512" : "057592c99ea76f31b4150f9cf8d1f5754f6e0421a6808893f0d037ec537a59ca44210092e1386f30d888c5981e7edadb3aab
639fdbef4344b9a0b792abcaeed8"
      },
      "contentType" : "application/java-archive",
      "lastModified" : "2026-11-12T09:50:09.209+00:00",
      "lastDownloaded" : null,
      "uploader" : null,
      "uploaderIp" : null,
      "fileSize" : 17200398,
      "blobCreated" : "2026-11-12T09:50:09.629+00:00",
      "blobStoreName" : "default",
      "blobUpdated" : "2026-11-12T09:50:09.209+00:00",
      "blobRef" : "default@bb6b8aa8-dbd6-40ca-a186-b491cb73b215@2026-11-12T09:50",
      "lastVerified" : null,
      "registryUrl" : null,
      "maven2" : {
        "extension" : "jar",
        "groupId" : "com.example",
        "artifactId" : "java-maven-app",
        "version" : "1.1.0-20261112.094938-1"
      }
    }, {
      "downloadUrl" : "http://10.0.2.15:8006/repository/maven-snapshots/com/example/java-maven-app/1.1.0-SNAPSHOT/java-m
```

```
}malayka-ibrar@Ubuntu:~$ sudo docker exec -it nexus /bin/sh
[sudo: authenticate] Password:
/opt/sonatype $ pwd
/opt/sonatype
/opt/sonatype $ cd sonatype-work/nexus3
/opt/sonatype/sonatype-work/nexus3 $ cd blobs
/opt/sonatype/sonatype-work/nexus3/blobs $ ls
default
/opt/sonatype/sonatype-work/nexus3/blobs $ ls default/content
2026        directpath  tmp
/opt/sonatype/sonatype-work/nexus3/blobs $
```



Name ↑	Path	Type	State	Blob Count	Total Size	Available Space
default	default	File	Started	52	18.01 MB	11.21 GB
mystore	mystore	File	Started	0	0.00 Bytes	11.21 GB

What is a blob store?

```
exit
malayka-ibrar@Ubuntu:~$ curl -u nexus -X GET "http://10.0.2.15:8006/service/rest/v1/repositories"
Enter host password for user 'nexus':
[ {
  "name" : "maven-snapshots",
  "format" : "maven2",
  "type" : "hosted",
  "url" : "http://10.0.2.15:8006/repository/maven-snapshots",
  "online" : true,
  "size" : 0,
  "attributes" : { }
} ]malayka-ibrar@Ubuntu:~$
```

```
malayka-ibrar@Ubuntu:~$ curl -i -u nexus http://localhost:8006/service/rest/v1/status
Enter host password for user 'nexus':
HTTP/1.1 200 OK
Server: Nexus/3.98.1-01 (COMMUNITY)
Vary: Accept-Encoding
X-Content-Type-Options: nosniff
Content-Security-Policy: default-src http: data: blob: 'unsafe-inline'; script-src http: 'unsafe-inline' 'unsafe-eval'
Content-Length: 0

malayka-ibrar@Ubuntu:~$
```

```
Node.js v22.23.4
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$ nano server.js
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$ npm start

> bootcamp-node-project@1.0.0 start
> node server.js

app listening on port 3000!
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$ cd ~/IdeaProjects/node-project/app
npm start

> bootcamp-node-project@1.0.0 start
> node server.js

app listening on port 3000!
^C
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/java-app$ ^C
malayka-ibrar@ubuntu:~/IdeaProjects/java-app$ ^C
malayka-ibrar@ubuntu:~/IdeaProjects/java-app$ cd ~/IdeaProjects
git clone https://gitlab.com/devopsbootcamp3/node-project.git
Cloning into 'node-project'...
remote: Enumerating objects: 54, done.
remote: Total 54 (delta 0), reused 0 (delta 0), pack-reused 54 (from 1)
Receiving objects: 100% (54/54), 180.57 KiB | 233.00 KiB/s, done.
Resolving deltas: 100% (20/20), done.
malayka-ibrar@ubuntu:~/IdeaProjects$ cd ~/IdeaProjects/node-project
ls
Dockerfile  Jenkinsfile  README.md  app
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ cd ~/IdeaProjects/node-project/app
npm install
npm warn old lockfile
npm warn old lockfile The package-lock.json file was created with an old version of npm,
npm warn old lockfile so supplemental metadata must be fetched from the registry.
npm warn old lockfile
npm warn old lockfile This is a one-time fix-up, please be patient...
npm warn old lockfile
npm warn deprecated whatwg-encoding@1.0.5: Use @exodus/bytes instead for a more spec-conformant a
nd faster implementation
npm warn deprecated urix@0.1.0: Please see https://github.com/lydell/urix#deprecated
npm warn deprecated w3c-hr-time@1.0.2: Use your platform's native performance.now() and performan
ce.timeOrigin.
npm warn deprecated uuid@8.3.2: uuid@10 and below is no longer supported.  For ESM codebases, upd
ate to uuid@latest.  For CommonJS codebases, use uuid@11 (but be aware this version will likely b
e deprecated in 2028).
npm warn deprecated source-map-url@0.4.1: See https://github.com/lydell/source-map-url#deprecated
npm warn deprecated source-map-resolve@0.5.3: See https://github.com/lydell/source-map-resolve#de
precated
npm warn deprecated rimraf@3.0.2: Rimraf versions prior to v4 are no longer supported
npm warn deprecated resolve-url@0.2.1: https://github.com/lydell/resolve-url#deprecated
npm warn deprecated sane@4.1.0: some dependency vulnerabilities fixed, support for node < 10 drop
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$ npm test

> bootcamp-node-project@1.0.0 test
> jest

Browserslist: caniuse-lite is outdated. Please run:
npx browserslist@latest --update-db

Why you should do it regularly:
https://github.com/browserslist/browserslist#browsers-data-updating
 PASS  ./server.test.js
  ✓ main index.html file exists (10 ms)

Test Suites: 1 passed, 1 total
Tests:       1 passed, 1 total
Snapshots:   0 total
Time:        7.174 s
Ran all test suites.
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/react-nodejs-example/api$ NODE_OPTIONS=--openssl-legacy-provi
der npm run build

> react-nodejs-example@1.0.0 build
> webpack

Hash: abef9fc2cbaaf24f1946
Version: webpack 4.43.0
Time: 6391ms
Built at: 11/11/2026 10:08:06 PM
          Asset     Size  Chunks             Chunk Names
server.bundle.js  563 KiB       0  [emitted]  main
Entrypoint main = server.bundle.js
  [1] external "path" 42 bytes {0} [built]
  [4] external "fs" 42 bytes {0} [built]
  [6] external "buffer" 42 bytes {0} [built]
  [9] external "stream" 42 bytes {0} [built]
 [20] external "http" 42 bytes {0} [built]
 [22] external "util" 42 bytes {0} [built]
 [30] external "events" 42 bytes {0} [built]
 [32] external "net" 42 bytes {0} [built]
 [40] external "querystring" 42 bytes {0} [built]
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ sudo docker images
                                                  i Info →  U  In Use
IMAGE                                  ID             DISK USAGE   CONTENT SIZE   EXTRA
intellij-idea-docker-intellij:latest   bbcac1f94027         15GB          4.68GB    U
linuxserver/webtop:ubuntu-xfce         432475b977d9       5.15GB          1.32GB
lscr.io/linuxserver/webtop:ubuntu-xfce 432475b977d9       5.15GB          1.32GB
sonatype/nexus3:latest                 91a9af44af77       1.81GB           809MB    U
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$
```


```
Downloaded from central: https://repo.maven.apache.org/maven2/org/eclipse/sisu/org.eclipse.sisu.inject/0.3.4/o
.sisu.inject-0.3.4.jar (379 kB at 70 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/codehaus/plexus/plexus-utils/3.2.1/plexus-ut
jar (262 kB at 47 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/net/java/dev/jna/jna-platform/5.5.0/jna-platform
 (2.7 MB at 221 kB/s)
[INFO] Replacing main artifact with repackaged archive
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  02:08 min
[INFO] Finished at: 2026-11-12T14:41:33+05:00
[INFO] ------------------------------------------------------------------------
root@ubuntu:~/IdeaProjects/java-maven-app#
```

```
Problems  Output  Debug Console  Terminal  Ports 4        bash - Intellij-Idea-docker

Cloning into 'Intellij-Idea-docker'...
remote: Enumerating objects: 35, done.
remote: Counting objects: 100% (35/35), done.
remote: Compressing objects: 100% (32/32), done.
remote: Total 35 (delta 16), reused 5 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (35/35), 15.24 KiB | 62.00 KiB/s, done.
Resolving deltas: 100% (16/16), done.
malayka-ibrar@Ubuntu:~/Intellij-Idea-docker$
```

```
root@ubuntu:~/IdeaProjects/java-maven-app# ls -l /root/.m2/settings.xml
-rw------- 1 root root 205 Nov 12 14:49 /root/.m2/settings.xml
root@ubuntu:~/IdeaProjects/java-maven-app# mvn deploy
[INFO] Scanning for projects...
[INFO]
[INFO] ---------------------< com.example:java-maven-app >---------------------
[INFO] Building java-maven-app 1.1.0-SNAPSHOT
[INFO]   from pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ java-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] Copying 1 resource from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.6.0:compile (default-compile) @ java-maven-app ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ java-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /config/IdeaProjects/java-maven-app/src/test/resources
[INFO]
[INFO] --- compiler:3.6.0:testCompile (default-testCompile) @ java-maven-app ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:2.17:test (default-test) @ java-maven-app ---
[INFO] No tests to run.
[INFO]
[INFO] --- jar:3.1.2:jar (default-jar) @ java-maven-app ---
```


na-platform/5.5.0/jna-platform-5.5.0.jar (2.7 MB at 64 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/com/fasterxml/jack
son/core/jackson-databind/2.11.3/jackson-databind-2.11.3.jar (1.4 MB at 30 kB/s)
[INFO] Replacing main artifact with repackaged archive
[INFO] --
[INFO] BUILD SUCCESS
[INFO] --
[INFO] Total time: 04:54 min
[INFO] Finished at: 2026-11-10T17:42:29+05:00
[INFO] --
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$


Terminal - @ubuntu:~/IdeaProjects/java-maven-app
File Edit View Terminal Tabs Help
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i
.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /config/IdeaProjects/java-maven-app/s
rc/test/resources
[INFO]
[INFO] --- compiler:3.6.0:testCompile (default-testCompile) @ java-maven-app ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:2.17:test (default-test) @ java-maven-app ---
[INFO] No tests to run.
[INFO]
[INFO] --- jar:3.1.2:jar (default-jar) @ java-maven-app ---
[INFO] Building jar: /config/IdeaProjects/java-maven-app/target/java-maven-app-1
.1.0-SNAPSHOT.jar
[INFO]
[INFO] --- spring-boot:2.3.5.RELEASE:repackage (default) @ java-maven-app ---
[INFO] Replacing main artifact with repackaged archive
[INFO] --
[INFO] BUILD SUCCESS
[INFO] --
[INFO] Total time: 5.948 s
[INFO] Finished at: 2026-11-10T17:48:56+05:00
[INFO] --
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$

```
malayka-ibrar@ubuntu:~/IdeaProjects/java-maven-app$ mvn test
[INFO] Scanning for projects...
[INFO]
[INFO] --------------------< com.example:java-maven-app >--------------------
[INFO] Building java-maven-app 1.1.0-SNAPSHOT
[INFO]   from pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ java-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platfo
m dependent!
[INFO] Copying 1 resource from src/main/resources to target/classes
[INFO]
[INFO] --- compiler:3.6.0:compile (default-compile) @ java-maven-app ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ java-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platfo
m dependent!
[INFO] skip non existing resourceDirectory /config/IdeaProjects/java-maven-app/src/test/resources
[INFO]
[INFO] --- compiler:3.6.0:testCompile (default-testCompile) @ java-maven-app ---
[INFO] No sources to compile
[INFO]
[INFO] --- surefire:2.17:test (default-test) @ java-maven-app ---
[INFO] No tests to run.
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
```

Settings > Blob Stores


Blob Stores


Configure local and cloud blob storage


+ Create Blob Store


Filter by name...


Name ↑	Path	Type	State	Blob Count	Total Size	Available Space
default	default	File	Started	52	18.01 MB	11.21 GB


Delete
Run Now
Unsaved changes
Back
Save
Cleanup service
repository.cleanup
WAITING
Enabled
Summary
Settings
Schedule
History
Schedule Configuration
Schedule *
Choose when this task should run
Daily
Run Daily At
Start Date
09/11/2026
Time
06:00 pm
Times are shown in your local timezone (Asia/Karachi)


"continuationToken" : null
}malayka-ibrar@Ubuntu: $ curl -u nexus -X GET "http://10.0.2.15:8006/service/rest/v1/components/PASTE_COMPONENT_ID_HERE"
Enter host password for user 'nexus':
{
"status-message" : {
"statusCode" : 422,
"reasonPhrase" : "Unknown Code",
"family" : "CLIENT_ERROR"
},
"status-code" : 422,
"siesta-faultid" : "00d61c27-9b7d-4144-968f-09024432a6f9"
}malayka-ibrar@Ubuntu: $


Showing 8 of 8 repositories
Name
Type
Ecosystem
Blob Store
Status
URL
Healt
docker-hosted
hosted
Docker
mystore
Online
Not su


"attributes" : { }
}]malayka-ibrar@Ubuntu: $ curl -u admin -X GET "http://10.0.2.15:8006/service/rest/v1/repositories"
Enter host password for user 'admin':
malayka-ibrar@Ubuntu: $




```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$ node -v
npm -v
v22.23.4
10.9.9
malayka-ibrar@ubuntu:~/IdeaProjects/node-project$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$ npm pack
npm notice
npm notice 📦  bootcamp-node-project@1.0.0
npm notice Tarball Contents
npm notice 60.5kB images/profile-andrea.jpg
npm notice 17.5kB images/profile-ari.jpeg
npm notice 1.2kB index.html
npm notice 283B package.json
npm notice 724B server.js
npm notice 205B server.test.js
npm notice Tarball Details
npm notice name: bootcamp-node-project
npm notice version: 1.0.0
npm notice filename: bootcamp-node-project-1.0.0.tgz
npm notice package size: 79.4 kB
npm notice unpacked size: 80.4 kB
npm notice shasum: ed73d22d636ef0dfcd62438fdd15427a920a4b08
npm notice integrity: sha512-wJvZ5wvMZAKZW[...]s1h4BOA8XdXew==
npm notice total files: 6
npm notice
bootcamp-node-project-1.0.0.tgz
malayka-ibrar@ubuntu:~/IdeaProjects/node-project/app$
```

```
malayka-ibrar@ubuntu:~/IdeaProjects/react-nodejs-example/api$ ls -lh server.bundle.js
-rw-r--r-- 1 abc abc 564K Nov 11 22:08 server.bundle.js
malayka-ibrar@ubuntu:~/IdeaProjects/react-nodejs-example/api$ cat server.bundle.js | more
!function(e){var a={};function i(n){if(a[n])return a[n].exports;var t=a[n]={i:n,l:!1,exports:{}};
return e[n].call(t.exports,t,t.exports,i),t.l=!0,t.exports}i.m=e,i.c=a,i.d=function(e,a,n){i.o(e,
a)||Object.defineProperty(e,a,{enumerable:!0,get:n})},i.r=function(e){"undefined"!=typeof Symbol&
&Symbol.toStringTag&&Object.defineProperty(e,Symbol.toStringTag,{value:"Module"}),Object.definePr
operty(e,"__esModule",{value:!0})},i.t=function(e,a){if(1&a&&(e=i(e)),8&a)return e;if(4&a&&"objec
t"==typeof e&&e&&e.__esModule)return e;var n=Object.create(null);if(i.r(n),Object.defineProperty(
n,"default",{enumerable:!0,value:e}),2&a&&"string"!=typeof e)for(var t in e)i.d(n,t,function(a){r
eturn e[a]}.bind(null,t));return n},i.n=function(e){var a=e&&e.__esModule?function(){return e.def
ault}:function(){return e};return i.d(a,"a",a),a},i.o=function(e,a){return Object.prototype.hasOw
nProperty.call(e,a)},i.p="",i(i.s=52)}([function(e,a,i){"undefined"!=typeof process&&"renderer"==
=process.type?e.exports=i(62):e.exports=i(64)},function(e,a){e.exports=require("path")},function(
module,exports,__webpack_require__){
/*!
 * depd
 * Copyright(c) 2014-2017 Douglas Christopher Wilson
 * MIT Licensed
 */
var callSiteToString=__webpack_require__(29).callSiteToString,eventListenerCount=__webpack_requir
e__(29).eventListenerCount,relative=__webpack_require__(1).relative;module.exports=depd;var baseP
ath=process.cwd();function containsNamespace(e,a){for(var i=e.split(/[ ,]+/),n=String(a).toLowerC
ase(),t=0;t<i.length;t++){var o=i[t];if(o&&("*"===o||o.toLowerCase()===n))return!0}return!1}funct
```