


File Name: config.php



Code:


```
<?php

define('DB_SERVER', 'localhost');
define('DB_USERNAME', 'root');
define('DB_PASSWORD', '');
define('DB_NAME', 'gym');

$link = mysqli_connect(DB_SERVER, DB_USERNAME, DB_PASSWORD, DB_NAME);

if($link === false)
{
    die("ERROR: Could not connect. " . mysqli_connect_error());
}
?>
```

File Name: login.php



Code:

```
<?php
session_start();

if(isset($_SESSION["loggedin"]) && $_SESSION["loggedin"] === true)
{
    header("location: welcome.php");
    exit;
}
require_once "config.php";

$username = $password = "";
$username_err = $password_err = $login_err = "";

if($_SERVER["REQUEST_METHOD"] == "POST")
{
    if(empty(trim($_POST["username"])))
    {
        $username_err = "Please enter username.";
    } else
    {
        $username = trim($_POST["username"]);
    }

    if(empty(trim($_POST["password"])))
    {
        $password_err = "Please enter your password.";
    }
```

```
}
    else
    {
        $password = trim($_POST["password"]);
    }

    if(empty($username_err) && empty($password_err))
    {

        $sql = "SELECT id, username, password FROM users WHERE username = ?";

        if($stmt = mysqli_prepare($link, $sql))
        {
            mysqli_stmt_bind_param($stmt, "s", $param_username);

            $param_username = $username;

            if(mysqli_stmt_execute($stmt))
            {
                mysqli_stmt_store_result($stmt);

                if(mysqli_stmt_num_rows($stmt) == 1)
                {
                    mysqli_stmt_bind_result($stmt, $id, $username, $hashed_password);

                    if(mysqli_stmt_fetch($stmt))
                    {
                        if(password_verify($password, $hashed_password)){
                            session_start();

                            $_SESSION["loggedin"] = true;
                            $_SESSION["id"] = $id;
                            $_SESSION["username"] = $username;

                            header("location: welcome.php");
                        }
                        else
                        {
                            $login_err = "Invalid username or password.";
                        }
                    }
                }
            }
            else
            {
                $login_err = "Invalid username or password.";
            }
        }
    }
}
```

```
    }
  }
    else
    {
      echo "Oops! Something went wrong. Please try again later.";
    }

    mysqli_stmt_close($stmt);
  }
}

mysqli_close($link);
}
?>

<html>
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <link rel="stylesheet" href="bootstrap/bootstrap.min.css">
  <link rel="stylesheet" href="bootstrap/bootstrap-theme.min.css">
  <script src="bootstrap/jquery.min.js"></script>
  <script src="bootstrap/bootstrap.min.js"></script>
  <style>
    .body{
    }

    #dmain
    {
      box-shadow: 0px 0px 14px #999999;
      border-radius:5px;
      border-color: #d3d3d3;
      border-width: 1px;
      border-style: solid;
      background-color:white;
      width:450px;
      height:350px;
      margin-left: 550px;

    }
    #u_id
    {
      margin-left: 8px;
      margin-right : 8px;
      margin-up : 8px;

    }
  }
}
```

```

        #u_ps
        {
            margin-left: 8px;
            margin-right :8px;
        }
        #u_sub
        {
            margin-left: 190px;
            margin-right: 8px;
        }
        #u_not
        {
            margin-left : 8px;
            margin-right : 8px;
            align : center;
        }
        #back
        {
            width:1000px;
            height:100px;
        }
    </style>
</head>
<body style= "background-image:url('/images/gymmm.jpg');" >


        <div class="container-fluid">
            <div class="row">
                </img>
            </div>
        </div>
        </div><br><br><br>
        <div id = "dmain">
            <center></center>
            <form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]); ?>"
method="post">
                <div class="form-group" id = u_id>
                    <label>Username</label>
                    <input type="text" name="username" class="form-control <?php echo
(!empty($username_err)) ? 'is-invalid' : ''; ?>" value="<?php echo $username; ?>">
                    <span class="invalid-feedback"><?php echo $username_err; ?></span>
                </div>
                <div class="form-group" id = u_ps>
                    <label>Password</label>
                    <input type="password" name="password" class="form-control <?php echo
(!empty($password_err)) ? 'is-invalid' : ''; ?>">

```

```
<span class="invalid-feedback"><?php echo $password_err; ?></span>
</div>
<div class="form-group" id = u_sub>
  <input type="submit" class="btn btn-primary" value="Login">
</div>
      <div class = "form-group" id = u_not>
    <p align = "center">Don't have an account? <a href="resig.php">Sign up
now</a>.</p>
      </div>
    </form>

  </div>
</div>
  </body>
</html>
```

File Name: resig.php



Code:

<?php

```
require_once "config.php";

$username = $password = $confirm_password = "";
$username_err = $password_err = $confirm_password_err = "";

if($_SERVER["REQUEST_METHOD"] == "POST")
{

    if(empty(trim($_POST["username"])))
    {
        $username_err = "Please enter a username.";
    }
    elseif(!preg_match('/^[a-zA-Z0-9_]+$/', trim($_POST["username"])))
    {
        $username_err = "Username can only contain letters, numbers, and underscores.";
    }
    else
    {

        $sql = "SELECT id FROM users WHERE username = ?";

        if($stmt = mysqli_prepare($link, $sql))
        {

            mysqli_stmt_bind_param($stmt, "s", $param_username);

            $param_username = trim($_POST["username"]);

            if(mysqli_stmt_execute($stmt))
            {
                mysqli_stmt_store_result($stmt); /* store result */

                if(mysqli_stmt_num_rows($stmt) == 1)
                {
                    $username_err = "This username is already taken.";
                }
                else
                {
                    $username = trim($_POST["username"]);
                }
            }
            else
            {
                echo "Oops! Something went wrong. Please try again later.";
            }
        }
    }
}
```

```
    }

    mysqli_stmt_close($stmt);
}
}

if(empty(trim($_POST["password"])))
{
    $password_err = "Please enter a password.";
}
elseif(strlen(trim($_POST["password"])) < 6)
{
    $password_err = "Password must have atleast 6 characters.";
}
else
{
    $password = trim($_POST["password"]);
}

if(empty(trim($_POST["confirm_password"])))
{
    $confirm_password_err = "Please confirm password.";
}
else
{
    $confirm_password = trim($_POST["confirm_password"]);
    if(empty($password_err) && ($password != $confirm_password))
    {
        $confirm_password_err = "Password did not match.";
    }
}

if(empty($username_err) && empty($password_err) && empty($confirm_password_err))
{
    $sql = "INSERT INTO users (username, password) VALUES (?, ?)";

    if($stmt = mysqli_prepare($link, $sql))
    {
        mysqli_stmt_bind_param($stmt, "ss", $param_username, $param_password);

        $param_username = $username;
        $param_password = password_hash($password, PASSWORD_DEFAULT);

        if(mysqli_stmt_execute($stmt))
        {
```



```
        header("location: login.php");
    } else
    {
        echo "Oops! Something went wrong. Please try again later.";
    }

    mysqli_stmt_close($stmt);
}
}

mysqli_close($link);
}
?>

<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title></title>
    <link rel="stylesheet" href="bootstrap/bootstrap.min.css">
    <link rel="stylesheet" href="bootstrap/bootstrap-theme.min.css">
    <script src="bootstrap/jquery.min.js"></script>
    <script src="bootstrap/bootstrap.min.js"></script>
    <style type="text/css">
        .inpterr
        {
            border: 1px solid red;
            background: #FFCECE;

        }

        .inpterrc
        {
            border: 1px solid black;
            background: white;
        }

        #dmain
        {
            box-shadow: 0px 0px 14px #999999;
            border-radius: 5px;
            border-color: #d3d3d3;
            border-width: 1px;
            border-style: solid;
            background-color: white;
            width: 450px;
            height: 400px;
            margin-left: 550px;

        }
    </style>
</head>
<body>
    <div id="dmain">
        <div id="r_id">
```

```


        {
            margin-left: 8px;
            margin-right : 8px;
            margin-up : 8px;
        }
        #r_pass
        {
            margin-left: 8px;
            margin-right :8px;
        }
        #r_cpass
        {
            margin-left: 8px;
            margin-right: 8px;
        }
        #r_btn
        {
            margin-left: 155px;
            margin-right: 8px;
        }
        #r_not
        {
            margin-left : 8px;
            margin-right : 8px;
            align : center;
        }
    }
</style>
</head>
<body style= "background-image:url('./images/gymmm.jpg');">
    <div class="container-fluid">
        <div class="row">
            <div class="col-sm-12">
                </img>
            </div>
        </div>
        <div id="dmain">
            <center></center>
        <form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]); ?>" method="post">

            <div class="form-group" id = r_id>
                <label>Username</label>
                <input type="text" name="username" class="form-control <?php echo
(!empty($username_err)) ? 'is-invalid' : ''; ?>" value="<?php echo $username; ?>"
                <span class="invalid-feedback"><?php echo $username_err; ?></span>
            </div>
            <div class="form-group" id = r_pass>
                <label>Password</label>

```

```
<input type="password" name="password" class="form-control <?php echo
(!empty($password_err)) ? 'is-invalid' : ''; ?>" value="<?php echo $password; ?>">
  <span class="invalid-feedback"><?php echo $password_err; ?></span>
</div>
<div class="form-group" id = r_cpass>
  <label>Confirm Password</label>
  <input type="password" name="confirm_password" class="form-control <?php echo
(!empty($confirm_password_err)) ? 'is-invalid' : ''; ?>" value="<?php echo $confirm_password;
?>">
    <span class="invalid-feedback"><?php echo $confirm_password_err; ?></span>
  </div>
<div class="form-group" id = r_btn>
  <input type="submit" class="btn btn-primary" value="Submit">
  <input type="reset" class="btn btn-secondary ml-2" value="Reset">
</div>
      <div class = "form-group" id = r_not>
<p align = "center">Already have an account? <a href="login.php">Login here</a>.</p>
      </div>
</form>
</div>
</form>
</body>
</html>
```

File Name: welcome.php



Code:

```
<?php
session_start();
if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true)
{
    header("location: login.php");
    exit;
}
?>
<!DOCTYPE html>
<html>
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <title></title>
    <link rel="stylesheet" href="bootstrap/bootstrap.min.css">
    <link rel="stylesheet" href="bootstrap/bootstrap-theme.min.css">
    <script src="bootstrap/jquery.min.js"></script>
    <script src="bootstrap/bootstrap.min.js"></script>
    <style type="text/css">
<style>
    #head
    {
        padding-top : 5px;
```

```
}
ul
{
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: black;
}
li
{
    float: right;
    border-right: 2px solid black;
}
li a
{
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}
li a:hover
{
    background-color: black;
    color : white;
}
.active
{
    background-color: #04AA6D;
}
.gallery
{
    margin: 5px;
    border: 1px solid #ccc;
    float: left;
    width: 180px;
}
.gallery img
{
    width: 100%;
    height: auto;
}
.desc
{
    padding: 15px;
    text-align: center;
}
.backk
```

```

        {
            background-color : pink;
        }
    </style>
</head>
<body>

    <ul>
        </img>
        <li style = ><a href="logout.php">logout</a></li>
        <li style = ><a href="reset-password.php">Reset Password</a></li>
        <li style = ""><a href="about.php">About Us</a></li>
        <li style = ""><a href="subs.php">Subscription </a></li>
        <li style = ""><a href="welcome.php">Home</a></li>
    </ul>

    <div id = "wel">
        </img>
        <h1 align = "center">Hi, <b><?php echo
htmlspecialchars($_SESSION["username"]); ?></b>. Welcome to our site.</h1>
    </div><br>
    <div class = "backk" >
        <div class="row">
            <div class="col-md-6" id = "bra">
                </img>

                <h2 align = "center">-: CARDIO EXERCISE :-</h2>
            </div>
            <div class="col-md-6" id = "bra">
                </img>


                <h2 align = "center">-: LEG EXERCISE :-</h2>
            </div>
        </div>
        <div class="row">
            <div class="col-md-6" id = "bra">
                </img>

                <h2 align = "center">-: BODY BULIDING AREA :-</h2>
            </div>
            <div class="col-md-6" id = "bra">
                </img>

                <h2 align = "center">-: EXERCISE AREA :-</h2>
            </div>
        </div>
    </div>
</body>
</html>

```

File Name: subs.php



Code:

```
<?php

session_start();

if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true)
{
    header("location: login.php");
    exit;
}
?>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
        <title></title>
        <link rel="stylesheet" href="bootstrap/bootstrap.min.css">
        <link rel="stylesheet" href="bootstrap/bootstrap-theme.min.css">
        <script src="bootstrap/jquery.min.js"></script>
        <script src="bootstrap/bootstrap.min.js"></script>
        <style type="text/css">
        <style>
            #head
            {
                padding-top : 5px;

            }
            ul
            {
                list-style-type: none;
                margin: 0;
                padding: 0;
                overflow: hidden;
                background-color: black;

            }
            li
            {
                float: right;
                border-right: 2px solid black;

            }
            li a
            {
                display: block;
                color: white;
                text-align: center;
                padding: 14px 16px;
                text-decoration: none;

            }
            li a:hover
            {
```



```
        background-color: black;
        color : white;
    }
    #dmain
    {
        box-shadow: 0px 0px 14px #999999;
        border-radius:5px;
        border-color: #d3d3d3;
        border-width: 1px;
        border-style: solid;
        background-color:white;
        width:50%;
        height:450px;
        margin-left : 450px;
    }
    #u_id
    {
        margin-left: 8px;
        margin-right : 8px;
        margin-up : 8px;
    }
    #u_ps
    {
        margin-left: 8px;
        margin-right :8px;
    }
    #u_sub
    {
        margin-left: 190px;
        margin-right: 8px;
    }
    #u_not
    {
        margin-left : 8px;
        margin-right : 8px;
        align : center;
    }
    #back
    {
        width:1000px;
        height:100px;
    }
    .column
    {
        float: left;
        width: 90%;

        height: 200px;
        font-size : px;
    }
    .branch
```

```

        {
            background-color: white;
            text-color : white;
            padding: 30px;
            text-align: center;
            font-size: 35px;
            background-color : pink;
        }
    .row
    {
        background-color: white;
        text-color : white;
        padding: 30px;
        text-align: center;
        font-size: 35px;
        background-color : lightblue;
    }

</style>
</head>
<body>

    <ul>
        </img>
        <li style = ><a href="logout.php">logout</a></li>
        <li style = ><a href="reset-password.php">Reset Password</a></li>
        <li style = ""><a href="about.php">About Us</a></li>
        <li style = ""><a href="subs.php">Subscription </a></li>
        <li style = ""><a href="welcome.php">Home</a></li>
    </ul>

    <div id = "wel">
        </img>
    </div><br>
    <div class="branch">
        <h1>-: SUBSCRIPTION FOR YEAR :-</h1>
    </div>
    <div class="row">
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-:
YEARLY :-</h2><h4 style = "padding-left : 10px" align = "center">10000/- rs per year<br>Note :this
offer don't gave you personal trainer and it available only one branch that you choose.</h4>
        </div>
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-:
YEARLY :-</h2><h4 style = "padding-left : 10px" align = "center">20000/- rs per year<br>Note :this
offer gave you personal trainer and it available for all branches.</h4>
        </div>
    </div>
    <div class="branch">


```

```

        <h1>-: SUBSCRIPTION FOR 6 MONTH :-</h1>
    </div>
    <div class="row">
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-: 6
MONTH :-</h2><h4 style = "padding-left : 10px" align = "center">6500/- rs per year<br>Note :this
offer don't gave you personal trainer and it available only one branch that you choose.</h4>
        </div>
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-: 6
MONTH :-</h2><h4 style = "padding-left : 10px" align = "center">12500/- rs per year<br>Note
: this offer gave you personal trainer and it available for all branches.</h4>
        </div>
    </div>
    <div class="branch">
        <h1>-: SUBSCRIPTION FOR 3 MONTH :-</h1>
    </div>
    <div class="row">
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-: 3
MONTH :-</h2><h4 style = "padding-left : 10px" align = "center">4000/- rs per year<br>Note :this
offer don't gave you personal trainer and it available only one branch that you choose.</h4>
        </div>
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-: 3
MONTH :-</h2><h4 style = "padding-left : 10px" align = "center">10000/- rs per year<br>Note
: this offer gave you personal trainer and it available for all branches.</h4>
        </div>
    </div>
    <div class="branch">
        <h1>-: SUBSCRIPTION FOR MONTH :-</h1>
    </div>
    <div class="row">
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-:
MONTH :-</h2><h4 style = "padding-left : 10px" align = "center">2000/- rs per year<br>Note :this
offer don't gave you personal trainer and it available only one branch that you choose.</h4>
        </div>
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-:
MONTH :-</h2><h4 style = "padding-left : 10px" align = "center">4500/- rs per year<br>Note :this
offer gave you personal trainer and it available for all branches.</h4>
        </div>
    </div>
    <br><br>
</div>

</body>
</html>

```



Code:

```
<?php
session_start();

if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true)
{
    header("location: login.php");
    exit;
}
?>

<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<title></title>
<link rel="stylesheet" href="bootstrap/bootstrap.min.css">
<link rel="stylesheet" href="bootstrap/bootstrap-theme.min.css">
<script src="bootstrap/jquery.min.js"></script>
<script src="bootstrap/bootstrap.min.js"></script>
<style type="text/css">
<style>
.head
{
    padding-top : 5px;

}
ul
{
    list-style-type: none;
    margin: 0;
    padding: 0;
    overflow: hidden;
    background-color: black;
}
li
{
    float: right;
    border-right: 2px solid black;
}
li a
{
    display: block;
    color: white;
    text-align: center;
    padding: 14px 16px;
    text-decoration: none;
}
li a:hover
{
    background-color: black;
    color : white;
}
.active
{
    background-color: #04AA6D;
}
.service
{
    text-align : center;
    text-decoration: underline;
    font-family: "Lucida Console", "Courier New", monospace;
}
.heading
{
```

```

        background-color: #ccc;
        text-color : white;
        padding: 30px;
        text-align: center;
        font-size: 35px;
        text-decoration : underline double;
    }
    #column
    {
        float: left;
        width: 33.33%;
        padding: 10px;
        height: 200px;
        font-size : px;
        background-color : #ccc;
        text-color : white;
    }
    .branch
    {
        background-color: white;
        text-color : white;
        padding: 30px;
        text-align: center;
        font-size: 35px;
        text-decoration : underline double;
    }
</style>
</head>
<body>

    <ul>

        </img>

        <li style = ><a href="logout.php">logout</a></li>
        <li style = ><a href="reset-password.php">Reset Password</a></li>
        <li style = ""><a href="about.php">About Us</a></li>
        <li style = ""><a href="subs.php">Subscription </a></li>
        <li style = ""><a href="welcome.php">Home</a></li>

    </ul>

    <div class= "wel">
        </img>
    </div>
    <div class="heading">
        <h1>OUR SERVICES</h1>
    </div>
    <div class="row">
        <div class="col-sm-4" id = "column">
            <h2 align = "center" style = "text-decoration : underline dashed
3px">Group Workout</h2><h4 style = "padding-left : 10px">You can find a group exercise class to
fit any and all of your fitness needs.</h4>


```

```

        </div>
        <div class="col-sm-4" id = "column">
            <h2 align = "center" style = "text-decoration : underline dashed 3px">Free
Style Training</h2><h4 >Freestyle Training class is a social, free-flowing style of fitness session. It
enables members to train across multiple exercise.</h4>
        </div>
        <div class="col-sm-4" id = "column">
            <h2 align = "center" style = "text-decoration : underline dashed
3px">Cardio Blast</h2><h4 style = "padding-right : 10px">The class is a form of High Intensity
Interval Training (HIIT), which incorporates short intervals of workouts proceeded by levels.</h4>
        </div>
    </div>
    <div class="row">
        <div class="col-sm-4" id = "column" >
            <h2 align = "center" style = "text-decoration : underline dashed
3px">Strength Training</h2><h4 style = "padding-left : 10px">You can find a group exercise class
to fit any and all of your fitness needs.</h4>
        </div>
        <div class="col-sm-4" id = "column" >
            <h2 align = "center" style = "text-decoration : underline dashed
3px">Boxing Training</h2><h4>Freestyle Training class is a social, free-flowing style of fitness
session. It enables members to train across multiple exercise.</h4>
        </div>
        <div class="col-sm-4" id = "column" >
            <h2 align = "center" style = "text-decoration : underline dashed
3px">Upper Chest Training</h2><h4 style = "padding-right : 10px">The class is a form of High
Intensity Interval Training (HIIT), which incorporates short intervals of workouts proceeded by
levels.</h4>
        </div>
    </div>
    <div class="branch">
        <h1>OUR BRANCHES</h1>
    </div>
    <div class="row">
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-:
SURAT :-</h2><h4 style = "padding-left : 10px" align = "center">4th Floor, Sargam shopping
Center,<br>City Ligth, Surat.<br> Contact no : 9898989898</h4>
        </div>
        <div class="col-md-6" id = "bra">
            <h2 align = "center" style = "text-decoration : underline double 2px">-:
SURAT:-</h2><h4 style = "padding-left : 10px" align = "center">2nd Floor, Kataria shopping
Center,<br>Pal, Adajan, Surat.<br> Contact no : 9898989898</h4>
        </div>
    </div>
</body>
</html>

```

File Name: Reset-password.php



Code:

```
<?php
session_start();

if(!isset($_SESSION["loggedin"]) || $_SESSION["loggedin"] !== true)
{
    header("location: login.php");
    exit;
}

require_once "config.php";

$new_password = $confirm_password = "";
$new_password_err = $confirm_password_err = "";

if($_SERVER["REQUEST_METHOD"] == "POST")
{
    if(empty(trim($_POST["new_password"])))
    {
        $new_password_err = "Please enter the new password.";
    } elseif(strlen(trim($_POST["new_password"])) < 6)
    {
        $new_password_err = "Password must have atleast 6 characters.";
    } else
    {
        $new_password = trim($_POST["new_password"]);
    }
}
```



```
}

if(empty(trim($_POST["confirm_password"])))
{
    $confirm_password_err = "Please confirm the password.";
}
else
{
    $confirm_password = trim($_POST["confirm_password"]);
    if(empty($new_password_err) && ($new_password != $confirm_password))
    {
        $confirm_password_err = "Password did not match.";
    }
}

if(empty($new_password_err) && empty($confirm_password_err))
{
    $sql = "UPDATE users SET password = ? WHERE id = ?";

    if($stmt = mysqli_prepare($link, $sql))
    {

        mysqli_stmt_bind_param($stmt, "si", $param_password, $param_id);

        $param_password = password_hash($new_password, PASSWORD_DEFAULT);
        $param_id = $_SESSION["id"];

        if(mysqli_stmt_execute($stmt))
        {
            session_destroy();
            header("location: login.php");
            exit();
        }
        else
        {
            echo "Oops! Something went wrong. Please try again later.";
        }

        mysqli_stmt_close($stmt);
    }
}

mysqli_close($link);
}
```

```
?>

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link rel="stylesheet" href="bootstrap/bootstrap.min.css">
    <link rel="stylesheet" href="bootstrap/bootstrap-theme.min.css">
    <script src="bootstrap/jquery.min.js"></script>
    <script src="bootstrap/bootstrap.min.js"></script>
    <style>
      .body{
      }

      #dmain
      {
        box-shadow: 0px 0px 14px #999999;
        border-radius:5px;
        border-color: #d3d3d3;
        border-width: 1px;
        border-style: solid;
        background-color:white;
        width:450px;
        height:350px;
        margin-left: 550px;
      }
      #re_new
      {
        margin-left: 8px;
        margin-right :8px;
      }
      #re_cpass
      {
        margin-left: 8px;
        margin-right: 8px;
      }
      #re_sub
      {
        margin-left : 155px;
        margin-right : 8px;
        align : center;
      }
      #back
      {
        width:1000px;
        height:100px;
      }
      #re
      {
        margin-left: 8px;
        margin-right: 8px;
```

```
    }
    </style>

</head>
<body style= "background-image:url('./images/gymmm.jpg');">
<div class="container-fluid">
    <div class="row">
        <div class="col-sm-12">
            </img>
        </div>
    </div>
</div><br><br><br>
<div id = "dmain">
    <div id = re>
        <h2 align = "center">Reset Password</h2>
        </div><br>
        <form action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]); ?>" method="post">
            <div class="form-group" id = re_new>
                <label>New Password</label>
                <input type="password" name="new_password" class="form-control <?php echo
(!empty($new_password_err)) ? 'is-invalid' : ''; ?>" value="<?php echo $new_password; ?>">
                <span class="invalid-feedback"><?php echo $new_password_err; ?></span>
            </div>
            <div class="form-group" id = re_cpass>
                <label>Confirm Password</label>
                <input type="password" name="confirm_password" class="form-control <?php echo
(!empty($confirm_password_err)) ? 'is-invalid' : ''; ?>">
                <span class="invalid-feedback"><?php echo $confirm_password_err; ?></span>
            </div>
            <div class="form-group" id = re_sub>
                <input type="submit" class="btn btn-primary" value="Submit">
                <a class="btn btn-link ml-2" href="welcome.php">Cancel</a>
            </div>
        </form>
    </div>
</body>
</html>
```

File Name: logout.php

Code:

```
<?php  
  
session_start();  
  
$_SESSION = array();  
  
session_destroy();  
  
header("location: login.php");  
exit;  
?>
```