
RADAR · Study-owned configuration
IDS repositories
Repository criteria, taxonomy and prompts
IDS datasets
Dataset criteria, taxonomy and prompts
Conformal treatment effects
Eligibility, quality and assumption extraction
Shared paper config schema
Same operational keys; study-specific values
Search profiles + pipeline values + screening + taxonomy + prompts | Shared runtime and model profiles
(i) Provider discovery
(ii) Evidence + prefilter
(iii) Scientific screening
(iv) Consensus + reconciliation
(v) Outputs + evaluation
Reference profiles · evaluation only
Repository API
Repository search
Date sharding, deduplication, README + docs
Repository prefilter
Deterministic evidence scores
Repository role validation
IDS repositories
Consensus + ensemble
Structured prompts
Repeated assessments per model
Evaluation + reporting
Recovery + extraction metrics
Review: per-provider and union
OpenAlex
Both paper studies
Shared paper collector
Direct paper search
Diverse survey seeds (optional)
Backward snowballing (optional)
Union, dedupe + configurable ranking
Shared paper evidence
DOI / title lookup + bounded PDF
Deterministic prefilter
Candidate / borderline gate
Dataset release validation
IDS datasets
Repository families
Repository reconciliation
Repository catalogue
Accepted repository records
Semantic Scholar
Review discovery
Criterion assessment
Conformal treatment effects
Eligibility + quality + literal quotes
Publication families
Dataset release reconciliation
Dataset catalogue
Canonical releases and versions
Local CSV / JSON
Review discovery
Review assessments
Release reconciliation disabled
Review classifications
Criteria, assumptions and audit quotes
Native query syntax · proportional budgets · raw audits · frozen cohorts
Catalogue baselines
Keyword + NLI + LLM NLI
Repository + dataset studies
Select one study per run.
Paper studies share acquisition code and config keys.
Repository strategy
Shared paper code
Shared voting
Evaluation only
Study configuration