



Prediction binary cat insurance data

Python notebook using data from [Car Insurance Cold Calls](#) · 228 views · 1y ago



1

 Copy and Edit

2



Version 1

 4

データの読み込み ¶ (<https://www.kaggle.com/murakawa/prediction-binary-cat-insurance-data#%E3%83%87%E3%83%BC%E3%82%BF%E3%81%AE%E8%AA%AD%>)

In [1]:

```
# This Python 3 environment comes with many helpful analytics libraries
installed
# It is defined by the kaggle/python docker image: https://github.com/kaggle/docker-python
# For example, here's several helpful packages to load in

import numpy as np # linear algebra
import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)

# Input data files are available in the "../input/" directory.
# For example, running this (by clicking run or pressing Shift+Enter) will list the files in the input directory

import os
print(os.listdir("../input"))

import seaborn as sns
# Any results you write to the current directory are saved as output.

['DSS_DMC_Description.pdf', 'carInsurance_train.csv', 'carInsurance_test.csv']
```

In [2]:

```
train = pd.read_csv('../input/carInsurance_train.csv')
test = pd.read_csv('../input/carInsurance_test.csv')
```

In [3]:

```
train.head()
```

Out[3]:

	Id	Age	Job	Marital	Education	Default	Balance	HHInsurance	CarLoan	Comm
0	1	32	management	single	tertiary	0	1218	1	0	teleph
1	2	32	blue-collar	married	primary	0	1156	1	0	NaN
2	3	29	management	single	tertiary	0	637	1	0	cellula
3	4	25	student	single	primary	0	373	1	0	cellula
4	5	30	management	married	tertiary	0	2694	0	0	cellula

In [4]:

```
test.head()
```

Out[4]:

	Id	Age	Job	Marital	Education	Default	Balance	HHInsurance	CarLoan	Co
0	4001	25	admin.	single	secondary	0	1	1	1	NaN

1	4002	40	management	married	tertiary	0	0	1	1	cell
2	4003	44	management	single	tertiary	0	-1313	1	1	cell
3	4004	27	services	single	secondary	0	6279	1	0	cell
4	4005	53	technician	married	secondary	0	7984	1	0	cell

## データの確認

In [5]:

```
train.isna().sum()
```

Out[5]:

```

Id                0
Age               0
Job              19
Marital           0
Education        169
Default           0
Balance           0
HHInsurance       0
CarLoan           0
Communication     902
LastContactDay    0
LastContactMonth  0
NoOfContacts      0
DaysPassed        0
PrevAttempts      0
Outcome          3042
CallStart         0
CallEnd           0
CarInsurance      0
dtype: int64

```

In [6]:

```
test.isna().sum()
```

Out[6]:

```

Id                0
Age               0
Job               5
Marital           0
Education         47
Default           0
Balance           0
HHInsurance       0
CarLoan           0
Communication     221
LastContactDay    0
LastContactMonth  0
NoOfContacts      0
DaysPassed        0

```

```

PrevAttempts      0
Outcome           757
CallStart         0
CallEnd           0
CarInsurance      1000
dtype: int64

```

In [7]:

```
train.shape
```

Out[7]:

```
(4000, 19)
```

In [8]:

```
test.shape
```

Out[8]:

```
(1000, 19)
```

## 欠損値の対応

In [9]:

```
train.Job.unique()
```

Out[9]:

```
array(['management', 'blue-collar', 'student', 'technician', 'admin.',
      'services', 'self-employed', 'retired', nan, 'housemaid',
      'entrepreneur', 'unemployed'], dtype=object)
```

In [10]:

```
train[train.Job != train.Job].head()
```

Out[10]:

	Id	Age	Job	Marital	Education	Default	Balance	HHInsurance	CarLoan	Commun
27	28	45	NaN	divorced	NaN	0	0	0	0	cellular
239	240	41	NaN	single	NaN	0	942	0	0	cellular
486	487	54	NaN	married	primary	0	981	0	0	cellular
536	537	33	NaN	single	secondary	0	1522	0	1	cellular
605	606	53	NaN	married	primary	0	732	0	0	cellular

In [11]:

```
train.Job.fillna('unknown', inplace=True)
test.Job.fillna('unknown', inplace=True)
```

In [12]:

```
train.Education.unique()
```

Out[12]:

```
array(['tertiary', 'primary', 'secondary', nan], dtype=object)
```

```
In [13]:
train.Education.fillna('other', inplace=True)
test.Education.fillna('other', inplace=True)
```

```
In [14]:
train.Communication.fillna('other', inplace=True)
test.Communication.fillna('other', inplace=True)
```

```
In [15]:
train.Outcome.fillna('unkwon', inplace=True)
test.Outcome.fillna('unkwon', inplace=True)
```

```
In [16]:
train.dtypes
```

```
Out[16]:
Id                int64
Age               int64
Job               object
Marital           object
Education         object
Default           int64
Balance           int64
HHInsurance       int64
CarLoan           int64
Communication     object
LastContactDay    int64
LastContactMonth  object
NoOfContacts      int64
DaysPassed        int64
PrevAttempts      int64
Outcome           object
CallStart         object
CallEnd           object
CarInsurance      int64
dtype: object
```

```
In [17]:
cat_cols = ['Marital', 'Education', 'Job', 'Communication',
            'LastContactMonth', 'Outcome', 'CallStart', 'CallEnd']
```

```
In [18]:
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
for col in cat_cols:
    train[col] = le.fit_transform(train[col])
```

```
In [19]:
train.head()
```

```
Out[19]:
```

		Id	Age	Job	Marital	Education	Default	Balance	HHInsurance	CarLoan	Communication
0	1	32	4	2	3	0	1218	1	0	2	

1	2	32	1	1	1	0	1156	1	0	1
2	3	29	4	2	3	0	637	1	0	0
3	4	25	8	2	1	0	373	1	0	0
4	5	30	4	1	3	0	2694	0	0	0

In [20]:

```
X = train.drop('CarInsurance', axis=1)
y = train.CarInsurance
```

In [21]:

```
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.3, random_state=0)
```

In [22]:

```
import xgboost as xgb
dtrain = xgb.DMatrix(X_train, y_train)
dval = xgb.DMatrix(X_test, y_test)
eval_list = [(dval, 'eval'), (dtrain, 'train')]
```

In [23]:

```
param = {'max_depth': 3,
        'eta': 0.3,
        'silent': 1,
        'objective': 'binary:logistic',
        'nthread': 4,
        'eval_metric': 'auc'}
```

In [24]:

```
num_round = 250
bst = xgb.train(param, dtrain, num_round, eval_list, early_stopping_rounds=2)
```

```
[0]    eval-auc:0.695181    train-auc:0.697895
```

Multiple eval metrics have been passed: 'train-auc' will be used for early stopping.

Will train until train-auc hasn't improved in 2 rounds.

```
[1]    eval-auc:0.716765    train-auc:0.717916
```

```
[2]    eval-auc:0.719608    train-auc:0.720543
```

```
[3]    eval-auc:0.729629    train-auc:0.733879
```

```
[4]    eval-auc:0.736563    train-auc:0.749381
```

```
[5]    eval-auc:0.743144    train-auc:0.754882
```

```
[6]    eval-auc:0.749341    train-auc:0.758067
```

```
[7]    eval-auc:0.748643    train-auc:0.768482
```

```
[8]    eval-auc:0.744592    train-auc:0.773661
```

```
[9]    eval-auc:0.746565    train-auc:0.78172
```

```
[10]   eval-auc:0.752592    train-auc:0.787233
```

```
[11]   eval-auc:0.754994    train-auc:0.788592
```

```
[12]   eval-auc:0.756681    train-auc:0.792386
```

```
[13]   eval-auc:0.759272    train-auc:0.804491
```

```
[14]   eval-auc:0.760226    train-auc:0.800001
```

[14]	eval-auc:0.700520	train-auc:0.809091
[15]	eval-auc:0.762587	train-auc:0.813732
[16]	eval-auc:0.762656	train-auc:0.81744
[17]	eval-auc:0.760549	train-auc:0.820491
[18]	eval-auc:0.760891	train-auc:0.822419
[19]	eval-auc:0.762532	train-auc:0.825748
[20]	eval-auc:0.763818	train-auc:0.828178
[21]	eval-auc:0.765721	train-auc:0.835211
[22]	eval-auc:0.768948	train-auc:0.83791
[23]	eval-auc:0.770859	train-auc:0.841895
[24]	eval-auc:0.771118	train-auc:0.843803
[25]	eval-auc:0.770528	train-auc:0.84554
[26]	eval-auc:0.774272	train-auc:0.847045
[27]	eval-auc:0.775409	train-auc:0.847526
[28]	eval-auc:0.774368	train-auc:0.851024
[29]	eval-auc:0.776482	train-auc:0.854434
[30]	eval-auc:0.777776	train-auc:0.855469
[31]	eval-auc:0.774903	train-auc:0.857863
[32]	eval-auc:0.777768	train-auc:0.862475
[33]	eval-auc:0.78054	train-auc:0.868367
[34]	eval-auc:0.779721	train-auc:0.869234
[35]	eval-auc:0.780736	train-auc:0.870733
[36]	eval-auc:0.780802	train-auc:0.871111
[37]	eval-auc:0.780696	train-auc:0.871691
[38]	eval-auc:0.781193	train-auc:0.872157
[39]	eval-auc:0.785282	train-auc:0.878938
[40]	eval-auc:0.785719	train-auc:0.879086
[41]	eval-auc:0.788003	train-auc:0.8816
[42]	eval-auc:0.789107	train-auc:0.884406
[43]	eval-auc:0.792159	train-auc:0.886732
[44]	eval-auc:0.793712	train-auc:0.887952
[45]	eval-auc:0.793683	train-auc:0.89024
[46]	eval-auc:0.793962	train-auc:0.890456
[47]	eval-auc:0.795044	train-auc:0.89139
[48]	eval-auc:0.795015	train-auc:0.892265
[49]	eval-auc:0.795886	train-auc:0.893102
[50]	eval-auc:0.795012	train-auc:0.894438
[51]	eval-auc:0.793657	train-auc:0.89577
[52]	eval-auc:0.792455	train-auc:0.896475
[53]	eval-auc:0.792009	train-auc:0.89688
[54]	eval-auc:0.794986	train-auc:0.898259
[55]	eval-auc:0.798415	train-auc:0.901852
[56]	eval-auc:0.799062	train-auc:0.902795
[57]	eval-auc:0.799223	train-auc:0.905375
[58]	eval-auc:0.798961	train-auc:0.906283
[59]	eval-auc:0.799082	train-auc:0.906397
[60]	eval-auc:0.799968	train-auc:0.908464
[61]	eval-auc:0.804492	train-auc:0.912678
[62]	eval-auc:0.805033	train-auc:0.913046
[63]	eval-auc:0.805246	train-auc:0.913231
[64]	eval-auc:0.807371	train-auc:0.915818
[65]	eval-auc:0.80734	train-auc:0.917287
[66]	eval-auc:0.808812	train-auc:0.918779
[67]	eval-auc:0.807915	train-auc:0.91947
[68]	eval-auc:0.808027	train-auc:0.920107
[69]	eval-auc:0.808332	train-auc:0.921876
[70]	eval-auc:0.807072	train-auc:0.922467
[71]	eval-auc:0.806802	train-auc:0.922621
[72]	eval-auc:0.807222	train-auc:0.924367

	eval-auc:0.806983	train-auc:0.924595
[73]	eval-auc:0.806983	train-auc:0.924595
[74]	eval-auc:0.807112	train-auc:0.926076
[75]	eval-auc:0.809157	train-auc:0.926806
[76]	eval-auc:0.808559	train-auc:0.928867
[77]	eval-auc:0.808254	train-auc:0.929176
[78]	eval-auc:0.80748	train-auc:0.930279
[79]	eval-auc:0.808303	train-auc:0.930843
[80]	eval-auc:0.807938	train-auc:0.931084
[81]	eval-auc:0.813164	train-auc:0.933673
[82]	eval-auc:0.813592	train-auc:0.934851
[83]	eval-auc:0.814191	train-auc:0.934973
[84]	eval-auc:0.814944	train-auc:0.936082
[85]	eval-auc:0.815485	train-auc:0.937128
[86]	eval-auc:0.815414	train-auc:0.937518
[87]	eval-auc:0.815604	train-auc:0.937653
[88]	eval-auc:0.815128	train-auc:0.939501
[89]	eval-auc:0.814179	train-auc:0.941096
[90]	eval-auc:0.815094	train-auc:0.941662
[91]	eval-auc:0.815706	train-auc:0.94207
[92]	eval-auc:0.81715	train-auc:0.944309
[93]	eval-auc:0.822414	train-auc:0.947442
[94]	eval-auc:0.823559	train-auc:0.94873
[95]	eval-auc:0.822923	train-auc:0.949173
[96]	eval-auc:0.824591	train-auc:0.951035
[97]	eval-auc:0.824134	train-auc:0.951356
[98]	eval-auc:0.824418	train-auc:0.951512
[99]	eval-auc:0.824531	train-auc:0.951993
[100]	eval-auc:0.824367	train-auc:0.952391
[101]	eval-auc:0.822969	train-auc:0.953228
[102]	eval-auc:0.821715	train-auc:0.953477
[103]	eval-auc:0.822931	train-auc:0.954154
[104]	eval-auc:0.823182	train-auc:0.954344
[105]	eval-auc:0.822693	train-auc:0.955018
[106]	eval-auc:0.826035	train-auc:0.956926
[107]	eval-auc:0.826302	train-auc:0.956933
[108]	eval-auc:0.827418	train-auc:0.958314
[109]	eval-auc:0.827473	train-auc:0.959437
[110]	eval-auc:0.828005	train-auc:0.960222
[111]	eval-auc:0.82856	train-auc:0.960485
[112]	eval-auc:0.828721	train-auc:0.960666
[113]	eval-auc:0.829561	train-auc:0.961082
[114]	eval-auc:0.830293	train-auc:0.962139
[115]	eval-auc:0.830438	train-auc:0.962489
[116]	eval-auc:0.831514	train-auc:0.96279
[117]	eval-auc:0.832305	train-auc:0.963713
[118]	eval-auc:0.833225	train-auc:0.964755
[119]	eval-auc:0.833858	train-auc:0.965132
[120]	eval-auc:0.834232	train-auc:0.965139
[121]	eval-auc:0.83456	train-auc:0.965365
[122]	eval-auc:0.833666	train-auc:0.965891
[123]	eval-auc:0.834244	train-auc:0.966339
[124]	eval-auc:0.835176	train-auc:0.966881
[125]	eval-auc:0.835026	train-auc:0.966951
[126]	eval-auc:0.835035	train-auc:0.967118
[127]	eval-auc:0.834813	train-auc:0.968371
[128]	eval-auc:0.832886	train-auc:0.969248
[129]	eval-auc:0.832774	train-auc:0.969466
[130]	eval-auc:0.836657	train-auc:0.971034



[131]	eval-auc:0.836763	train-auc:0.971208
[132]	eval-auc:0.835204	train-auc:0.97146
[133]	eval-auc:0.83527	train-auc:0.972203
[134]	eval-auc:0.836082	train-auc:0.972473
[135]	eval-auc:0.836211	train-auc:0.972891
[136]	eval-auc:0.837445	train-auc:0.973243
[137]	eval-auc:0.838256	train-auc:0.973903
[138]	eval-auc:0.838662	train-auc:0.974633
[139]	eval-auc:0.841313	train-auc:0.975875
[140]	eval-auc:0.83997	train-auc:0.9762
[141]	eval-auc:0.840819	train-auc:0.976585
[142]	eval-auc:0.842403	train-auc:0.977549
[143]	eval-auc:0.840781	train-auc:0.977851
[144]	eval-auc:0.841748	train-auc:0.978645
[145]	eval-auc:0.841437	train-auc:0.979061
[146]	eval-auc:0.842389	train-auc:0.979404
[147]	eval-auc:0.842752	train-auc:0.979594
[148]	eval-auc:0.842872	train-auc:0.980057
[149]	eval-auc:0.843169	train-auc:0.98027
[150]	eval-auc:0.843801	train-auc:0.980336
[151]	eval-auc:0.84379	train-auc:0.980378
[152]	eval-auc:0.843194	train-auc:0.980438
[153]	eval-auc:0.842775	train-auc:0.980534
[154]	eval-auc:0.842933	train-auc:0.980654
[155]	eval-auc:0.842596	train-auc:0.980933
[156]	eval-auc:0.842268	train-auc:0.980957
[157]	eval-auc:0.842383	train-auc:0.981218
[158]	eval-auc:0.843968	train-auc:0.981196
[159]	eval-auc:0.842987	train-auc:0.981407
[160]	eval-auc:0.843197	train-auc:0.981558
[161]	eval-auc:0.843171	train-auc:0.981657
[162]	eval-auc:0.842619	train-auc:0.981642
[163]	eval-auc:0.842438	train-auc:0.981931
[164]	eval-auc:0.841595	train-auc:0.982045
[165]	eval-auc:0.841736	train-auc:0.982354
[166]	eval-auc:0.84182	train-auc:0.982449
[167]	eval-auc:0.841679	train-auc:0.982654
[168]	eval-auc:0.84295	train-auc:0.983102
[169]	eval-auc:0.842907	train-auc:0.983235
[170]	eval-auc:0.843876	train-auc:0.983465
[171]	eval-auc:0.844932	train-auc:0.984307
[172]	eval-auc:0.845432	train-auc:0.98495
[173]	eval-auc:0.845774	train-auc:0.985269
[174]	eval-auc:0.845283	train-auc:0.98555
[175]	eval-auc:0.845582	train-auc:0.985811
[176]	eval-auc:0.845271	train-auc:0.985785
[177]	eval-auc:0.846853	train-auc:0.986212
[178]	eval-auc:0.846347	train-auc:0.986379
[179]	eval-auc:0.846281	train-auc:0.986476
[180]	eval-auc:0.844365	train-auc:0.986599
[181]	eval-auc:0.845234	train-auc:0.986931
[182]	eval-auc:0.845055	train-auc:0.98702
[183]	eval-auc:0.845271	train-auc:0.98712
[184]	eval-auc:0.845613	train-auc:0.987229
[185]	eval-auc:0.845461	train-auc:0.98731
[186]	eval-auc:0.845866	train-auc:0.987417
[187]	eval-auc:0.846298	train-auc:0.987602
[188]	eval-auc:0.846928	train-auc:0.987732

[189]	eval-auc:0.846801	train-auc:0.987731
[190]	eval-auc:0.84666	train-auc:0.987911
[191]	eval-auc:0.84639	train-auc:0.987988
[192]	eval-auc:0.845947	train-auc:0.988237
[193]	eval-auc:0.845726	train-auc:0.988308
[194]	eval-auc:0.84559	train-auc:0.988511
[195]	eval-auc:0.845636	train-auc:0.988753
[196]	eval-auc:0.844779	train-auc:0.988883
[197]	eval-auc:0.844584	train-auc:0.988891
[198]	eval-auc:0.844425	train-auc:0.989016
[199]	eval-auc:0.844995	train-auc:0.989119
[200]	eval-auc:0.844811	train-auc:0.989369
[201]	eval-auc:0.845113	train-auc:0.98974
[202]	eval-auc:0.846203	train-auc:0.990066
[203]	eval-auc:0.84574	train-auc:0.990109
[204]	eval-auc:0.846902	train-auc:0.990421
[205]	eval-auc:0.847509	train-auc:0.990742
[206]	eval-auc:0.848173	train-auc:0.990919
[207]	eval-auc:0.84851	train-auc:0.990924
[208]	eval-auc:0.848976	train-auc:0.991109
[209]	eval-auc:0.849301	train-auc:0.991292
[210]	eval-auc:0.849818	train-auc:0.991461
[211]	eval-auc:0.84922	train-auc:0.991518
[212]	eval-auc:0.848861	train-auc:0.991459
[213]	eval-auc:0.84897	train-auc:0.991507
Stopping. Best iteration:		
[211]	eval-auc:0.84922	train-auc:0.991518

## 特徴エンジニアリング

In [25]:

```
def read_and_fillna():
    train = pd.read_csv('../input/carInsurance_train.csv')
    test = pd.read_csv('../input/carInsurance_test.csv')
    train.Job.fillna('unknown', inplace=True)
    test.Job.fillna('unknown', inplace=True)
    train.Education.fillna('other', inplace=True)
    test.Education.fillna('other', inplace=True)
    train.Communication.fillna('other', inplace=True)
    test.Communication.fillna('other', inplace=True)
    train.Outcome.fillna('unknwon', inplace=True)
    test.Outcome.fillna('unknwon', inplace=True)
    return train, test
```

In [26]:

```
def make_model(train, cat_cols):
    from sklearn.preprocessing import LabelEncoder
    from sklearn.model_selection import train_test_split
    import xgboost as xgb

    le = LabelEncoder()
```

```

for col in cat_cols:
    train[col] = le.fit_transform(train[col])
X = train.drop('CarInsurance', axis=1)
y = train.CarInsurance
X_train, X_test, y_train, y_test = train_test_split(X, y,
                                                    test_size=0.3,
                                                    random_state=0)
dtrain = xgb.DMatrix(X_train, y_train)
dval = xgb.DMatrix(X_test, y_test)
eval_list = [(dval, 'eval'), (dtrain, 'train')]
param = {'max_depth': 3,
          'eta': 0.3,
          'silent': 1,
          'objective': 'binary:logistic',
          'nthread': 4,
          'eval_metric': 'auc'}

num_round = 250
bst = xgb.train(param, dtrain, num_round, eval_list, early_stopping_
g_rounds=2)

```

```

In [27]:
train, test = read_and_fillna()

```

## Age

```

In [28]:
train.Age.describe()

```

```

Out[28]:
count    4000.000000
mean      41.214750
std       11.550194
min       18.000000
25%       32.000000
50%       39.000000
75%       49.000000
max       95.000000
Name: Age, dtype: float64

```

```

In [29]:
def make_AgeGroup(df):
    df["AgeGroup"] = df.Age.apply(lambda x : 0 if x >= 10 and x <= 19
    else
                                     (1 if x >= 20 and x <= 29 else
                                     (2 if x >= 30 and x <= 39 else
                                     (3 if x >= 40 and x <= 49 else
                                     (4 if x >= 50 and x <= 59 else
                                     (5 if x >= 60 and x <= 69 else
                                     (6 if x >= 70 and x <= 79 else
    e
                                     (7 if x >= 80 and x <= 80 else
    se 8))))))

```

In [30]:

```
make_AgeGroup(train)
make_AgeGroup(test)
```

In [31]:

```
pd.pivot_table(train[['AgeGroup', 'CarInsurance', 'Age']], columns=['C
arInsurance'], index=['AgeGroup'], aggfunc=['count'])
```

Out[31]:

	count	
	Age	
CarInsurance	0	1
AgeGroup		
0	4	11
1	257	261
2	980	558
3	635	353
4	454	247
5	44	114
6	17	43
7	2	7
8	3	10

## Job

In [32]:

```
train.Job.unique()
```

Out[32]:

```
array(['management', 'blue-collar', 'student', 'technician', 'admin.',
      'services', 'self-employed', 'retired', 'unknown', 'housemaid',
      'entrepreneur', 'unemployed'], dtype=object)
```

In [33]:

```
pd.pivot_table(train[['Job', 'CarInsurance', 'Age']], columns=['CarIns
urance'], index=['Job'], aggfunc=['count'])
```

Out[33]:

	count	
	Age	
CarInsurance	0	1
Job		
admin.	274	185
blue-collar	540	219
entrepreneur	86	35
housemaid	72	37
management	501	392

retired	103	146
self-employed	86	54
services	218	112
student	44	87
technician	406	254
unemployed	56	74
unknown	10	9

```
In [34]:
def make_isWork(df):
    df['isWork'] = df.Job.apply(lambda x : 0 if x == "retired"
                                or x == "student"
                                or x == "unemployed"
                                else 1)
```

```
In [35]:
make_isWork(train)
make_isWork(test)
```

```
In [36]:
train.drop('Job', axis=1, inplace=True)
test.drop('Job', axis=1, inplace=True)
```

## Marital

```
In [37]:
pd.pivot_table(train[['Marital', 'CarInsurance', 'Age']], columns=['Ca
rInsurance'], index=['Marital'], aggfunc=['count'])
```

Out[37]:

	count	
	Age	
CarInsurance	0	1
Marital		
divorced	273	210
married	1471	833
single	652	561

## Education

```
In [38]:
pd.pivot_table(train[['Education', 'CarInsurance', 'Age']], columns=[
'CarInsurance'], index=['Education'], aggfunc=['count'])
```

Out[38]:

	count	
	Age	
CarInsurance	0	1
Education		
other	90	79
primary	366	195
secondary	1258	730
tertiary	682	600

## Balance

In [39]:


```
train.Balance = train.Balance.astype('float')
test.Balance = test.Balance.astype('float')
```

In [40]:

```
sns.distplot(train.Balance.values, kde=False, rug=False, bins=25)
```

Out[40]:

```
<matplotlib.axes._subplots.AxesSubplot at 0x7ff4daa4b7b8>
```




In [41]:

```
sns.jointplot('Balance', 'CarInsurance', data=train)
```

```
/opt/conda/lib/python3.6/site-packages/scipy/stats/stats.py:1713: FutureWarning: Using a non-tuple sequence for multidimensional indexing is deprecated; use `arr[tuple(seq)]` instead of `arr[seq]`. In the future this will be interpreted as an array index, `arr[np.array(seq)]`, which will result either in an error or a different result.
    return np.add.reduce(sorted[indexer] * weights, axis=axis) / sumval
```

Out[41]:


```
<seaborn.axisgrid.JointGrid at 0x7ff4d918acf8>
```



```
In [42]: from sklearn.preprocessing import StandardScaler
sc = StandardScaler()
train.Balance = sc.fit_transform(train.Balance.values.reshape(-1, 1))
test.Balance = sc.fit_transform(test.Balance.values.reshape(-1, 1))
```

```
In [43]: sns.distplot(train.Balance.values, kde=False, rug=False, bins=25)
```

```
Out[43]: <matplotlib.axes._subplots.AxesSubplot at 0x7ff4d8775cc0>
```



```
In [44]: train.Balance.describe()
```

```
Out[44]:
count    4.000000e+03
mean     4.639344e-17
std      1.000125e+00
min      -1.307582e+00
25%      -4.049934e-01
50%      -2.795310e-01
75%       2.451222e-02
max       2.759433e+01
Name: Balance, dtype: float64
```

## Communication

```
In [45]: train.Communication.unique()
```

```
Out[45]: array(['telephone', 'other', 'cellular'], dtype=object)
```

```
In [46]: pd.pivot_table(train[['Communication', 'CarInsurance', 'Age']], columns=['CarInsurance'], index=['Communication'], aggfunc=['count'])
```

```
Out[46]:
```

	count	
	Age	
CarInsurance	0	1
Communication		
cellular	1518	1313
other	734	168
telephone	144	123

```
In [47]: train["isMobile"] = train.Communication.apply(lambda x : 1 if x == "Cellular" or x == "telephone" else 0)
test["isMobile"] = test.Communication.apply(lambda x : 1 if x == "Cellular" or x == "telephone" else 0)
```

## LastContactDay & Month

```
In [48]: pd.pivot_table(train[['LastContactMonth', 'CarInsurance', 'Age']], columns=['CarInsurance'], index=['LastContactMonth'], aggfunc=['count'])
```

```
Out[48]:
```

	count	
	Age	
CarInsurance	0	1
LastContactMonth		
apr	150	156
aug	342	194
dec	7	34
feb	129	133
jan	86	48
jul	364	209
jun	283	171
mar	15	64



may	760	289
nov	215	132
oct	27	91
sep	18	83

## NoOfContacts

In [49]:

```
pd.pivot_table(train[['NoOfContacts', 'CarInsurance', 'Age']], columns=
['CarInsurance'], index=['NoOfContacts'], aggfunc=['count'])
```

Out[49]:

	count	
	Age	
CarInsurance	0	1
NoOfContacts		
1	912.0	773.0
2	671.0	414.0
3	311.0	205.0
4	156.0	81.0
5	114.0	52.0
6	62.0	26.0
7	34.0	15.0
8	27.0	14.0
9	18.0	2.0
10	13.0	5.0
11	7.0	8.0
12	11.0	NaN
13	6.0	2.0
14	6.0	1.0
15	2.0	1.0
16	3.0	NaN
17	9.0	2.0
18	3.0	NaN
19	3.0	NaN
20	4.0	NaN
21	3.0	1.0
22	3.0	NaN
23	3.0	NaN
24	2.0	1.0
25	4.0	NaN
26	1.0	NaN
27	1.0	NaN
28	1.0	NaN

id	sex	age
29	NaN	1.0
30	1.0	NaN
32	1.0	NaN
34	1.0	NaN
38	1.0	NaN
41	1.0	NaN
43	1.0	NaN

DaysPassed

```
In [50]: train.DaysPassed.value_counts()
```

Out[50]:

-1	3042
92	38
182	33
91	24
183	24
93	16
95	16
94	14
97	13
181	13
189	12
184	12
90	11
178	10
370	10
105	9
196	9
104	8
350	8
185	8
188	8
98	8
169	8
195	7
187	7
176	6
175	6
88	6
168	6
343	6
...	
310	1
308	1
474	1
532	1
127	1
544	1
121	1

```

121      1
115      1
73       1
71       1
67       1
65       1
61       1
57       1
53       1
49       1
43       1
37       1
35       1
27       1
21       1
15       1
13       1
854      1
775      1
828      1
728      1
690      1
558      1
842      1

```

Name: DaysPassed, Length: 330, dtype: int64

In [51]:

```
sns.jointplot('DaysPassed', 'CarInsurance', data=train)
```

```


/opt/conda/lib/python3.6/site-packages/scipy/stats/stats.py:1713: FutureWarning: Using a non-tuple sequence for multidimensional indexing is deprecated; use `arr[tuple(seq)]` instead of `arr[seq]`. In the future this will be interpreted as an array index, `arr[np.array(seq)]`, which will result either in an error or a different result.

```

```
return np.add.reduce(sorted[indexer] * weights, axis=axis) / sumval
```

Out[51]:

```
<seaborn.axisgrid.JointGrid at 0x7ff4d8731320>
```



PrevAttempts

```
In [52]: train.PrevAttempts.value_counts()
```

Out[52]:

0	3042
1	335
2	251
3	125
4	79
5	60
6	25
7	21
8	18
10	10
9	9
14	5
12	5
13	4
19	4
11	3
23	1
18	1
58	1
30	1

Name: PrevAttempts, dtype: int64

```
In [53]: pd.pivot_table(train[['PrevAttempts', 'CarInsurance', 'Age']], columns=['CarInsurance'], index=['PrevAttempts'], aggfunc=['count'])
```

Out[53]:

	count	
	Age	
CarInsurance	0	1
PrevAttempts		
0	1997.0	1045.0
1	149.0	186.0
2	109.0	142.0
3	47.0	78.0
4	33.0	46.0
5	26.0	34.0
6	9.0	16.0
7	6.0	15.0
8	4.0	14.0
9	5.0	4.0
10	NaN	10.0
11	1.0	2.0

12	1.0	4.0
13	2.0	2.0
14	3.0	2.0
18	1.0	NaN
19	2.0	2.0
23	1.0	NaN
30	NaN	1.0
58	NaN	1.0

## Outcom

```
In [54]: train.Outcome.unique()
```

```
Out[54]: array(['unknwon', 'failure', 'other', 'success'], dtype=object)
```

```
In [55]: pd.pivot_table(train[['Outcome', 'CarInsurance', 'Age']], columns=['Ca
rInsurance'], index=['Outcome'], aggfunc=['count'])
```

```
Out[55]:
```

	count	
	Age	
CarInsurance	0	1
Outcome		
failure	261	176
other	103	92
success	35	291
unknwon	1997	1045

## Time

```
In [56]: train['isCallStart'] = 0
train['isCallEnd'] = 0
test['isCallStart'] = 0
test['isCallEnd'] = 0

for idx, time in enumerate(train.CallStart):
    (h, m, s) = time.split(':')
    result = int(h) * 3600 + int(m) * 60 + int(s)
    train.loc[idx, 'isCallStart'] = result

for idx, time in enumerate(train.CallEnd):
```

```
(h, m, s) = time.split(':')
result = int(h) * 3600 + int(m) * 60 + int(s)
train.loc[idx, 'isCallEnd'] = result
```

```
In [57]: def make_time_column(df):
         df["diffTime"] = df.isCallStart - df.isCallEnd
         df[['isCallStart', 'isCallEnd', 'diffTime']] = df[['isCallStart',
         'isCallEnd', 'diffTime']].astype("float")
         df.drop(['CallStart', 'CallEnd'], axis=1, inplace=True)
```

```
In [58]: make_time_column(train)
         make_time_column(test)
```

```
In [59]: from sklearn.preprocessing import StandardScaler
         sc = StandardScaler()
         train[['isCallStart', 'isCallEnd', 'diffTime']] = sc.fit_transform(tr
         ain[['isCallStart', 'isCallEnd', 'diffTime']])
         test[['isCallStart', 'isCallEnd', 'diffTime']] = sc.fit_transform(test
         [['isCallStart', 'isCallEnd', 'diffTime']])
```

```
In [60]: cat_cols = ['Marital', 'Education', 'Communication',
                    'LastContactMonth', 'Outcome']

         make_model(train, cat_cols)
```

```
[0]      eval-auc:0.805461      train-auc:0.843845
Multiple eval metrics have been passed: 'train-auc' will be used for e
arly stopping.
```

Will train until train-auc hasn't improved in 2 rounds.

```
[1]      eval-auc:0.854935      train-auc:0.878551
[2]      eval-auc:0.861044      train-auc:0.887408
[3]      eval-auc:0.862193      train-auc:0.88986
[4]      eval-auc:0.86773       train-auc:0.898391
[5]      eval-auc:0.873595      train-auc:0.903397
[6]      eval-auc:0.875166      train-auc:0.905741
[7]      eval-auc:0.879566      train-auc:0.909439
[8]      eval-auc:0.885511      train-auc:0.914387
[9]      eval-auc:0.886972      train-auc:0.917139
[10]     eval-auc:0.88952       train-auc:0.918847
[11]     eval-auc:0.890745      train-auc:0.921649
[12]     eval-auc:0.892542      train-auc:0.923362
[13]     eval-auc:0.893384      train-auc:0.924535
[14]     eval-auc:0.895435      train-auc:0.927988
[15]     eval-auc:0.897425      train-auc:0.929414
[16]     eval-auc:0.897631      train-auc:0.930781
[17]     eval-auc:0.897595      train-auc:0.932208
[18]     eval-auc:0.89748       train-auc:0.93341
[19]     eval-auc:0.898585      train-auc:0.934499
[20]     eval-auc:0.901816      train-auc:0.937007
[21]     eval-auc:0.902859      train-auc:0.938091
[22]     eval-auc:0.90287       train-auc:0.938004
```

[22]	eval-auc:0.90207	train-auc:0.939094
[23]	eval-auc:0.904182	train-auc:0.941049
[24]	eval-auc:0.904511	train-auc:0.942365
[25]	eval-auc:0.905828	train-auc:0.943278
[26]	eval-auc:0.905926	train-auc:0.94393
[27]	eval-auc:0.905302	train-auc:0.945311
[28]	eval-auc:0.905516	train-auc:0.945758
[29]	eval-auc:0.905237	train-auc:0.946369
[30]	eval-auc:0.905542	train-auc:0.946539
[31]	eval-auc:0.905686	train-auc:0.947442
[32]	eval-auc:0.905301	train-auc:0.948264
[33]	eval-auc:0.905076	train-auc:0.949809
[34]	eval-auc:0.906362	train-auc:0.950933
[35]	eval-auc:0.906819	train-auc:0.951552
[36]	eval-auc:0.906471	train-auc:0.952219
[37]	eval-auc:0.906581	train-auc:0.953686
[38]	eval-auc:0.906885	train-auc:0.954887
[39]	eval-auc:0.90738	train-auc:0.955329
[40]	eval-auc:0.907521	train-auc:0.955581
[41]	eval-auc:0.909183	train-auc:0.95686
[42]	eval-auc:0.909503	train-auc:0.957208
[43]	eval-auc:0.909126	train-auc:0.958158
[44]	eval-auc:0.909629	train-auc:0.959115
[45]	eval-auc:0.90977	train-auc:0.959549
[46]	eval-auc:0.910553	train-auc:0.960308
[47]	eval-auc:0.911131	train-auc:0.961035
[48]	eval-auc:0.911602	train-auc:0.961608
[49]	eval-auc:0.911832	train-auc:0.962787
[50]	eval-auc:0.911404	train-auc:0.963231
[51]	eval-auc:0.9108	train-auc:0.96373
[52]	eval-auc:0.910699	train-auc:0.964128
[53]	eval-auc:0.910403	train-auc:0.965209
[54]	eval-auc:0.910676	train-auc:0.965479
[55]	eval-auc:0.910578	train-auc:0.966197
[56]	eval-auc:0.910351	train-auc:0.966588
[57]	eval-auc:0.910794	train-auc:0.966703
[58]	eval-auc:0.911059	train-auc:0.966934
[59]	eval-auc:0.911076	train-auc:0.96708
[60]	eval-auc:0.910823	train-auc:0.967371
[61]	eval-auc:0.911047	train-auc:0.96787
[62]	eval-auc:0.911502	train-auc:0.96834
[63]	eval-auc:0.912839	train-auc:0.968949
[64]	eval-auc:0.913187	train-auc:0.969706
[65]	eval-auc:0.913662	train-auc:0.970076
[66]	eval-auc:0.913552	train-auc:0.970497
[67]	eval-auc:0.913271	train-auc:0.970919
[68]	eval-auc:0.913458	train-auc:0.971182
[69]	eval-auc:0.913458	train-auc:0.971419
[70]	eval-auc:0.913291	train-auc:0.971667
[71]	eval-auc:0.913656	train-auc:0.971884
[72]	eval-auc:0.91411	train-auc:0.972523
[73]	eval-auc:0.914024	train-auc:0.973027
[74]	eval-auc:0.91399	train-auc:0.973126
[75]	eval-auc:0.914059	train-auc:0.973415
[76]	eval-auc:0.914953	train-auc:0.973651
[77]	eval-auc:0.914976	train-auc:0.973998
[78]	eval-auc:0.915123	train-auc:0.974454
[79]	eval-auc:0.914712	train-auc:0.975192
[80]	eval-auc:0.914729	train-auc:0.975625

[81]	eval-auc:0.914568	train-auc:0.976236
[82]	eval-auc:0.914576	train-auc:0.976249
[83]	eval-auc:0.914576	train-auc:0.976395
[84]	eval-auc:0.914131	train-auc:0.976689
[85]	eval-auc:0.914309	train-auc:0.97674
[86]	eval-auc:0.914407	train-auc:0.977268
[87]	eval-auc:0.91443	train-auc:0.977814
[88]	eval-auc:0.915039	train-auc:0.978037
[89]	eval-auc:0.915034	train-auc:0.978582
[90]	eval-auc:0.915014	train-auc:0.978975
[91]	eval-auc:0.914438	train-auc:0.979451
[92]	eval-auc:0.914548	train-auc:0.979831
[93]	eval-auc:0.915062	train-auc:0.98008
[94]	eval-auc:0.914804	train-auc:0.980339
[95]	eval-auc:0.914864	train-auc:0.980585
[96]	eval-auc:0.914976	train-auc:0.98073
[97]	eval-auc:0.914973	train-auc:0.980925
[98]	eval-auc:0.914674	train-auc:0.981273
[99]	eval-auc:0.914326	train-auc:0.981357
[100]	eval-auc:0.913961	train-auc:0.981714
[101]	eval-auc:0.913952	train-auc:0.982042
[102]	eval-auc:0.913877	train-auc:0.982463
[103]	eval-auc:0.91401	train-auc:0.982884
[104]	eval-auc:0.913564	train-auc:0.983217
[105]	eval-auc:0.913411	train-auc:0.983539
[106]	eval-auc:0.913245	train-auc:0.984032
[107]	eval-auc:0.913161	train-auc:0.984507
[108]	eval-auc:0.912879	train-auc:0.98477
[109]	eval-auc:0.912623	train-auc:0.98514
[110]	eval-auc:0.912796	train-auc:0.985322
[111]	eval-auc:0.913325	train-auc:0.985503
[112]	eval-auc:0.913294	train-auc:0.985796
[113]	eval-auc:0.913601	train-auc:0.986048
[114]	eval-auc:0.914041	train-auc:0.986233
[115]	eval-auc:0.913734	train-auc:0.986426
[116]	eval-auc:0.913472	train-auc:0.986495
[117]	eval-auc:0.913565	train-auc:0.986901
[118]	eval-auc:0.913514	train-auc:0.987268
[119]	eval-auc:0.913404	train-auc:0.987481
[120]	eval-auc:0.913163	train-auc:0.98764
[121]	eval-auc:0.912674	train-auc:0.98779
[122]	eval-auc:0.912818	train-auc:0.987881
[123]	eval-auc:0.912772	train-auc:0.988072
[124]	eval-auc:0.912774	train-auc:0.988223
[125]	eval-auc:0.913432	train-auc:0.98833
[126]	eval-auc:0.913504	train-auc:0.988357
[127]	eval-auc:0.91365	train-auc:0.9887
[128]	eval-auc:0.913285	train-auc:0.988878
[129]	eval-auc:0.912917	train-auc:0.989188
[130]	eval-auc:0.91275	train-auc:0.989312
[131]	eval-auc:0.912434	train-auc:0.989549
[132]	eval-auc:0.912739	train-auc:0.98971
[133]	eval-auc:0.912816	train-auc:0.989802
[134]	eval-auc:0.912552	train-auc:0.989806
[135]	eval-auc:0.91298	train-auc:0.98998
[136]	eval-auc:0.913144	train-auc:0.990115
[137]	eval-auc:0.913213	train-auc:0.990296
[138]	eval-auc:0.913322	train-auc:0.990307



[139]	eval-auc:0.913202	train-auc:0.990428
[140]	eval-auc:0.91342	train-auc:0.990678
[141]	eval-auc:0.913371	train-auc:0.990774
[142]	eval-auc:0.91397	train-auc:0.990966
[143]	eval-auc:0.914171	train-auc:0.991238
[144]	eval-auc:0.91397	train-auc:0.991414
[145]	eval-auc:0.91401	train-auc:0.99149
[146]	eval-auc:0.9139	train-auc:0.991781
[147]	eval-auc:0.913967	train-auc:0.991849
[148]	eval-auc:0.914228	train-auc:0.99188
[149]	eval-auc:0.914294	train-auc:0.992087
[150]	eval-auc:0.914067	train-auc:0.992253
[151]	eval-auc:0.914565	train-auc:0.992425
[152]	eval-auc:0.914332	train-auc:0.992583
[153]	eval-auc:0.914596	train-auc:0.992739
[154]	eval-auc:0.914645	train-auc:0.992979
[155]	eval-auc:0.91472	train-auc:0.993045
[156]	eval-auc:0.914766	train-auc:0.993114
[157]	eval-auc:0.914389	train-auc:0.993178
[158]	eval-auc:0.914231	train-auc:0.99341
[159]	eval-auc:0.914631	train-auc:0.993534
[160]	eval-auc:0.91453	train-auc:0.993744
[161]	eval-auc:0.913955	train-auc:0.993844
[162]	eval-auc:0.91384	train-auc:0.993891
[163]	eval-auc:0.91334	train-auc:0.993993
[164]	eval-auc:0.913207	train-auc:0.994064
[165]	eval-auc:0.912971	train-auc:0.994087
[166]	eval-auc:0.91279	train-auc:0.994177
[167]	eval-auc:0.912641	train-auc:0.994285
[168]	eval-auc:0.91229	train-auc:0.994369
[169]	eval-auc:0.912413	train-auc:0.994427
[170]	eval-auc:0.91208	train-auc:0.99451
[171]	eval-auc:0.911873	train-auc:0.99461
[172]	eval-auc:0.911758	train-auc:0.994659
[173]	eval-auc:0.912005	train-auc:0.994814
[174]	eval-auc:0.911973	train-auc:0.994932
[175]	eval-auc:0.911706	train-auc:0.995033
[176]	eval-auc:0.911677	train-auc:0.995099
[177]	eval-auc:0.911542	train-auc:0.995217
[178]	eval-auc:0.911257	train-auc:0.995333
[179]	eval-auc:0.911251	train-auc:0.995369
[180]	eval-auc:0.911372	train-auc:0.995495
[181]	eval-auc:0.911424	train-auc:0.995529
[182]	eval-auc:0.911323	train-auc:0.995625
[183]	eval-auc:0.911338	train-auc:0.995676
[184]	eval-auc:0.911162	train-auc:0.995733
[185]	eval-auc:0.911323	train-auc:0.99574
[186]	eval-auc:0.911217	train-auc:0.995766
[187]	eval-auc:0.911349	train-auc:0.995791
[188]	eval-auc:0.911838	train-auc:0.995835
[189]	eval-auc:0.911821	train-auc:0.995996
[190]	eval-auc:0.911392	train-auc:0.996046
[191]	eval-auc:0.911657	train-auc:0.996067
[192]	eval-auc:0.911666	train-auc:0.996119
[193]	eval-auc:0.9117	train-auc:0.996124
[194]	eval-auc:0.911706	train-auc:0.996237
[195]	eval-auc:0.91162	train-auc:0.996395
[196]	eval-auc:0.911519	train-auc:0.996499

[197]	eval-auc:0.911364	train-auc:0.996578
[198]	eval-auc:0.91103	train-auc:0.996764
[199]	eval-auc:0.911493	train-auc:0.996839
[200]	eval-auc:0.911387	train-auc:0.996847
[201]	eval-auc:0.91128	train-auc:0.99688
[202]	eval-auc:0.911116	train-auc:0.996968
[203]	eval-auc:0.911375	train-auc:0.997098
[204]	eval-auc:0.911413	train-auc:0.997213
[205]	eval-auc:0.911404	train-auc:0.997273
[206]	eval-auc:0.911758	train-auc:0.997307
[207]	eval-auc:0.911755	train-auc:0.997325
[208]	eval-auc:0.911775	train-auc:0.997392
[209]	eval-auc:0.911283	train-auc:0.997469
[210]	eval-auc:0.911323	train-auc:0.997464
[211]	eval-auc:0.91097	train-auc:0.997533
[212]	eval-auc:0.910869	train-auc:0.997584
[213]	eval-auc:0.91086	train-auc:0.997643
[214]	eval-auc:0.910509	train-auc:0.997707
[215]	eval-auc:0.910734	train-auc:0.997765
[216]	eval-auc:0.910662	train-auc:0.997818
[217]	eval-auc:0.910765	train-auc:0.997831
[218]	eval-auc:0.910852	train-auc:0.997916
[219]	eval-auc:0.910929	train-auc:0.997948
[220]	eval-auc:0.910826	train-auc:0.997963
[221]	eval-auc:0.910906	train-auc:0.997982
[222]	eval-auc:0.910714	train-auc:0.997974
[223]	eval-auc:0.910811	train-auc:0.998037
[224]	eval-auc:0.910734	train-auc:0.99805
[225]	eval-auc:0.910734	train-auc:0.998053
[226]	eval-auc:0.910659	train-auc:0.998092
[227]	eval-auc:0.910512	train-auc:0.998103
[228]	eval-auc:0.910386	train-auc:0.99811
[229]	eval-auc:0.910478	train-auc:0.99815
[230]	eval-auc:0.910415	train-auc:0.998232
[231]	eval-auc:0.91032	train-auc:0.998274
[232]	eval-auc:0.910242	train-auc:0.99828
[233]	eval-auc:0.910627	train-auc:0.99834
[234]	eval-auc:0.910553	train-auc:0.998371
[235]	eval-auc:0.910003	train-auc:0.99841
[236]	eval-auc:0.910058	train-auc:0.998438
[237]	eval-auc:0.910256	train-auc:0.998543
[238]	eval-auc:0.910187	train-auc:0.99856
[239]	eval-auc:0.910276	train-auc:0.998609
[240]	eval-auc:0.910285	train-auc:0.998617
[241]	eval-auc:0.910075	train-auc:0.998671
[242]	eval-auc:0.909747	train-auc:0.998732
[243]	eval-auc:0.909773	train-auc:0.99878
[244]	eval-auc:0.909629	train-auc:0.998835
[245]	eval-auc:0.909678	train-auc:0.998866
[246]	eval-auc:0.909822	train-auc:0.998892
[247]	eval-auc:0.909923	train-auc:0.998888
[248]	eval-auc:0.909908	train-auc:0.998873
Stopping. Best iteration:		
[246]	eval-auc:0.909822	train-auc:0.998892

In [61]:

```
train_head()
```

```
train.head()
```

Out[61]:

	Id	Age	Marital	Education	Default	Balance	HHInsurance	CarLoan	Communication	La
0	1	32	2	3	0	-0.089700	1	0	2	28
1	2	32	1	1	0	-0.107359	1	0	1	26
2	3	29	2	3	0	-0.255179	1	0	0	3
3	4	25	2	1	0	-0.330371	1	0	0	11
4	5	30	1	3	0	0.330692	0	0	0	3

## モデル作成

In [62]:

```
def make_model(train, cat_cols, dtrain, dval):
    eval_list = [(dval, 'eval'), (dtrain, 'train')]
    param = {'max_depth': 4,
              'min_child_weight' : 1,
              'gamma' : 1,
              'subsample' : 1,
              'colsample_bytree' : 1,
              'alpha' : 0.5,
              'lambda' : 0.5,
              'nthread' : 5,
              'eta': 0.15,
              'silent': 1,
              'objective': 'binary:logistic',
              'eval_metric' : 'auc'}

    num_round = 300
    bst = xgb.train(param, dtrain, num_round, eval_list, early_stoppin
                    g_rounds=2)
    return bst
```

In [63]:

```
from sklearn.preprocessing import LabelEncoder
from sklearn.model_selection import train_test_split
le = LabelEncoder()
for col in cat_cols:
    train[col] = le.fit_transform(train[col])
    test[col] = le.fit_transform(test[col])
```

In [64]:

```
from sklearn.preprocessing import LabelEncoder
from sklearn.model_selection import train_test_split
X = train
y = train.CarInsurance
X_train, X_test, y_train, y_test = train_test_split(X, y,
                                                    test_size=0.3, ran
                                                    dom_state=0)
```

```
dom_state=0)
```

In [65]:

```
test_id = X_test.Id.values
test_carInsurance = X_test.CarInsurance.values
X_train.drop(['Id', 'CarInsurance'], axis=1, inplace=True)
X_test.drop(['Id', 'CarInsurance'], axis=1, inplace=True)
```

```
/opt/conda/lib/python3.6/site-packages/pandas/core/frame.py:3697: SettingWithCopyWarning:
```

```
A value is trying to be set on a copy of a slice from a DataFrame
```

```
See the caveats in the documentation: http://pandas.pydata.org/pandas-docs/stable/indexing.html#indexing-view-versus-copy
errors=errors)
```

In [66]:

```
import xgboost as xgb
dtrain = xgb.DMatrix(X_train, y_train)
dval = xgb.DMatrix(X_test, y_test)
```

In [67]:

```
cat_cols = ['Marital', 'Education', 'Communication',
            'LastContactMonth', 'Outcome']
```

```
bst = make_model(train, cat_cols, dtrain, dval)
```

```
[0]    eval-auc:0.843711    train-auc:0.873992
```

```
Multiple eval metrics have been passed: 'train-auc' will be used for early stopping.
```

```
Will train until train-auc hasn't improved in 2 rounds.
```

```
[1]    eval-auc:0.857401    train-auc:0.888068
```

```
[2]    eval-auc:0.858789    train-auc:0.889743
```

```
[3]    eval-auc:0.868222    train-auc:0.898518
```

```
[4]    eval-auc:0.86839    train-auc:0.900772
```

```
[5]    eval-auc:0.868581    train-auc:0.902292
```

```
[6]    eval-auc:0.869914    train-auc:0.90469
```

```
[7]    eval-auc:0.87459    train-auc:0.908159
```

```
[8]    eval-auc:0.880214    train-auc:0.911055
```

```
[9]    eval-auc:0.882404    train-auc:0.914217
```

```
[10]   eval-auc:0.882466    train-auc:0.914551
```

```
[11]   eval-auc:0.883489    train-auc:0.915835
```

```
[12]   eval-auc:0.885043    train-auc:0.918721
```

```
[13]   eval-auc:0.885757    train-auc:0.919617
```

```
[14]   eval-auc:0.887242    train-auc:0.920942
```

```
[15]   eval-auc:0.888807    train-auc:0.922525
```

```
[16]   eval-auc:0.890478    train-auc:0.924871
```

```
[17]   eval-auc:0.891534    train-auc:0.926951
```

```
[18]   eval-auc:0.892957    train-auc:0.928164
```

```
[19]   eval-auc:0.895962    train-auc:0.930997
```

```
[20]   eval-auc:0.897326    train-auc:0.932759
```

```
[21]   eval-auc:0.897847    train-auc:0.93358
```

```
[22]   eval-auc:0.898956    train-auc:0.934713
```

```
[23]   eval-auc:0.901668    train-auc:0.937263
```

```
[24]   eval-auc:0.901987    train-auc:0.938511
```

[25]	eval-auc:0.902735	train-auc:0.939382
[26]	eval-auc:0.903814	train-auc:0.940139
[27]	eval-auc:0.904308	train-auc:0.941018
[28]	eval-auc:0.904941	train-auc:0.943245
[29]	eval-auc:0.90524	train-auc:0.943767
[30]	eval-auc:0.906739	train-auc:0.9445
[31]	eval-auc:0.90758	train-auc:0.945211
[32]	eval-auc:0.907701	train-auc:0.945981
[33]	eval-auc:0.907763	train-auc:0.946823
[34]	eval-auc:0.908723	train-auc:0.948778
[35]	eval-auc:0.909281	train-auc:0.949077
[36]	eval-auc:0.909593	train-auc:0.949645
[37]	eval-auc:0.909997	train-auc:0.950733
[38]	eval-auc:0.909675	train-auc:0.951515
[39]	eval-auc:0.910371	train-auc:0.952047
[40]	eval-auc:0.910199	train-auc:0.953082
[41]	eval-auc:0.909999	train-auc:0.953735
[42]	eval-auc:0.910571	train-auc:0.954585
[43]	eval-auc:0.910761	train-auc:0.954991
[44]	eval-auc:0.910699	train-auc:0.95594
[45]	eval-auc:0.910288	train-auc:0.956393
[46]	eval-auc:0.910279	train-auc:0.956551
[47]	eval-auc:0.910285	train-auc:0.956867
[48]	eval-auc:0.910929	train-auc:0.957337
[49]	eval-auc:0.911182	train-auc:0.958014
[50]	eval-auc:0.911919	train-auc:0.958921
[51]	eval-auc:0.911936	train-auc:0.9594
[52]	eval-auc:0.912264	train-auc:0.960366
[53]	eval-auc:0.912376	train-auc:0.960858
[54]	eval-auc:0.913394	train-auc:0.961732
[55]	eval-auc:0.913947	train-auc:0.962622
[56]	eval-auc:0.914018	train-auc:0.963339
[57]	eval-auc:0.914254	train-auc:0.963866
[58]	eval-auc:0.914999	train-auc:0.964656
[59]	eval-auc:0.914545	train-auc:0.965208
[60]	eval-auc:0.914818	train-auc:0.966004
[61]	eval-auc:0.91485	train-auc:0.966996
[62]	eval-auc:0.915008	train-auc:0.967428
[63]	eval-auc:0.915643	train-auc:0.967847
[64]	eval-auc:0.915402	train-auc:0.968195
[65]	eval-auc:0.915764	train-auc:0.968901
[66]	eval-auc:0.915917	train-auc:0.969333
[67]	eval-auc:0.916017	train-auc:0.970077
[68]	eval-auc:0.916072	train-auc:0.970568
[69]	eval-auc:0.916069	train-auc:0.971027
[70]	eval-auc:0.915563	train-auc:0.971239
[71]	eval-auc:0.915802	train-auc:0.971581
[72]	eval-auc:0.915678	train-auc:0.971815
[73]	eval-auc:0.915707	train-auc:0.972114
[74]	eval-auc:0.916662	train-auc:0.972333
[75]	eval-auc:0.91776	train-auc:0.972977
[76]	eval-auc:0.918137	train-auc:0.973599
[77]	eval-auc:0.918894	train-auc:0.974045
[78]	eval-auc:0.918994	train-auc:0.974389
[79]	eval-auc:0.918779	train-auc:0.974714
[80]	eval-auc:0.918813	train-auc:0.974739
[81]	eval-auc:0.919342	train-auc:0.975209
[82]	eval-auc:0.919368	train-auc:0.975879

```

[83]   eval-auc:0.918925   train-auc:0.976141
[84]   eval-auc:0.918868   train-auc:0.976303
[85]   eval-auc:0.918738   train-auc:0.976604
[86]   eval-auc:0.918839   train-auc:0.976744
[87]   eval-auc:0.918764   train-auc:0.97708
[88]   eval-auc:0.918865   train-auc:0.977625
[89]   eval-auc:0.919029   train-auc:0.97817
[90]   eval-auc:0.918954   train-auc:0.978305
[91]   eval-auc:0.918856   train-auc:0.978581
[92]   eval-auc:0.918894   train-auc:0.978676
[93]   eval-auc:0.918684   train-auc:0.978837
[94]   eval-auc:0.918525   train-auc:0.978995
[95]   eval-auc:0.918468   train-auc:0.979489
[96]   eval-auc:0.918707   train-auc:0.979805
[97]   eval-auc:0.919011   train-auc:0.980142
[98]   eval-auc:0.919109   train-auc:0.980201
[99]   eval-auc:0.919104   train-auc:0.980199
[100]  eval-auc:0.919457   train-auc:0.980567
[101]  eval-auc:0.919472   train-auc:0.981132
[102]  eval-auc:0.919627   train-auc:0.981391
[103]  eval-auc:0.919673   train-auc:0.981657
[104]  eval-auc:0.919748   train-auc:0.981915
[105]  eval-auc:0.91965     train-auc:0.982071
[106]  eval-auc:0.920076   train-auc:0.982203
[107]  eval-auc:0.920622   train-auc:0.982273
[108]  eval-auc:0.920507   train-auc:0.982462
[109]  eval-auc:0.920455   train-auc:0.982735
[110]  eval-auc:0.920455   train-auc:0.982735
[111]  eval-auc:0.920455   train-auc:0.982735
Stopping. Best iteration:
[109]  eval-auc:0.920455   train-auc:0.982735

```

In [68]:

```

dtest = xgb.DMatrix(X_test)
predict = bst.predict(dtest)

```

In [69]:

```

submissions = pd.DataFrame({"Id" : test_id, "PredValue" : predict, 'CarInsurance' : test_carInsurance})

```

In [70]:

```

submissions.to_csv("./submissions.csv", index=False)

```

In [71]:

```

def make_model_optuna(trial):
    from sklearn.preprocessing import LabelEncoder
    from sklearn.model_selection import train_test_split
    import xgboost as xgb
    import sklearn.datasets
    import sklearn.metrics

    le = LabelEncoder()
    for col in cat_cols:
        train[col] = le.fit_transform(train[col])
        test[col] = le.fit_transform(test[col])

```

```

X = train.drop(['Id', 'CarInsurance'], axis=1)
y = train.CarInsurance
X_train, X_test, y_train, y_test = train_test_split(X, y,
                                                    test_size=0.3,
                                                    random_state=0)

dtrain = xgb.DMatrix(X_train, y_train)
dval = xgb.DMatrix(X_test, y_test)
# eval_list = [(dval, 'eval'), (dtrain, 'train')]

```

This Notebook has been released under the [Apache 2.0](#) open source license.

Did you find this Notebook useful?  
Show your appreciation with an upvote



## Data

### Data Sources

#### Car Insurance Cold Calls

carInsurance_test.csv	19 columns
carInsurance_train.csv	19 columns
DSS_DMC_Description.pdf	



### Car Insurance Cold Calls

We help the guys and girls at the front to get out of Cold Call Hell

Last Updated: 2 years ago (Version 1)

#### About this Dataset

#### Introduction

Here you find a very simple, beginner-friendly data set. No sparse matrices, no fancy tools needed to understand what's going on. Just a couple of rows and columns. Super simple stuff. As explained below, this data set is used for a competition. As it turns out, this competition tends to reveal a common truth in data science: KISS - Keep It Simple Stupid

What is so special about this data set is, given it's simplicity, it pays off to use "simple" classifiers as well. This year's competition was won by a C5.0 . Can you do better?

#### Description

We are looking at cold call results. Turns out, same salespeople called existing insurance customers up and tried to sell car insurance. What you have are details about the called customers. Their age, job, marital status, whether the have home insurance, a car loan, etc. As I said, super simple.

What I would love to see is some of you applying some crazy XGBoost classifiers, which we can square off against some logistic regressions. It would be curious to see what comes out on top. Thank you for your time, I hope you enjoy using the data set.

#### Acknowledgements

Thanks goes to the Decision Science and Systems Chair of Technical University of Munich (TUM) for getting the data set

Output Files

- New Dataset
- New Notebook
- Download All
- 

Output Files

submissions.csv


About this file

This file was created from a Kernel, it does not have a description.

submissions.csv

1	Id	PredValue	CarInsurance
2	2231	0.014460921	0
3	669	0.421857	1
4	3617	0.059944265	0
5	2364	0.28126207	0
6	143	0.008655553	0
7	539	0.61982554	1
8	1792	0.8545701	0
9	411	0.57173336	0
10	1151	0.027505957	0
11	1033	0.9008635	1
12	2179	0.01949213	0
13	225	0.0051516746	0
14	2801	0.0054382123	0
15	2282	0.24459662	0
16	3311	0.22591984	0
17	1747	0.35132027	1
18	2859	0.6926998	1
19	2407	0.79104865	0
20	3660	0.74910945	1
21	3028	0.005728394	0
22	3464	0.9128454	1
23	1372	0.83979803	1
24	966	0.7271425	1
25	1016	0.005733377	0
26	911	0.0023283362	0

Comments (0)



Click here to comment...



