

1-ipconfig

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.22631.4460]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet 2:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2a00:5400:e051:77f1:5d8e:b636:33e8:60bb
    Temporary IPv6 Address. . . . . : 2a00:5400:e051:77f1:3902:b81b:47f9:cc5e
    Link-local IPv6 Address . . . . . : fe80::f9c3:7514:441d:cd2c%15
    IPv4 Address. . . . . : 192.168.1.2
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : fe80::1%15
                              192.168.1.1

Unknown adapter Local Area Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Ethernet adapter VMware Network Adapter VMnet1:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::7144:b651:d902:4b5e%19
    IPv4 Address. . . . . : 192.168.142.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Ethernet adapter VMware Network Adapter VMnet8:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::4e62:5749:5fb7:1897%11
    IPv4 Address. . . . . : 192.168.31.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

C:\Windows\System32>
```

2- ipconfig all

```

C:\Windows\System32>ipconfig /all

Windows IP Configuration

Host Name . . . . . : malekalnzy11
Primary Dns Suffix . . . . . :
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No


Ethernet adapter Ethernet 2:

Connection-specific DNS Suffix . :
Description . . . . . : Realtek Gaming 2.5GbE Family Controller
Physical Address. . . . . : 74-56-3C-87-13-03
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
IPv6 Address. . . . . : 2a00:5400:e051:77f1:5d8e:b636:33e8:60bb(Preferred)
Temporary IPv6 Address. . . . . : 2a00:5400:e051:77f1:3902:b81b:47f9:cc5e(Preferred)
Link-local IPv6 Address . . . . . : fe80::f9c3:7514:441d:cd2c%15(Preferred)
IPv4 Address. . . . . : 192.168.1.2(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : 19/١٠/٢٠٢٤ ١٤:٠٠:٥٤
Lease Expires . . . . . : 20/١٠/٢٠٢٤ ١٤:٠٠:٥٣
Default Gateway . . . . . : fe80::1%15
DHCP Server . . . . . : 192.168.1.1
DHCPv6 IAID . . . . . : 192.168.1.1
DHCPv6 Client DUID. . . . . : 242505276
DNS Servers . . . . . : 00-01-00-01-2B-DF-D7-D3-58-11-22-C8-6E-97
                        fe80::1%15
NetBIOS over Tcpip. . . . . : Enabled


Unknown adapter Local Area Connection:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :
Description . . . . . : TAP-Windows Adapter V9
Physical Address. . . . . : 00-FF-AD-E9-74-E3
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes


Ethernet adapter VMware Network Adapter VMnet1:

Connection-specific DNS Suffix . :
Description . . . . . : VMware Virtual Ethernet Adapter for VMnet1
Physical Address. . . . . : 00-50-56-C0-00-01
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::7144:b651:d902:4b5e%19(Preferred)
IPv4 Address. . . . . : 192.168.142.1(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : 19/١٠/٢٠٢٤ ١٤:٠١:١٢
Lease Expires . . . . . : 19/١٠/٢٠٢٤ ١٤:١٦:٠٠
Default Gateway . . . . . :
DHCP Server . . . . . : 192.168.142.254
DHCPv6 IAID . . . . . : 620777558
DHCPv6 Client DUID. . . . . : 00-01-00-01-2B-DF-D7-D3-58-11-22-C8-6E-97
NetBIOS over Tcpip. . . . . : Enabled


Ethernet adapter VMware Network Adapter VMnet8:

Connection-specific DNS Suffix . :
Description . . . . . : VMware Virtual Ethernet Adapter for VMnet8
Physical Address. . . . . : 00-50-56-C0-00-08
DHCP Enabled. . . . . : Yes
Autoconfiguration Enabled . . . . : Yes
Link-local IPv6 Address . . . . . : fe80::4e62:5749:5fb7:1897%11(Preferred)
IPv4 Address. . . . . : 192.168.31.1(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Lease Obtained. . . . . : 19/١٠/٢٠٢٤ ١٤:٠١:١٢
Lease Expires . . . . . : 19/١٠/٢٠٢٤ ١٤:١٦:١٢
Default Gateway . . . . . :
DHCP Server . . . . . : 192.168.31.254
DHCPv6 IAID . . . . . : 637554774
DHCPv6 Client DUID. . . . . : 00-01-00-01-2B-DF-D7-D3-58-11-22-C8-6E-97
Primary WINS Server . . . . . : 192.168.31.2
NetBIOS over Tcpip. . . . . : Enabled

```

3- ping

```
C:\> Administrator: Command Prompt

C:\Windows\System32>ping 8.8.8.8

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111
Reply from 8.8.8.8: bytes=32 time=26ms TTL=111
Reply from 8.8.8.8: bytes=32 time=26ms TTL=111
Reply from 8.8.8.8: bytes=32 time=26ms TTL=111

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 25ms, Maximum = 26ms, Average = 25ms

C:\Windows\System32>
```

4- ping -t

```
C:\Windows\System32>ping 8.8.8.8 -t

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111
Reply from 8.8.8.8: bytes=32 time=24ms TTL=111
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111
Reply from 8.8.8.8: bytes=32 time=24ms TTL=111
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111

Ping statistics for 8.8.8.8:
    Packets: Sent = 6, Received = 6, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 24ms, Maximum = 25ms, Average = 24ms
Control-C
^C
C:\Windows\System32>_
```

5- ping ip -n 10

```
C:\Windows\System32>ping 8.8.8.8 -n 5

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111
Reply from 8.8.8.8: bytes=32 time=26ms TTL=111
Reply from 8.8.8.8: bytes=32 time=26ms TTL=111
Reply from 8.8.8.8: bytes=32 time=25ms TTL=111
Reply from 8.8.8.8: bytes=32 time=26ms TTL=111

Ping statistics for 8.8.8.8:
    Packets: Sent = 5, Received = 5, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 25ms, Maximum = 26ms, Average = 25ms

C:\Windows\System32>
```

6 - ping you default gateway

```
Administrator: Command Prompt

C:\Windows\System32>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet 2:

    Connection-specific DNS Suffix  . : 
    IPv6 Address. . . . . : 2a00:5400:e051:77f1:5d8e:b636:33e8:60bb
    Temporary IPv6 Address. . . . . : 2a00:5400:e051:77f1:3902:b81b:47f9:cc5e
    Link-local IPv6 Address . . . . . : fe80::f9c3:7514:441d:cd2c%15
    IPv4 Address. . . . . : 192.168.1.2
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : fe80::1%15
                               192.168.1.1

Unknown adapter Local Area Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : 

Ethernet adapter VMware Network Adapter VMnet1:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::7144:b651:d902:4b5e%19
    IPv4 Address. . . . . : 192.168.142.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

Ethernet adapter VMware Network Adapter VMnet8:

    Connection-specific DNS Suffix  . : 
    Link-local IPv6 Address . . . . . : fe80::4e62:5749:5fb7:1897%11
    IPv4 Address. . . . . : 192.168.31.1
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 

C:\Windows\System32>ping fe80::1%15

Pinging fe80::1%15 with 32 bytes of data:
Reply from fe80::1%15: time<1ms
Reply from fe80::1%15: time<1ms
Reply from fe80::1%15: time<1ms
Reply from fe80::1%15: time<1ms

Ping statistics for fe80::1%15:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Windows\System32>
```

192.168.1.1_

7 - test domain

```
C:\> Select Administrator: Command Prompt
Microsoft Windows [Version 10.0.22631.4460]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>ping www.google.com

Pinging forcesafesearch.google.com [2001:4860:4802:32::78] with 32 bytes of data:
Reply from 2001:4860:4802:32::78: time=70ms
Reply from 2001:4860:4802:32::78: time=70ms
Reply from 2001:4860:4802:32::78: time=71ms
Reply from 2001:4860:4802:32::78: time=71ms

Ping statistics for 2001:4860:4802:32::78:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 70ms, Maximum = 71ms, Average = 70ms

C:\Windows\System32>_
```

8 -nslookup

```
C:\Windows\System32>nslookup
DNS request timed out.
    timeout was 2 seconds.
Default Server:  UnKnown
Address:  fe80::1

> www.google.com
Server:  UnKnown
Address:  fe80::1

DNS request timed out.
    timeout was 2 seconds.
DNS request timed out.
    timeout was 2 seconds.
DNS request timed out.
    timeout was 2 seconds.
DNS request timed out.
    timeout was 2 seconds.
*** Request to UnKnown timed-out
> exit

C:\Windows\System32>_
```


9 – tracert

```
C:\Windows\System32>tracert www.google.com


Tracing route to forcesafesearch.google.com [2001:4860:4802:32::78]
over a maximum of 30 hops:

  1    <1 ms    <1 ms    <1 ms    2a00:5400:e051::1:eb19
  2    *         *         *         Request timed out.
  3    *         *         4 ms     2a00:5400:b000:a::38
  4    70 ms     71 ms     70 ms     any-in-2001-4860-4802-32--78.1e100.net [2001:4860:4802:32::78]

Trace complete.

C:\Windows\System32>
```

10 – hostname



```
Administrator: Command Prompt
C:\Windows\System32>hostname
malekalnzy11
C:\Windows\System32>_
```

11 – getmac

```
C:\> Administrator: Command Prompt

C:\Windows\System32>getmac

Physical Address      Transport Name
=====
74-56-3C-87-13-03    \Device\Tcpip_{8EE77DAE-56D4-4E8C-856E-D052FE3F4FF1}
00-FF-AD-E9-74-E3    Media disconnected
00-50-56-C0-00-01    \Device\Tcpip_{B854279B-D379-4BCB-AC62-550BA9A1D6A9}
00-50-56-C0-00-08    \Device\Tcpip_{63547212-812C-4156-B7D6-0A949154AB25}

C:\Windows\System32>_
```

12 - arp -a

```
C:\Windows\System32>arp -a
```

Internet Address	Physical Address	Type
Interface: 192.168.31.1 --- 0xb		
192.168.31.254	00-50-56-f4-13-a5	dynamic
192.168.31.255	ff-ff-ff-ff-ff-ff	static
224.0.0.22	01-00-5e-00-00-16	static
224.0.0.251	01-00-5e-00-00-fb	static
224.0.0.252	01-00-5e-00-00-fc	static
239.255.255.250	01-00-5e-7f-ff-fa	static
255.255.255.255	ff-ff-ff-ff-ff-ff	static

Internet Address	Physical Address	Type
Interface: 192.168.1.2 --- 0xf		
192.168.1.1	54-f6-e2-67-65-c5	dynamic
192.168.1.255	ff-ff-ff-ff-ff-ff	static
224.0.0.22	01-00-5e-00-00-16	static
224.0.0.251	01-00-5e-00-00-fb	static
224.0.0.252	01-00-5e-00-00-fc	static
239.255.255.250	01-00-5e-7f-ff-fa	static
255.255.255.255	ff-ff-ff-ff-ff-ff	static

Internet Address	Physical Address	Type
Interface: 192.168.142.1 --- 0x13		
192.168.142.254	00-50-56-f5-c8-63	dynamic
192.168.142.255	ff-ff-ff-ff-ff-ff	static
224.0.0.22	01-00-5e-00-00-16	static
224.0.0.251	01-00-5e-00-00-fb	static
224.0.0.252	01-00-5e-00-00-fc	static
239.255.255.250	01-00-5e-7f-ff-fa	static
255.255.255.255	ff-ff-ff-ff-ff-ff	static

```
C:\Windows\System32>
```