

```
In [1]: import pandas as pd
import numpy as np
from sklearn import preprocessing
import matplotlib.pyplot as plt
import seaborn as sns
sns.set(style="white")
sns.set(style="whitegrid", color_codes=True)
import warnings
warnings.simplefilter(action='ignore')
```

```
In [2]: df=pd.read_csv(r"C:\Users\Jayadeep\Downloads\used_cars_data.csv")  
df
```

Out[2]:

| | S.No. | Name | Location | Year | Kilometers_Driven | Fuel_Type | Transmission | Owner_Type | Mileage | Engine | Power | Seats | New_Price |
|------|-------|---|------------|------|-------------------|-----------|--------------|------------|------------|---------|-----------|-------|-----------|
| 0 | 0 | Maruti Wagon R LXI CNG | Mumbai | 2010 | 72000 | CNG | Manual | First | 26.6 km/kg | 998 CC | 58.16 bhp | 5.0 | NaN |
| 1 | 1 | Hyundai Creta 1.6 CRDi SX Option | Pune | 2015 | 41000 | Diesel | Manual | First | 19.67 kmpl | 1582 CC | 126.2 bhp | 5.0 | NaN |
| 2 | 2 | Honda Jazz V | Chennai | 2011 | 46000 | Petrol | Manual | First | 18.2 kmpl | 1199 CC | 88.7 bhp | 5.0 | 8.61 Lakh |
| 3 | 3 | Maruti Ertiga VDI | Chennai | 2012 | 87000 | Diesel | Manual | First | 20.77 kmpl | 1248 CC | 88.76 bhp | 7.0 | NaN |
| 4 | 4 | Audi A4 New 2.0 TDI Multitronic | Coimbatore | 2013 | 40670 | Diesel | Automatic | Second | 15.2 kmpl | 1968 CC | 140.8 bhp | 5.0 | NaN |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 7248 | 7248 | Volkswagen Vento Diesel Trendline | Hyderabad | 2011 | 89411 | Diesel | Manual | First | 20.54 kmpl | 1598 CC | 103.6 bhp | 5.0 | NaN |
| 7249 | 7249 | Volkswagen Polo GT TSI | Mumbai | 2015 | 59000 | Petrol | Automatic | First | 17.21 kmpl | 1197 CC | 103.6 bhp | 5.0 | NaN |
| 7250 | 7250 | Nissan Micra Diesel XV | Kolkata | 2012 | 28000 | Diesel | Manual | First | 23.08 kmpl | 1461 CC | 63.1 bhp | 5.0 | NaN |
| 7251 | 7251 | Volkswagen Polo GT TSI | Pune | 2013 | 52262 | Petrol | Automatic | Third | 17.2 kmpl | 1197 CC | 103.6 bhp | 5.0 | NaN |
| 7252 | 7252 | Mercedes-Benz E-Class 2009-2013 E 220 CDI Avan... | Kochi | 2014 | 72443 | Diesel | Automatic | First | 10.0 kmpl | 2148 CC | 170 bhp | 5.0 | NaN |

7253 rows × 14 columns



In [3]: `df.head()`

Out[3]:

| | S.No. | Name | Location | Year | Kilometers_Driven | Fuel_Type | Transmission | Owner_Type | Mileage | Engine | Power | Seats | New_Price | Pric |
|---|-------|----------------------------------|------------|------|-------------------|-----------|--------------|------------|------------|---------|-----------|-------|-----------|------|
| 0 | 0 | Maruti Wagon R LXI CNG | Mumbai | 2010 | 72000 | CNG | Manual | First | 26.6 km/kg | 998 CC | 58.16 bhp | 5.0 | NaN | 1.7 |
| 1 | 1 | Hyundai Creta 1.6 CRDi SX Option | Pune | 2015 | 41000 | Diesel | Manual | First | 19.67 kmpl | 1582 CC | 126.2 bhp | 5.0 | NaN | 12.5 |
| 2 | 2 | Honda Jazz V | Chennai | 2011 | 46000 | Petrol | Manual | First | 18.2 kmpl | 1199 CC | 88.7 bhp | 5.0 | 8.61 Lakh | 4.5 |
| 3 | 3 | Maruti Ertiga VDI | Chennai | 2012 | 87000 | Diesel | Manual | First | 20.77 kmpl | 1248 CC | 88.76 bhp | 7.0 | NaN | 6.0 |
| 4 | 4 | Audi A4 New 2.0 TDI Multitronic | Coimbatore | 2013 | 40670 | Diesel | Automatic | Second | 15.2 kmpl | 1968 CC | 140.8 bhp | 5.0 | NaN | 17.7 |

In [4]: `df.shape`

Out[4]: (7253, 14)

In [5]: `df.describe`

```
Out[5]: <bound method NDFrame.describe of
0      0      S.No.      Name      Location \
1      1      Hyundai Creta 1.6 CRDi SX Option      Pune
2      2      Honda Jazz V      Chennai
3      3      Maruti Ertiga VDI      Chennai
4      4      Audi A4 New 2.0 TDI Multitronic      Coimbatore
...      ...      ...      ...
7248  7248      Volkswagen Vento Diesel Trendline      Hyderabad
7249  7249      Volkswagen Polo GT TSI      Mumbai
7250  7250      Nissan Micra Diesel XV      Kolkata
7251  7251      Volkswagen Polo GT TSI      Pune
7252  7252      Mercedes-Benz E-Class 2009-2013 E 220 CDI Avan...      Kochi
```

```

      Year  Kilometers_Driven  Fuel_Type  Transmission  Owner_Type  Mileage \
0      2010      72000      CNG      Manual      First  26.6 km/kg
1      2015      41000      Diesel      Manual      First  19.67 kmpl
2      2011      46000      Petrol      Manual      First  18.2 kmpl
3      2012      87000      Diesel      Manual      First  20.77 kmpl
4      2013      40670      Diesel      Automatic      Second  15.2 kmpl
...      ...      ...      ...      ...      ...
7248  2011      89411      Diesel      Manual      First  20.54 kmpl
7249  2015      59000      Petrol      Automatic      First  17.21 kmpl
7250  2012      28000      Diesel      Manual      First  23.08 kmpl
7251  2013      52262      Petrol      Automatic      Third  17.2 kmpl
7252  2014      72443      Diesel      Automatic      First  10.0 kmpl
```

```

      Engine      Power  Seats  New_Price  Price
0      998 CC  58.16 bhp  5.0      NaN  1.75
1     1582 CC  126.2 bhp  5.0      NaN  12.50
2     1199 CC   88.7 bhp  5.0  8.61 Lakh  4.50
3     1248 CC   88.76 bhp  7.0      NaN  6.00
4     1968 CC  140.8 bhp  5.0      NaN  17.74
...      ...      ...      ...      ...
7248  1598 CC  103.6 bhp  5.0      NaN  NaN
7249  1197 CC  103.6 bhp  5.0      NaN  NaN
7250  1461 CC   63.1 bhp  5.0      NaN  NaN
7251  1197 CC  103.6 bhp  5.0      NaN  NaN
7252  2148 CC   170 bhp  5.0      NaN  NaN
```

```
[7253 rows x 14 columns]>
```

In [6]: df.info()


```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 7253 entries, 0 to 7252
Data columns (total 14 columns):
#   Column                Non-Null Count  Dtype
---  -
0   S.No.                 7253 non-null   int64
1   Name                  7253 non-null   object
2   Location              7253 non-null   object
3   Year                  7253 non-null   int64
4   Kilometers_Driven     7253 non-null   int64
5   Fuel_Type             7253 non-null   object
6   Transmission          7253 non-null   object
7   Owner_Type            7253 non-null   object
8   Mileage               7251 non-null   object
9   Engine                7207 non-null   object
10  Power                 7207 non-null   object
11  Seats                 7200 non-null   float64
12  New_Price             1006 non-null   object
13  Price                 6019 non-null   float64
dtypes: float64(2), int64(3), object(9)
memory usage: 793.4+ KB
```

```
In [7]: df.isna().sum()
```

```
Out[7]: S.No.          0  
Name          0  
Location      0  
Year          0  
Kilometers_Driven  0  
Fuel_Type      0  
Transmission    0  
Owner_Type      0  
Mileage        2  
Engine         46  
Power          46  
Seats          53  
New_Price      6247  
Price          1234  
dtype: int64
```



```
In [8]: ax=df["Seats"].hist(bins=10,density=True,stacked=True,color='blue',alpha=0.6)
df["Seats"].plot(kind='density',color='violet')
ax.set(xlabel='Seats')
plt.xlim(-0,25)
plt.show()
```



```
In [9]: print(df["Seats"].mean(skipna=True))
print(df["Seats"].median(skipna=True))
```

5.279722222222222

5.0

```
In [10]: print(df["New_Price"].isnull().sum()/df.shape[0])  
print(df["Price"].isnull().sum()/df.shape[0])  
print(df["Mileage"].isnull().sum()/df.shape[0])  
print(df["Engine"].isnull().sum()/df.shape[0])  
print(df["Power"].isnull().sum()/df.shape[0])
```

```
0.8612987729215497  
0.1701364952433476  
0.0002757479663587481  
0.006342203226251206  
0.006342203226251206
```


```
In [11]: print(df['Engine'].value_counts())
sns.countplot(x='Engine',data=df,palette='Set3')
plt.xlim(-0,45)
plt.show()
```

```
1197 CC    732
1248 CC    610
1498 CC    370
998  CC    309
1198 CC    281
```

...

```
1489 CC     1
1422 CC     1
2706 CC     1
1978 CC     1
1389 CC     1
```

```
Name: Engine, Length: 150, dtype: int64
```



```
In [12]: data=df.copy()
data['Seats'].fillna(df['Seats'].median(skipna=True),inplace=True)
data.drop('New_Price',axis=1,inplace=True)
data['Price'].fillna(df['Price'].median(skipna=True),inplace=True)
data['Mileage'].fillna(df['Mileage'].value_counts().idxmax(),inplace=True)
data.drop('Engine',axis=1,inplace=True)
data.drop('Power',axis=1,inplace=True)
```

```
In [13]: data.isnull().sum()
```


```
Out[13]: S.No.          0
         Name          0
         Location      0
         Year          0
         Kilometers_Driven  0
         Fuel_Type      0
         Transmission   0
         Owner_Type     0
         Mileage        0
         Seats          0
         Price          0
         dtype: int64
```

```
In [14]: data.head()
```

```
Out[14]:
```

| | S.No. | Name | Location | Year | Kilometers_Driven | Fuel_Type | Transmission | Owner_Type | Mileage | Seats | Price |
|---|-------|----------------------------------|------------|------|-------------------|-----------|--------------|------------|------------|-------|-------|
| 0 | 0 | Maruti Wagon R LXI CNG | Mumbai | 2010 | 72000 | CNG | Manual | First | 26.6 km/kg | 5.0 | 1.75 |
| 1 | 1 | Hyundai Creta 1.6 CRDi SX Option | Pune | 2015 | 41000 | Diesel | Manual | First | 19.67 kmpl | 5.0 | 12.50 |
| 2 | 2 | Honda Jazz V | Chennai | 2011 | 46000 | Petrol | Manual | First | 18.2 kmpl | 5.0 | 4.50 |
| 3 | 3 | Maruti Ertiga VDI | Chennai | 2012 | 87000 | Diesel | Manual | First | 20.77 kmpl | 7.0 | 6.00 |
| 4 | 4 | Audi A4 New 2.0 TDI Multitronic | Coimbatore | 2013 | 40670 | Diesel | Automatic | Second | 15.2 kmpl | 5.0 | 17.74 |


```
In [15]: plt.figure(figsize=(15,8))
ax=df["Price"].hist(bins=10,density=True,stacked=True,color='blue',alpha=0.6)
df["Price"].plot(kind='density',color='teal')
ax.legend(['Mileage','Seats'])
ax.set(xlabel='Price')
plt.xlim(-9,80)
plt.show()
```



```
In [16]: training=pd.get_dummies(data,columns=["S.No."])
final_train=training
final_train.head()
```

Out[16]:

| nsmission | Owner_Type | Mileage | Seats | Price | ... | S.No._7243 | S.No._7244 | S.No._7245 | S.No._7246 | S.No._7247 | S.No._7248 | S.No._7249 | S.No._7250 |
|-----------|------------|---------------|-------|-------|-----|------------|------------|------------|------------|------------|------------|------------|------------|
| Manual | First | 26.6 km/kg | 5.0 | 1.75 | ... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Manual | First | 19.67 kmpl | 5.0 | 12.50 | ... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Manual | First | 18.2 kmpl | 5.0 | 4.50 | ... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Manual | First | 20.77 kmpl | 7.0 | 6.00 | ... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Automatic | Second | 15.2 kmpl | 5.0 | 17.74 | ... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |



exploratoray data analysis

```
In [17]: sns.barplot(x='Price',y='Year',data=final_train,color='mediumturquoise')  
plt.show()
```




```
In [18]: import seaborn as sns
import matplotlib.pyplot as plt
sns.barplot(x='Year', y='Seats', data=df, color='aquamarine')
plt.show()
```

