

F1 — Pass 2, v2: experience design and the Atlas

Sep 27, 2026 · @Mohammad AlFalasi

Evaluation of F1 as an experience

F1 v3.3 is sound as a syllabus and weak as an experience: it has 31 unit pages and one engine with no stated relationship between them, six labs specified by name only, no navigation model, and a real risk of reading as a beautiful catalogue; the fix is to make the Atlas the room the module happens in, with units as walks through it, and to specify every lab as an interaction, not a title.

Aspect	As specified	Problem	Direction
Module architecture	31 units in sequence, the Atlas as one lab among others	The Atlas is the module's one durable object but is entered like any widget; the learner leaves the world every time a unit ends	The Atlas is persistent: the module opens inside it, each unit is a saved view plus a walk, the unit page sits as a panel beside the Atlas, and the learner's own layer accumulates across all 31 units
Unit page	Opening move, lab, concept, cases, Apply, partner, log	Correct parts, no layout; the risk is a long scroll with a widget in the middle	Two-pane at desk (Atlas left, unit panel right); stacked on phone with the Atlas as a collapsible strip; the Apply step writes visibly to the artifact panel

Aspect	As specified	Problem	Direction
The labs	Six named: Object Autopsy, Spectrum Sort, Credit Map, Pattern Comparer, Route Map, Source Grader	Each is a noun; none says what the hand does, what changes, what is exported, or what happens on a phone	§4 specifies each as interaction, feedback, export, phone form
Navigation	Linear numbering	Thirty-one steps feels like a textbook; the worlds chapters (F1.6–F1.12) are seven similar pages in a row	Navigation by the Atlas: the worlds are places you go, the recurrences are moments you jump to, the threads are lenses you switch on; the linear order stays available as a route
Content density	Three objects per unit at Practice, 90 stories	Right, but seven world chapters with the same shape will feel repetitive	Vary the archetype: each world chapter gets a different structural device (a route, a material, a maker, a technique, an institution, a ritual, a copy)
The artifact	SRC field written at the end of units	Invisible during the module	A live sources record panel that grows on screen; the learner sees their world set forming
Consumption forms	Five-minute, session, reference	Not yet designed for F1	Five-minute form is an Atlas object card with one question; reference form is the record itself; audio walks for the networks

Aspect	As specified	Problem	Direction
Partner	Historian voice named	No conversational surface	The Historian sits in the unit panel; on the Atlas it can be asked about any node ("who made this, whom did you ask"); its knowledge pack is the world set
The dry-learning risk	Long object lists, scholarly captions	High in the worlds chapters	Story first with scrollytelling where time or route is the content; objects that answer a question, never lists; every screen has one thing to do
Front end	Unspecified	Nothing to build from	§6


What is already right and must be protected. Object-first openings; the four-reading autopsy; the spectrum sort with the cohort overlay; the attribution line as the briefer's smallest deliverable; the making-first units; the sensitivity rules; the closing test.

The one sentence for the front-end team. F1 is a place, the Atlas, that the learner learns to read; the units are guided walks through it; the artifact is the map they draw of their own lineage on the way.

The Atlas as a knowledge system

The Atlas stops being a timeline and becomes a graph of the history of making with eleven views onto it; objects, people, places, movements, inventions, materials, events and institutions are nodes, and the relations between them (made by, made of, copied from, traded along, commissioned by, influenced by, enabled by, disrupted by) are what the learner learns to see and to add.

Atlas architecture: rings feed a graph, the graph feeds views, units call views



Atlas architecture · rings, graph, views, units

The learner never sees the rings; they see views, and a unit hands them a view already set: a place, a time span, a lens switched on, a question. The rings keep the scope honest: Ring 1 is what we wrote and stand behind; Ring 2 is structured context imported from open knowledge bases and pruned to what links to Ring 1; Ring 3 is the open graph the curious can walk into, marked as unreviewed.

Entities (node types)

Type	Examples	Ring
Object	a Song bowl, a Thonet chair, a kente cloth, a platform interface	1
Person or workshop	a named maker, an anonymous workshop, a guild, a studio	1-2
Community	a weaving community, a caste of smiths, a diaspora	1, with consultation notes
Place	a city, a kiln site, a port, a mine, a factory	2 (Pleiades, Getty TGN)
Material and its source	cobalt from Kashan, cotton from Gujarat, mahogany from Honduras	1-2

Type	Examples	Ring
Technique and invention	the drop spindle, movable type, the fly shuttle, injection moulding, the transistor	2
Movement and style	mingei, Bauhaus, Arts and Crafts, Art Deco, Memphis, brutalism, streetwear	2, pruned to what touches Ring 1
Event	a war, a plague, a famine, an exhibition, a treaty, a shipwreck, a discovery	2
Institution	a museum, a court, a company, a school, a platform	2
Text and image	a treatise, a pattern book, a catalogue, a manifesto	1-2
Route	Silk Roads, the Indian Ocean monsoon circuit, trans-Saharan, the Atlantic triangle, the Manila galleon	1
Idea and belief	a religion, a cosmology, a theory of ornament	2

Relations (edge types, each carrying a source and a confidence): made by · made at · made of · material from · commissioned by · held by, then held by (provenance) · exhibited at · copied from · adapted from · traded along · influenced by · responded to · enabled by (invention) · disrupted by (event) · taught by · belongs to (movement) · described in (text) · same recurrence as.

The eleven views

View	What it answers	Interaction	Serves
Map	Where were things made, moved, mined, sold?	Pan, zoom, time scrub, layers by relation	F1.6–F1.13, F1.22
Globe	The same without a projection's bias; time-lapse	Rotate; play through time	F1.3, F1.5, F1.13
Timeline	When, on parallel regional rows, as ranges with uncertainty	Scrub; toggle strands; align recurrences	F1.5, F1.19–F1.21

View	What it answers	Interaction	Serves
Occurrences	What else was happening: wars, plagues, exhibitions, inventions, discoveries, climate events	A feed filtered by place and span; a "what was happening elsewhere" panel on any object	F1.5, F1.19, F1.21
Connections	How are these two things linked?	Pick two nodes; the shortest chains of relations appear, each edge with its source and confidence	F1.13, F1.14, F1.25
Movements	Which movements touched which objects, garments and spaces, and how strongly?	Choose a movement; its influence fans out over objects by medium and decade	F1.20, S3.11, S5.11
Inventions	What did a technique or material make possible, and what did it end?	Choose an invention; the objects enabled after it light up; a technology tree by material	F1.5, F1.19, F1.22
Compare	Two objects side by side across time or place	Split view with shared lenses (material, labour, meaning)	F1.14, F1.20, F1.25
Story	A curated walk through the graph as layered pages	Scrollytelling that moves the map and the timeline as you read	every narrative unit
Lineage	The learner's own layer	Add objects, people and routes; export to the artifact	F1.27, F1.31
Calendars	The same time by another reckoning	Switch the axis: lunar, dynastic, genealogical, seasonal	F1.30

Lenses (filters that cut across every view and match the threads): labour and credit · material and extraction · gender · ritual and belief · commissioning regime · copying and transfer · provenance and restitution.

Why this is not Wikipedia. The Atlas is a landscape; the units are walks. Nothing in Ring 2 or 3 appears without a link back to a Ring 1 object; every influence edge is a sourced claim with a confidence the learner can see; and every view a unit opens comes with one

question. Comprehensiveness lives in the graph; the curriculum lives in the walks.

Data sources for a comprehensive Atlas

A comprehensive Atlas is feasible without budget because the structured context — movements, inventions, wars, people, places, dates — already exists as open linked data; the work is pruning it to what touches the curated objects and sourcing every influence claim, not collecting it.

Source	What it gives	Licence	Ring	Caution
Wikidata	Structured records for movements, people, inventions, events, wars, institutions, with dates, places and links to museum records; a query endpoint	CC0	2, 3	Quality varies by topic and region; every record used in Ring 2 is reviewed once; dates re-checked against a second source before they appear on the timeline
Getty vocabularies: AAT (art and architecture terms), ULAN (artist names), TGN (places)	Controlled vocabulary for object types, techniques, materials, makers and historical place names	Open (ODC-By)	2	Attribution required; Western vocabulary bias to be noted where it shapes a term
Pleiades	Ancient places with coordinates and time spans	CC BY	2	Ancient Mediterranean and Near East strongest; other regions thinner
Museum open-access APIs (Met, Smithsonian, Cleveland, AIC, Rijksmuseum, NGA, Cooper Hewitt)	Object records with images, dates, materials, provenance, places	CC0	1	Terms of use per API; rate limits; caching under their rules

Source	What it gives	Licence	Ring	Caution
Archnet	Islamic architecture and urbanism, with drawings	Varies	1–2	Item-level terms
OpenStreetMap and Natural Earth	Base map and historical-boundary cautions	ODbL, public domain	views	Historical borders never drawn as modern ones; use places, not states
Our World in Data, World Bank, UN	Material, population, trade and energy series for the Occurrences and Inventions views	Open	2	Attribution
Public-domain texts (Project Gutenberg, Internet Archive, Wikisource)	Treatises, pattern books, catalogues, contracts	Public domain	1–2	Translation dates
Historical climate and epidemic datasets (open science repositories)	Events for the Occurrences view	Varies	2	Verify each dataset's licence

Rules that keep the Atlas bounded and honest

1. Ring 2 imports only nodes within two relations of a Ring 1 object; a movement with no curated object attached does not exist in the Atlas until one does.
2. Every influence, copying, commissioning or enabling edge is a claim: it carries a source, a confidence (documented, probable, contested, interpretive) and, where contested, both readings.
3. Dates are ranges; the interface never draws a point for a range.
4. Places are places, not modern states; the Map shows historical names alongside modern ones and never colours by current borders.
5. Ring 3 is visibly unreviewed: a different surface, a label, and no export to the artifact without the learner marking it as their own claim.

6. Imported records keep their provenance: the learner can always see that a date came from Wikidata and a story from us.
7. Coverage is tracked per world; where open data is thin (Oceania, much of Africa before 1500), the thinness is shown, not hidden, and taught in F1.3.

What the sources make possible that the timeline could not. The Movements view (from Wikidata's movement and style records linked to museum objects); the Inventions view (technique and material records with dates, linked to objects that use them); the Occurrences view (wars, plagues, exhibitions, treaties with places and spans); the Connections view (any two nodes, shortest sourced path); and the Calendars view (Wikidata carries calendar systems and dynastic eras).

The interactives, evaluated and upgraded

Every F1 lab is specified below as an interaction (what the hand does, what changes, what is exported, what it becomes on a phone) rather than a name, and seven new interactives are added because the graph makes them possible; each existing lab also gains a link into the Atlas so nothing in F1 is a widget on its own.

Existing labs

Lab	As named	What the hand does	Feedback	Export	Phone form	Upgrade
Object Autopsy	Peel an object into material, labour, trade, meaning	Guess first: the learner writes one line per layer before revealing; then drags the layers apart; taps any layer to open its Atlas node	Each layer reveals the record's facts against the guess; the material layer shows the source place on the Map	A four-line reading into the sources record; the attribution line	The four guesses, then the reveal; deep zoom deferred	Add sound: a maker's-process audio where one exists; add the "what was happening elsewhere" panel on the date; full autopsy in F1.25 adds the provenance chain

Lab	As named	What the hand does	Feedback	Export	Phone form	Upgrade
Spectrum Sort	Place cases on reference to appropriation	Drag eight cards along a scale; write one reason per card	The cohort heatmap appears after; the Historian asks about the two cards the cohort disagreed on most	The learner's sort with reasons into the test record	Full, with cards as swipes	Add a second axis (harm to the source community, none to severe) so the sort becomes a plane; add "what would make this acceptable" as a slider that reveals the consultation protocol
Credit Map	Deconstruct one object into contributors	Pull contributors out of an object: designer, workshop, material extractors, transporters, retailers, uncredited communities	Each contributor becomes a node; named versus unnamed ratio shown; links to Ring 2 people and places	The credit map of the learner's own project	Full	Add a "credit line generator" that writes the attribution from the map, for the briefer
Pattern Comparer	Compare ornament across regions	Side by side and overlay; a motif family tree; the learner guesses region before the reveal	Region and date revealed; the exhibition-catalogue caption shown as an artefact of extraction	A pattern note into the formal grammar candidates	Side by side only	Link to F2.6's generator: rebuild the motif's rule

Lab	As named	What the hand does	Feedback	Export	Phone form	Upgrade
Route Map	Trace an object's route	"Carry an object": pick a Ring 1 object and drag it along its route; ports and dates appear as you pass	Materials joined en route; taxes and transformations at each stop; the object at the end shown as it arrived	The route into the learner's world set	A tap-through of the stops	Time-lapse mode: play a route with the Globe; branching routes for copies
Source Grader	Grade five sources	Rate each on provenance, bias, distance from the event, corroboration; find the bias prompt asks for the sentence that gives it away	A graded list with the class's spread	Into the sources record with grades	Full	Add translation-date check as a field
Oral History Kit	Record, transcribe, consent	A consent flow first (who owns the recording, right to withdraw, labels); then recording; transcription with review; tagging to the Atlas	A consented, labelled record	A community node and a story into Lineage	Recording on phone is the natural form	Add Traditional Knowledge labels once verified; a "what not to publish" review step
Bible Anatomy (F1.4)	Dissect a public world bible	Tag the sections of a bible: rules, stakes, time, place, characters	Shows which sections map onto Concept DNA fields	A note into GRM.n	Reading only	Link to M2.6 grammars

New interactives the graph makes possible

Interactive	What it does	Serves	The learning it makes possible
Connect Two Things	Pick any two nodes (a Song bowl and a Delft tile; a Bauhaus chair and a Kuba cloth); the shortest sourced chains appear; the learner can challenge an edge	F1.13, F1.14, F1.20, closing test	History as relations, not lists; the habit of asking what the link is and who says so
What Was Happening Elsewhere	On any object, a panel of concurrent events, inventions and objects across all worlds	F1.5, every world chapter	Simultaneity; the end of the single line
Movement Ripple	Choose a movement; watch its influence fan out over objects by medium and decade, with confidence shading	F1.20, later S3.11 and S5.11	Influence as claim with strength, not as fact
Invention Ripple	Choose a technique or material; objects enabled after it light up; objects ended by it fade	F1.5, F1.19, F1.22	Technology as enabler and eraser
Copy Chain	An object and its copies across four stops, as before-and-after steps	F1.14	Transfer as the engine of exchange; the licensing question before R2
Re-time	Switch the timeline's calendar; watch the same objects regroup	F1.30, F1.3	Periodisation as a choice
Coverage Mirror	The Atlas shows the learner where its own data is thin, by world and century	F1.3, F1.24	The bias of the record itself

Two rules for all of them. Guess before reveal wherever a fact is shown; export to the artifact wherever a judgement is made.

Scenarios: from consumed material to simulation

F1's 31 units fall into seven archetypes; each has a different shape on screen, a different Atlas view, and a different balance of reading, looking, doing and testing, so the module never repeats one page design thirty-one times.

Archetype	Units	Opens on	Atlas view handed over	Consumed material	Doing	Test or export	Phone form
A. The one-object unit	F1.1, F1.25	A single object filling the screen	Compare (later), Object view	Nothing before the guess; the story after	Object Autopsy	A reading and an attribution line	Complete
B. The world chapter	F1.6–F1.12	Story view: a scrollytelling walk through one world, each with its own device (a route, a material, a maker, a technique, an institution, a ritual, a copy)	Map, set to that world and span	Three object stories; an argument card on how that world is usually told	Reference note; consultation flag	The note into sources	Object cards and the walk in linear form
C. The network unit	F1.10, F1.13, F1.14	Globe in time-lapse, then Map	Map with routes; Connections	Route stories; the copy chain	Carry an object; Connect Two Things; Copy Chain	The route into the world set	Tap-through stops
D. The recurrence unit	F1.5, F1.30	Timeline with parallel rows	Timeline; Occurrences; Calendars	Short cards per recurrence	Align recurrences; Re-time; What Was Happening Elsewhere	Three objects placed with ranges	Timeline scrub only
E. The thematic argument unit	F1.3, F1.15–F1.24	An argument card	Movements, Inventions, Occurrences or the lens that matches (labour, gender, ritual, commissioning, provenance)	Argument card; three objects; a step-through where there is a chain	Movement Ripple, Invention Ripple, Credit Map, the commissioning chain	The two-sentence position; the briefer's regime brief	Card plus the first two steps
F. The method unit	F1.2, F1.26, F1.28	A problem or a prediction	Connections; Source Grader	Almost none; the method is the interactive	Spectrum Sort; the protocol builder; grading	The sort, the protocol, the graded sources	Complete

Archetype	Units	Opens on	Atlas view handed over	Consumed material	Doing	Test or export	Phone form
G. The Mastery research unit	F1.27, F1.29, F1.31	The learner's own layer, empty	Lineage; Atlas authoring	Archive walkthroughs; the kit	Research; recording; authoring	The piece; the account; the slot	Recording on the phone; authoring at the desk

One scenario in full: F1.13 Networks, at the desk, about 60 minutes

1. The unit opens on the Globe, dark, turning slowly; a single dot at a kiln in Jingdezhen glows in the 1300s. A line reads: "This bowl will travel for three hundred years. Guess where it ends." The learner types a guess.
2. Time-lapse: the globe plays forward and the dot's line grows — Jingdezhen to the coast, the Indian Ocean monsoon circuit, Hormuz, Cairo, then the Cape route, Amsterdam. Other dots light as it passes: cobalt from Kashan going the other way; chintz from Gujarat; Swahili coast ports. The learner's guess is scored against the route.
3. The unit panel on the right shows the argument card: "Objects made the routes" against "Routes made the objects", with one case each.
4. Carry an Object: the learner drags the bowl along its route; at each port a stop card opens (what joined it, what tax it paid, what it was called there). The Map shows historical names beside modern ones.
5. Concept text (500 words) on the six networks, read with the Map open; each network named in the text is a link that sets the Map.
6. Connect Two Things: the learner picks two objects from different networks and challenges one edge in the chain; the Historian asks what evidence would change the confidence.
7. Apply, maker: trace one object from your own world set end to end and write where it changed hands. Apply, briefer: the same, then note which stop a commissioning brief would have been written at.
8. Log: one line; the route joins the sources record and appears in the learner's Lineage view.

The same scenario on a phone, ten minutes. The Globe time-lapse as a video-like play with the guess before it; the stop cards as a tap-through; the argument card; the log. Connect Two Things and the full concept text wait for the desk session, flagged as such.

What the scenarios reveal. Seven distinct page shapes are enough; the world chapters must each have a different device or they will read as one page seven times; every archetype has a complete phone form except G, which is meant for the desk and the field.

UI and front-end design direction

The interface is one persistent canvas (the Atlas) with a unit panel, an artifact panel and a partner drawer around it; the design language is an archive rather than a dashboard; the front end is a React app with a graph store, a vector map, a 3D globe and a timeline renderer, with every view state encoded in the URL so that a unit can open the Atlas exactly where it wants.

Layout

Region	Desk	Phone
Atlas canvas	Left two thirds; view switcher top-left (eleven views as icons with names); time scrubber along the bottom; lenses as toggles top-right	Top third, collapsible to a strip; one view at a time; scrubber below
Unit panel	Right third; scrolls independently; the opening move, the concept, cases, Apply and log in order chosen per unit	Below the Atlas, full width
Artifact panel	A drawer from the right edge showing the sources record growing; opens automatically on export	A tab in the bottom bar
Partner drawer	A drawer from the bottom of the unit panel; the Historian by default; can be pointed at any node	Bottom sheet
Node card	Appears over the canvas on tap: image, one-line story, four readings, relations, sources, confidence, sensitivity note	Full-screen sheet

Region	Desk	Phone
Route and progress	A thin band across the top showing the current walk and the module's 31 units as a path, with the six threads as coloured ticks	Same, compressed

Design language. An archive, not a dashboard: warm paper tones with a dark canvas for the Globe; serif for stories and argument cards, a humanist sans for interface and captions; type set for Arabic and Latin from the first component (mirrored layouts, script-aware line heights); objects always shown on neutral grounds with their collection credit; motion slow and meaningful (routes draw, time plays, layers lift); no gamified confetti; the cohort overlay drawn as quiet density, not leaderboards. Uncertainty has a visual grammar: date ranges as bars with soft ends, contested claims as dashed edges, unreviewed Ring 3 as a lighter surface.

Components (the F1 set of the pattern library): view switcher; time scrubber with range handles; lens toggles; node card; relation edge with source popover; scrollytelling page with pinned canvas; object story with deep zoom; argument card; step-through explainer; spectrum plane; credit map; route player; connect-two-things path panel; ripple views (movement, invention); calendar switch; lineage editor; sources record; partner drawer; guess-then-reveal wrapper; reduced-motion switch.

Technical architecture

Layer	Choice	Reason
App	React and TypeScript; state in a graph store (nodes, edges, claims) with derived views	One store, eleven views
Map	An open-source vector map library on OpenStreetMap tiles, with historical place layers from Pleiades and Getty TGN	Free; supports custom layers and RTL labels
Globe	three.js with a lightweight sphere, route arcs and time-lapse	Free; already in the program's toolkit
Timeline	d3 for the parallel-row timeline with ranges and the calendar transforms	Precision with ranges

Layer	Choice	Reason
Objects	An IIIF deep-zoom viewer where collections serve IIIF; static images otherwise	Free; museum standard
Graph queries	Pre-computed for Ring 1 and 2 (shortest paths, ripples) at build time; live queries to Wikidata only for Ring 3	Speed on phones; no rate-limit surprises
Data pipeline	Scripts that pull museum APIs and Wikidata, review queues for Ring 2, a claims table with sources and confidence, coverage reports per world	The research log feeds it directly
URL state	Every view, span, lens and selection in the URL	Units link into exact Atlas states; learners share states
Storage	Supabase for learners, artifacts, sorts and overlays; static JSON for Rings 1 and 2	Free tier; static content is cacheable
Offline	The current unit's pack (objects, stories, audio) cached for field units	G-archetype units happen away from Wi-Fi

Performance and accessibility. Rings 1 and 2 as static, versioned JSON split per world; images served at three sizes; the Globe off by default on low-power devices with the Map as fallback; every view keyboard-navigable; a text list view of any Atlas state for screen readers; alt text and audio description on every object; colour never the only carrier; a reduced-motion mode that replaces time-lapse with stepped frames; RTL mirrored layouts tested from the first build.

Staging, effort, risks and open questions

The Atlas is built in four versions that track the units, never ahead of them; the risk that matters most is scope, and the rings, the two-relation rule and the claims table are the controls.

Version	Contains	Units it unblocks	Effort (small team, part time)
Atlas v1	Ring 1 with 60 objects; Map and Timeline views; node cards; Object Autopsy; Spectrum plane; Story view for two walks; URL state; text list view	F1.1–F1.5, F1.25, F1.2	6–8 weeks
Atlas v2	Ring 1 to 150; Ring 2 for places, materials, events; Globe with time-lapse; Routes and Carry an Object; Connections; Occurrences and What Was Happening Elsewhere; Coverage Mirror	F1.6–F1.15, F1.22	8–10 weeks
Atlas v3	Ring 2 for movements, inventions, people; Movement and Invention Ripples; Copy Chain; Credit Map; Compare; lenses across views	F1.16–F1.24	6–8 weeks
Atlas v4	Lineage authoring; Calendars and Re-time; Oral History Kit; Ring 3 browse; export to the artifact from every view	F1.26–F1.31 and the regional slot	6–8 weeks

Risks and controls

Risk	Control
Scope: the Atlas becomes the product and F1 never ships	Versions tied to units; nothing built ahead of a unit that needs it
Ring 2 quality: bad Wikidata dates on the timeline	Review queue; two-source rule for any date drawn; provenance shown per fact
Influence edges read as facts	Confidence grammar in the UI; contested claims carry both readings; the Historian asks for evidence

Risk	Control
Regional imbalance of the world set	Coverage Mirror public; gaps taught; community-published sources preferred for thin regions
Sensitivity mistakes	The five rules from Pass 2 v1; a sensitivity flag on every record; exclusion by default for sacred, ancestral and funerary material
Performance on phones	Static JSON per world; Globe optional; pre-computed paths
Rights drift as APIs change terms	Terms recorded per collection; images referenced by link where required; a swap procedure per record
The module reads as a catalogue	Seven page archetypes; every screen one thing to do; guess before reveal

Open questions for you

1. The eleven views: keep all, or ship with six (Map, Timeline, Occurrences, Connections, Story, Lineage) and add Movements, Inventions, Compare, Globe and Calendars in later versions?
2. Design language: archive-warm as proposed, or something of your own; do you want Figma mockups of the desk and phone layouts next?
3. Ring 3: allow live browsing into Wikidata inside the app, or keep learners inside Rings 1 and 2 with outbound links only?
4. The confidence grammar: four levels (documented, probable, contested, interpretive), or fewer?
5. Which comes first after your review: the Atlas v1 as a working page with 60 records, or the Figma mockups, or the remaining thirty unit specs?